09.05 - 3/24/70 - 00368

INDEX

THIS PART CONTAINS:

OPNAV FORM	11000-1
NAVMC FORM	10651
OPNAV FORM	11000-3
OPNAV FORM	11000-4
DD FORMS	1391 & 1391c
OPNAV FORM	11000-5

FOR THE FOLLOWING GEOGRAPHICAL AREAS OF THE CAMP LEJEUNE COMPLEX:

HADNOT POINT	RIFLE RANGE
FRENCH CREEK	COURTHOUSE BAY
MONTFORD POINT	BASEWIDE AND MISCELLANEOUS
CAMP GEIGER	MILE HAMMOCK BAY
	NAVAL HOSPITAL

INTRODUCTION

OBJECTIVE

A Master Plan for the development and utilization of the Camp Lejeune Area, Marine Corps Base was requested by the Commandant of the Marine Corps by C. M. C. letter A04K-ND-14 of 8 June 1967.

The task of preparing the Master Plan was assigned to the Commander, Atlantic Division, Naval Facilities Engineering Command. Contract No. N62470-67-C-1102 was awarded to the Architectural Firm of A. G. Odell, Jr. and Associates to prepare and develop the Master Plan from information furnished them by the Activity and by Atlantic Division, Naval Facilities Engineering Command.

The final plan, after C. M. C. approval, will be the supporting document for any Military construction program line item or, as appropriate, for the development and utilization of unimproved areas and disposition of land areas determined to be excess.

SCOPE

This Master Plan encompasses all of the facilities at the Marine Corps Base, Camp Lejeune, North Carolina, with the exception of the Marine Corps Air Station (Helicopter), New River, and Family Housing, the Master Plan Study consists of 3 parts:

Part I - Text
Part II - Statistics
Part III - Maps

The text describes the Activities and Commands at Camp Lejeune and presents background information relative to the growth and development of the Base. Existing conditions and area considerations are outlined along with major problems. A summary and planning analysis of recommendations describes the plan of development and implementation of the Master Plan.

MILCON PHASING BY AREAS

AREAS	ESTIMATED COST IN 1,000.00 DOLLARS							
	FY 0	FY 1	FY 2	FY 3	FY 4	FY 5	SUB-TOTAL	UP
HADNOT POINT	1,521	2,289	2,446	6,665	3,537	3,212	19,670	34,067
FRENCH CREEK	-	-	8,542	1,675	10,101	6,187	26,505	11,405
CAMP GEIGER	-	-	53	3,900	1,735	1,856	7,544	4,863
COURTHOUSE BAY	-	-	-	-	2,510	5,850	8,360	7,441
BASEWIDE/MISC.	-	-	7,029	1,904	2,490	3,070	14,493	7,317
MILE HAMMOCK BAY	-	-	-	4,251	-	-	4,251	-
TOTAL	1,521	2,289	18,070	18,395	20,373	20,175		
						SUB-TOTAL	80,823	
						UP TOTAL		65,093
						GRAND TOTAL	145,916	

MILCON PHASING BY FUNCTION

FACILITY CLASS		ESTIMATED COST IN 1,000.00 DOLLARS							
CODE	DESCRIPTION	FY 0	FY 1	FY 2	FY 3	FY 4	FY 5	SUB-TOTAL	UP
100	OPERATIONS	-	-	53	-	-	-	53	134
171	TRAINING	-	-	-	636	690	5,381	6,707	4,713
200	MAINT./PROD.	799	1,709	2,372	1,906	1,640	114	8,540	2,217
400	STORAGE/SUPPLY	-	-	332	167	644	-	1,143	1,786
500	MEDICAL	352	-	598	29	29	-	1,008	1,630
600	ADMINISTRATION	370	-	27	2,525	538	1,399	4,859	6,885
720	TROOP HOUSING	-	580	9,538	10,898	13,677	8,697	43,390	29,805
730	COMMUNITY FACILITIES	-	-	150	330	665	1,514	2,659	12,608
800	UTILITIES	-	-	5,000	1,904	2,490	3,070	12,464	5,315
TOTAL		1,521	2,289	18,070	18,395	20,373	20,175		
						SUB-TOTAL		80,823	
						UP TOTAL			65,093
						GRAND TOTAL		145,916	

OPNAV FORM 11000-1 (NEW 4-60)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED PRE-M-DAY	QUANTITY REQUIRED POST-M-DAY	UNIT OF MEASURE	DURATION OF REONT.	MOBIL. PEAK LOAD	REMARKS
1	2	3	4	5	6	7	8
	HADNOT POINT						
111-81	HELICOPTER LANDING PAD	12,232		SY			
123-10	FILLING STATION	21		OL			
124-50	VEHICLE READY FUEL STORAGE TANK	60,920		GA			
124-65	HEATING FUEL OIL STORAGE TANK	2,550,570		GA			
125-15	PUMPING STATION BUILDING	860		SF			
126-30	TANK TRUCK/CAR LOADING FACILITY	6		OL			
126-90	LPG DISTRIBUTION BUILDING	926		SF			
131-15	COMMUNICATIONS CENTER	12,908		SF			
131-40	TELEPHONE EXCHANGE BUILDING	8,000		SF			(INCLUDES FRENCH CREEK)
131-50	TRANSMITTER BUILDING	4,589		SF			
131-90	COMMUNICATIONS BUILDING/OTHER	1,832		SF			
132-10	ANTENNA/TOWER SUPPORTED	3		EA			
132-30	ANTENNA/POLE AND WIRE	1		EA			
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	2		EA			
141-60	PHOTOGRAPHIC BUILDING	7,450		SF			
141-86	HEALTH PHYSICS CALIBRATION BUILDING	1,500		SF			
171-10	ACADEMIC & GENERAL INSTR BUILDING	104,000		SF			
171-20	APPLIED INSTR BUILDING	16,770		SF			
171-30	ARMORY	31,200		SF			
171-50	SMALL ARMS RANGE - INDOOR	35		FP			
171-90	COMBAT TRAINING TANK - INDOOR	2		EA			
171-90	TRAINING BUILDING/OTHER	0		SF			
214-10	COMBAT VEHICLE MAINT FACILITY	172,760		SF			
214-20	AUTO VEHICLE MAINT FACILITY	54,730		SF			
214-30	REFUELING VEHICLE MAINT FACILITY	5,760		SF			
214-90	VEHICLE WASH APRON	33,600		SF			
214-90	GREASE RACK	42,000		SF			
215-XX	SMALL ARMS SHOP	0		SF			
217-10	ELECTRONICS & COMM MAINT SHOP	8,000		SF			
217-90	RADIAC CALIBRATION SHOP	4,000		SF			
218-20	CONSTRUCTION EQUIPMENT MAINT SHOP	13,365		SF			

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

NO OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 9 DECEMBER 1968

SHEET 1 OF 3 SHEETS

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (REV 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
219-10	BASE MAINT SHOP	56,750		SF			
229-50	PRINTING PLANT	12,050		SF			
229-90	PRESERVATION & PACKAGING	24,000		SF			
310-90	NAVAL MEDICAL RD&T FACILITY	106,930		SF			
411-80	LUBE STORAGE	768		SF			
411-90	LIQUID FUEL STORAGE/OTHER	10,000		BL			
432-10	COLD STORAGE WAREHOUSE	45,815		SF			
442-10	GENERAL WAREHOUSE/RI	1,892,000		SF			
442-70	PUBLIC WORKS MAINT STORAGE	48,860		SF			
442-90	TRANSPORTATION DIVISION STORAGE	37,560		SF			
442-90	COVERED STORAGE/OTHER	102,570		SF			
452-XX	OPEN STORAGE	407,272		SY			
530-20	SANITATION AND VET LABORATORY	2,450		SF			
540-10	DENTAL CLINIC	27,200		SF			
540-90	PRESERVATION DENTISTRY FACILITY	1,524		SF			
550-20	DISPENSARY W/O BEDS	66,220		SF			
550-90	DISPENSARY/OTHER	2,068		SF			
610-10	ADMINISTRATION OFFICE	596,806		SF			
690-10	FLAGPOLE	14		EA			
690-15	SALUTING GUN BATTERY MOUNT	2		EA			
722-10	EM BARRACKS W/O MESS	15,456		MN			
722-10	EW BARRACKS	231		MN			
723-10	MESSHALL	174,045		SF			
723-20	LATRINE	3,396		SF			
724-15	BOQ W/O MESS	490		MN			
724-30	OFFICERS MESS - CLOSED	12,250		SF			
730-10	FIRE STATION	9,800		SF			
730-15	BRIG	350		MN			
730-25	GATE/SENTRY HOUSE	8,974		SF			
730-30	BAKERY	22,700		SF			
730-40	LAUNDRY & DRY CLEANING PLANT	75,200		SF			
730-65	AIR RAID/FALLOUT SHELTER	244,480		SF			
730-76	KENNEL	0		SF			
740-10	CHAPEL	3,300		SE			

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
NO OR AREA: 5ND
SPONSOR: MARCOR

FORM STATUS (IF OTHER THAN INITIAL ISSUE): ☐ REVISED ☐ CHANGE NO. _____
PREPARATION DATE: 9 DECEMBER 1968
SHEET 2 OF 3 SHEETS
CLASSIFICATION STAMP

HAD NOT POTAPE

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (REV 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
740-14	EXCHANGE	98,410		SF			
740-18	BANK	7,800		SF			
740-19	CREDIT UNION	7,000		SF			
740-20	GUESTHOUSE	33,200		SF			
740-23	COMMISSARY	64,100		SF			
740-26	CIVILIAN CAFETERIA	24,480		SF			
740-30	SERVICE STATION	5,780		SF			
740-33	POST OFFICE	19,030		SF			
740-34	THRIFT SHOP	6,300		SF			
740-36	HOBBY SHOP	35,870		SF			
740-37	SPECIAL SERVICES CENTER	3,000		SF			
740-40	BOWLING ALLEY	60		LA			
740-43	GYMNASIUM	82,000		SF			
740-50	FIELD HOUSE	62,000		SF			
740-55	YOUTH CENTER	42,900		SF			
740-56	THEATER	4,000		SE			
740-60	OFFICERS CLUB - OPEN	26,400		SF			
740-63	EM SERVICE CLUB	83,400		SF			
740-66	NCO CLUB	40,270		SF			
740-70	STAFF NCO CLUB	17,400		SF			
740-76	LIBRARY	31,140		SF			
740-83	BUS STATION & SHELTERS	3,600		SF			
740-86	RETAIL WAREHOUSE	11,050		SF			
740-88	EDUCATION CENTER	38,300		SF			
740-90	COMPANY RECREATION BUILDING	81,955		SF			
750-10	PLAYING COURTS	240		EA			
750-20	PLAYING FIELDS	68		EA			
750-30	OUTDOOR SWIMMING POOL	5		EA			
750-39	OUTDOOR SWIMMING POOL - NCO	0		EA			
750-50	OUTDOOR THEATER	0		SF			
750-90	PRESS BOX	1		EA			
750-90	REVIEWING STAND	1		EA			

ACTIVITY AND LOCATION
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROL

NO OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
9 DECEMBER 1968

SHEET 3 OF 3 SHEETS

CLASSIFICATION STAMP

HADNOT POINT

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ0003	2- 6366	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0004	2- 6367	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0005	2- 6368	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0006	2- 6369	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0011	2- 6373	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0016	2- 6378	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ0018	2- 6774	C/HLCP LDG PAD	SAME	31	P	U	SY	69.		0.	17/ 0/ 0
									483.		0.	
123-10	1002	2- 4871	FILLING STATION	SAME	10	P	U	OL	9.		0.	0/ 0/ 0
123-10	S1813	2- 4964	FILLING STATION	SAME	90	S	U	OL	2.		0.	0/ 0/ 0
123-10	S1840	2- 4965	FILLING STATION	SAME	90	S	R	OL	2.		2.	8/ 0/ 0
123-10	S1843	2- 4966	FILLING STATION	SAME	91	S	R	OL	2.		2.	8/ 0/ 0
123-10	S1844	2- 4967	FILLING STATION	SAME	91	S	R	OL	2.		2.	8/ 0/ 0
									17.		6.	
124-50	S1023	2- 6689	VE R/FUEL TK	SAME	10	P	U	GA	12000.		0.	0/ 0/ 0
124-50	S1024	2- 6690	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1025	2- 6691	VE R/FUEL TK	SAME	10	P	U	GA	12000.		0.	0/ 0/ 0

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
124-50	S1026	2- 6692	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1027	2- 6693	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1028	2- 6694	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1029	2- 6695	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1030	2- 6696	VE R/FUEL TK	SAME	10	P	U	GA	12000.		0.	0/ 0/ 0
124-50	S1031	2- 6697	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1032	2- 6698	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1033	2- 6699	VE R/FUEL TK	SAME	10	P	U	GA	12000.		0.	0/ 0/ 0
124-50	S1034	2- 6700	VE R/FUEL TK	SAME	10	P	U	GA	12000.		0.	0/ 0/ 0
124-50	S1035	2- 6701	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1036	2- 6702	VE R/FUEL TK	SAME	10	P	U	GA	15000.		0.	0/ 0/ 0
124-50	S1037	2- 6703	VE R/FUEL TK	SAME	10	P	U	GA	7000.		0.	0/ 0/ 0
									202000.		0.	
124-65	S0781	2- 5016	DIESEL OIL STOR	SAME	30	P	R	GA	272370.		272370.	8/ 0/ 0
124-65	S1009	2- 5028	OPER FUEL/OTHER	SAME	10	P	U	GA	600000.		0.	0/ 0/ 0
									872370.		272370.	
125-15	1004	2- 4892	PUMP STATION	SAME	10	P	U	SF	860.		0.	0/ 0/ 0
									860.		860. 0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
126-30	S1038	2- 6816	TRUCK LOD FACIL	SAME	10	S	R	OL	2.		2.	12/ 0/ 0
126-30	S1039	2- 6817	TRUCK LOD FACIL	SAME	10	S	R	OL	2.		2.	12/ 0/ 0
126-30	S1040	2- 6818	TRUCK LOD FACIL	SAME	10	S	R	OL	2.		2.	12/ 0/ 0
									6.		6.	
126-90	0803	2- 4805	LP GAS BUILDING	SAME	30	P	U	SF	500.		0.	0/ 0/ 0
									500.		0.	
P 131-15	0001	2- 3857	COMM CENTER	ADMINISTR OFFIC	25	P	U	SF	33814.* 2472.		0.	0/ 0/ 0
									2472.		0.	
S 131-40	0001	2- 3857	E EX BLDG	ADMINISTR OFFIC	25	P	R	SF	33814.* 2940.		2940.	19/ 0/ 0
									2940.		2940.	
131-50	0024	2- 3619	RADIOTRANSBLDG	SAME	17	P	R	SF	4589.		4589.	2/ 0/ 0
									4589.		4589.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 131-90	0118	2- 3962	COMM/BLDG/OTHER	SAME	90	P	R	SF	26602.* 82.		82.	8/ 0/ 0
T 131-90	1709	2- 5060	COMM/BLDG/OTHER	TRHSG/EM/WO MESS	90	P	T	SF	8372.* 1750.		1750.	4/ 0/ 0
									1832.		1832.	
132-10	S0099	2- 6787	RADIO TOWER	SAME	17	P	U	EA	1.		0.	0/ 0/ 0
132-10	S0724	2- 4998	ANTNA/TOWER SUP	SAME	17	P	U	EA	1.		0.	0/ 0/ 0
132-10	S0725	2- 4999	ANTNA/TOWER SUP	SAME	17	P	U	EA	1.		0.	0/ 0/ 0
132-10	S0726	2- 5000	ANTNA/TOWER SUP	SAME	17	P	U	EA	1.		0.	0/ 0/ 0
									4.		0.	
132-30	UNUM	2- 5237	ANTNA/POLE/WIRE	SAME	17	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
P 141-60	0011	2- 3651	PHOTO BUILDING	SAME	90	P	C	SF	3729.* 2041.		2041.	14/ 0/ 0
141-60	0027	2- 3646	PHOTO BUILDING	SAME	25	P	C	SF	3729.		3729.	14/ 0/ 0
									5770.		5770.	
S 171-10	0210	2- 3890	ACD/GEN INS BLD	SAME	90	P	C	SF	3663.* 739.		739.	14/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 171-10	0229	2- 4058	ACD/GEN INS BLD	SAME	90	P	C	SF	3729.* 417.		417.	14/ 0/ 0
P 171-10	0300	2- 3992	ACD/GEN INS BLD	SAME	91	P	C	SF	12402.* 2994.		2994.	14/ 0/ 0
171-10	0330	2- 4063	ACD/GEN INS BLD	COV STOR/INST	91	P	U	SF	3729.		0.	0/ 0/ 0
P 171-10	0338	2- 4104	ACD/GEN INS BLD	SAME	91	P	R	SF	32400.* 2526.		2526.	8/ 0/ 0
S 171-10	0342	2- 4106	ACD/GEN INS BLD	SAME	91	P	R	SF	3240.* 1076.		1076.	8/ 0/ 0
S 171-10	0409	2- 4042	ACD/GEN INS BLD	TRHSG/EM/WO MESS	90	P	C	SF	27956.* 1354.		1354.	14/ 0/ 0
S 171-10	0414	2- 3952	ACD/GEN INS BLD	SAME	90	P	C	SF	3663.* 444.		444.	14/ 0/ 0
T 171-10	0422	2- 4099	ACD/GEN INS BLD	TRHSG/EM/WO MESS	90	P	C	SF	26602.* 2650.		2650.	14/ 0/ 0
T 171-10	0438	2- 4112	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 1070.		1070.	14/ 0/ 0
S 171-10	0441	2- 4115	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 1094.		1094.	14/ 0/ 0
P 171-10	0443	2- 4117	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 2399.		2399.	14/ 0/ 0
S 171-10	0528	2- 4757	ACD/GEN INS BLD	SAME	90	P	C	SF	3663.* 1026.		1026.	14/ 0/ 0
S 171-10	0536	2- 4120	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 1080.		1080.	14/ 0/ 0
171-10	0537	2- 4121	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.		3240.	14/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 171-10	0538	2- 4758	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 1080.		1080.	14/ 0/ 0
P 171-10	0539	2- 3983	ACD/GEN INS BLD	SAME	90	P	C	SF	3240.* 2769.		2769.	14/ 0/ 0
171-10	1308	2- 5049	ACD/GEN INS BLD	COV STOR/INST	91	P	U	SF	10400.		0.	0/ 0/ 0
T 171-10	0572	2- 5130	ACD/GEN INS BLD	TRHSG/DET FAC	90	S	N	SF	1420.* 301.		301.	4/ 0/ 0
171-10	1318	2- 6757	ACD/GEN INS BLD	SAME	0	S	R	SF	1200.		1200.	8/ 0/ 0
171-10	1319	2- 6758	ACD/GEN INS BLD	SAME	0	S	R	SF	1200.		1200.	8/ 0/ 0
S 171-10	1603	2- 5077	ACD/GEN INS BLD	SAME	90	P	C	SF	4396.* 1264.		1264.	14/ 0/ 0
O 171-10	1709	2- 5060	COMM BLDG/OTHER	SAME	90	P	N	SF	8372.* 477.		477.	4/ 0/ 0
S 171-10	1811	2- 5140	ACD/GEN INS BLD	ADMINISTR OFFIC	90	S	N	SF	4000.* 1688.		1688.	4/ 0/ 0
S 171-10	1828	2- 5137	ACD/GEN INS BLD	SAME	90	S	N	SF	12000.* 455.		455.	4/ 0/ 0
									46672.		42943.	
171-20	0333	2- 3944	APPL BLDG	COV STOR/INST	90	P	C	SF	2739.		2739.	14/ 0/ 0
171-20	0879	2- 6790	APPL INSTR BLDG	SAME	91	S	U	SF	648.		0.	0/ 0/ 0
									3387.		2739.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 171-30	0055	2- 3657	ARMORY	TRHSG/EM/WO MESS	91	P	R	SF	27298.* 210.		210.	1/ 0/ 0
O 171-30	0063	2- 3659	ARMORY	TRHSG/EM/WO MESS	91	P	R	SF	27298.* 423.		423.	1/ 0/ 0
T 171-30	0337	2- 4103	ARMORY	TRAINING/BLDGS	91	P	R	SF	3240.* 804.		804.	1/ 0/ 0
									1437.		1437.	
P 171-50	0451	2- 4789	TRNG BLDG/OTHER	SAME	31	P	U	FP	4800.* 8.		0.	0/ 0/ 0
									8.		0.	
171-90	0236	2- 3997	SWIMMING POOL	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
171-90	0540	2- 3998	SWIMMING POOL	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
									2.		0.	
S 171-91	0067	2- 3912	TRNG BLDG/OTHER	ADMINISTR OFFIC	32	P	C	SF	30544.* 2481.		2481.	14/ 0/ 0
171-91	0244	2- 4753	TRNG BLDG/OTHER	TRAINING/BLDGS	90	S	R	SF	140.		140.	8/ 0/ 0
171-91	0548	2- 4752	TRNG BLDG/OTHER	TRAINING/BLDGS	31	S	U	SF	140.		0.	0/ 0/ 0
171-91	0752	2- 4800	TRNG BLDG/OTHER	TRAINING/BLDGS	31	S	U	SF	549.		0.	0/ 0/ 0
171-91	0807	2- 4794	TRNG BLDG/OTHER	TRAINING/BLDGS	31	S	U	SF	800.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 19(

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	171-91	0919	2- 5250	TRNG BLDG/OTHER	TRAINING/BLDGS	31	S	U	SF	160. 3240.*		0.	0/ 0/ 0
S	171-91	1208	2- 5039	TRNG BLDG/OTHER	TRAINING/BLDGS	91	P	R	SF	1430.		1430.	8/ 0/ 0
	171-91	1731	2- 6639	TRNG BLDG/OTHER	TRAINING/BLDGS	90	P	U	SF	64.		0.	0/ 0/ 0
	171-91	TC0175	2- 3448	TRNG BLDG/OTHER	SAME	31	T	N	SF	960.		960.	4/ 0/ 0
										6724.		5011.	
	214-10	0574	2- 5131	AUTO VE MNT FAC	COV STOR/INST	91	P	R	SF	2800.		2800.	8/ 0/ 0
	214-10	0576	2- 5132	CMBT VE MNT FAC	MNT/TANK AUTMV	90	P	N	SF	2800.		2800.	4/ 0/ 0
	214-10	0598	2- 4760	AUTO VE MNT FAC	SAME	90	P	N	SF	2800.		2800.	4/ 0/ 0
	214-10	0703	2- 4818	CMBT VE MNT FAC	SAME	91	S	U	SF	5984.		0.	0/ 0/ 0
	214-10	0739	2- 4820	CMBT VE MNT FAC	COV STOR/INST	91	S	R	SF	4000.		4000.	8/ 0/ 0
	214-10	0775	2- 4813	CMBT VE MNT FAC	COV STOR/INST	91	T	U	SF	4000.		0.	0/ 0/ 0
	214-10	0816	2- 5192	CMBT VE MNT FAC	SAME	90	S	N	SF	7200.		7200.	4/ 0/ 0
	214-10	0901	2- 5161	CMBT VEH MNTFAC	SAME	91	P	R	SF	21937.		21937.	7/ 0/ 0
S	214-10	0909	2- 4828	CMBT VE MNT FAC	SAME	10	S	R	SF	57200.* 16000.		16000.	8/ 0/ 0
S	214-10	0913	2- 4870	AUTO VE MNT FAC	COV STOR/INST	91	S	R	SF	12000.* 10200.		10200.	8/ 0/ 0
	214-10	1205	2- 4994	AUTO VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1206	2- 4991	AUTO VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.		4396.	14/ 0/ 0
S	214-10	1405	2- 4847	CMBT VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.* 1387.		1387.	14/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	214-10	1406	2- 4833	AUTO VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1505	2- 5065	AUTO VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1506	2- 5069	MT REPAIR SHOP	SAME	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1604	2- 5078	CMBT VE MNT FAC	SAME	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1605	2- 5079	AUTO VE MNT FAC	COV STOR/INST	90	P	C	SF	4396.		4396.	14/ 0/ 0
	214-10	1607	2- 5093	AUTO VE MNT FAC	SAME	91	S	R	SF	4000.		4000.	8/ 0/ 0
	214-10	1711	2- 5074	AUTO VE MNT FAC	COV STOR/INST	90	S	N	SF	8000.		8000.	4/ 0/ 0
	214-10	1804	2-5058	CMBT VE MNT FAC	MNT/INS REP OPN	90	S	N	SF	8000.		8000.	4/ 0/ 0
P	214-10	1809	2-5111	CMBT VE MNT FAC	SAME	90	S	N	SF	12000.* 6688.			
	214-10	1817	2- 5062	AUTO VE MNT FAC	COV STOR/INST	90	T	N	SF	12000.		12000.	4/ 0/ 0
	214-10	1823	2- 5108	AUTO VE MNT FAC	COV STOR/INST	90	S	N	SF	4000.		4000.	4/ 0/ 0
P	214-10	1826	2- 5109	AUTO VE MNT FAC	ADMINSTR OFFIC	90	S	N	SF	8000.* 6700.		6700.	4/ 0/ 0
	214-10	1827	2- 5136	AUTO VE MNT FAC	COV STOR/INST	90	S	N	SF	12000.		12000.	4/ 0/ 0
P	214-10	1832	2- 5116	CMBT VE MNT FAC	SAME	91	S	N	SF	8000.* 7350.			
	214-10	1841	2- 5118	AUTO VE MNT FAC	ADMINISTR OFFIC	90	S	N	SF	12000.		12000.	4/ 0/ 0
	214-10	1842	2- 5115	CMBT VE MNT FAC	SAME	90	S	N	SF	4000.		4000.	4/ 0/ 0
										200432.		190448.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	214-20	0912	2- 4869	COMBT VEMNT FAC	COV STOR/INST	50	P	C	SF	5423.		5423.	14/ 0/ 0
P	214-20	1203	2- 4995	ST COV ORG/OTH	COV STOR/INST	50	P	U	SF	4396.* 2679.		0.	0/ 0/ 0
	214-20	1310	2- 4990	AUTO VE MNT FAC	COV STOR/INST	50	P	C	SF	4396.		4396.	8/ 0/ 0
P	214-20	1502	2- 5143	AUTO VE MNT FAC	MNT/TANK AUTMV	50	P	R	SF	61776.* 55000.		55000.	3/ 0/ 0
	214-20	1503	2- 5070	AUTO VE MNT FAC	COV STOR/INST	50	P	R	SF	4396.		4396.	3/12/ 0
	214-20	1601	2- 5144	AUTO VE MNT FAC	SAME	91	P	R	SF	61776.		61776.	3/ 0/ 0
	214-20	1819	2- 5139	AUTO VE MNT FAC	SAME	90	T	N	SF	8000.		8000.	4/ 0/ 0
										141670.		138991.	

Supersedes ONAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
214-90	S0551	2- 5297	WASH APRON	SAME	90	P	U	SF	605.		0.	0/ 0/ 0
214-90	S0921	2- 5253	WASH APRON	SAME	91	P	U	SF	605.		0.	0/ 0/ 0
214-90	S0925	2- 5293	WASH RACK	SAME	91	P	U	SF	1836.		0.	0/ 0/ 0
214-90	S0929	2- 5398	WASH APRON	SAME	91	P	U	SF	3600.		0.	0/ 0/ 0
214-90	S1507	2- 6565	MT INSPECT STA	SAME	91	S	U	SF	1092.		0.	0/ 0/ 0
214-90	S1821	2- 4986	CMBT VEH MAINT F	COV STOR/INST	90	P	N	SF	1600.		1600.	4/ 0/ 0
214-90	S1846	2- 6431	WASH RAMP	SAME	91	P	U	SF	288.		0.	0/ 0/ 0
									9626.		1600.	
214-90	S0871	2- 6568	GREASE RACK	MNT/TANK AUTMV	91	P	U	SF	920.		0.	0/ 0/ 0
214-90	S0923	2- 5294	GREASE RACK	MNT/TANK AUTMV	91	P	U	SF	864.		0.	0/ 0/ 0
214-90	S0930	2- 6597	GREASE RACK	MNT/TANK AUTMV	91	P	U	SF	936.		0.	0/ 0/ 0
214-90	S0931	2- 6598	GREASE RACK	MNT/TANK AUTMV	91	P	U	SF	468.		0.	0/ 0/ 0
214-90	S1121	2- 6599	GREASE RACK	MNT/TANK AUTMV	18	S	R	SF	418.		418.	8/ 0/ 0
214-90	S1123	2- 6674	MAINT RAMP	MNT/TANK AUTMV	18	P	U	SF	360.		0.	0/ 0/ 0
214-90	S1210	2- 5030	PIT MECHANICAL	MNT/TANK AUTMV	30	P	U	SF	221.		0.	0/ 0/ 0
214-90	S1213	2- 6600	GREASE RACK	MNT/TANK AUTMV	90	P	U	SF	468.		0.	0/ 0/ 0
214-90	S1416	2- 6601	GREASE RACK	MNT/TANK AUTMV	90	P	U	SF	468.		0.	0/ 0/ 0
214-90	S1508	2- 6602	GREASE RACK	MNT/TANK AUTMV	90	P	U	SF	468.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
214-90	S1616	2- 6603	GREASE RACK	MNT/TANK AUTMV	90	P	U	SF	468.		0.	0/ 0/ 0
214-90	S1729	2- 6604	GREASE RACK	MNT/TANK AUTMV	90	P	U	SF	936.		0.	0/ 0/ 0
214-90	S1805	2- 4962	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
214-90	S1806	2- 4987	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	4500.		0.	0/ 0/ 0
214-90	S1807	2- 4963	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
214-90	S1818	2- 4961	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
214-90	S1830	2- 4960	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
214-90	S1836	2- 4959	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
214-90	S1838	2- 4958	GREASE RACK	MNT/TANK AUTMV	90	P	S	SF	440.		0.	0/ 0/ 0
214-90	S1839	2- 4957	GREASE RACK	MNT/TANK AUTMV	90	S	U	SF	440.		0.	0/ 0/ 0
									14575.		418.	
214-90	S1122	2- 6673	LOADING RAMP	MNT/TANK AUTMV	18	P	U	SF	404.		0.	0/ 0/ 0
214-90	S1837	2- 4971	RAMP VEHLOADING	MNT/TANK AUTMV	90	P	U	SF	500.		0.	0/ 0/ 0
214-90									904.		0.	
214-90	S0908	2- 4830	CENT PAINT SHOP	SAME	10	S	R	SF	9600.		9600.	3/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 215-10	0103	2- 3885	SMALL ARMS SHOP	SAME	90	P	R	SF	3663.* 1467.		1467.	1/ 0/ 0
P 215-10	0126	2- 3888	SMALL ARMS SHOP	SAME	90	P	R	SF	3663.* 1312.		1312.	1/ 0/ 0
P 215-10	0222	2- 3893	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 1280.		1280.	14/ 0/ 0
P 215-10	0230	2- 4059	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3729.* 270.		270.	14/ 0/ 0
P 215-10	0231	2- 4060	SMALL ARMS SHOP	COV STOR/INST	90	P	R	SF	3729.* 1110.		1110.	1/ 0/ 0
P 215-10	0234	2- 3894	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 1487.		1487.	14/ 0/ 0
P 215-10	0328	2- 3949	SMALL ARMS SHOP	SAME	0	P	C	SF	3663.* 5760.		5760.	14/ 0/ 0
P 215-10	0402	2- 3950	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 1450.		1450.	14/ 0/ 0
T 215-10	0413	2- 3951	SMALL ARMS SHOP	SAME	90	P	C	SF	3663.* 405.		405.	14/ 0/ 0
P 215-10	0435	2- 4109	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3240.* 2160.		2160.	14/ 0/ 0
S 215-10	0440	2- 4114	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3240.* 1080.		1080.	14/ 0/ 0
P 215-10	0505	2- 3927	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 425.		425.	14/ 0/ 0
P 215-10	0513	2- 3929	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 832.		832.	14/ 0/ 0
P 215-10	0525	2- 3939	SMALL ARMS SHOP	COV STOR/INST	90	P	C	SF	3663.* 1280.		1280.	14/ 0/ 0
P 215-10	0530	2- 4074	SMALL ARMS SHOPS	COV STOR/INST	90	P	C	SF	3729.* 400.		400.	14/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									3729.*			
P 215-10	0533	2- 4077	SMALL ARMS SHOPS	COV STOR/INST	90	P	C	SF	1864.		1864.	14/ 0/ 0
									64600.*			
T 215-10	0902	2- 4897	WEAPONS MAINT	SAME	91	P	C	SF	13500.		13500.	14/ 0/ 0
									12000.*			
P 215-10	1828	2- 5137	ORD REPR SHOP	SAME	90	S	N	SF	11545.		11545.	4/ 0/ 0
									48131.		42371.	
216-50	TP0448	2- 5162	SPECL WPNS SHOP	TRHSG/DET FAC	91	S	R	SF	4800.		4800.	8/ 0/ 0
									4800.		4800.	
									3663.*			
P 217-10	0100	2- 3884	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	2678.		2678.	14/ 0/ 0
217-10	0134	2- 4056	ELNICS/ELEC MNT	SAME	90	P	C	SF	3729.		3729.	0/ 0/ 0
									3729.*			
P 217-10	0200	2- 4057	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	1600.		1600.	14/ 0/ 0
									3653.*			
P 217-10	0207	2- 3889	ELNICS/ELEC MNT	SAME	91	P	R	SF	3653.		3653.	0/ 0/ 0
									3663.*			
P 217-10	0218	2- 3892	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	1280.		1280.	14/ 0/ 0
									3663.*			
P 217-10	0234	2- 3894	SLNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	2176.		2176.	14/ 0/ 0
217-10	0329	2- 4062	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.		3729.	14/ 0/ 0
									3240.*			
P 217-10	0338	2- 4104	ICS/ELEC MNT $	TRAINING/BLDGS	91	P	R	SF	714.		0.	0/ 0/ 0
									3653.*			
P 217-10	0402	2- 3950	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	1450.		1450.	14/ 0/ 0
									3663.*			
P 217-10	0414	2- 3952	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	2272.		2272.	14/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 217-10	0429	2- 4067	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.* 1444.		1444.	14/ 0/ 0
P 217-10	0437	2- 4111	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3240.* 2160.		2160.	14/ 0/ 0
P 217-10	0442	2- 4116	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3240.* 1705.		1705.	14/ 0/ 0
P 217-10	0444	2- 4118	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3240.* 2160.		2160.	14/ 0/ 0
P 217-10	0505	2- 3927	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3663.* 1760.		1760.	14/ 0/ 0
P 217-10	0513	2- 3929	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3663.* 1376.		1376.	14/ 0/ 0
P 217-10	0525	2- 3939	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3663.* 2383.		2383.	14/ 0/ 0
P 217-10	0529	2- 4073	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.* 2640.		2640.	14/ 0/ 0
P 217-10	0530	2- 4074	SLNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.* 1812.		1812.	14/ 0/ 0
P 217-10	0531	2- 4075	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.* 512.		512.	14/ 0/ 0
P 217-10	0533	2- 4077	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	3729.* 1865.		1865.	14/ 0/ 0
S 217-10	0900	2- 5163	ELNICS/ELEC MNT	SAME	91	P	R	SF	11416.* 4424.		4424.	0/ 0/ 0
S 217-10	0905	2- 4900	ELNICS/ELEC MNT	SAME	0	P	R	SF	64800.* 11960.		11960.	2/ 8/ 0
S 217-10	1602	2- 5076	ELNICS/ELEC MNT	SAME	90	P	C	SF	4396.* 2242.		2242.	14/ 0/ 0
T 217-10	1603	2- 5077	ACD/GEN INS BLD	SAME	90	P	C	SF	4396.* 3014.		3014.	14/ 0/ 0
P 217-10	1704	2- 5067	ELNICS/ELEC MNT	COV STOR/INST	90	P	C	SF	4396.* 1718.		1718.	14/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 196[illegible]

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									4554.*			
P 217-10	1707	2- 5159	ELNICS/ELEC MNT	SAME	90	P	C	SF	35703.		3570.	14/ 0/ 0
									12000.*			
P 217-10	1810	2- 5085	ELNICS/ELEC MNT	COV STOR/INST	90	B	N	SF	1830.		1830.	4/ 0/ 0
									8000.*			
S 217-10	1835	2- 5113	ELNICS/ELEC MNT	SAME	91	S	N	SF	2400.		2400.	4/ 0/ 0
217-10	S0023	2- 5031	RADIO REPAIR	WASTE/REF GARB	17	P	U	SF	317.		0.	0/ 0/ 0
									107800.		74636.	
									29104.*			
P 218-10	PT0001	2- 5149	PARACHUTE LOFT	SAME	0	S	R	SF	19472.		19472.	8/ 0/ 0
									19472.		19472.	
									64800.*			
P 218-20	0902	2- 4897	WEAPONS MAIN	SAME	0	P	C	SF	32400.		32400.	14/ 0/ 0
218-20	0910	2- 4835	CONST EQ M/SHOP	SAME	0	S	R	SF	4000.		4000.	8/ 0/ 0
218-20	1022	2- 6621	MAINT FAC/OTHER	SAME	30	S	U	SF	24.		0.	0/ 0/ 0
218-20	1504	2- 5071	MAINT FAC/OTHER	SAME	50	P	N	SF	4396.		4396.	4/ 0/ 0
218-20	1808	2- 5061	CONST EQ M/SHOP	SAME	90	S	N	SF	8000.		8000.	4/ 0/ 0
218-20	1815	2- 5057	MAINT FAC/OTHER	COMMUNITY/INTER	90	S	N	SF	1600.		1600.	4/ 0/ 0
									50420.		50396.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
218-40	S1008	2- 5033	RR EQ MNT SHOP	SAME	30	P	U	SF	264.		0.	0/ 0/ 0
									264.		0.	
P 219-10	0045	2- 5055	PW/MAINT SHOP	SAME	30	P	U	SF	16262.* 14494.		0.	0/ 0/ 0
219-10	0765	2- 4797	PW/MAINT SHOP	SAME	30	P	R	SF	600.		600.	12/ 0/ 0
219-10	0780	2- 4809	PW/MAINT SHOP	SAME	30	T	U	SF	3300.		0.	0/ 0/ 0
219-10	0847	2- 6351	PW/MAINT SHOP	SAME	0	P	R	SF	576.		576.	8/ 0/ 0
S 219-10	1102	2- 4867	PW/MAINT SHOP	SAME	30	P	U	SF	5040.* 2033.		0.	0/ 0/ 0
S 219-10	1105	2- 4841	PW/MAINT SHOP	SAME	30	P	U	SF	4396.* 490.		0.	0/ 0/ 0
P 219-10	1202	2- 5151	PW/MAINT SHOP	SAME	30	P	U	SF	48727.* 41560.		0.	0/ 0/ 0
219-10	1404	2- 5054	PW/MAINT SHOP	SAME	30	P	R	SF	10050.		10050.	0/ 0/ 0
219-10	1410	2- 5075	PW/MAINT SHOP	SAME	30	P	U	SF	4396.		0.	0/ 0/ 0
									77499.		11226.	
229-50	0080	2- 4790	PROD FACS/OTHER	SAME	25	P	R	SF	9912.		9912.	7/12/ 0
T 229-50	1005	2- 5168	PRINTING PLANT	ADMINISTR OFFIC	25	P	R	SF	28230.* 1686.		1686.	1/ 0/ 0
									11598.		11598.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									57200.*			
P 229-90	0909	2- 4828	PRES/PAC FAC	SAME	10	S	R	SF	41200.		41200.	8/ 0/ 0
									12000.*			
S 229-90	1810	2- 5085	PROD FACS/OTHER	SAME	90	S	N	SF	3640.*		3640.*	4/ 0/ 0
									45960.		44840.	
310-90	0065	2- 5165	RD-T BLDG/OTHER	TRHSG/EM/WO MESS	29	P	R	SF	27298.		27298.	2/ 0/ 0
									16734.*			
P 310-90	0066	2- 4788	MED RD-T FAC	ADMINISTR OFFIC	29	P	R	SF	16734.		16734.	2/ 0/ 0
310-90	0813	2- 2506	ORD RD-TEST FAC	SAME	29	P	U	SF	240.		0.	0/ 0/ 0
310-90	PT0006	2- 5104	RD-T BLDG/OTHER	SAME	29	P	R	SF	2450.		2450.	12/ 0/ 0
310-90	PT0007	2- 5103	RD-T BLDG/OTHER	COMMUNITY/INTER	29	T	N	SF	960.		960.	4/ 0/ 0
310-90	PT0008	2- 5102	RD-T BLDG/OTHER	SAME	29	S	R	SF	5408.		5408.	8/ 0/ 0
									53090.		52850.	
411-90	S1701	2- 5027	LIQ FUEL ST/OTH	SAME	10	P	U	BL	10000.		0.	0/ 0/ 0
									10000.		0.	
422-10	S0832	2- 6336	EXPL/MAG/RI	SAME	0	P	R	SF	56.		56.	8/ 0/ 0
422-10	S0833	2- 6337	EXPL/MAG/RI	SAME	0	P	R	SF	144.		144.	8/ 0/ 0
422-10	S0834	2- 6338	EXPL/MAG/RI	SAME	0	P	R	SF	156.		156.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
422-10	S0836	2- 6340	EXPL/MAG/RI	SAME	0	P	R	SF	1144.		1144.	8/ 0/ 0
422-10	S0839	2- 6343	EXPL/MAG/RI	SAME	0	P	R	SF	108.		108.	8/ 0/ 0
422-10	S0841	2- 6345	EXPL/MAG/RI	SAME	0	P	R	SF	168.		168.	8/ 0/ 0
									1776.		1776.	
422-15	S0838	2- 6342	FUSE DET MAG/RI	SAME	0	P	R	SF	182.		182.	8/ 0/ 0
422-15	S0844	2- 6348	FUSE DET MAG/RI	SAME	0	P	R	SF	120.		120.	8/ 0/ 0
									302.		302.	
422-20	S0843	2- 6347	SM/ARM/PYRO MAG	COLD STOR/INST	0	P	R	SF	140.		140.	8/ 0/ 0
									140.		140.	
422-30	S0835	2- 6339	SM/ARM/PYRO MAG	SAME	0	P	R	SF	168.		168.	8/ 0/ 0
422-30	S0837	2- 6341	SM/ARM/PYRO MAG	SAME	0	S	R	SF	208.		208.	8/ 0/ 0
422-30	S0840	2- 6344	SM/ARM/PYRO MAG	SAME	0	S	R	SF	168.		168.	8/ 0/ 0
422-30	S0842	2- 6346	SM/ARM/PYRO MAG	SAME	91	S	R	SF	144.		144.	8/ 0/ 0
									688.		688.	
422-90	S0846	2- 6350	AMO SI RI/OTHER	SAME	0	P	R	SF	110.		110.	8/ 0/ 0
									110.		110.	

HADNOT POINT

Supersedes OPNAV FORM 11000 [illegible]

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
432-10	1300	2- 5044	COLD ST WHSE/RI	SAME	10	P	U	SF	45120.		0.	0/ 0/ 0
									45120.		0.	
P 442-10	0026	2- 3649	GEN WHSE/RI	COV STOR/INST	91	P	U	SF	3729.* 3729.		0.	0/ 0/ 0
P 442-10	0061	2- 3721	ADMIN BLDG	COV STOR/INST	91	P	U	SF	3663.* 2574.		0.	0/ 0/ 0
P 442-10	0064	2- 3722	GEN WHSE/RI	COV STOR/INST	25	P	U	SF	3663.* 2559.		0.	0/ 0/ 0
P 442-10	0103	2- 3885	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 1470.		147.	1/ 0/ 0
P 442-10	0113	2- 3886	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0116	2- 3887	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0126	2- 3888	GEN WHSE/RI	TRAINING/BLDGS	90	P	R	SF	3663.* 2351.		235.	1/ 0/ 0
P 442-10	0130	2- 4052	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0131	2- 4053	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0132	2- 4054	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 442-10	0133	2- 4055	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0145	2- 3941	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0200	2- 4057	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	3729.* 2129.		2129.	1/ 0/ 0
P 442-10	0210	2- 3890	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0215	2- 3891	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2449.		2449.	1/ 0/ 0
P 442-10	0218	2- 3892	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 2383.		2383.	1/ 0/ 0
P 442-10	0222	2- 3893	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 2383.		2383.	1/ 0/ 0
P 442-10	0229	2- 4058	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2991.		2991.	1/ 0/ 0
P 442-10	0230	2- 4059	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2819.		2819.	1/ 0/ 0
P 442-10	0231	2- 4060	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2619.		2619.	1/ 0/ 0
P 442-10	0232	2- 4061	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2649.		2649.	1/ 0/ 0
P 442-10	0310	2- 3947	GEN WHSE/RI	SAME	91	P	R	SF	3663.* 1937.		1937.	1/ 0/ 0
P 442-10	0328	2- 3949	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3027.		3027.	1/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 442-10	0334	2- 4066	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
S 442-10	0337	2- 4103	ST COV ORG/OTH	SAME	91	P	R	SF	3240.* 1086.		1086.	1/ 0/ 0
P 442-10	0343	2- 4107	GEN WHSE/RI	TRAINING/BLDGS	91	P	R	SF	3240.* 3240.		3240.	1/ 0/ 0
P 442-10	0402	2- 3950	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 2003.		2003.	1/ 0/ 0
P 442-10	0405	2- 3940	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0413	2- 3951	ADMINISTRATION	SAME	90	P	R	SF	3663.* 2449.		2499.	1/ 0/ 0
P 442-10	0414	2- 3952	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 13919.		1391.	1/ 0/ 0
P 442-10	0418	2- 3955	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
S 442-10	0428	2- 4756	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 2303.		2303.	1/ 0/ 0
P 442-10	0429	2- 4067	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2285.		2285.	1/ 0/ 0
P 442-10	0430	2- 4068	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0431	2- 4069	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
S 442-10	0432	2- 4070	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 2973.		2973.	1/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 442-10	0433	2- 4071	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0434	2- 4072	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 3729.		3729.	1/ 0/ 0
P 442-10	0435	2- 4109	GEN WHSE/RI	SAME	90	P	C	SF	3240.* 1080.		108.	1/ 0/ 0
442-10	0436	2- 4110	GEN WHSE/RI	TRAINING/BLDGS	90	P	R	SF	2160.		2160.	1/ 0/ 0
P 442-10	0437	2- 4111	GEN WHSE/RI	TRAINING/BLDGS	90	P	C	SF	3240.* 880.		880.	1/ 0/ 0
P 442-10	0440	2- 4114	GEN WHSE/RI	TRAINING/BLDGS	90	P	C	SF	3240.* 1080.		1080.	1/ 0/ 0
P 442-10	0441	2- 4115	GEN WHSE/RI	TRAINING/BLDGS	90	P	R	SF	3240.* 2146.		2146.	1/ 0/ 0
442-10	0442	2- 4116	GEN WHSE/RI	TRAINING/BLDGS	90	P	R	SF	1535.		1535.	1/ 0/ 0
P 442-10	0444	2- 4118	GEN WHSE/RI	TRAINING/BLDGS	90	P	C	SF	3240.* 1080.		1080.	1/ 0/ 0
P 442-10	0445	2- 4119	GEN WHSE/RI	TRAINING/BLDGS	90	P	C	SF	3240.* 3240.		3240.	1/ 0/ 0
P 442-10	0504	2- 3926	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3663.		3663.	1/ 0/ 0
P 442-10	0505	2- 3927	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 1478.		1478.	1/ 0/ 0
P 442-10	0512	2- 3928	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 3223.		3223.	1/ 0/ 0
P 442-10	0513	2- 3929	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 1455.		1455.	1/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 442-10	0528	2- 4757	GEN WHSE/RI	SAME	90	P	R	SF	3663.* 2637.		2637.	1/ 0/ 0
S 442-10	0530	2- 4074	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 1750.		1750.	1/ 0/ 0
P 442-10	0532	2- 4076	GEN WHSE/RI	SAME	90	P	R	SF	3729.* 1952.		1952.	1/ 0/ 0
S 442-10	0539	2- 3983	GEN WHSE/RI	SAME	90	P	C	SF	3240.* 471.		471.	1/ 0/ 0
S 442-10	0571	2- 5129	GEN WHSE/RI	SAME	90	S	N	SF	4000.* 4000.		4000.	4/ 0/ 0
S 442-10	0572	2- 3130	GEN WHSE/RI	TRHSG/DET FAC	90	S	N	SF	1420.* 385.		385.	4/ 0/ 0
442-10	0599	2- 4745	GEN WHSE/RI	SAME	90	T	N	SF	4000.		4000.	4/ 0/ 0
P 442-10	0756	2- 4799	GEN WHSE/RI	SAME	90	S	N	SF	861.* 400.		400.	4/ 0/ 0
T 442-10	0776	2- 4812	GEN WHSE/RI	SAME	91	T	N	SF	4000.* 4000.		4000.	4/ 0/ 0
442-10	0778	2- 4811	GEN WHSE/RI	SAME	91	S	N	SF	4000.		4000.	4/ 0/ 0
S 442-10	0867	2- 6521	GEN WHSE/RI	SAME	30	S	U	SF	81.* 81.		0.	0/ 0/ 0
442-10	0903	2- 4898	GEN WHSE/RI	SAME	91	P	U	SF	64800.		0.	0/ 0/ 0
442-10	0904	2- 4899	GEN WHSE/RI	SAME	91	P	U	SF	64800.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 442-10	0905	2- 4900	GEN WHSE/RI	SAME	91	P	U	SF	64800.* 51840.		0.	0/ 0/ 0
442-10	0906	2- 4901	GEN WHSE/RI	SAME	10	P	U	SF	64800.		0.	0/ 0/ 0
442-10	0907	2- 4904	COV STOR/INST	SAME	10	P	U	SF	64800.		0.	0/ 0/ 0
P 442-10	0914	2- 4954	GEN WHSE/RI	SAME	0	P	U	SF	70200.* 59400.		0.	0/ 0/ 0
P 442-10	0915	2- 4440	GEN WHSE/RI	SAME	10	P	R	SF	64800.		64,800.	7/ 0/ 0
442-10	0916	2- 4941	GEN WHSE/RI	SAME	90	P	U	SF	64800.		0.	0/ 0/ 0
442-10	0926	2- 5378	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	0927	2- 5379	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
P 442-10	1011	2- 4955	GEN WHSE/RI	SAME	10	P	R	SF	70200.* 47856.		47856.	7/ 0/ 0
R 442-10	1012	2- 4942	GEN WHSE/RI	SAME	90	P	U	SF	64800.* 64300.		0.	0/ 0/ 0
442-10	1101	2- 5021	GEN WHSE/RI	SAME	60	P	R	SF	41600.		41600.	1/ 0/ 0
P 442-10	1108	2- 5020	GEN WHSE/RI	SAME	90	P	U	SF	70200.* 58900.		0.	0/ 0/ 0
442-10	1111	2- 4929	GEN WHSE/RI	COMMUNITY/INTER	90	P	C	SF	2088.		2088.	14/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
									70200.*			
P 442-10	1116	2- 4956	GEN WHSE/RI	SAME	10	P	R	SF	61351.		61351.	7/ 0/ 0
442-10	1117	2- 4943	GEN WHSE/RI	SAME	60	P	R	SF	64800.		64800.	7/ 0/ 0
									0.*			
P 442-10	1118	2- 4944	GEN WHSE/RI	SAME	91	P	R	SF	64470.		64470.	7/ 0/ 0
442-10	1201	2- 5019	COMMISSARY/WHSE	SAME	10	P	R	SF	64800.		64800.	3/ 0/ 0
442-10	1204	2- 4992	GEN WHSE/RI	SAME	30	P	U	SF	4396.		0.	0/ 0/ 0
									70200.*			
P 442-10	1211	2- 4907	GEN WHSE/RI	SAME	10	P	R	SF	59400.		59400.	7/ 0/ 0
442-10	1212	2- 4939	GEN WHSE/RI	SAME	10	P	R	SF	64800.		64800.	7/ 0/ 0
442-10	1301	2- 5023	GEN WHSE/RI	SAME	90	P	U	SF	50738.		0.	0/ 0/ 0
442-10	1309	2- 4993	GEN WHSE/RI	SAME	91	P	R	SF	4396.		4396.	16/ 0/ 0
									4396.*			
P 442-10	1311	2- 5040	GEN WHSE/RI	COV STOR/INST	91	P	R	SF	3439.		3439.	16/ 0/ 0
									4396.*			
P 442-10	1312	2- 5041	GEN WHSE/RI	COV STOR/INST	91	P	R	SF	3080.		3080.	1/ 0/ 0
									64800.*			
P 442-10	1316	2- 4938	GEN WHSE/RI	SAME	10	P	R	SF	62862.		62862.	7/ 0/ 0
442-10	1317	2- 4937	GEN WHSE/RI	SAME	60	P	U	SF	64800.		0.	0/ 0/ 0
442-10	1408	2- 5081	GEN WHSE/RI	COV STOR/INST	50	P	R	SF	4396.		4396.	7/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	1409	2- 5072	GEN WHSE/RI	COV STOR/INST	10	P	U	SF	4396.		0.	0/ 0/ 0
P 442-10	1501	2- 5001	GEN WHSE/RI	SAME	10	P	U	SF	68400.* 67000.		0.	0/ 0/ 0
442-10	1606	2- 5094	GEN WHSE/RI	SAME	10	P	R	SF	64800.		64800.	1/ 0/ 0
442-10	1703	2- 5080	GEN WHSE/RI	SAME	90	P	R	SF	4396.		4396.	1/ 0/ 0
P 442-10	1704	2- 5067	GEN WHSE/RI	WATER/DISTRIBTN	90	P	C	SF	4396.* 2158.		215.	14/ 0/ 0
442-10	1705	2- 5068	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	4396.		4396.	1/ 0/ 0
P 442-10	1709	2- 5060	GEN WHSE/RI	SAME	90	P	N	SF	8372.* 3881.		3881.	4/ 0/ 0
442-10	1710	2- 5073	GEN WHSE/RI	SAME	90	S	N	SF	8000.		8000.	4/ 0/ 0
442-10	1724	2- 5084	GEN WHSE/RI	COV STOR/INST	18	S	N	SF	624.		624.	4/ 0/ 0
442-10	1730	2- 6632	GEN WHSE/RI	COV STOR/INST	18	S	U	SF	100.		0.	0/ 0/ 0
442-10	1800	2- 5134	GEN WHSE/RI	SAME	90	S	N	SF	8000.		8000.	4/ 0/ 0
442-10	1801	2- 5112	GEN WHSE/RI	COV STOR/INST	90	S	N	SF	16000.		16000.	4/ 0/ 0
442-10	1802	2- 5135	GEN WHSE/RI	COV STOR/INST	90	S	N	SF	12000.		12000.	4/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 442-10	1809	2- 5111	GEN WHSE/RI	SAME	90	S	N	SF	12000.* 5312.		5312.	4/ 0/ 0
P 442-10	1826	2- 5109	GEN WHSE/RI	ADMINISTR OFFIC	90	S	N	SF	8000.* 1300.		1300.	4/ 0/ 0
442-10	1829	2- 5110	GEN WHSE/RI	SAME	90	S	N	SF	4000.		4000.	4/ 0/ 0
442-10	1831	2- 5142	GEN WHSE/RI	COV STOR/INST	91	S	N	SF	4000.		4000.	4/ 0/ 0
442-10	1833	2- 5114	GEN WHSE/RI	MNT/TANK AUTMV	91	S	R	SF	12000.		12000.	8/ 0/ 0
S 442-10	1835	2- 5113	GEN WHSE/RI	MNT/TANK AUTMV	91	S	N	SF	8000.* 4840.		4840.	4/ 0/ 0
442-10	322A	2- 3914	GEN WHSE/RI	COV STOR/INST	80	P	U	SF	192.		0.	0/ 0/ 0
442-10	322B	2- 3996	GEN WHSE/RI	COV STOR/INST	80	P	U	SF	600.		0.	0/ 0/ 0
442-10	425A	2- 3917	SERV/CLUB/STHSE	COV STOR/INST	89	P	U	SF	192.		0.	0/ 0/ 0
442-10	PT0001	2- 5149	GEN WHSE/RI	COMMUNITY/INTER	91	S	R	SF	5474.		5474.	8/ 0/ 0
442-10	PT0009	2- 5101	GEN WHSE/RI	SAME	29	P	U	SF	240.		0.	0/ 0/ 0
442-10	PT0025	2- 5098	GEN WHSE/RI	SAME	29	P	U	SF	100.		0.	0/ 0/ 0
442-10	PT0027	2- 5097	GEN WHSE/RI	SAME	29	S	R	SF	200.		200.	8/ 0/ 0
442-10	TC0180	2- 2987	GEN WHSE/RI	AMMO STOR/INST	91	T	R	SF	960.		960.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 442-10	TC0185	2- 3511	GEN WHSE/RI	SAME	91	T	R	SF	1120.* 1120.		1120.	8/ 0/ 0
442-10	TP0449	2- 5128	GEN WHSE/RI	TRAINING/BLDGS	91	S	R	SF	5600.		5600.	3/ 0/ 0
442-10	TP0452	2- 5123	GEN WHSE/RI	TRAINING/BLDGS	10	S	R	SF	4000.		4000.	7/12/ 0
442-10	014A	2- 3575	HOST/HSE/STHSE	SAME	18	P	U	SF	192.		0.	0/ 0/ 0
									1710563.		860572.	
442-30	0702	2- 4827	FLAM STHSE/RI	SAME	30	P	U	SF	156.		0.	0/ 0/ 0
442-30	0729	2- 4826	FLAM STHSE/RI	SAME	18	P	U	SF	143.		0.	0/ 0/ 0
442-30	1816	2- 5056	FLAM STHSE/RI	SAME	90	P	U	SF	200.		0.	0/ 0/ 0
442-30	1847	2- 6760	FLAM STHS/RI	SAME	90	P	T	SF	192.		192.	4/ 0/ 0
442-30	1849	2- 6796	STORAGE	SAME	90	S	U	SF	204.		0.	0/ 0/ 0
442-30	TP0451	2- 5126	FLAM STHSE/RI	MNT/TANK AUTMV	10	S	R	SF	3200.		3200.	12/ 0/ 0
									4095.		3392.	
442-70	0042	2- 3925	BASE MAINT STOR	SAME	30	P	R	SF	660.		660.	14/ 0/ 0
P 442-70	0738	2- 4824	BASE MAINT STOR	PERS SUPP/SVC	30	T	U	SF	4000.* 3007.		0.	0/ 0/ 0
P 442-70	1102	2- 4867	BASE MAINT STOR	SAME	30	P	U	SF	5040.* 2907.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									7840.*			
P 442-70	1103	2- 4866	BASE MAINT STOR	SAME	30	P	U	SF	4116.		0.	0/ 0/ 0
442-70	1104	2- 4840	BASE MAINT STOR	SAME	30	P	U	SF	4396.		0.	0/ 0/ 0
442-70	1114	2- 4936	BASE MAINT STOR	SAME	30	S	U	SF	4000.		0.	0/ 0/ 0
442-70	1304	2- 5050	BASE MAINT STOR	SAME	30	S	R	SF	2240.		2240.	8/ 0/ 0
442-70	1315	2- 5046	BASE MAINT STOR	SAME	10	P	R	SF	4569.		4569.	8/ 0/ 0
									25895.		7469.	
									2370.*			
P442-90	0028	2- 3647	REC BLDG	TRAINING/BLDGS	18	S	U	SF	267.		0.	0/ 0/ 0
									3663.*			
P442-90	0056	2- 3720	ST COV ORG/OTH	SAME	25	P	R	SF	2559.		2559.	16/ 0/ 0
									3663.*			
P442-90	0100	2- 3884	ST COV ORG/OTH	SAME	90	P	C	SF	679.		679.	1/ 0/ 0
442-90	0129	2- 4051	ST COV ORG/OTH	SAME	90	P	R	SF	3729.		3729.	1/ 0/ 0
442-90	0248	2- 6744	ST COV ORG/OTH	SAME	31	P	U	SF	168.		0.	0/ 0/ 0
									3729.*			
P 442-90	0332	2- 4065	ST COV ORG/OTH	SAME	90	P	R	SF	2705.		2705.	1/ 0/ 0
									3729.*			
P 442-90	0529	2- 4073	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	689.		689.	1/ 0/ 0
									3729.*			
P 442-90	0534	2- 4078	ST COV ORG/OTH	SAME	90	P	R	SF	2733.		2733.	1/ 0/ 0
442-90	0801	2- 4802	ST COV ORG/OTH	SAME	10	P	U	SF	1708.		0.	0/ 0/ 0
442-90	0826	2- 5413	ST COV ORG/OTH	SAME	18	P	U	SF	1152.		0.	0/ 0/ 0
442-90	0866	2- 6520	ST COV ORG/OTH	SAME	30	S	U	SF	279.		0.	0/ 0/ 0
442-90	1010	2- 4878	ST COV ORG/OTH	SAME	81	P	R	SF	1360.		1360.	6/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	442-90	1013	2- 4895	ST COV ORG/OTH	SAME	10	P	R	SF	697.		697.	8/ 0/ 0
	442-90	1014	2- 4894	ST COV ORG/OTH	SAME	10	S	R	SF	3596.		3596.	6/ 0/ 0
	442-90	1015	2- 4895	CAFETERIA STGE	SAME	81	P	R	SF	8100.		8100.	6/ 0/ 0
S.	442-90	1203	2- 4995	AUTO VE MNT FAC	SAME	50	P	U	SF	4396.* 1717.		0.	0/ 0/ 0
	442-90	125A	2- 3915	ASERV/CLUB/STHSE	SAME	90	P	U	SF	192.		0.	0/ 0/ 0
	442-90	1302	2- 5047	ST COV ORG/OTH	SAME	10	S	R	SF	5920.		5920.	12/ 0/ 0
	442-90	1303	2- 5048	ST COV ORG/OTH	SAME	10	S	R	SF	5920.		5920.	8/ 0/ 0
	442-90	1305	2- 5051	ST COV ORG/OTH	SAME	10	S	R	SF	2240.		2240.	8/ 0/ 0
	442-90	1306	2- 5052	ST COV ORG/OTH	SAME	10	S	R	SF	2240.		2240.	8/ 0/ 0
	442-90	1307	2- 5053	ST COV ORG/OTH	SAME	10	S	R	SF	2240.		2240.	8/ 0/ 0
S	442-90	1402	2- 5022	ST COV ORG/OTH	SAME	81	P	U	SF	64800.* 30400.		0.	0/ 0/ 0
P	442-90	1407	2- 5082	ST COV ORG/OTH	SAME	50	P	U	SF	4396.* 1778.		0.	0/ 0/ 0
P	442-90	1602	2- 5076	ST COV ORG/OTH	SAME	90	P	R	SF	4396.* 2154.		2154.	1/ 0/ 0
	442-90	1822	2- 5117	GEN WHSE/RI	SAME	90	S	N	SF	8000.		8000.	4/ 0/ 0
	442-90	1824	2- 5138	GEN WHSE/RI	MNT/INS REP OPN	90	S	N	SF	8000.		8000.	4/ 0/ 0
P	442-90	1848	2- 6786	ST COV ORG/OTH	SAME	90	S	U	SF	588.* 192.		0.	0/ 0/ 0
	442-90	225A	2- 3916	ASERV/CLUB/STHSE	SAME	90	P	U	SF	192.		0.	0/ 0/ 0
	442-90	524A	2- 3918	ASERV/CLUB/STHSE	SAME	90	P	U	SF	192.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-90	752B	2- 6452	BST COV ORG/OTH	SAME	31	P	R	SF	150.		150.	8/ 0/ 0
442-90	S0161	2- 6629	ST COV ORG/OTH	SAME	25	S	U	SF	200.		0.	0/ 0/ 0
442-90	S0869	2- 6554	ST COV ORG/OTH	SAME	10	S	U	SF	8370.		0.	0/ 0/ 0
442-90	S0870	2- 6555	ST COV ORG/OTH	SAME	10	S	U	SF	2430.		0.	0/ 0/ 0
442-90	S0932	2- 6767	ST COV ORG/OTH	SAME	91	S	R	SF	861.		861.	8/ 0/ 0
442-90	S725A	2- 5410	AST COV ORG/OTH	SAME	31	P	U	SF	675.		0.	0/ 0/ 0
									114484.		64572.	
530-20	PT0004	2- 5106	LABORATORY	SAME	29	P	R	SF	2450.		2450.	1/ 2/ 0
									2450.		2450.	
S 540-10	0015	2- 3817	DENTAL CLINIC	ADMINISTR OFFIC	16	P	R	SF	34224.* 14411.		14411.	1/ 2/ 0
S 540-10	0119	2- 3977	DENTAL CLINIC	ADMINISTR OFFIC	90	P	R	SF	3663.* 1501.		1501.	1/ 2/ 0
S 540-10	0221	2- 3978	DENTAL CLINIC	ADMINISTR OFFIC	90	P	R	SF	3663.* 691.		691.	1/ 2/ 0
S 540-10	0324	2- 3979	DENTAL CLINIC	ADMINISTR OFFIC	90	P	C	SF	3663.* 672.		672.	1/ 2/ 0
S 540-10	0421	2- 3980	DENTAL CLINIC	ADMINISTR OFFIC	90	P	C	SF	3663.* 858.		858.	1/ 2/ 0
S 540-10	0520	2- 3984	DENTAL CLINIC	ADMINISTR OFFIC	90	P	C	SF	3663.* - 960.		960.	1/ 2/ 0
									19093.		19093.	

HADNOT POINT

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
S 540-90	0036	2- 3648	DENTAL CLINIC	SAME	16	P	U	SF	3663.* 3063.		0.	0/ 0/ 0
									3063.		0.	
S 550-20	0010	2- 3654	DISPENSARY	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 1553.		1553.	1/ 2/ 0
P 550-20	0015	2- 3817	DISPENSARY	ADMINISTR OFFIC	16	P	R	SF	34224.* 19813.		19813.	1/ 2/ 0
S 550-20	0066	2- 4788	RD-T BLDG/OTHER	SAME	29	P	R	SF	16734.* 16734.		16734.	7/ 0/ 0
T 550-20	0102	2- 3955	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 75.		75.	1/ 2/ 0
T 550-20	0104	2- 3956	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 85.		85.	1/ 2/ 0
T 550-20	0105	2- 3957	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 161.		161.	1/ 2/ 0
T 550-20	0108	2- 3958	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 1538.		1538.	1/ 2/ 0
T 550-20	0109	2- 3959	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 710.		710.	1/ 2/ 0
T 550-20	0112	2- 3961	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 82.		82.	1/ 2/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 550-20	0119	2- 3977	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	3663.* 2162.		2162.	1/ 2/ 0
T 550-20	0120	2- 3963	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 165.		165.	1/ 2/ 0
T 550-20	0124	2- 3964	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 164.		164.	1/ 2/ 0
P 550-20	0128	2- 3965	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 168.		168.	1/ 2/ 0
T 550-20	0202	2- 3966	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 230.		230.	1/ 2/ 0
T 550-20	0204	2- 3967	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 300.		300.	1/ 2/ 0
T 550-20	0208	2- 3969	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 188.		188.	1/ 2/ 0
T 550-20	0209	2- 3970	DISPENSARY	ADMINISTR OFFIC	91	P	R	SF	26602.* 334.		334.	1/ 2/ 0
T 550-20	0212	2- 4021	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 234.		234.	1/ 2/ 0
T 550-20	0213	2- 4022	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 160.		160.	1/ 2/ 0
T 550-20	0217	2- 4023	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 80.		80.	1/ 2/ 0
T 550-20	0220	2- 4024	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26607.* 479.		479.	1/ 2/ 0
P 550-20	0221	2- 3978	DISPENSARY	TRHSG/EM/WO MESS	90	P	R	SF	3663.* 2972.		2972.	1/ 2/ 0
T 550-20	0224	2- 4025	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 183.		183.	1/ 2/ 0

HADNOT POINT

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 550-20	0228	2- 4027	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 213.		213.	1/ 2/ 0
T 550-20	0313	2- 4033	DISPENSARY	ADMINISTR OFFIC	91	P	R	SF	26602.* 882.		882.	1/ 2/ 0
P 550-20	0324	2- 3979	DISPENSARY	ADMINISTR OFFIC	90	P	C	SF	3663.* 2991.		2991.	1/ 2/ 0
S 550-20	0344	2- 4108	DISPENSARY	ADMINISTR OFFIC	91	P	R	SF	3240.* 922.		922.	1/ 2/ 0
T 550-20	0404	2- 4039	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 725.		725.	1/ 2/ 0
T 550-20	0406	2- 4040	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 281.		281.	1/ 2/ 0
T 550-20	0407	2- 4041	DISP/OTHER	DISPENSARIES	90	P	R	SF	26602.* 100.		100.	1/ 2/ 0
O 550-20	0409	2- 4042	DISPENSARY	SAME	90	P	R	SF	26602.* 283.		283.	1/ 2/ 0
T 550-20	0410	2- 4043	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 243.		243.	1/ 2/ 0
P 550-20	0412	2- 4044	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 201.		201.	1/ 2/ 0
T 550-20	0415	2- 4045	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 160.		160.	1/ 2/ 0
T 550-20	0420	2- 4098	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 104.		104.	1/ 2/ 0
P 550-20	0421	2- 3980	DISPENSARY	SAME	90	P	C	SF	3663.* 2805.		2805.	1/ 2/ 0
O 550-20	0422	2- 4099	DISPENSARY	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 100.		100.	1/ 2/ 0

ACTIVITY AND LOCATION					ACTIVITY CODE		NAVAL DISTRICT OR AREA		FROM STATUS IF OTHER THAN INITIAL ISSUE		DATE PREPARED	
Marine Corps Base, Camp Lejuene, North Carolina					8270-175		5 ND		☐ REVISED CHANGE NO.		1 NOVEMBER 1968	
CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
T 550-20	0426	2- 4100	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0
T 550-20	0427	2- 4101	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 123.		123.	1/ 2/ 0
T 550-20	0511	2- 4019	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 540.		540.	1/ 2/ 0
T 550-20	0515	2- 4046	DISPENSARY	ADMINISTR OFFIC	90	P	R	SF	26602.* 404.		404.	1/ 2/ 0
P 550-20	0520	2- 3984	DISPENSARY	ADMINISTR OFFIC	90	P	C	SF	3663.* 2703.		2703.	1/ 2/ 0
T 550-20	0523	2- 4049	DISP/OTHER	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 180.		180.	1/ 2/ 0
P 550-20	1811	2- 5140	DISPENSARY	ADMINISTR OFFIC	90	S	T	SF	4000.* 262.		262.	1/ 2/ 0
									64416.		61611.	
P 610-10	0001	2- 3857	ADMIN BLDG	SAME	25	P	R	SF	33814.* 28402.		28402.	1/ 2/ 0
610-10	0002	2- 3609	ADMIN BLDG	SAME	90	P	R	SF	20290.		20290.	2/ 0/ 0
S 610-10	0006	2- 3652	EM BKS W/O MESS	TRHSG/EM/WO MESS	91	P	U	SF	26602.* 1448.		0.	0/ 0/ 0
610-10	0007	2- 3650	ADMIN BLDG	SAME	91	P	C	SF	3729.		3729.	14/ 0/ 0
S 610-10	0008	2- 3653	EM BKS W/O MESS	TRHSG/EM/WO MESS	91	P	U	SF	26602.* 1595.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 610-10	0013	2- 3615	EM BKS W/O MESS	SAME	91	P	R	SF	5181.* 5181.		5181.	1/ 2/ 0
P 610-10	0033	2- 3612	EM BKS W/O MESS	TRHSG/EM/WO MESS	25	P	R	SF	5952.* 3909.		3909.	0/ 0/ 0
610-10	0035	2- 4096	ADMIN BLDG	TRAINING/BLDGS	90	P	R	SF	1900.		1900.	1/ 2/ 0
P 610-10	0036	2- 3648	ADMIN BLDG	COV STOR/INST	16	P	R	SF	3663.* 600.		600.	8/ 0/ 0
610-10	0037	2- 3924	ADMIN BLDG	PERS SUPP/SVC	25	P	R	SF	9984.		9984.	2/14/ 0
P 610-10	0045	2- 5055	ADMIN BLDG	MNT/INS REP OPN	30	P	U	SF	16262.* 1768.		0.	0/ 0/ 0
610-10	0050	2- 3911	ADMIN BLDG	SAME	25	P	R	SF	5181.		5181.	2/ 0/ 0
S 610-10	0051	2- 4843	ADMIN BLDG	TRHSG/EM/WO MESS	25	P	U	SF	27298.* 4140.		0.	0/ 0/ 0
S 610-10	0053	2- 3656	EM BKS W/O MESS	TRHSG/EM/WO MESS	25	P	U	SF	27298.* 4140.		0.	0/ 0/ 0
S 610-10	0055	2- 3657	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	27298.* 2705.		2705.	1/ 0/ 0
S 610-10	0056	2- 3720	ST COV ORG/OTH	SAME	25	P	R	SF	3663.* 1104.		1104.	1/ 2/16
S 610-10	0057	2- 3658	EMBKS W/O MESS	TRHSG/EM/WO MESS	25	P	U	SF	27298.* 4140.		0.	0/ 0/ 0
610-10	0059	2- 3858	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	27298.		27298.	1/ 2/ 0
S 610-10	0060	2- 3859	ADMIN BLDG	TRHSG/EM/WO MESS	25	P	U	SF	27298.* 4140.		0.	0/ 0/ 0
S 610-10	0061	2- 3721	GEN WHSE/RI	SAME	91	P	R	SF	3663.* 1089.		1089.	2/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 610-10	0063	2- 3659	EM BKS W/O MESS	TRHSG/EM/WO MESS	91	P	R	SF	27298.* 896.		896.	1/ 7/ 0
S 610-10	0064	2- 3722	ADMIN BLDG	SAME	25	P	U	SF	3663.* 1104.		0.	0/ 0/ 0
S 610-10	0100	2- 3884	ADMIN BLDG	SAME	90	P	C	SF	3663.* 306.		306.	14/ 0/ 0
S 610-10	0101	2- 3954	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 3463.		3463.	1/ 7/ 0
S 610-10	0102	2- 3955	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1887.		1887.	2/ 0/ 0
S 610-10	0103	2- 3885	ADM BLDG	SAME	90	P	C	SF	3663.* 726.		726.	14/ 0/ 0
S 610-10	0104	2- 3956	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2917.		2917.	2/ 0/ 0
S 610-10	0105	2- 3957	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2341.		2341.	1/ 2/ 0
S 610-10	0108	2- 3958	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1458.		1458.	1/ 2/ 0
S 610-10	0109	2- 3959	ADMIN BLDG	SAME	90	P	R	SF	26602.* 2126.		2126.	1/ 2/ 0
S 610-10	0111	2- 3960	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2153.		2153.	1/ 2/ 0
S 610-10	0112	2- 3961	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 3137.		3137.	1/ 2/ 0
610-10	0114	2- 3872	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	0118	2- 3962	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1396.		1396.	1/ 2/ 0
S 610-10	0120	2- 3963	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1837.		1837.	1/ 2/ 0
610-10	0121	2- 3873	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
610-10	0123	2- 3931	ADMIN BLDG	SAME	90	P	R	SF	6468.		6468.	1/ 2/ 0
S 610-10	0124	2- 3964	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1094.		1094.	1/ 2/ 0
610-10	0127	2- 3874	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0128	2- 3965	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1301.		1301.	1/ 2/ 0
S 610-10	0202	2- 3966	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2556.		2556.	1/ 2/ 0
S 610-10	0204	2- 3967	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2672.		2672.	1/ 2/ 0
S 610-10	0205	2- 3968	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	U	SF	26602.* 1667.		0.	1/ 2/ 0
S 610-10	0208	2- 3969	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1088.		1088.	0/ 0/ 0
S 610-10	0209	2- 3970	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 1594.		1594.	1/ 2/ 0
S 610-10	0212	2- 4021	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1869.		1869.	1/ 0/ 0
S 610-10	0213	2- 4022	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1496.		1496.	1/ 2/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	0214	2- 3875	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0215	2- 3891	ADMIN BLDG	COV STOR/INST	90	P	C	SF	3729.* 1280.		1280.	14/ 0/ 0
610-10	0216	2- 3876	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0217	2- 4023	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2651.		2651.	1/ 2/ 0
610-10	0219	2- 3877	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0220	2- 4024	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1599.		1599.	1/ 2/ 0
610-10	0223	2- 3932	ADMIN BLDG	SAME	90	P	R	SF	6468.		6468.	1/ 2/ 0
S 610-10	0224	2- 4025	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2009.		2009.	1/ 2/ 0
S 610-10	0227	2- 4026	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1177.		1177.	1/ 2/ 0
S 610-10	0228	2- 4027	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2557.		2557.	1/ 2/ 0
P 610-10	0230	2- 4059	ADMIN BLDG	COV STOR/INST	90	P	C	SF	3729.* 640.		640.	14/ 0/ 0
S 610-10	0301	2- 4028	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 1596.		1596.	1/ 2/ 0
610-10	0303	2- 3895	ADMIN BLDG	SAME	91	P	U	SF	4793.		0.	0/ 0/ 0
610-10	0304	2- 3878	ADMIN BLDG	SAME	91	P	R	SF	5181.		5181.	2/ 0/ 0
S 610-10	0305	2- 4029	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 1596.		1596.	1/ 2/ 0
610-10	0306	2- 3946	ADMINISTRATION	SAME	90	P	C	SF	3663.		3663.	14/ 0/ 0

Supersedes GSA FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	0308	2- 4030	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 1624.		1624.	16/ 0/ 0
S 610-10	0309	2- 4031	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 2437.		2437.	1/ 2/ 0
S 610-10	0310	2- 3947	ADMIN BLDG	COV STOR/INST	91	P	R	SF	3663.* 1726.		1726.	1/ 0/ 0
610-10	0311	2- 3948	ADMIN BLDG	SAME	90	P	C	SF	3663.		3663.	14/ 0/ 0
S 610-10	0312	2- 4032	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	U	SF	26602.* 870.		0.	0/ 0/ 0
S 610-10	0313	2- 4033	ADMIN BLDG	SAME	91	P	R	SF	26602.* 1554.		1554.	1/ 2/ 0
610-10	0315	2- 3879	ADMIN BLDG	SAME	91	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0316	2- 4034	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 812.		812.	1/ 2/ 0
610-10	0317	2- 3880	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0318	2- 4035	ADMIN BLDG	SAME	90	P	R	SF	26602.* 2436.		2436.	1/ 2/ 0
610-10	0320	2- 3933	ADMIN BLDG	SAME	90	P	R	SF	6468.		6468.	1/ 2/ 0
S 610-10	0321	2- 4844	ADMIN BLDG	SAME	90	P	R	SF	26602.* 2000.		2000.	1/ 2/ 0
S 610-10	0323	2- 4036	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1458.		1458.	1/ 2/ 0
S 610-10	0326	2- 4037	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1918.		1918.	1/ 2/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | REPORT FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 610-10	0327	2- 4038	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 3088.		3088.	1/ 2/ 0
P 610-10	0332	2- 4065	ADMIN BLDG	COV STOR/INST	90	P	C	SF	3729.* 1024.		1024.	14/ 0/ 0
P 610-10	0333	2- 3944	ADMIN BLDG	SAME	90	P	C	SF	3729.* 990.		990.	1/ 2/ 0
610-10	0336	2- 4102	ADMIN BLDG	TRAINING/BLDGS	91	P	R	SF	3240.		3240.	1/ 2/ 0
P 610-10	0337	2- 4103	ADMIN BLDG	TRAINING/BLDGS	91	P	R	SF	3240.* 1350.		1350.	1/ 2/ 0
610-10	0339	2- 3943	ADMIN BLDG	TRAINING/BLDGS	90	P	C	SF	3240.		3240.	1/ 2/ 0
610-10	0340	2- 4105	ADMIN BLDG	TRAINING/BLDGS	90	P	C	SF	3240.		3240.	1/ 2/ 0
P 610-10	0342	2- 4106	ADMIN BLDG	TRAINING/BLDGS	91	P	R	SF	3240.* 2164.		2164.	2/ 8/ 0
T 610-10	0344	2- 4108	ADMIN BLDG	TRAINING/BLDGS	91	P	R	SF	3240.* 640.		640.	8/ 0/ 0
610-10	0400	2- 3881	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
610-10	0402	2- 3950	ADMINISTRATION	SAME	90	P	R	SF	3663.* 210.		210.	1/ 2/ 0
S 610-10	0404	2- 4039	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0
S 610-10	0406	2- 4040	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0
S 610-10	0407	2- 4041	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1959.		1959.	1/ 2/ 0
S 610-10	0409	2- 4042	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1623.		1623.	1/ 2/ 0
S 610-10	0410	2- 4043	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0

HADNOT POINT

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	0412	2- 4044	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1383.		1383.	1/ 2/ 0
P 610-10	0413	2- 3951	GEN WHSE/RI	TRHSG/EM/WO MESS	90	P	R	SF	3663.* 1164.		1164.	1/ 0/ 0
S 610-10	0415	2- 4045	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1763.		1763.	1/ 2/ 0
610-10	0416	2- 3882	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0417	2- 4097	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1656.		1656.	1/ 2/ 0
610-10	0419	2- 3883	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0420	2- 4098	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1558.		1558.	1/ 2/ 0
S 610-10	0422	2- 4099	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0
610-10	0423	2- 3934	ADMIN BLDG	SAME	90	P	R	SF	6468.		6468.	1/ 2/ 0
S 610-10	0426	2- 4100	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1624.		1624.	1/ 2/ 0
S 610-10	0427	2- 4101	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2521.		2521.	1/ 2/ 0
P 610-10	0428	2- 4756	ADMIN BLDG	SAME	90	P	C	SF	3663.* 1360.		1360.	14/ 0/ 0
S 610-10	0432	2- 4070	ADMIN BLDG	SAME	90	P	R	SF	3729.* 756.		756.	14/ 0/ 0
S 610-10	0436	2- 4110	ADMINISTRATION	TRAINING/BLDGS	90	P	C	SF	3240.* 1080.		1080.	14/ 0/ 0
S 610-10	0437	2- 4111	ADMINISTRATION	SAME	90	P	C	SF	3240.*			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 610-10	0438	2- 4112	ADMIN BLDG	SAME	90	P	R	SF	3240.* 1086.		1086.	1/ 2/ 0
610-10	0439	2- 4113	ADMIN BLDG	TRAINING/BLDGS	90	P	C	SF	3240.		3240.	1/ 2/ 0
P 610-10	0440	2- 4114	ADMIN BLDG	COV STOR/INST	90	P	C	SF	3240.* 1080.		1080.	14/ 0/ 0
610-10	0501	2- 3936	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0502	2- 4014	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2024.		2024.	1/ 2/ 0
S 610-10	0503	2- 4015	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1958.		1958.	1/ 2/ 0
S 610-10	0506	2- 4016	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2643.		2643.	1/ 2/ 0
S 610-10	0507	2- 4017	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1998.		1998.	1/ 2/ 0
S 610-10	0510	2- 4018	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1881.		1881.	1/ 2/ 0
S 610-10	0511	2- 4019	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2916.		2916.	1/ 2/ 0
S 610-10	0512	2- 3928	ADMIN BLDG	SAME	90	P	C	SF	3663.* 440.		440.	14/ 0/ 0
S 610-10	0514	2- 4020	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 1858.		1858.	1/ 2/ 0
S 610-10	0515	2- 4046	ADMIN BLDG	SAME	90	P	R	SF	26602.* 2893.		2893.	1/ 2/ 0
610-10	0516	2- 3937	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0517	2- 4047	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1013.		1013.	1/ 2/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	0519	2- 4048	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 3450.		3450.	1/ 2/ 0
610-10	0522	2- 3935	ADMIN BLDG	SAME	90	P	R	SF	6468.		6468.	1/ 2/ 0
S 610-10	0523	2- 4049	ADMIN BLDG	SAME	90	P	R	SF	26602.* 1718.		1718.	1/ 2/ 0
610-10	0526	2- 3938	ADMIN BLDG	SAME	90	P	R	SF	5181.		5181.	1/ 2/ 0
S 610-10	0527	2- 4050	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	26602.* 2480.		2480.	1/ 2/ 0
S 610-10	0529	2- 4073	ADMIN BLDG	SAME	25	P	C	SF	3729.* 400.		400.	14/ 0/ 0
P 610-10	0531	2- 4075	ADMIN BLDG	SAME	90	S	T	SF	3729.* 3217.		3217.	8/ 0/ 0
P 610-10	0532	2- 4076	ADMIN BLDG	COV STOR/INST	90	O	C	SF	3729.* 1075.		1075.	14/ 0/ 0
P 610-10	0534	2- 4078	ADMIN BLDG	COV STOR/INST	90	P	C	SF	3729.* 896.		896.	14/ 0/ 0
610-10	0535	2- 4759	ADMIN BLDG	TRAINING/BLDGS	90	P	C	SF	3240.		3240.	14/ 0/ 0
P 610-10	0536	2- 4120	ADMIN BLDG	TRAINING/BLDGS	90	P	R	SF	3240.* 2160.		2160.	1/ 2/ 0
S 610-10	0538	2- 4758	ADMIN BLDG	TRAINING/BLDGS	90	P	C	SF	3240.* 2160.		2160.	1/ 2/ 0
S 610-10	0738	2- 4824	ADMIN BLDG	PERS SUPP/SVC	30	T	R	SF	4000.* 1480.		1480.	2/ 0/ 0
610-10	0746	2- 4801	ADMINISTRATION	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
P 610-10	0756	2- 4799	ADMIN BLDG	SAME	90	S	N	SF	861.* 461.		461.	4/ 0/ 0
610-10	0800	2- 4803	ADMIN BLDG	SAME	10	P	R	SF	336.		336.	1/ 2/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	0827	2- 5974	ADMIN BLDG	SAME	31	S	R	SF	240.		240.	2/ 8/ 0
610-10	0848	2- 6352	ADMIN BLDG	SAME	91	P	R	SF	665.		665.	1/ 2/16
P 610-10	0900	2- 5163	ADMINISTRATION	SAME	91	P	R	SF	11416.* 6992.		6992.	2/ 0/ 0
T 610-10	0905	2- 4900	ADMIN BLDG	SAME	91	P	U	SF	64800.* 1000.		0.	0/ 0/ 0
S 610-10	0913	2- 4870	ADMINISTRATION	COV STOR/INST	91	S	U	SF	12000.* 1800.		0.	0/ 0/ 0
610-10	0928	2- 5380	ADMINISTRATION	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
S 610-10	1011	2- 4955	ADMIN BLDG	SAME	10	P	R	SF	70200.* 22344.		22344.	2/ 0/ 0
P 610-10	1101	2- 5021	ADMIN BLDG	SAME	60	P	R	SF	64800.* 23200.		23200.	2/ 0/ 0
P 610-10	1103	2- 4866	ADMIN BLDG	COV STOR/INST	30	P	R	SF	7840.* 532.		532.	2/ 1/ 0
P 610-10	1105	2- 4841	ADMIN BLDG	COLD STOR/INST	30	P	R	SF	4396.* 3906.		3906.	2/ 0/ 0
610-10	1108	2- 5020	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	11300.		11300.	8/ 0/ 0
S 610-10	1110	2- 4927	ADMIN BLDG	TRHSG/EM/WO MESS	10	P	N	SF	4054.* 4054.		4054.	4/ 0/ 0
610-10	1115	2- 4930	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	2088.		2088.	8/ 0/ 0
S 610-10	1116	2- 4956	ADMIN BLDG	SAME	10	P	R	SF	0.* 8849.		8849.	8/ 0/ 0
P 610-10	1202	2- 5151	ADMIN BLDG	SAME	30	P	U	SF	48727.* 7167.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	1208	2- 5039	ADMIN BLDG	SAME	91	P	R	SF	3240.* 1182.		1182.	8/ 0/ 0
S 610-10	1301	2- 5023	ADMINISTRATION	SAME	90	P	R	SF	64800.* 14062.		14062.	2/ 5/19
S 610-10	1311	2- 5040	ADMIN BLDG	SAME	91	P	R	SF	4396.* 957.		957.	1/ 2/ 0
S 610-10	1312	2- 5041	ADMIN BLDG	SAME	91	P	R	SF	4396.* 1316.		1316.	1/ 2/ 0
S 610-10	1316	2- 4938	ADMIN BLDG	SAME	10	P	U	SF	64800.* 1938.		0.	0/ 0/ 0
P 610-10	1403	2- 5086	ADMIN BLDG	SAME	18	P	R	SF	10050.* 8794.		8794.	16/ 0/ 0
P 610-10	1405	2- 4847	ADMIN BLDG	SAME	90	P	N	SF	4396.* 1176.		1176.	4/ 0/ 0
P 610-10	1407	2- 5082	ADMIN BLDG	SAME	50	P	R	SF	4396.* 2618.		2618.	8/ 0/ 0
S 610-10	1502	2- 5143	ADMIN BLDG	MNT/TANK AUTMV	50	P	R	SF	61776.* 6776.		6776.	3/ 0/ 0
P 610-10	1707	2- 5159	ADMIN BLDG	COV STOR/INST	90	P	R	SF	4554.* 984.		984.	1/ 2/ 0
T 610-10	1810	2- 5085	ADMIN BLDG	SAME	90	S	N	SF	12000.* 1426.		1426.	4/ 0/ 0
P 610-10	1811	2- 5140	ADMIN BLDG	SAME	90	S	N	SF	4000.* 2050.		2050.	4/ 0/ 0
610-10	1812	2- 5141	ADMIN BLDG	TRAINING/BLDGS	90	S	N	SF	2400.		2400.	4/ 0/ 0
S 610-10	1832	2- 1511	ADMIN BLDG	MNT/TANK AUTMV	91	S	R	SF	8000.* 650.		650.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									8000.*			
T 610-10	1835	2- 5113	ADMIN BLDG	MNT/TANK AUTMV	91	S	R	SF	760.		760.	1/ 0/ 0
610-10	3B	2- 4769	AD BLDG/OTHER	PERS SUPP/SVC	25	P	U	SF	680.		0.	0/ 0/ 0
									29104.*			
T 610-10	PT0001	2- 5149	ADMIN BLDG	MNT/MISC/PROC	91	S	R	SF	4158.		4158.	8/ 0/ 0
									568357.		525967.	
									3729.*			
S 610-90	0011	2- 3651	PHOTO BLDG	SAME	90	P	C	SF	1688.		1688.	14/ 0/ 0
									16262.*			
S 610-90	0045	2- 5055	AD BLDG/OTHER	SAME	30	P	U	SF	1768.		0.	0/ 0/ 0
									30544.*			
O 610-90	0067	2- 3912	AD BLDG/OTHER	TRHSG/EM/WO MESS	32	P	U	SF	538.		0.	0/ 0/ 0
610-90	0117	2- 3985	AD BLDG/OTHER	COMMUNITY/INTER	81	P	U	SF	3333.		0.	0/ 0/ 0
610-90	0203	2- 3986	COMMUNITY INTER	COMMUNITY/INTER	25	P	U	SF	3333.		0.	0/ 0/ 0
									3729.*			
S 610-90	0215	2- 3891	AD BLDG/OTHER	SAME	90	P	C	SF	1280.		1280.	14/ 0/ 0
610-90	0518	2- 3989	AD BLDG/OTHER	COMMUNITY/INTER	90	P	R	SF	3333.		3333.	1/ 2/ 0
									70200.*			
S 610-90	0914	2- 4954	AD BLDG/OTHER	SAME	0	P	R	SF	10800.		10800.	2/ 0/ 0
610-90	0918	2- 5156	AD BLDG/OTHER	SAME	0	S	R	SF	225.		225.	13/ 0/ 0
610-90	0922	2- 5258	AD BLDG/OTHER	SAME	91	S	R	SF	100.		100.	1/ 2/ 0
									29504.*			
P 610-90	1005	2- 5168	AD BLDG/OTHER	SAME	25	P	R	SF	21536.		21536.	2/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-90	1018	2- 6555	ADMIN BLDG	SAME	91	S	R	SF	390.* 390.		390.	8/ 0/ 0
610-90	1020	2- 6619	AD BLDG/OTHER	SAME	10	S	R	SF	96.		96.	8/ 0/ 0
610-90	1021	2- 6620	AD BLDG/OTHER	SAME	30	S	R	SF	140.		140.	8/ 0/ 0
610-90	1100	2- 4396	AD BLDG/OTHER	SAME	90	P	C	SF	798.		798.	14/ 0/ 0
T 610-90	1102	2- 4867	AD BLDG/OTHER	SAME	30	P	U	SF	5040.* 100.		0.	0/ 0/ 0
T 610-90	1103	2- 4866	AD BLDG/OTHER	SAME	30	P	U	SF	7840.* 532.		0.	0/ 0/ 0
S 610-90	1202	2- 5151	AD BLDG/OTHER	PERS SUPP/SVC	30	P	U	SF	48727.* 7167.		0.	0/ 0/ 0
P 610-90	1211	2- 4907	ADMIN BLDG	SAME	10	P	R	SF	70200.* 10800.		10,800.	2/ 0/ 0
T 610-90	1402	2- 5022	AD BLDG/OTHER	SAME	81	P	R	SF	64800.* 2000.		2000.	2/ 0/ 0
S 610-90	1501	2- 5001	AD BLDG/OTHER	SAME	60	P	U	SF	68400.* 1400.		0.	0/ 0/ 0
610-90	1509	2- 6622	AD BLDG/OTHER	SAME	50	S	R	SF	108.		108.	8/ 0/ 0
610-90	1722	2- 5089	AD BLDG/OTHER	SAME	90	S	T	SF	1200.		1200.	4/ 0/ 0
									72665.		43694.	
690-10	S001A	2- 5961	FLAGPOLE	SAME	30	P	U	EA	1.		0.	0/ 0/ 0
690-10	S001B	2- 5962	FLAGPOLE	SAME	30	P	U	EA	1.		0.	0/ 0/ 0

ACTIVITY AND LOCATION					ACTIVITY CODE		NAVAL DISTRICT OR AREA		FROM STATUS IF OTHER THAN INITIAL ISSUE		DATE PREPARED	
Marine Corps Base, Camp Lejuene, North Carolina					8270-175		5 ND		☐ REVISED CHANGE NO.		1 NOVEMBER 1968	
CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
690-10	S001C	2- 5963	FLAGPOLE	SAME	30	P	U	EA	1.		0.	0/ 0/ 0
690-10	S002A	2- 5964	FLAGPOLE	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
690-10	S002B	2- 5965	FLAGPOLE	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
690-10	S002C	2- 6526	FLAGPOLE	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
690-10	S002D	2- 6527	FLAGPOLE	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
690-10	S015A	2- 5960	FLAGPOLE	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
690-10	S041A	2- 5956	FLAGPOLE	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
690-10	S041B	2- 5957	FLAGPOLE	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
690-10	S059A	2- 5958	FLAGPOLE	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
690-10	S059B	2- 5959	FLAGPOLE	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
690-10	S300A	2- 5966	FLAGPOLE	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
									13.		0.	
690-15	SIG0001	2- 6420	SALUTING GUN	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
690-15	SIG0002	2- 6421	SALUTING GUN	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
									2.		0.	
690-90	S0092	2- 6730	BASE HDQTS SIGN	SAME	25	S	U	EA	1.		0.	0/ 0/ 0
									1.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	55	2- 3657	EM BKS W/O MESS	TRHSG/EM/WO MESS	91	P	R	MN	27298.* 178.		178.	25/ 0/ 0
P 722-10	0006	2- 3652	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 185.		185.	25/ 0/ 0
P 722-10	0008	2- 3653	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 184.		184.	25/ 0/ 0
P 722-10	0010	2- 3654	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 184.		184.	25/ 0/ 0
P 722-10	0012	2- 3655	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 194.		194.	25/ 0/ 0
P 722-10	0013	2- 3615	EM BKS W/O MESS	SAME	91	P	R	MN	5181.* 14.		14.	25/ 0/ 0
S 722-10	0033	2- 3612	EM BKS W/O MESS	SAME	25	P	R	MN	5952.* 12.		12.	8/ 0/ 0
P 722-10	0051	2- 4843	EM BKS W/O MESS	SAME	25	P	R	MN	26602.* 185.		185.	25/ 0/ 0
P 722-10	0053	2- 3656	EM BKS W/O MESS	SAME	25	P	R	MN	27298.* 185.		185.	25/ 0/ 0
P 722-10	0057	2- 3658	EM BKS W/O MESS	TRHSG/EM/WO MESS	25	P	R	MN	27298.* 185.		185.	25/ 0/ 0
P 722-10	0058	2- 3860	SMCO QUARTERS	PERS SUPP/SVC	32	P	R	MN	27298.* 177.		177.	2/ 8/ 0
P 722-10	0063	2- 3659	EM BKS W/O MESS	TRHSG/EM/WO MESS	91	P	R	MN	28170.* 148.		148.	25/ 0/ 0
P 722-10	0067	2- 3912	EM BKS W/O MESS	PERS SUPP/SVC	32	P	R	MN	30544.* 204.		204.	2/ 8/ 0
P 722-10	0101	2- 3954	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 185.		185.	25/ 0/ 0
P 722-10	0102	2- 3955	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 197.		197.	25/ 0/ 0
P 722-10	0104	2- 3956	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	0105	2- 3957	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0108	2- 3958	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0109	2- 3959	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 190.		190.	25/ 0/ 0
P 722-10	0111	2- 3960	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0112	2- 3961	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 187.		187.	25/ 0/ 0
P 722-10	0118	2- 3962	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 201.		201.	25/ 0/ 0
P 722-10	0120	2- 3963	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 195.		195.	25/ 0/ 0
P 722-10	0124	2- 3964	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 202.		202.	25/ 0/ 0
P 722-10	0128	2- 3965	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 201.		201.	25/ 0/ 0
P 722-10	0202	2- 3966	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 191.		191.	25/ 0/ 0
P 722-10	0204	2- 3967	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 190.		190.	25/ 0/ 0
P 722-10	0205	2- 3968	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 199.		199.	25/ 0/ 0
P 722-10	0208	2- 3969	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 203.		203.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	0209	2- 3970	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 188.		188.	25/ 0/ 0
P 722-10	0212	2- 4021	BKS W/O MESS	SAME	90	P	R	MN	26602.* 196.		196.	25/ 0/ 0
P 722-10	0213	2- 4022	BKS W/O MESS	SAME	90	P	R	MN	0.* 196.		196.	25/ 0/ 0
P 722-10	0217	2- 4023	BKS W/O MESS	SAME	90	P	R	MN	26602.* 190.		190.	25/ 0/ 0
P 722-10	0220	2- 4024	BKS W/O MESS	SAME	90	P	R	MN	26602.* 195.		195.	25/ 0/ 0
P 722-10	0224	2- 4025	BKS W/O MESS	SAME	90	P	R	MN	26602.* 194.		194.	25/ 0/ 0
P 722-10	0227	2- 4026	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 203.		203.	25/ 0/ 0
722-10	0228	2- 4027	BKS W/O MESS	SAME	90	P	R	MN	191.		191.	25/ 0/ 0
P 722-10	0301	2- 4028	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 200.		200.	25/ 0/ 0
P 722-10	0305	2- 4029	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 200.		200.	25/ 0/ 0
P 722-10	0308	2- 4030	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 200.		200.	25/ 0/ 0
P 722-10	0309	2- 4031	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0312	2- 4032	EM BKS W/O MESS	SAME	91	P	R	MN	26602.* 205.		205.	25/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	0313	2- 4033	BKS W/O MESS	SAME	91	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0316	2- 4034	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 205.		205.	25/ 0/ 0
P 722-10	0318	2- 4035	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 205.		205.	25/ 0/ 0
P 722-10	0321	2- 4844	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 195.		195.	25/ 0/ 0
P 722-10	0323	2- 4036	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	0326	2- 4037	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 194.		194.	25/ 0/ 0
P 722-10	0327	2- 4038	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	0/ 0/ 0
P 722-10	0404	2- 4039	BKS W/O MESS	SAME	90	P	R	MN	26602.* 184.		184.	0/ 0/ 0
P 722-10	0406	2- 4040	BKS W/O MESS	SAME	90	P	R	MN	26602.* 191.		191.	25/ 0/ 0
P 722-10	0407	2- 4041	BKS W/O MESS	SAME	90	P	R	MN	26602.* 196.		196.	25/ 0/ 0
P 722-10	0409	2- 4042	BKS W/O MESS	SAME	90	P	R	MN	26602.* 187.		187.	25/ 0/ 0
P 722-10	0410	2- 4043	BKS W/O MESS	SAME	90	P	R	MN	26602.* 190.		190.	25/ 0/ 0
P 722-10	0412	2- 4044	BKS W/O MESS	SAME	90	P	R	MN	26602.* 200.		200.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND		1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	0415	2- 4045	BKS W/O MESS	SAME	90	P	R	MN	26602.* 198.		198.	25/ 0/ 0
P 722-10	0417	2- 4097	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 0.* 186.		186.	25/ 0/ 0
P 722-10	0420	2- 4098	BKS W/O MESS	SAME	90	P	R	MN	26602.* 199.		199.	25/ 0/ 0
P 722-10	0422	2- 4099	BKS W/O MESS	SAME	90	P	R	MN	26602.* 162.		162.	25/ 0/ 0
P 722-10	0426	2- 4100	BKS W/O MESS	SAME	90	P	R	MN	26602.* 195.		195.	25/ 0/ 0
P 722-10	0427	2- 4101	BKS W/O MESS	SAME	90	P	R	MN	26602.* 191.		191.	25/ 0/ 0
P 722-10	0502	2- 4014	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 197.		197.	25/ 0/ 0
P 722-10	0503	2- 4015	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 188.		188.	25/ 0/ 0
P 722-10	0506	2- 4016	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 192.		192.	25/ 0/ 0
P 722-10	0507	2- 4017	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 205.		205.	25/ 0/ 0
P 722-10	0510	2- 4018	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 197.		197.	25/ 0/ 0
P 722-10	0511	2- 4019	BKS W/O MESS	SAME	90	P	R	MN	26602.* 169.		169.	25/ 0/ 0
P 722-10	0514	2- 4020	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 189.		189.	25/ 0/ 0

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 722-10	0515	2- 4046	BKS W/O MESS	SAME	90	P	R	MN	26602.* 187.		187.	25/ 0/ 0
P 722-10	0517	2- 4047	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 205.		205.	25/ 0/ 0
P 722-10	0519	2- 4048	EM BKS W/O ME	SAME	90	P	R	MN	26602.* 206.		206.	25/ 0/ 0
P 722-10	0523	2- 4049	BKS W/O MESS	SAME	90	P	R	MN	26602.* 197.		197.	25/ 0/ 0
P 722-10	0527	2- 4050	EM BKS W/O MESS	SAME	90	P	R	MN	26602.* 193.		193.	25/ 0/ 0
P 722-10	1109	2- 4928	EM BKS W/O MESS	SAME	50	P	N	MN	14956.* 120.		120.	4/ 0/ 0
P 722-10	1110	2- 4927	EM BKS W/O MESS	SAME	10	P	N	MN	14956.* 87.		87.	4/ 0/ 0
T 722-10	1208	2- 5039	BKS W/O MESS	ADMINISTR OFFIC	91	P	N	MN	3240.* 5.		5.	4/ 0/ 0
P 722-10	1313	2- 5063	EM BKS W/O MESS	SAME	91	P	N	MN	14956.* 120.		120.	4/ 0/ 0
P 722-10	1314	2- 5064	EM BKS W/O MESS	SAME	10	P	N	MN	14956.* 120.		120.	4/ 0/ 0
									14133.		14133.	
P 722-20	0060	2- 3859	EW BKS W/O MESS	SAME	25	P	R	MN	27298.* 165.		165.	25/ 0/ 0
									165.		165.	
722-40	0043	203913	DISCIP BKS W/O MESS	COBBLER SHOP	25	P	R	SF	20 20		20 20	25/0/0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
723-10	0009	2- 3687	SUBSTNCE	SAME	0	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0054	2- 3818	SUBSTNCE	SAME	25	P	R	SF	23799.		23799.	1/ 2/ 0
723-10	0106	2- 3999	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0107	2- 4000	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0122	2- 4001	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0206	2- 4002	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0211	2- 4003	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0226	2- 4004	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	2/11/ 0
723-10	0307	2- 4005	SUBSTNCE	SAME	91	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0314	2- 4006	SUBSTNCE	SAME	91	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0325	2- 4007	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0408	2- 4008	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0411	2- 4009	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0424	2- 3930	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0508	2- 4011	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0509	2- 4012	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	0521	2- 4013	SUBSTNCE	SAME	90	P	R	SF	23073.		23073.	1/ 2/ 0
723-10	1209	2- 5043	SUBSTNCE	SAME	10	P	R	SF	22490.		22490.	2/16/ 0
									415457.		415457.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	723-20	0030	2- 3616	TOILET	SAME	18	S	U	SF	286.		0.	0/ 0/ 0
	723-20	003A	2- 3590	LATRINE	SAME	25	P	R	SF	528.		528.	8/ 0/ 0
	723-20	0550	2- 5226	TOILET	SAME	30	P	R	SF	228.		228.	11/ 0/ 0
P	723-20	0572	2- 5130	LATRINE	SAME	90	S	N	SF	1420.* 734.		734.	4/ 0/ 0
	723-20	0817	2- 5190	TOILET	SAME	30	P	R	SF	90.		90.	8/ 0/ 0
	723-20	0821	2- 5227	TOILET	SAME	10	P	U	SF	140.		0.	0/ 0/ 0
	723-20	0924	2-5261	TOILET	SAME	91	P	R	SF	198.		198.	12/ 0/ 0
	723-20	1814	2- 5120	TOILET	SAME	90	T	N	SF	960.		960.	4/ 0/ 0
P	723-20	1820	2- 5119	TOILET	SAME	91	T	N	SF	660.* 660.		660.	4/ 0/ 0
										3824.		3398.	
	730-10	0018	2- 5166	FIRE STATION	SAME	25	P	R	SF	6644.		6644.	1/ 2/ 0
	730-10	1400	2- 5152	FIRE STATION	SAME	25	P	R	SF	5151.		5151.	2/ 0/ 0
										11795.		11795.	
	730-15	0003	2- 3608	BRIG	SAME	25	P	C	MN	175.		175.	14/ 0/ 0
										175.		175.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
730-25	0035	2- 4079	GATE HOUSE	SAME	25	S	U	SF	187.		0.	0/ 0/ 0
730-25	0812	2- 4829	GUARD BLDG	SAME	25	P	R	SF	840.		840.	8/ 0/ 0
									1027.		840.	
730-30	1401	2- 5018	BAKERY	SAME	60	P	U	SF	20736.		20736.	0/ 0/ 0
									20736.		20736.	
730-40	0025	2- 3620	LNDY/DRY CLN PL	SAME	81	P	R	SF	9464.		9464.	9/ 0/ 0
730-40	1500	2- 5121	LNDY/DRY CLN PL	SAME	60	P	R	SF	32824.		32824.	12/ 0/ 0
									42288.		42288.	
S 730-90	0438	2- 4112	SUP FAC/OT	TRAINING/BLDGS	90	P	C	SF	3240.* 1084.		1084.	14/ 0/ 0
730-90	0875	2- 6613	TICKET BOOTH	SAME	18	S	U	SF	35.		0.	0/ 0/ 0
730-90	S1946	2- 6393	PERS SUP FAC/OT	SAME	14	P	U	SF	4.		0.	0/ 0/ 0
730-90	PT0023	2- 5100	PERS SUP FAC/OT	PERS SUPP/SVC	25	S	N	SF	384.		384.	4/ 0/ 0
730-90	PT0024	2- 5099	PERS SUP FAC/OT	PERS SUPP/SVC	25	S	N	SF	48.		48.	4/ 0/ 0
									1555.		1516.	
740-10	0016	2- 3577	CHAPEL	SAME	25	P	R	SE	600.		600.	2/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-10	0017	2- 3576	CHAPEL	SAME	25	P	R	SE	650.		650.	10/ 0/ 0
T 740-10	0067	2- 3912	CHAPEL	TRHSG/BOQ	32	P	C	SE	3544.* 72.		72.	14/ 0/ 0
									1322.		1322.	
740-14	0004	2- 3610	EXCHANGE	SAME	81	P	R	SF	3333.		3333.	1/ 0/ 0
S 740-14	0028	2- 3647	EXCHANGE	TRAINING/BLDGS	18	S	U	SF	2370.* 385.		0.	0/ 0/ 0
740-14	0052	2- 3719	COBBLER SHOP	SAME	25	P	R	SF	3663.		3663.	10/ 0/ 0
740-14	0084	2- 4785	EXCHANGE	SAME	81	P	R	SF	72867.		72867.	1/10/ 0
740-14	0302	2- 3987	EXCHANGE	SAME	81	P	R	SF	3333.		3333.	2/ 0/ 0
740-14	0403	2- 3988	EXCHANGE	SAME	81	P	R	SF	3333.		3333.	2/ 0/ 0
740-14	1207	2- 5042	EXCHANGE	SAME	81	P	R	SF	3388.		3388.	1/ 0/ 0
740-14	1611	2- 5310	FILLNG/ST/SALES	SAME	81	P	R	SF	4324.		4324.	1/ 0/ 0
740-14	1728	2- 6545	CONCESSION/STND	SAME	81	P	U	SF	231.		0.	0/ 0/ 0
									94857.		94241.	
740-18	0087	2- 5269	BANK	SAME	25	P	U	SF	5300.		0.	39/ 0/ 0
									5300.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 740-19	0058	2- 3860	DIT UNION	COMMUNITY/INTER	32	P	C	SF	29896.* 7770.		7770.	14/ 0/ 0
									7770.		7770.	
P 740-20	0014	2- 5088	GUEST HOUSE	SAME	18	P	R	SF	14400.* 10400.		10400.	8/ 0/ 0
									10400.		10400.	
740-23	1200	2- 4996	COMMISSARY	SAME	60	P	R	SF	26445.		26445.	1/ 6/ 0
									26445.		26445.	
S 740-26	0014	2- 5088	CAF/RESTRNT	COMMUNITY/INTER	18	P	R	SF	14400.* 4000.		4000.	8/ 0/ 0
740-26	1006	2- 5186	CIV CAF/RESTRNT	SAME	81	P	U	SF	12730.			0/ 0/ 0
									16730.		4000.	
740-30	1610	2- 5309	EXCHANGE/REP/SHP	SAME	81	P	R	SF	3680.		3680.	1/ 0/ 0
740-30	1612	2- 5311	EXCH/WASH/FAC	SAME	81	P	R	SF	3919.		3919.	1/ 0/ 0
740-30	1613	2- 5312	FILLING STATION	SAME	81	P	U	SF	480.		0.	0/ 0/ 0
740-30	1614	2- 6418	CASHIER BOOTH	SAME	81	P	R	SF	48.		48.	1/ 0/ 0
740-30	1615	2- 6419	CASHIER BOOTH	SAME	81	P	U	SF	48.		0.	0/ 0/ 0
									8175.		7647.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
S	740-33	0229	2- 4058	ACD/GEN INS BLD	COV STOR/INST	90	P	C	SF	3729.* 738.		738.	14/ 0/ 0
	740-33	0319	2- 3971	POST OFFICE	SAME	90	P	C	SF	3663.		3663.	14/ 0/ 0
P	740-33	0344	2- 4108	POST OFFICE	TRAINING/BLDGS	91	P	R	SF	3260.* 1698.		1698.	1/ 2/ 0
S	740-33	0443	2- 4117	ACD/GEN INS BLD	TRAINING/BLDGS	90	P	C	SF	3240.* 841.		841.	1/ 2/ 0
S	740-33	1005	2- 5168	POST OFFICE	ADMISTR OFFIC	25	P	R	SF	29504.* 6282.		6282.	1/ 6/ 0
										13924.		13924.	
S	740-34	1403	2- 5086	THRIFT SHOP	SAME	18	P	R	SF	10050.* 1256.		1256.	2/ 7/ 0
										1256.		1256.	0/ 0/ 0
	740-36	0331	2- 4064	HOBBY SHOP	SAME	90	P	C	SF	3729.		3729.	0/ 0/ 0
	740-36	0728	2- 5167	HOBBY SHOP	SAME	18	S	R	SF	2397.		2397.	8/ 0/ 0
S	740-36	1103	2- 4866	HOBBY SHOP	SAME	30	P	U	SF	7840.* 3192.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-36	1106	2- 4933	HOBBY SHOP	SAME	18	P	R	SF	4396.		4396.	12/ 0/ 0
740-36	1107	2- 4934	HOBBY SHOP	SAME	18	P	R	SF	4396.		4396.	7/ 0/ 0
740-36	1113	2- 4935	HOBBY SHOP	SAME	18	S	U	SF	4000.		0.	0/ 0/ 0
740-36	1120	2- 4932	HOBBY SHOP	SAME	18	P	U	SF	5362.		0.	0/ 0/ 0
740-36	PT-5	2- 5105	HOBBY SHOP	SAME	18	P	R	SF	2450.		2450.	0/ 0/ 0
									29922.		17368.	
740-40	0089	2- 6552	BOWLING ALLEY	SAME	18	P	U	LA	32.		0.	0/ 0/ 0
									32.		0.	
									12402.*			
P 740-43	300	2- 3992	MULTIPLE BLDG	SAME	91	P	R	SF	9408.		9408.	8/ 0/ 0
740-43	0115	2- 3990	MULTIPRPSE BLD	SAME	90	P	R	SF	12402.		12402.	1/ 2/ 0
740-43	0201	2- 3991	MULTIPRPSE BLD	SAME	90	P	R	SF	12402.		12402.	1/ 2/ 0
									9408.*			
P 740-43	0300	2- 3992	INT MWR/FAC/OTH	SAME	91	P	U	SF	9408.		0.	0/94/ 8
740-43	0401	2- 3993	MULTIPRPSE BLD	SAME	90	P	R	SF	12402.		12402.	1/ 2/ 0
740-43	0500	2- 3994	MULTIPRPSE BLD	SAME	90	P	R	SF	12402.		12402.	1/ 2/ 0
									68424.		59016.	
740-50	0751	2- 5148	FIELD HOUSE	SAME	18	P	R	SF	48293.		48293.	2/ 0/ 0
									48293.		48293.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-56	0019	2- 5160	THEATRE	SAME	18	P	U	SE	1954.		0.	0/ 0/ 0
									1954.		0.	
740-63	0062	2- 4010	EM SERVICE CLUB	SAME	25	P	R	SF	13680.		13680.	1/12/16
740-63	0125	2- 3973	EM SERVICE CLUB	SAME	90	P	R	SF	15798.		15798.	1/ 2/ 0
740-63	0225	2- 3974	EM SERVICE CLUB	SAME	90	P	R	SF	15798.		15798.	1/ 2/ 0
740-63	0524	2- 3976	EM SERVICE CLUB	SAME	90	P	R	SF	16407.		16407.	1/ 2/ 0
									61683.		61683.	
740-66	0425	2- 3975	NCO CLUB	COMMUNITY/INTER	89	P	R	SF	16407.		16407.	1/ 0/ 0
									16407.		16407.	
740-70	0322	2- 5164	STAFF NCO CLUB	COMMUNITY/INTER	80	P	U	SF	17398.		0.	0/ 0/ 0
									17398.		0.	
740-74	0712	2- 5146	COMMUNITY INTER	SAME	14	P	U	SF	2592.		0.	0/ 0/ 0
									2592.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									27298.*			
S 740-76	0063	2- 3659	LIBRARY	TRHSG/EM/WO MESS	91	P	R	SF	6547.		6547.	1/ 0/ 0
									6547.		6547.	
740-83	0235	2- 3995	BUS STATION	SAME	50	P	U	SF	3445.		0.	0/ 0/ 0
									3445.		0.	
740-86	004A	2- 3589	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
740-86	117A	2- 3920	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
740-86	1402	2- 5022	MCX WHSE	SAME	81	P	U	SF	32400.		0.	0/ 0/ 0
740-86	1413	2- 5083	RETAIL WAREHSE	SAME	81	S	R	SF	4000.		4000.	9/ 0/ 0
740-86	203A	2- 3921	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
740-86	302A	2- 3922	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
740-86	403A	2- 3923	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
740-86	518A	2- 3919	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
									37552.		4000.	
740-87	0031	2- 3613	BOAT HOUSE	SAME	18	S	R	SF	4485.		4485.	8/ 0/ 0
									4485.		4485.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-90	41	2- 4887	RED CROSS BLDG	SAME	25	P	R	SF	6158.		6158.	2/ 8/ 0
									2770.*			
P 740-90	0028	2- 3647	CHAPEL/STGE	TRAINING/BLDGS	18	S	U	SF	1718.		0.	0/ 0/ 0
740-90	0039	2- 4791	SQUASH COURT	TRAINING/BLDGS	18	S	R	SF	1888.		1888.	8/ 0/ 0
740-90	0233	2- 3972	TRANS OFFICES	SAME	10	P	U	SF	3729.		0.	0/ 0/ 0
									3240.*			
P 740-90	0335	2- 4096	RECREATION BLDG	TRAINING/BLDGS	90	P	C	SF	1340.		1340.	2/ 0/ 0
740-90	0341	2- 3942	REC BLDG	TRAINING/BLDGS	91	P	R	SF	3240.		3240.	0/ 0/ 0
									18073.		12626.	
750-10	S0069	2- 4842	TENNIS COURT	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0071	2- 4876	BADMINTON CT	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0072	2- 4877	BADMINTON CT	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0073	2- 4925	TENNIS COURT	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0077	2- 4924	TENNIS COURT	SAME	25	S	U	EA	1.		0.	0/ 0/ 0
750-10	S0079	2- 4839	TENNIS COURT	SAME	25	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0090	2- 6543	HANDBALL CTS-2	SAME	18	P	U	EA	2.		0.	0/ 0/ 0
750-10	S0138	2- 4923	TENNIS COURT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0140	2- 4874	BADMINTON CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0141	2- 4976	VOLLEYBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0142	2- 4887	HANDBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-10	S0237	2- 4922	TENNIS COURT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0345	2- 4888	HANDBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0346	2- 4952	VOLLEYBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0347	2- 4873	BADMINTON CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0447	2- 4950	BASKETBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0541	2- 4872	TENNIS COURT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0544	2- 4975	VOLLEYBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0545	2- 4889	HANDBALL CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-10	S0546	2- 4875	BADMINTON CT	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
									21.		0.	
750-20	1725	2- 5012	BASEBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	1726	2- 5388	SOFTBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0068	2- 4985	FOOTBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0070	2- 4860	BASEBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0074	2- 4917	BASEBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0075	2- 4848	SOFTBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0081	2- 4916	BASEBALL FIELD	SAME	25	P	U	EA	1.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
750-20	S0082	2- 4911	SOFTBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0083	2- 4912	SOFTBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0136	2- 4919	BASEBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0137	2- 4910	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0139	2- 4850	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0143	2- 4947	FOOTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0144	2- 4851	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0146	2- 4913	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0238	2- 4852	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0239	2- 4918	BASEBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0240	2- 4946	FOOTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0242	2- 4914	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0243	2- 4915	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0448	2- 4853	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0449	2- 4861	BASEBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0450	2- 4984	FOOTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0542	2- 4854	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0543	2- 4920	BASEBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	S0547	2- 4949	FOOTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

References: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-20	S0757	2- 4836	BASEBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1411	2- 4862	BASEBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1412	2- 4856	SOFTBALL FIELD	SAME	91	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1715	2- 4858	SOFTBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1716	2- 4948	FOOTBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1717	2- 4921	BASEBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1718	2- 4973	FOOTBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S1719	2- 4953	BASEBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
									34.		0.	
750-50	S0769	2- 4969	OUTDOOR THEATRE	SAME	18	S	U	SF	330887.		0.	0/ 0/ 0
750-50	S0808	2- 4968	OUTDOOR THEATRE	SAME	18	S	U	SF	8500.		0.	0/ 0/ 0
750-50	S1016	2- 4945	OUTDOOR THEATRE	SAME	18	S	R	SF	10800.		10800.	12/ 0/ 0
									350187.		0.	
750-60	S0135	2- 5038	REC DOCK/BASIN	SAME	30	P	U	EA	1.		0.	0/ 0/ 0
750-60	S0446	2- 5037	REC DOCK/BASIN	SAME	30	S	U	EA	1.		0.	0/ 0/ 0
750-60	S0713	2- 5032	MARINE RAILWAY	SAME	18	P	U	EA	4.		0.	0/ 0/ 0
750-60	S0714	2- 4903	REC DOCK/BASIN	SAME	18	S	U	EA	1.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
750-60	S0715	2- 4902	REC DOCK/BASIN	SAME	18	S	U	EA	1.		0.	0/ 0/ 0
750-60	S0749	2- 479	PIER	SAME	18	S	U	EA	1.		0.	0/ 0/ 0
									9.		0.	
750-90	S1732	2- 6669	PRESS BOX	SAME	18	S	U	EA	1.		0.	0/ 0/ 0
750-90	S1733	2- 6670	REVIEWING STAND	SAME	18	S	U	EA	1.		0.	0/ 0/ 0
									2.		0.	
890-90	0353	2- 6785	GENERATOR BLDG	SAME	90	S	R	SF	240.		240.	1/ 0/ 0
									240.		240.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[X] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col 6 - Using Activity Codes are as follows:

Code	Activity	Code	Activity
00	2D FORCE SERVICE REGIMENT	31	ASSISTANT CHIEF OF STAFF, G-3
09	FIELD MEDICAL SERVICE SCHOOL	32	DIRECTOR, HOUSING
10	BASE MATERIAL BATTALION	50	BASE MOTOR TRANSPORT
13	RESERVE LIAISON	60	BASE SUPPLY
14	DEPENDENTS SCHOOL	70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
16	BASE MEDICAL	80	STAFF NCO CLUB, E-6 THROUGH E-9
17	BASE COMMUNICATIONS	81	MARINE CORPS EXCHANGE
18	SPECIAL SERVICES	82	COMMISSIONED OFFICERS MESS
21	RIFLE RANGE	83	NURSERY
22	1ST INFANTRY TRAINING REGIMENT	84	KINDERGARTEN
23	MARINE CORPS ENGINEER SCHOOL	85	USO
24	MARINE CORPS SUPPLY SCHOOL	87	SCOUTING ACTIVITIES
25	HEADQUARTERS AND SERVICE BATTALION	89	NCO CLUB E/4, E/5
29	NAVY MEDICAL FIELD RESEARCH LAB	90	2D MARINE DIVISION
30	BASE MAINTENANCE	91	FORCE TROOPS
		92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an explanatory note following the itemized listing of facilities.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | INITIAL ISSUE [X] REVISED CHANGE NO. | 1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls, along with need for rewiring.
14. Building is inadequate becuase the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

19. Inadequate due to the conversion of the present system to a Centrex system.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

39. Bank (5,300 SF) was constructed by 1st Citizen Bank and Trust Co. in 1960 and will convert to government owned in 1980.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	HADNOT POINT									
111-81	HELICOPTER LANDING PAD	SY	12,232	483	0			11,748	7A	897
	MARINE CORPS BASE		(12,232)	(483)	0			(11,748)		
123-10	FILLING STATION	OL	21	17	6			10	(1)	
	MARINE CORPS BASE		(11)	(9)	0			(2)		
	2ND MARINE DIVISION		(10)	(4)	(2)			(8)		
	FORCE TROOPS		(0)	(4)	(4)	REASSIGN 4 OL TO MARINE CORPS BASE				
124-50	VEHICLE READY FUEL STORAGE TANK	GA	60,920	202,000	0		141,080		(5)	
	MARINE CORPS BASE		(60,920)	(202,000)	0					
124-65	HEATING FUEL OIL STORAGE TANK	GA	2,550,570	872,370	272,370			1,950,570	(9)	
	MARINE CORPS BASE		(2,550,570)	(872,370)	(272,370)			(1,950,570)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
125-15	PUMPING STATION BUILDING	SF	860	860	0			0		
	MARINE CORPS BASE		(860)	(860)	0			0		
126-30	TANK TRUCK/CAR LOADING FACILITY	OL	6	6	6			6	0 & M (R)	
	MARINE CORPS BASE		(6)	(6)	(6)			(6)		
126-90	LP GAS DISTRIBUTION BUILDING	SF	926	500	0			426	(1)	
	MARINE CORPS BASE		(926)	(500)	0			(426)		
131-15	COMMUNICATIONS CENTER	SF	12,908	2,472	0			10,436	10,436 SF INCL. IN P-007	
	2ND MARINE DIVISION		(12,908)	(2,472)	0			(10,436)		
131-40	TELEPHONE EXCHANGE BUILDING	SF	8,000	2,940	2,940			8,000	0 & M (R)	8,121
	MARINE CORPS BASE		(8,000)	(2,940)	(2,940)			(8,000)	REHAB BLDG 13 FROM (610-10) = 5181 SF	
131-50	TRANSMITTER BUILDING	SF	4,589	4,589	4,589			4,589	0 & M (R)	4,589
	MARINE CORPS BASE		(4,589)	(4,589)	(4,589)			(4,589)	AIR COND REQ'D	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
131-90	COMMUNICATIONS BUILDING/OTHER	SF	1,832	1,832	1,832		(1,750)	1,832	0 & M (R)	3,663
	2ND MARINE DIVISION		(1,832)	(1,832)	(1,832)	REHAB BLDG 36 TO (131-90) = 3,663 SF		(1,832)		
132-10	ANTENNA/TOWER SUPPORTED	EA	3	4	0		1		(5)	
	MARINE CORPS BASE		(3)	(4)	0					
132-30	ANTENNA/POLE & WIRE	EA	1	1	0			0		
	MARINE CORPS BASE		(1)	(1)	0					
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	EA	2	0	0			2	0 & M (C)	2
	MARINE CORPS BASE		(2)	0	0			(2)		
141-60	PHOTOGRAPHIC BUILDING	SF	7,450	5,770	5,770			7,450	0 & M (R)	9,984
	MARINE CORPS BASE		(3,950)	(3,729)	(3,729)	REHAB BLDG 37 TO (141-60 = 9,984 SF				
	2ND MARINE DIVISION		(3,500)	(2,041)	(2,041)	CONVERT BLDG 11 & 27 TO (442-10)				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
141-86	HEALTH PHYSICS CALIBRATION BLDG	SF	1,500	0	0			1,500	3B (UP) - P-230	1,500
	MARINE CORPS BASE		(1,500)	0	0			(1,500)		
171-10	ACADEMIC & GEN INSTR BLDG	SF	104,000	46,672	42,943		(477)	100,272	MILCON	54,400
	MARINE CORPS BASE		6,525	0	0			6,525	O & M (R)	84,792
	(1) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 6,525	SF FROM MONTFORD POINT		CAT CODE(171-10)			SEE LIST OF BUILDINGS BELOW FOR FAC NO. & ACTIVITY	
						REHAB BLDG 59 FROM (610-10) = 13,649 SF				
	2ND MARINE DIVISION		(91,200)	(23,547)	(23,547)			(91,200)		
	FORCE TROOPS		(12,800)	(23,125)	(19,396)				(2B)	
	(1) 2ND FSR		ASSIGN 12,800	SF TO FRENCH CREEK		CAT CODE(171-10)				
						REHAB BLDG 307 FOR(171-10)			INCLUDED IN P-803	3,200
						REHAB BLDG 411 FOR(171-10)			INCLUDED IN P-808	3,200
						REHAB BLDG 314 FOR(171-10) REHAB BLDG 325 FOR(171-10)			INCLUDED IN P-825	6,400
						REHAB BLDG 408 FOR(171-10) REHAB BLDG 424 FOR(171-10)			INCLUDED IN P-830	6,400
						REHAB BLDG 509 FOR(171-10) REHAB BLDG 521 FOR(171-10)			INCLUDED IN P-842	6,400
						REHAB BLDG 106 FOR(171-10) REHAB BLDG 122 FOR(171-10)			INCLUDED IN P-861	6,400
						REHAB BLDGS 206, 226, 211, FOR(171-10)			INCLUDED IN P-867	9,600

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
						REHAB BLDG 9			INCLUDED IN P-1073	3,200
171-10	(CONT'D)					REHAB BLDG 508, 107 FOR(171-10)			INCLUDED IN P-854	6,400
						REHAB BLDG 54			INCLUDED IN P-1074	3,200
						REHAB BLDG 330			O & M (R)	3,729
						REHAB BLDG 335 FROM (740-90)			O & M (R)	3,240
						REHAB BLDG 338			O & M (R)	3,240
						REHAB BLDG 342 FROM (610-10)			O & M (R)	3,240
						REHAB BLDG 344 FROM (740-33)			O & M (R)	3,260
						REHAB BLDG 414 FROM (442-10)			O & M (R)	3,663
						REHAB BLDG 436 FROM (442-10)			O & M (R)	3,240
						REHAB BLDG 443			O & M (R)	3,240
						REHAB BLDG 536 FROM (610-10)			O & M (R)	3,240
						REHAB BLDG 538 FROM (610-10)			O & M (R)	3,240
						REHAB BLDG 539 FROM (442-10)			O & M (R)	3,260
171-20	APPLIED INSTRUCTION BLDG	SF	16,770	3,387	2,739			16,122	O & M (R)	10,400
	2ND MARINE DIVISION		(11,150)	(2,739)	(2,739)			(11,150)	3B(UP)P-161	5,850
						CONVERT BLDG 1308 FROM (171-10) TO (171-20) = 10,400 SF				
						CONVERT BLDG 333 FROM (171-20) TO (442-10)				
	FORCE TROOPS		5,620	(648)	0				(5)	
						ASSIGN 5,620 SF TO FRENCH CREEK CAT CODE 171-20				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-30	ARMORY	SF	31,200	1,437	1,437		1,437	31,200	MILCON 3B (UP) P-228	32,000
	2ND MARINE DIVISION		(31,200)	0	0		EXCESS DUE TO NEW CONST			
	FORCE TROOPS		(0)	(1,437)	(1,437)					
171-50	SMALL ARMS RANGE/INDOOR	FP	35	8	0			27	3B (UP) P-1072	27
	MARINE CORPS BASE		(35)	(8)	0			(27)		
171-90	COMBAT TRAINING TANK/INDOOR	EA	2	2	0			0		
	MARINE CORPS BASE		(2)	(2)	0					
171-90	TRAINING BLDG/OTHER	SF	0	6,724	5,011		6,724		(5)	
	MARINE CORPS BASE		0	(5,090)	(3,441)		(960)			
	2ND MARINE DIVISION		0	(204)	(140)					
	FORCE TROOPS		0	(1,430)	(1,430)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-10	COMBAT VEHICLE MAINT FAC	SF	172,760	200,432	190,448		27,672 (93,929)	162,776	MILCON (1)	108,715
	MARINE CORPS BASE		(13,760)	(16,000)	(16,000)			(13,760)	3B (FY-71)P-138	30,150
	2ND MARINE DIVISION		(107,167)	(124,161)	(124,161)			(107,167)	3B (FY-72)P-139	26,160
	FORCE TROOPS		(51,833)	(60,271)	(50,287)				3B (FY-72)P-196	20,935
	(1) 2ND FSR		ASSIGN 51,838 SF TO FRENCH CREEK CAT CODE(214-10)						3B (FY-73)P-897	31,470
						CONVERT BLDG	1406 & 1405 TO (442-10)			
						CONVERT BLDG	1607, 1604, 1605 TO (442-10)			
						CONVERT BLDG	1505, 1506 TO (442-10)			
						CONVERT BLDG	1205, 1206 TO (442-10)			
						CONVERT BLDG	912 TO (215-XX)			
						CONVERT BLDG	1711 TO (740-36)			
214-20	AUTO VEHICLE MAINT FAC	SF	54,730	141,670	138,991		86,940	52,051	O & M (R)	55,000
	MARINE CORPS BASE		(27,365)	(71,894)	(69,215)		(13,423)	(24,686)	REHAB BLDG 1502	
	2ND MARINE DIVISION		(3,284)	(8,000)	(8,000)			(3,284)	REHAB BLDG 1601 CONVERT BLDG 1203 TO (442-1	
	FORCE TROOPS		(24,081)	(61,776)	(61,776)				CONVERT BLDGS 1310, 1503 TO (442-10)	
			ASSIGN 24,081 SF TO FRENCH CREEK CAT CODE(214-20)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-30	REFUELING VEHICLE MAINTENANCE FACILITY	SF	5,760	0	0			5,760	MILCON	
	MARINE CORPS BASE		(5,760)	0	0			(5,760)	3B(UP) P-1091	5,760
214-90	VEHICLE WASH APRON	SF	33,600	8,534	1,600		(1,888)	26,666	(6)	
	2ND MARINE DIVISION		(33,600)	(6,329)	0			(26,666)		
	FORCE TROOPS		(0)	(2,205)	(1,600)					
214-90	GREASE RACK	SF	42,000	14,215	418		(7,580)	13,797	(6)	
	MARINE CORPS BASE		(29,820)	(10,388)	(418)		EXCESS DUE TO NEW CONST.			
	2ND MARINE DIVISION		(13,180)	(639)	0					
	FORCE TROOPS		0	(3,188)	0					
215-XX	SMALL ARMS SHOP	SF	0	48,131	42,371		48,131	CONVERT BLDG. 912 FROM (218-20) TO (215-XX) = 5,423 SF	(5)	
	2ND MARINE DIVISION		0	(28,871)	(28,871)		(11,545)		3B(FY 70)P-137	18,625
	FORCE TROOPS		0	(13,500)	(13,500)					
	(1) 2ND FSR		0	(5,760)	0			CONVERT BLDG 902 FROM (215-XX) TO (442-10) = 64,800 SF		

OP 441E

CLASSIFICATION STAMP

HADNOT POINT

A-51761

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
216-50	SPECIAL WEAPONS SHOP	SF	0	4,800	4,800		4,800	0	(5)	
	FORCE TROOPS			(4,800)	(4,800)					
217-10	ELECTRONICS & COMMUNICATIONS MAINT SHOP	SF	8,000	107,800	74,636		99,800		0 & M (R)	18,024
	MARINE CORPS BASE			(317)	(0)		(1,830)		3B(FY 70)P-133	15,000
	2ND MARINE DIVISION		(8,000)	(84,332)	(52,199)		REHAB BLDG 329		3B(UP)P-229 0 & M (R)	63,000 3,729
	FORCE TROOPS			(11,191)	(10,477)		REHAB BLDG 207		0 & M (R)	3,663
	(1) 2ND FSR			((11,960))	((11,960))		REHAB BLDG 134 REHAB BLDG 402 REHAB BLDG 442		0 & M (R) 0 & M (R) 0 & M (R)	3,729 3,663 3,240
							CONVERT BLDG 1707 TO (740-36)			
217-90	RADIAC CALIBRATION SHOP	SF	4,000	0	0			0		
	FORCE TROOPS		0	0	0					
	(1) 2ND FSR		ASSIGN 4,000	SF TO FRENCH CREEK CAT CODE (217-90)						
218-10	PARACHUTE LOFT	SF	0	19,472	19,472		19,472	0	(5)	
	FORCE TROOPS		0	(19,472)	(19,472)					
	(1) 2ND FSR		0	((19,472))	((19,472))					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
218-20	CONSTRUCTION EQUIP MAINT SHOP	SF	13,365	50,420	50,420		37,055	13,365	0 & M (R) (1)	
	MARINE CORPS BASE		(6,140)	(4,420)	(4,420)		(13,996)	(6,140)	REHAB BLDG 910 = 4,000 SF	
	2ND MARINE DIVISION		0	(9,600)	(9,600)		REHAB BLDG 910		(1)	4,000
	FORCE TROOPS		(7,225)	(36,400)	(36,400)					
	(1) 2ND FSR		ASSIGN 7,225	SF TO FRENCH CREEK CAT		CODE(218-20)				
218-40	RAILROAD SERVICE PIT	SF	0	264	0		264		(5)	
	MARINE CORPS BASE		0	(264)	0					
219-10	BASE MAINTENANCE SHOP	SF	56,750	77,499	11,226		20,749		0 & M (R) (5)	
	MARINE CORPS BASE		(56,750)	(76,923)	(10,650)		REHAB BLDG 45 & 1202 FOR (219-10) = 56,054 SF			
	FORCE TROOPS		0	(576)	(576)		REHAB BLDG 1404 FOR (442-10)			
	(1) 2ND FSR		0	((576))	((576))					
229-50	PRINTING PLANT	SF	12,050	11,598	11,598			12,050	0 & M (R) (1)	10,098
	MARINE CORPS BASE		(12,050)	(11,598)	(11,598)		REHAB BLDG 80 REQ'D HEATING = 9,912 SF REHAB BLDG 1005 REQ'D LIGHTING = 1,686 SF			

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175

ND OR AREA: 5ND

SPONSOR: CMC

FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____

PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
229-90	PRESERVATION, PACKAGING & PACKING FAC.	SF	24,000	45,960	45,960		45,960	24,000	3B(FY-71)P-146	24,000
	MARINE CORPS BASE		(24,000)	(41,200)	(41,200)		(41,200)	(24,000)		
	2ND MARINE DIVISION		0	(4,760)	(4,760)		EXCESS DUE TO NEW CONST.			
310-90	NAVAL MEDICAL RD & T FACILITY	SF	106,930	53,090	52,850		(960)	106,690	3B(UP)P-1092	63,898
	MARINE CORPS BASE		(106,930)	(53,090)	(52,850)			(106,690)	O & M (R) BLDG 65 & 66 REQ. A/C	43,032
411-80	LUBE STORAGE	SF	768	0	0			768	O & M (C)	768
	MARINE CORPS BASE		(768)	0	0			(768)		
411-90	LIQUID FUEL STORAGE/OTHER	BL	10,000	10,000	0			0		
	MARINE CORPS BASE		(10,000)	(10,000)	0					
442-XX	MAGAZINES	SF	0	3,016	3,016		3,016	0	(5)	
	FORCE TROOPS		0	(3,016)	(3,016)					
432-10	COLD STORAGE WAREHOUSE	SF	45,815	45,120	0			695	(1)	
	MARINE CORPS BASE		(45,815)	(45,120)	0			(695)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-10	GENERAL WAREHOUSE/RI	SF	1,892,000	1,710,563	860,572		(98,662)	1,042,009	O & M (R)	1,845,759
	MARINE CORPS BASE		(1,027,000)	(880,737)	(537,289)			(1,683,552)	(SEE LIST OF BUILDINGS	
	2ND MARINE DIVISION		(467,000)	(457,121)	(197,721)			(207,600)	BELOW FOR FAC NO. AND	
	FORCE TROOPS		(398,000)	(372,705)	(125,562)				ACTIVITY.)	
	(1) 2ND FSR		ASSIGN 398,000 SF TO FRENCH CREEK CAT CODE (442-10)							
				BUILDING REQUIRING O & M (R) IN 2ND MARINE DIVISION ARE AS						
				FOLLOWS - BLDGS 100, 103, 113, 116, 126, 130, 131, 132, 133, 145, 200						
				210, 215, 218, 222, 229, 230, 231, 232, 310, 328, 334, 343, 405, 413,						
				418, 428, 429, 430, 431, 432, 433, 434, 437, 440, 441, 444, 504, 512, 513,						
				528, 532. TOTAL SF FOR 2ND MARINE DIVISION = 149,190 SF						
				CONVERT BLDG 234 FROM (217-10) TO (442-10) O & M (R) = 4,663						
				CONVERT BLDG 435 FROM (215-10) TO (442-10) O & M (R) = 3,240						
				CONVERT BLDGS 505, 533, 525, 530 FROM (217-10) TO (242-10) O & M (R) = 14,784						
				CONVERT BLDG 337 FROM (610-10) TO (442-10) = 3,240						
				CONVERT BLDGS 402 & 442 FROM (442-10) TO (217-10) O & M (R) = 7,903						

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-10	(CONT'D)									
				CONVERT BLDG 344 FROM (740-33) TO (442-10) = 3,260 SF						
				CONVERT BLDG 333 FROM (171-20) TO (442-10) = 3,729 SF						
				CONVERT BLDG 436 FROM (442-10) TO (171-10) = 3,240 SF						
				CONVERT BLDG 414 FROM (442-10) TO 171-10) = 3,663 SF						
				CONVERT BLDG 539 FROM (442-10 TO (171-10) = 3,240 SF						
				BUILDINGS REQUIRING O & M (R) IN MARINE CORPS BASE AREA						
				ARE AS FOLLOWS -						
						CONVERT BLDGS 11 & 27 FROM (141-60) TO (442-10) O & M (R) = 7,4				
						BUILDINGS 26, 61 & 64 REMAIN AS (442-10) = 11,055 SF				
				BUILDING REQUIRING O & M (R) IN THE SUPPLY AND INDUSTRIAL AREA						
				ARE AS FOLLOWS -						
						2ND MARINE DIVISION				
						BUILDINGS 1211, 1212, 1316, & 1317 = 264,608 SF				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-10	(CONT'D)									
						MARINE CORPS BASE				
						BLDGS 906, 907, 915, 916, 1011, 1012, 1101, 1108,				
						1116, 1117, 1118, 1201, 1301, 1402, 1404, 1501, &				
						1606 = 1,018,464 SF				
						2ND FSR (FORCE TROOPS)				
						BLDGS 902, 903, 904, 905, & 914 = 319,400 SF				
						FORCE TROOPS				
						BLDGS 1403, 1404, 1405, 1406 = 28,892 SF				
						CONVERT BLDGS 1703, 1704, 1705, 1710 TO (740-36) =				21,188 SF
442-30	FLAMMABLE STORAGE	SF	0	4,095	3,392		4,095		(5)	
	MARINE CORPS BASE		0	(3,499)	(3,200)		(596)			
	2ND MARINE DIVISION		0	(596)	(192)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-70	BASE MAINTENANCE STORAGE	SF	48,860	25,895	7,469			30,434	(1)	
	MARINE CORPS BASE		(48,860)	(25,895)	(7,469)			(30,434)		
442-90	TRANSPORTATION DIVISION STORAGE	SF	37,560	6,089	6,089			37,560	(6)	
	2ND MARINE DIVISION		(37,560)	(6,089)	(5,089)			(37,560)		
442-90	COVERED STORAGE/OTHER	SF	102,570	141,345	91,093		38,775	52,318	(1)	
	MARINE CORPS BASE		(15,886)	(84,166)	(34,682)		(16,192)			
	2ND MARINE DIVISION		(73,684)	(56,318)	(55,550)			(52,318)		
	FORCE TROOPS		(13,000)	(861)	(861)					
	(1) 2ND FSR		((13,000))	0	0					
			ASSIGN 13,000 SF TO FRENCH CREEK CAT CODE (442-90)							
						CONVERT BLDG 1402 TO (442-10)				
						CONVERT BLDG 1602 & 1603 FROM (217-10) TO (442-10)				
						BLDG 1407 THRU 1413 (442-90) FOR FORCE TROOPS = 21,584				

OP 441E

CLASSIFICATION STAMP

HADNOT POINT

A-51761

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
452-XX	OPEN STORAGE	SY	407,272	0	0			407,272	O & M (C)	376,050
	MARINE CORPS BASE		(204,383)	0	0			(204,383)		
	2ND MARINE DIVISION		(171,667)	0	0			(171,667)		
	FORCE TROOPS		(31,222)	0	0					
	(1) 2ND FSR		((31,222))	0	0					
			ASSIGN 31,222 SY TO FRENCH CREEK CAT CODE (452-XX)							
530-20	SANITATION & VET LABORATORY	SF	2,450	2,450	2,450			2,450	O & M (R)	2,450
	MARINE CORPS BASE		(2,450)	(2,450)	(2,450)			(2,450)	AIR COND & LIGHTING REQ'D	
540-10	DENTAL CLINIC	SF	27,200	19,093	19,093			27,200	MILCON & O & M	31,123
	MARINE CORPS BASE		(2,176)	(14,411)	(14,411)			(2,176)		
	2ND MARINE DIVISION		(22,304)	(4,682)	(4,682)			(22,304)	3B(FY-70)P-006	12,030
	FORCE TROOPS		(2,720)	0	0				O & M (R)	19,093
	(1) 2ND FSR		((2,720))	0	0				AIR COND & LIGHTING REQ'D	
			ASSIGN 2,720 SF TO FRENCH CREEK CAT CODE(540-10)						BLDGS TO BE REHAB ARE 15, 119,221,324,421 & 520	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
540-90	PREVENTIVE DENTISTRY	SF	1,524	3,063	0		1,539		(5)	
	MARINE CORPS BASE		(1,524)	(3,063)	0					
550-20	DISPENSARY W/O BEDS	SF	66,220	64,416	61,611		(262)	63,415	MILCON	52,539
	MARINE CORPS BASE		(36,641)	(36,547)	(36,547)			(36,641)	3B(FY-73)P-812	3,663
	2ND MARINE DIVISION		(22,811)	(24,178)	(21,373)			(20,006)	3B(FY-74)P-824	3,663
	FORCE TROOPS		(6,768)	(3,691)	(3,691)				3B(UP)P-197	34,224
	(1) 2ND FSR		ASSIGN 6,768 SF TO FRENCH CREEK CAT CODE (550-20)						3B(UP)P-841	3,663
									3B(UP)P-857	3,663
									3B(UP)P-871	3,663
						BLDGS TO BE REHAB ARE AS FOLLOWS:				
						P-812	BLDG	421		
						P-824	BLDG	324		
						P-197	BLDG	15		
						P-841	BLDG	520		
						P-857	BLDG	119		
						P-871	BLDG	221		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
610-10	ADMINISTRATION OFFICE	SF	596,806	568,357	525,967			554,416	MILCON 0 & M (R)	256,363
									3B(FY 70)P-234	3,720
	MARINE CORPS BASE		(151,630)	(161,926)	(132,709)			(122,413)	3B(FY-70)P-132	14,536
	(1) FIELD MEDICAL SCHOOL		4,210	ASSIGN 4,210 SF FROM MONTFORD POINT CAT CODE (610-10)				4,210	3B(FY-72) P-800	5,181
									3B(FY-73) P-007	30,000
	2ND MARINE DIVISION		(361,098)	(300,414)	(300,414)			(361,098)	3B(FY-73) P-813	12,649
	FORCE TROOPS		(84,078)	(106,017)	(92,844)				3B(FY-74) P-823	16,832
	(1) 2ND FSR		ASSIGN. 84,078 SF TO FRENCH CREEK CAT CODE (610-10)						3B(FY-75) P-831	10,362
									3B(FY-76) P-838	16,830
									3B(FY-UP)P-209	19,560
				0 & M (R) BUILDINGS 306, 311, 326, 339					3B(FY-UP) P-819	19,000
				340, 535, 439, 50					3B(FY-UP) P-846	5,181
				0 & M (R) BUILDING 438 FROM (171-10) TO (610-10) = 3,240 SF					3B(FY-UP) P-852	5,181
									3B(FY-UP) P-858	11,649
									3B(FY-UP) P-864	10,362
				BLDGS TO BE REHAB ARE AS FOLLOWS:					3B(FY-UP) P-870	20,011
				306 - 3,663 SF	340 - 3,240 SF					
				311 - 3,663 SF	535 - 3,240 SF			TOTAL = 52,069 SF		
				326 - 26,602 SF	439 - 3,240 SF					
				339 - 3,240 SF	50 - 5,181 SF					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
610-90	ADMINISTRATION/OTHER	SF	0	72,665	43,694		72,665			
	MARINE CORPS BASE		0	(52,851)	(23,880)		REHAB BLDG 215 TO (442-10)= 3,729 SF			
	2ND MARINE DIVISION		0	(8,299)	(8,299)		REHAB BLDG 904 TO (442-10) = 64,800 SF			
	FORCE TROOPS		0	(11,515)	(11,515)		REHAB BLDG 11 TO (442-10) = 3,729 SF			
	(1) 2ND FSR		0	((11,025))	((11,025))		REHAB BLDG 45 TO (219-10) = 16,262 SF			
							REHAB BLDG TO (722-20)			
690-10	FLAGPOLE	EA	14	13	0			1	(1)	
	MARINE CORPS BASE		(7)	(6)	0					
	2ND MARINE DIVISION		(4)	(4)	0					
	FORCE TROOPS		(3)	(3)	0	REASSIGN FORCE TROOPS FLAG POLE TO MARINE CORPS BASE				
			ASSIGN 3 FLAGPOLES TO FRENCH CREEK			CAT CODE (690-10)				
690-15	SALUTING GUN BATTERY MOUNT	EA	2	2	0			0		
	MARINE CORPS BASE		(2)	(2)	0					
690-90	BASE HEADQUARTERS SIGN	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC

FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____

PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
722-10	EM BARRACKS W/O MESS	MN	15,456	14,133	14,133		(452)	15,456	MILCON	14,526
	MARINE CORPS BASE		1,044	(1,276)	(1,276)			(1,044)	3B(FY-71)P-801	464
	(1) FIELD MEDICAL SERVICE SCHOOL		146	ASSIGN 146 MN FROM MONTFORD POINT CAT CODE (722-10)				146	3B(FY-72)P-802	300
	2ND MARINE DIVISION		(11,462)	(9,883)	(9,883)			(11,462)	3B(FY-73)P-810	464
	FORCE TROOPS		(2,350)	ASSIGN 2,000 MN TO FRENCH CREEK CAT CODE (722-10)					3B(FY-73)P-811	300
	(1) 2ND FSR		((2,350))	((2,975))	((2,975))			350	3B(FY-73)P-805	432
				SNCO FOR FORCE TROOPS TO REMAIN AT HADNOT POINT					3B(FY-74)P-827	928
									3B(FY-74)P-828	600
									3B(FY-75)P-833	928
									3B(FY-75)P-834	600
									3B(FY-76)P-817	894
									3B(FY-76)P-839	928
									3B(FY-76)P-840	600
									3B(FY-UP)P-850	928
									3B(FY-UP)P-851	600
									3B(FY-UP)P-862	928
									3B(FY-UP)P-863	600

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
722-10	CONT'D								3B(FY-UP)P-868	1,392
									3B(FY-UP)P-869	900
									3B(FY-UP)P-845	928
									3B(FY-UP)P-855	464
									3B(FY-UP)P-820	348
									3B(FY-UP)P-856	300
722-20	EW BARRACKS	MN	231	165	165			231	MILCON	
	MARINE CORPS BASE		(231)	(165)	(165)			(231)	3B(FY-74)P-821	231
						REHAB BLDGS 67 AND 58 FROM (722-10) TO (722-20)				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ——— | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
723-10	MESSHALL	SF	174,045	415,457	415,457		241,412	174,045	MILCON	344,967
	MARINE CORPS BASE		(21,733)	(46,289)	(46,289)		(22,490)			
						REHAB BLDG 54			3B(FY-UP)P-1073	23,799
						REHAB BLDG 9			3B(FY-UP)P-1074	23,073
	2ND MARINE DIVISION		(125,312)	(299,949)	(299,949)					
	FORCE TROOPS		(27,000)	(69,219)	(69,219)				(2B)	
			ASSIGN 27,000 SF TO FRENCH CREEK CAT CODE(723-10)							
						REHAB BLDG 307			3B(FY-72)P-803	19,873
						REHAB BLDG 411			3B(FY-73)P-808	19,873
						REHAB BLDGS 314, 325			3B(FY-74)P-825	39,746
						REHAB BLDGS 408, 424			3B(FY-75)P-830	39,746
						REHAB BLDGS 509, 521			3B(FY-76)P-842	39,746
						REHAB BLDGS 106, 122			3B(UP)P-861	39,746
						REHAB BLDGS 206,226,211			3B(UP)P-867	59,619
						REHAB BLDGS 508, 107			3B(UP)P-854	39,746
						REHAB BLDG 9			3B(UP)P-1073	20,599
						REHAB BLDG 54			3B(UP)P-1074	19,873

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
723-20	LATRINE	SF	3,396	3,824	3,398		428	2,970	(1)	
	MARINE CORPS BASE			(1,272)	(847)		(2,354)			
	2ND MARINE DIVISION			(1,694)	(1,694)					
	FORCE TROOPS			(858)	(858)					
724-15	BOQ W/O MESS	MN	490	ASSIGN 490 MN TO BASEWIDE/MISC CAT CODE (724-15)				0		
	MARINE CORPS BASE			0						
	2ND MARINE DIVISION			0						
	FORCE TROOPS			0						
724-30	OFFICERS'MESS (CLOSED)	SF	12,250	0	ASSIGN 11,400 SF TO BASEWIDE/MISC CAT CODE (724-30)					
	MARINE CORPS BASE			0						
	2ND MARINE DIVISION			0						
	FORCE TROOPS		(850)	ASSIGN 850 SF TO FRENCH CREEK CAT CODE (724-30)						
730-10	FIRE STATION	SF	9,800	11,795	11,795		1,995	9,800	0 & M (R)	11,795
	MARINE CORPS BASE		(9,800)	(11,795)	(11,795)				AIR COND & LIGHTING REQ'D	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-15	BRIG	MN	350	195	195	300		50	MILCON	50
	MARINE CORPS BASE		(350)	(195)	(195)	(300)		(50)	3B(UP)P-192	
730-25	GATE/SENTRY HOUSE	SF	8,974	1,027	840			8,787	O & M (C)	2,000 (1)
	MARINE CORPS BASE		(8,974)	(1,027)	(840)			(8,787)		
730-30	BAKERY	SF	22,700	20,736				1,964	(1)	
	MARINE CORPS BASE		(22,700)	(20,736)				(1,964)		
730-40	LAUNDRY & DRY CLEANING PLANT	SF	75,200	42,288	42,288			75,200	O & M (R)	42,288
	MARINE CORPS BASE		(75,200)	(42,288)	(42,288)		BLDG 25 REQUIRES VENTILATION		3B(FY-72)P-136	35,894
							BLDG 1500 REQUIRES TO FLOOR/WALLS		REPAIR	
730-65	AIR RAID/FALLOUT SHELTER	SF	244,480	0				244,480	(6)	
	MARINE CORPS BASE		(244,480)	0				(244,480)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-90	PERSONNEL SUPPORT FACILITY/OTHER	SF	0	1,555	1,516		1,555		(5)	
	MARINE CORPS BASE			(1,555)	(1,516)		(432)			
740-10	CHAPEL	SE	3,300	1,322	1,322			3,300	(1)	
	MARINE CORPS BASE		(3,300)	(1,322)	(1,322)			(3,300)	3B(UP)P-008 = 19,330 SF 3B(UP)P-009 = 6,308 SF	
740-14	EXCHANGE	SF	98,410	94,857	94,241			97,794	0 & M (R)	94,857
	MARINE CORPS BASE		(98,410)	(94,857)	(94,241)	BUILDING REQUIRES AIR COND & LIGHTING				
740-18	BANK	SF	7,800	5,300	0			2,500	(1)	
	MARINE CORPS BASE		(7,800)	(5,300)	0			(2,500)		
740-19	CREDIT UNION	SF	7,000	7,770	7,770		770	7,000	0 & M (R)	9,984
	MARINE CORPS BASE		(7,000)	(7,770)	(7,770)	REHAB BLDG 37 FROM (610-10) TO (740-19) = 9,984 SF				
						REHAB BLDG 58 FOR (722-10) = 29,896 SF				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-20	GUESTHOUSE	SF	33,200	10,400	10,400	REHAB BLDG 1/4		33,200	3B(UP)P-1075	(1) 10,400
	MARINE CORPS BASE		(33,200)	(10,400)	(10,400)	REHAB BLDG H-32 FROM (722-10) TO (740-20) = 16,536 SF			3B(UP)P-888	16,536
						THIS BLDG LOCATED IN U.S.N.H. AREA.				
740-23	COMMISSARY	SF	64,100	26,445	26,445			64,100		
	MARINE CORPS BASE		(64,100)	(26,445)	(26,445)			(64,100)	3B(UP)P-179	5,255
740-26	CIVILIAN CAFETERIA	SF	24,480	16,730	4,000			24,480	(1)	
	MARINE CORPS BASE		(24,480)	(16,730)	(4,000)			(24,480)		
740-30	SERVICE STATION	SF	5,780	8,175	7,647		2,395	5,252	0 & M (R)	7,647
	MARINE CORPS BASE		(5,780)	(8,175)	(7,647)			(5,252)	BLDGS REQUIRE LIGHTING	
740-33	POST OFFICE	SF	19,030	13,924	13,924		13,924	19,030	MILCON	
	MARINE CORPS BASE		(17,530)	(6,282)	(6,282)		EXCESS DUE TO NEW CONST		3B(FY-UP)P-090	19,030
	2ND MARINE DIVISION		(1,500)	(5,944)	(5,944)					
	FORCE TROOPS		(0)	(1,698)	(1,698)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-34	THRIFT SHOP	SF	6,300	1,256	1,256			6,300	O & M (R)	4,396
	MARINE CORPS BASE		(6,300)	(1,256)	(1,256)	REHAB BLDG 1106 FROM (740-36) TO (740-34)				
740-36	HOBBY SHOP	SF	35,870	29,922	17,368			23,316	O & M (R)	33,742
	MARINE CORPS BASE		(35,870)	(26,193)	(13,639)					
	2ND MARINE DIVISION			(3,729)	(3,729)					
						REHAB BLDG 1703 FROM (442-10) = 4,396 SF				
						REHAB BLDG 1704 FROM (442-10) = 4,396 SF				
						REHAB BLDG 1705 FROM (442-10) = 4,396 SF				
						REHAB BLDG 1707 FROM (217-10) = 4,554 SF				
						REHAB BLDG 1710 FROM (442-10) = 8,000 SF				
						REHAB BLDG 1711 FROM (214-10) = 8,000 SF				
740-37	SPECIAL SERVICE CENTER	SF	3,000	0	0			3,000		
	MARINE CORPS BASE		(3,000)	0	0			(3,000)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-40	BOWLING ALLEY	LA	60	32	0			28	(6)	
	MARINE CORPS BASE		(60)	(32)	0			(28)		
740-43	GYMNASIUM	SF	82,000	68,424	59,016			72,592	MILCON (1) 3B(UP)P-1079	75,592
	2ND MARINE DIVISION		(82,000)	(49,608)	(49,608)		BUILDINGS	REQUIRE LIGHTING & A/C		
	FORCE TROOPS			(18,816)	(9,408)					
740-50	FIELD HOUSE	SF	62,000	48,293	48,293			62,000	3B (UP) P-1080	48,293
	MARINE CORPS BASE		(62,000)	(48,293)	(48,293)			(62,000)	(1)	
740-56	THEATER	SE	4,000	1,954				2,046	(6)	
	MARINE CORPS BASE		(4,000)	(1,954)				(2,046)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-60	OFFICERS CLUB (OPEN)	SF	26,400	0				0		
	MARINE CORPS BASE		ASSIGN 26,400 SF TO BASEWIDE/MISC CAT CODE (740-60)							
	2ND MARINE DIVISION									
	FORCE TROOPS									
	(1) 2ND FSR									
740-63	EM SERVICE CLUB	SF	83,400	61,683	61,683			83,400	MILCON	86,270
	MARINE CORPS BASE		(18,400)	(13,680)	(13,680)				3B(UP) P-837	11,407
	2ND MARINE DIVISION		(37,300)	(48,003)	(48,003)				3B(UP) P-822	18,000
			(12,700)	ASSIGN 12,700 SF TO FRENCH CREEK CAT CODE (740-63)					3B(UP) P-865	15,978
									3B(UP) P-872	10,798
									3B(UP) P-832	16,407
									3B(UP) P-847	13,680
740-66	NCO CLUB	SF	40,270	16,407	16,407			40,270	(1)	33,805
	MARINE CORPS BASE		(40,270)	(16,407)	(16,407)				3B (UP) P-1075	16,407
						CONVERT BLDG	332 FROM (740-70) =			17,398

OP 441E

CLASSIFICATION STAMP

HADNOT POINT

A-51761

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-70	STAFF NCO CLUB	SF	17,400	17,398					MILCON	
	MARINE CORPS BASE		(17,400)	(17,398)	CONVERT	BLDG 332 FROM	(740-70) TO	(740-66)	3B(FY-UP)P-818	17,400
	FORCE TROOPS		ASSIGN 6,860	SF FROM FRENCH CREEK		CAT CODE (740-70)				
740-74	CHILD CARE CENTER	SF	0	2,592	0		2,592		(5)	
	MARINE CORPS BASE			(2,592)	0					
740-76	LIBRARY	SF	31,140	6,547	6,547		6,547	31,140	MILCON	
	MARINE CORPS BASE		(31,140)	0	0		EXCESS DUE TO NEW CONST		3B(FY-UP)P-129	31,140
	FORCE TROOPS		0	(6,547)	(6,547)					
740-83	BUS STATION & SHELTERS	SF	3,600	3,445	0			155	(1)	
	MARINE CORPS BASE		(3,600)	(3,445)				(155)		
740-86	RETAIL WAREHOUSE	SF	11,050	37,552	4,000		26,502		(5)	
	MARINE CORPS BASE		(11,050)	(37,552)	(4,000)	CONVERT BLDG	1402 FROM	(740-86) TO	(442-10)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-87	BOAT HOUSE	SF	0	4,485	4,485		4,485		(5)	
	MARINE CORPS BASE		0	(4,485)	(4,485)					
740-88	EDUCATION CENTER	SF	38,300	0	0			38,300	MILCON	
	MARINE CORPS BASE		(38,300)	0	0			(38,300)	3B(UP)P-186	38,300
740-90	COMPANY RECREATION BUILDING	SF	81,955	18,073	12,626			76,508	(6)	
	MARINE CORPS BASE		(74,600)	(14,493)	(9,046)	REHAB BLDG 335 FROM (740-90) TO (171-10)				
	2ND MARINE DIVISION		(7,355)	(1,340)	(1,340)					
	FORCE TROOPS			(3,240)	(3,240)					
750-10	PLAYING COURTS	EA	240	21	0			219	(1)	
	MARINE CORPS BASE		(91)	(8)	0			(82)		
	2ND MARINE DIVISION		(149)	(13)	0			(136)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-20	PLAYING FIELDS	EA	68	34	0			34	(1)	
	MARINE CORPS BASE		(17)	(9)	0			(8)		
	2ND MARINE DIVISION		(34)	(17)	0			(17)		
	FORCE TROOPS		(17)	(8)	0	REASSIGN FORCE TROOPS ASSETS TO MARINE CORPS BASE				
750-30	OUTDOOR SWIMMING POOL	EA	5	0	0			5	(6)	
	MARINE CORPS BASE		(5)	0	0			(5)		
750-50	OUTDOOR THEATER	SF	0	350,187	0		350,187		(5)	
	MARINE CORPS BASE			(350,187)	0					
750-60	RECREATION PIER	EA	0	5	0		5		(5)	
	MARINE CORPS BASE			(5)	0					
750-60	MARINE RAILWAY	TC	0	4	0		4		(5)	
	MARINE CORPS BASE			(4)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-90	PRESS BOX	EA	1	1	0			0		
	MARINE CORPS BASE		(1)	(1)	0					
750-90	REVIEWING STAND	EA	1	1	0			0		
	MARINE CORPS BASE		(1)	(1)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT LIMITED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ------	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O.'s TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITH REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY. 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C. — ACTIVITY CODE: 8270-175

5. ND OR ARFA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS #	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	HADNOT POINT														
	FISCAL YEAR 1970														
215-10	WEAPONS MAINT FACILITY 2ND MARINE DIVISION	18,626	SF	398				3	71		1		1		P-137
217-10	ELECTRONIC MAINT FACILITY	15,000	SF	401				3	71		1		3		P-133
540-10	DENTAL CLINIC	12,030	SF	352				3	71		1		5		P-006
610-10	ALTERATION & ADDITION TO ADMIN BLDG	14,536	SF	299				3	71		1		4		P-132
610-10	ALTERATION OF COMPUTER FACILITY BLDG #1101		LS	71				3	71		1		2		P-234
	FISCAL YEAR 1970 TOTAL			1,521											
	FISCAL YEAR 1971														
214-10	COMBAT VEHICLE MAINT FACILITY	30,150	SF	1,209				3	72		1		2		P-138
229-90	PRESERVATION, PACKAGING & PACKING FACILITY	24,000	SF	500				3	72		1		3		P-146
722-10	REHAB EM BARRACKS BLDGS #301, 305, 309 & 313	464	MN	580				3	72		1		1		P-801
	FISCAL YEAR 1971 TOTAL			2,289											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1972														
214-10	COMBAT VEHICLE MAINT FACILITY	26,160	SF	683				2	73				3		P-139
214-10	COMBAT VEHICLE MAINT FACILITY	20,935	SF	596				2	73				4		P-196
610-10	REHAB ADMIN BLDG #315	5,181	SF	27				2	73				6		P-800
722-10	EM BARRACKS (2 NEW BLDGS)	300	MN	900				2	73				1		P-802
723-10	REHAB MESSHALL BLDG #307	23,073	SF	90				2	73				2		P-803
730-40	ADDITION TO LAUNDRY BLDG #1500	35,894	SF	150				2	73				5		P-136
	FISCAL YEAR 1972 TOTAL			2,446											
	FISCAL YEAR 1973														
214-10	COMBAT VEHICLE MAINT FACILITY	31,470	SF	837				3	74				4		P-897
550-20	REHAB DISPENSARY BLDG #421	3,663	SF	29				3	74				5		P-812
610-10	ADDITION TO HEADQUARTERS BLDG #2	30,000	SF	1,283				3	74				6		P-007
610-10	REHAB ADMIN BLDGS #419 & 423	12,649	SF	66				3	74				7		P-813
722-10	REHAB EM BARRACKS BLDGS #407, 409, 415 & 417	464	MN	580				3	74				2		P-810

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

HADNOT POINT

1-8282

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C. — ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC

CODE

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS *					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1973 (CONT'D)														
722-10	EM BARRACKS (2 NEW BLDGS)	300	MN	900				3	74				1		P-811
722-10	STAFF NCO BARRACKS (1ST INCR)	432	MN	2,880				3	74				8		P-805
723-10	REHAB MESSHALL BLDG #411	23,073	SF	90				3	74				3		P-808
	FISCAL YEAR 1973 TOTAL			6,665											
	FISCAL YEAR 1974														
550-20	REHAB DISPENSARY BLDG #324	3,663	SF	29				6	75				5		P-824
610-10	REHAB ADMIN BLDGS #304, 317 & 320	16,832	SF	88				6	75				6		P-823
722-10	EM BARRACKS (4 NEW BLDGS)	600	MN	1,800				6	75				1		P-828
722-10	REHAB EM BARRACKS BLDGS #308, 312, 316, 318, 321, 323, 326 & 327	928	MN	1,160				6	75				2		P-827
722-20	REHAB EW BARRACKS BLDGS #58 & 67	231	MN	280				6	75				3		P-821
723-10	REHAB MESSHALL BLDGS #314 & 325	46,146	SF	180				6	75				4		P-825
	FISCAL YEAR 1974 TOTAL			3,537											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY
2. PROGRAM (Brief title): MILCON
CODE: 1
3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.
ACTIVITY CODE: 8270-175
5. ND OR AREA: 5ND
CODE: 05
6. SPONSOR: CMC
CODE: 32
7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____
8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1975														
610-10	REHAB ADMIN BLDGS #400 & 416	10,362	SF	72				6	76				4		P-831
722-10	REHAB EM BARRACKS BLDGS #404, 406, 410, 412, 420, 422, 426 & 427	928	MN	1,160				6	76				2		P-833
722-10	EM BARRACKS (4 NEW BLDGS)	600	MN	1,800				6	76				1		P-834
723-10	REHAB MESSHALL BLDGS #408 & 424	46,146	SF	180				6	76				3		P-830
	FISCAL YEAR 1975 TOTAL			3,212											
	FISCAL YEAR 1976														
610-10	REHAB ADMIN BLDGS #501, 522 & 526	16,830	SF	101				6	77				4		P-838
722-10	STAFF NCO BARRACKS (2ND INCR)	894	MN	5,488				6	77				5		P-817
722-10	REHAB EM BARRACKS BLDGS #503, 507, 511, 515, 517, 519, 523 & 527	928	MN	1,160				6	77				2		P-839
722-10	EM BARRACKS (4 NEW BLDGS)	600	MN	1,800				6	77				1		P-840
723-10	REHAB MESSHALL BLDGS #509 & 521	46,146	SF	180				6	77				3		P-842
	FISCAL YEAR 1976 TOTAL			8,729											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

HADNOT POINT

A-8331

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS														
141-86	HEALTH PHYSIC CAL BLDG	1,500	SF	45									6		P-230
171-20	APPLIED INSTRUCTION BLDG	5,850	SF	188									7		P-161
171-30	ARMORY	32,000	SF	616									8		P-228
171-50	SMALL ARMS RANGE/INDOOR	27	FP	127									9		P-1072
214-30	REFUELING VEHICLE MAINT FACILITY	5,760	SF	65									21		P-1091
217-10	ELECTRONIC COMMUNICATIONS MAINT FACILITY	63,000	SF	1,654									10		P-229
310-90	NAVAL MEDICAL R.D.& T. FACILITY	63,898	SF	1,916									22		P-1092
550-20	REHAB DISPENSARY BLDG #15	34,224	SF	148									4		P-197
550-20	REHAB DISPENSARY BLDG #520	3,663	SF	40									4		P-841
550-20	REHAB DISPENSARY BLDG #119	3,663	SF	40									4		P-857
550-20	REHAB DISPENSARY BLDG #221	3,663	SF	40									4		P-871
610-10	DISBURSING PER CLASS BLDG	19,560	SF	469									11		P-209
610-10	REHAB ADMIN BLDG #3	19,000	SF	460									11		P-819
610-10	REHAB ADMIN BLDG #50	5,181	SF	27									11		P-846

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

HADNOT POINT

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY
2. PROGRAM (Brief title): MILCON
CODE: 1
3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.
ACTIVITY CODE: 8270-175
5. NO OR AREA: 5ND
CODE: 05
6. SPONSOR: CMC
CODE: 32
7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____
8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS (CONT'D)														
610-10	REHAB ADMIN BLDG #516	5,181	SF	27									11		P-852
610-10	REHAB ADMIN BLDGS #121 & 123	11,649	SF	60									11		P-858
610-10	REHAB ADMIN BLDGS #114 & 127	10,362	SF	54									11		P-864
610-10	REHAB ADMIN BLDGS #214, 216 & 223	20,011	SF	110									11		P-870
722-10	REHAB BARRACKS BLDGS #502, 506, 510 & 514	928	MN	1,160									2		P-850
722-10	EM BARRACKS (2 NEW BLDGS)	300	MN	900									1		P-851
722-10	REHAB BARRACKS BLDGS #102, 104, 108, 112, 118, 120, 124 & 128	928	MN	1,160									2		P-862
722-10	EM BARRACKS (4 NEW BLDGS)	600	MN	1,800									1		P-863
722-10	REHAB BARRACKS BLDGS #202, 204, 205, 208, 209, 212, 213, 217, 220, 224, 227 & 228	1,392	MN	1,740									2		P-868
722-10	EM BARRACKS (6 NEW BLDGS)	900	MN	2,700									1		P-869
722-10	REHAB BARRACKS BLDGS #6, 8, 10 & 12	928	MN	1,160									2		P-845
722-10	REHAB BARRACKS BLDGS #53, 55, 59 & 63	348	MN	435									2		P-820
722-10	REHAB BARRACKS BLDGS #101, 105, 109 & 111	464	MN	580									2		P-855

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

A-6981

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-3 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS (CONT'D)														
722-10	EM BARRACKS (2 NEW BLDGS)	300	MN	900									1		P-856
723-10	REHAB MESSHALL BLDG #9	23,799	SF	80									3		P-1073
723-10	REHAB MESSHALL BLDG #508 & 107	46,146	SF	160									3		P-854
723-10	REHAB MESSHALL BLDG #54	23,073	SF	80									3		P-1074
723-10	REHAB MESSHALL BLDGS #106 & 122	46,146	SF	160									3		P-861
723-10	REHAB MESSHALL BLDGS #206, 211 & 226	69,219	SF	240									3		P-867
730-15	ADDITION TO BRIG	50	MN	383									20		P-192
740-10	ADDITION TO PROTESTANT CHAPEL BLDG #16	19,330	SF	545									12		P-008
740-10	ADDITION TO CATHOLIC CHAPEL BLDG #17	6,308	SF	192									12		P-009
740-20	REHAB GUESTHOUSE BLDG #14	10,400	SF	104									12		P-1075
740-20	GUESTHOUSE (LOCATED AT U.S.N.H. AREA) #H-32	16,536	SF	160									13		P-888
740-23	COMMISSARY	5,255	SF	122									14		P-179
740-33	BASE POST OFFICE	19,030	SF	711									15		P-090
740-43	GYMNASIUM	75,592	SF	150									16		P-1079

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C. — ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS #	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS (CONT'D)														
740-50	REHAB FIELD HOUSE BLDG #751	48,293	SF	150									17		P-1080
740-63	REHAB EM SERVICE CLUB BLDG #524	11,407	SF	91									18		P-837
740-63	REHAB EM SERVICE CLUB BLDG #322	18,000	SF	155									18		P-822
740-63	REHAB EM SERVICE CLUB BLDG #125	15,978	SF	140									18		P-865
740-63	REHAB EM SERVICE CLUB BLDG #225	10,798	SF	85									18		P-872
740-63	REHAB EM SERVICE CLUB BLDG #425	16,407	SF	144									18		P-832
740-63	REHAB EM SERVICE CLUB BLDG #62	13,680	SF	109									18		P-847
740-66	NCO CLUB	16,407	SF	128									19		P-1051
740-70	STAFF NCO CLUB	17,400	SF	515									19		P-818
740-76	LIBRARY	31,140	SF	900									20		P-129
740-88	EDUCATION CENTER	38,300	SF	913									21		P-186
750-30	OUTDOOR SWIMMING POOL	5	EA	300									22		P-1084
	UNPROGRAMMED YEARS TOTAL			25,338											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

HADNOT POINT

4-6881

1. DATE	2 FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 398,000	P.L. —	215-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 398,000		P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA 18,626 SF	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Construct new masonry building with steel roof framing and concrete floors. Floors in eight repair bays to be capable of supporting self-propelled weapons and tracked vehicles. Provide bench and test facilities for related ordnance items such as gunsights, automatic weapons, and small arms. Optical equipment repair shop and administrative spaces to be air conditioned.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
WEAPONS MAINTENANCE FACILITY	SF	18,626	$ 20.00	$ 373
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 25
*SITE PREPARATION & UTILITIES	LS			(25)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 398

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT HADNOT POINT	0	
b. EXISTING SUBSTANDARD	(11,545)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1970 PROGRAM	18,626	
h. DEFICIENCY (a-e-f-g)		

24. RELATED LINE ITEMS

* Small arms and light gun combined

25. REQUIREMENT FOR LINE ITEM

Facility Planning factors in NAVDOCKS P-80 allow the 2d Marine Division 18,626 SF for weapons maintenance. The Division occupies 11,545 SF in Building 1828 which is substandard because of insufficient floor space, inadequate lighting, inadequate electric service and general poor condition of the building. The building is metal, uninsulated, and poorly heated. This facility provides maintenance support for approximately 25,000 ordnance items. Many of these items require scheduled quarterly and annual serviceability checks. Frequency of repairs average approximately 950 of these weapons per month which includes artillery weapons. Second echelon for the 10th Marines and third echelon maintenance for 2d Service Battalion will be accomplished in the facility.

(1) A semi-clean environment is required for the cleaning and repairing of fire control and optical equipment.

(2) The maintenance of artillery weapons requires each weapon to be detail stripped. The lack of sufficient floor space restricts simultaneous tear-down of more than two at any time.

(3) Additional floor spaces are required for a machine shop, and a welding shop to support this program.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

LINE ITEM FACILITY STUDY - PART I - WEAPONS MAINTENANCE FACILITY - 2ND MARINE DIVISION

1. General:

a. The Weapons Maintenance Facility (third echelon) is intended to provide a third echelon weapons maintenance facility to the Second Marine Division by providing a modern equipped structure of steel and masonry construction on concrete slab of the type presently being built at Camp Lejeune, plus concrete and bituminous hard standing for those tracked and wheeled ordnance vehicles of the various units of the Second Marine Division undergoing and awaiting third echelon maintenance.

b. The NAVDOCKS P-80 does not establish planning criteria for the development of a weapons maintenance facility for the type of weapons employed by a Marine Division. To provide for a facility of ample size in productive work area with adequate direct and indirect support areas for the performance of third echelon maintenance of all the weapons for the Second Marine Division, it is determined that the minimum productive work area required is 11,586 square feet, with direct and indirect support areas of 7,050 square feet. The total of 18,636 square feet should be considered as the minimum planning factor for this facility. These requirements are calculated on several factors:

(1) The total weapons population (infantry weapons, fire control and optical instruments, and artillery) of the Second Marine Division which would require repair.
(2) The frequency of repairs based on past history records and projected annual and semi-annual maintenance requirements on tracked weapons and artillery pieces.
(3) The length of time in shop required for the repair of weapons.
(4) Security requirements for small arms weapons during maintenance.
(5) Lead time of parts availability.
(6) The table of organization (T/O) for ordnance weapons repair men authorized the Second Service Battalion.

c. In addition to covered working space, parking space is required for tracked and wheeled (mobile) ordnance weapons requiring third echelon maintenance. NAVDOCKS P-80 prescribes the method to be used in calculating the parking area requirements for organizational wheeled vehicles. This method provides an area of 40 square yards per vehicle for 75% of the total amount of vehicles rated by the organization. Using a factor of 10% deadline rate for the tracked and wheeled ordnance vehicles in the Division, and applying the NAVDOCKS P-80 factor of 40 square yards of parking hard stand per vehicle a total of 405 square yards of hard stand is required. Of this total, 189 square yards of concrete hard stand (Category Code 852-10) to support up to and including a 50 ton tracked vehicle is required, and 216 sq yds. of bituminous hard stand (Category Code 852-11) is required.

d. The weapon population of the Second Marine Division is as follows:

(1) Population:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION	(HADNOT POINT)

(a)	Infantry weapons (includes rifles, pistols, 106RR, 81MM and flame throwers)	22,066
(b)	Fire control and optical instruments	2,604
(c)	Artillery (includes tracked self-propelled, towed pieces and Ontos)	135

(2) Frequency of repairs:

(a)	Infantry weapons	700/Month
(b)	Fire control and optical instruments	200/Month
(c)	Artillery	30/Month

2. Requirements:

a. The Second Marine Division weapon maintenance facility shall have certain general construction features. These are:

(1) Electrical: Three phase 110/220 volt 60 cycles per second power. Outlets should be placed at convenient locations throughout the structure. 110 volt electrical receptacles should be placed at each workbench. A complete electrical grounding system is required throughout.

(2) Lighting: Fluorescent lighting shall be utilized throughout. Each workbench shall have a fluorescent bench lamp. Natural lighting (i.e. skylights, windows, etc) shall be utilized to the maximum extent possible. Floodlights are required in parking areas.

(3) Heating: Central Heating shall be utilized throughout.

(4) Air Conditioning: Temperature - Humidity control is required in the optical equipment repair shops and administrative work spaces.

(5) Inter-Office Communications: Intercom system in all work spaces and administrative spaces.

(6) Compressed Air: Outlets shall be placed at convenient locations and at all workbenches in the tracked and wheeled weapon repair areas.

(7) Telephones: Sufficient telephones shall be installed in all administrative work spaces.

(8) Floors: Reinforced concrete floors shall be constructed throughout. Floor in the tracked weapon repair bays shall be reinforced concrete, capable of supporting a 50 ton tracked weapon.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

(Cont'd)

(9) Air Exhaust System: A system by which exhaust fumes may be dispersed shall be installed in the tracked weapon repair bays.

(10) Work Benches: Work benches shall be built in. They are required in small arms repair shops and tracked weapons repair bays.

(11) Interior Walls: Lath and plaster or plaster board throughout, wood panel doors with interior hinges.

(12) Ceilings: Acoustical tiling with asbestos insulation shall be utilized in direct and indirect support areas.

(13) Security: Interior and exterior security lighting required.

(14) Plumbing: Hot and cold running water is required in head/locker area. Cold running water only is required in all maintenance shops, and for the automatic sprinkling system and fire hose facilities.

(15) Steam: Wet steam shall be provided in the tracked weapon repair bays.

(16) Working Spaces:

(a) Tracked Weapon Repair Shop (10 Bays): The tracked weapon repair shop shall contain an overhead lubrication unit, at least three 2½ ton overhead cranes, compressed air outlets, 110/220 vac electrical outlets at convenient locations, a waste oil sump, overhead doors on both sides of the shop, a parts cleaning facility. One bay area, preferably corner bay, should have individual work bench space with fluorescent lighting for a component rebuilding section. Intercommunication system with main office is desired. It is imperative that the concrete floor be capable of supporting a 50 ton tracked vehicle.

(b) Wheeled Weapon Repair Shop (Towed Artillery)(8 Bays): The artillery weapon repair bays shall contain at least three 2½ ton overhead rail cranes capable of traversing all 8 bays. 110/220 vac electrical outlets, work bench space, fluorescent lighting throughout bays, overhead doors on both sides of bays. The floor should be capable of supporting a 50 ton vehicle since towed artillery may be replaced by heavier tracked artillery in the future.

(c) Small Arms Repair Shop (Less Crewserved Weapons) (1250 SF): The small arms repair shop should contain fluorescent lighting throughout work bench facilities with individual fluorescent bench lamps, wood panel doors with interior hinges, an overhead door, 110 vac electrical outlets at each work bench and at convenient locations and central communication with maintenance office.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

(Cont'd)

(d) Security Area-Small Arms Repair Shop (500 SF): The small arms security area shall provide an enclosed room with one entrance door of solid steel construction or heavy gage wire mesh, fluorescent lighting, work bench space, racks for storage of weapons, and 110 vac electrical outlets at convenient locations and humidity control.

(e) Optical Equipment Repair Shop (20' x 30'): The optical equipment repair shop shall contain central air conditioning and dehumidifying system, security storage lockers, contain fluorescent lights throughout, work bench space with individual fluorescent bench lamps, 110 vac electrical outlets, and an inter-communications system with the maintenance office.

(f) Small Arms Repair Shop-Crewserved Weapons (6 Bays): The small arms crewserved weapons repair shop shall contain adequate fluorescent lighting throughout work bench space with individual fluorescent bench lamps, 110 vac electrical outlets, and one overhead crane with 2½ ton capacity.

(g) Maintenance Control Space (1800 SF): The maintenance control space shall contain fluorescent lighting throughout, adequate telephone receptacles, an inter-communications system to all work bays and storage areas, sufficient 110 vac electrical outlets to operate numerous office machines, central air conditioning, and acoustical walls and ceiling materials.

(h) Tool Room (500 SF): The tool room shall contain 110 vac electrical outlets in convenient locations, adequate shelving for storage of tool boxes, and fluorescent lighting.

(i) Repair Parts Storage Room (600 SF): This parts room shall provide adequate shelving for storage of parts (3d echelon) 110 vac electrical outlets in convenient locations, and fluorescent lighting.

(j) Maintenance Float Storage Room (300 SF): The maintenance float storage room shall contain 110 vac electrical outlets in convenient locations, adequate shelving to store maintenance float weapons and parts, fluorescent lighting and humidity control.

(k) Ordnance Maintenance Office (500 SF): The ordnance maintenance office shall contain fluorescent lighting, 110 vac electrical outlets in convenient locations, inter-communications system with ordnance shops, adequate telephone receptacles for maintenance office, and central air conditioning.

(l) Maintenance Administrative Area (20' x 25'): The maintenance administrative area shall contain fluorescent lighting, 110 vac electrical outlets in convenient locations, inter-communications system with shops and maintenance office, acoustical wall and ceiling materials and air conditioning.

(m) Head and Locker Room (20' x 30'): 110 vac electrical outlets in convenient locations, fluorescent lighting, hot and cold running water and wash basins.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

(Cont'd)

(17) Outside Area:

(a) Washing Area Shall Have: Hard standing (bituminous and concrete), high pressure water, steam cleaning facilities, deck drains and wash racks.

(b) Security Lighting to Include: Light poles, lighting transformers, weatherproof electrical receptacles and control devices.

(c) Loading/Unloading Ramps Shall Be: Capable of supporting 50 ton tracked ordnance vehicle.

(d) Approach Ramps: Concrete approach ramps to tracked vehicle hard stand, capable of supporting 50 tons should extend to adjacent concrete roads. All other approach ramps should be of bituminous materials.

3. Justification:

a. The proposed third echelon weapons maintenance facility is required to provide an adequate faciltiy for the performance of third echelon maintenance on all of the Second Marine Divisions weapons authorized by the table of equipment (T/E).

b. The buildings presently being utilized by the Second Service Battalion for third echelon maintenance of weapons are two "Butler Buildings", built in 1952. They have the following insufficiencies.

(1) Space: Bench space is limited and inadequate. The parts and tool rooms are small and cramped, repair areas have no overhead lifts in the tracked and wheeled weapon repair bays, and are too small to disassemble more than one artillery piece at a time.

(2) Power: Power facilities are inadequate for transmission of power. The buildings have no grounded electrical system. 110 vac outlets are insufficient in number.

(3) Lighting: Lighting is inadequate in most of the working and storage areas. No bench lamps are available for small arms and crewserved weapons repairs.

(4) Heating: Heating is by kerosene space heaters which fail to provide heat and are a fire/safety hazard.

(5) Ventilation: No ventilation system exists. Ventilation is insufficient, causing a safety hazard.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)

(Cont'd)

(6) Steam Facilities: Steam facilities are non-existent.

(7) Plumbing Facilities: One cold water faucet exists in the entire building for washing and other requirements. No head facilities are available in the immediate area.

(8) Building (General): The building is uninsulated throughout, with no ceiling cover. Sliding doors are spaced too far apart consequently resulting in a large volume of dead space between doors in work area.

4. Summary:

The present weapons maintenance facility (third echelon) is inadequate to handle the present work load of the entire Second Marine Division. Deadline times are high due to the inadequacies listed in paragraph 3, and will remain high until the situation is rectified. The proposed third echelon weapons maintenance facility offers the most complete solution to the problem.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-137	WEAPONS MAINTENANCE FACILITY, 2ND MARINE DIVISION (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 401,000	P.L. —	217-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 401,000		P-133	ELECTRONIC MAINTENANCE FACILITY 2D MARINE DIVISION (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA 15,000 SF	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 75 TN	COST ($ 75,000)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY	X	Provide a building with steel frame and masonry construction, concrete floor on-grade, overhead doors for the vehicular portion, and built-up roof. Provide 400 cycle power source, 28 volt D.C. power source, copper screened alignment cage, bays for electronic maintenance vans with space for servicing 3/4 Ton communication vehicles, battery charging facility and 4,000 SF of air conditioned space. Provide hard top parking area and security lighting.			
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ELECTRONIC MAINTENANCE FACILITY	SF	15,000	$25.07	$ 376
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 25
a. SITE PREPARATION & UTILITIES	LS			(25)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 401

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT HADNOT POINT	8,000	
b. EXISTING SUBSTANDARD	(14,773)	
c. EXISTING ADEQUATE	11,143	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	11,143	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1970 PROGRAM	15,000	
h. DEFICIENCY (a-e-f-g)		

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The 3d Echelon Electronic Maintenance Facility provides maintenance for 8,422 communication and electronic items which are currently used by the 2d Marine Division. An average of 404 of these items require maintenance or repair each week. The present work areas and benches are so crowded that items being repaired interact with one another. There is nospace for repair of vehicular mounted equipment indoors. Lack of environmental control requires frequent calibration and repair of electronic test equipment and limits its use. Requirements for 400 cycle power exceed the present supply. The 2d Division uses, for 3d echelon electronic maintenance shop, 4103 square feet of a structure originally designed as to communications warehouse. The building is in poor condition and environmental control for the electronic equipment is impossible. There is no interior space for repair of vehicle mounted radios so the repairs must be done outdoors with the danger of electrocution greatly increased.

DD FORM 1 JUL 62 1391

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE FACILITY, 2D MARINE DIVISION (HADNOT POINT)

LINE ITEM FACILITY STUDY - PART I - ELECTRONICS MAINTENANCE SHOP, 2D MARINE DIVISION

1. Description: Provide a building with steel frame and masonry construction, concrete floor, overhead door for vehicular communications equipment and built-up roof. The facility must provide space for the following maintenance and support functions: administrative space, shipping and receiving, shop stores, maintenance float, radar/test equipment repair, telephone/teletype repair, crypto repair, library research room,maintenance room, head/showers/locker facility, battery room, single sideband repair shop, single sideband (SSB) drive-in shop, portable vehicular drive-in shop, general communications repair room, shop stores (repair parts), mount-out supplies storage area, covered outdoor storage area for vehicular maintenance vehicles.

a. General requirements:

(1) Lighting: Fluorescent throughout except for: plant maintenance room; utility room; head; portable bench lamps (fluorescent) required at shop benches; flood lights for space between wings and at entrances.

(2) Air conditioning (temperature and humidity control) required in all spaces except: SSB drive-in shop; utility room; battery room.

(3) Heating required for all spaces.

(4) Windows not required except in offices.

(5) Interior walls can be heavy screen type (cyclone fence) except to block off air conditioning spaces and the following: office; crypto-metal door, internal hinges, tamper-proof clasp, masonry block walls throughout; radar/test equipment repair requires electro-magnetic shielding; utility room; head; battery room; SSB shop requires electro-magnetic shielding.

(6) Intercom system in all spaces, master boxes in office and shipping/receiving, slaves in other spaces.

(7) Electrical grounding system available in all shop spaces.

(8) In rear of building between wings, require four outlets (screw terminal type) for 3 phase, 400 cycle, 220 volt current.

(9) In rear of building outside of each wing, in semi-enclosed space, require one weather-proof, double 110 volt, 60 cycle, single phase outlet.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE SHOP - 2D MARINE DIVISION (HADNOT POINT)

(Cont'd)

(10) Work benches, built-in, required in all shop spaces.

(11) Hardstand space, in rear, between wings should be roofed over.

(12) Area immediately surrounding building should be asphalt hard-stand.

b. Specific Requirements of individual spaces:

(1) Portable drive-in shop: overhead vehicle door, one end, 20 feet vertical clearance throughout drive way; overhead trolley lift, 100,000 lb. capacity; 115 volt, 60 cycle AC power, single phase power; 220 volt 400 cycle, three phase power, adjustable 0 to 50 volt DC power; compressed air outlet; vehicle exhaust system; feed through walls.

(2) Telephone/teletype shop: 400 cycle, single phase, 110 volt power; 60 cycle, single phase, 110 volt power; 0-50 volt DC power; compressed air outlet.

(3) Cryptographic Repair Shop: 60 cycle single phase 110 volt power; 110 volt, 400 cycle single phase power; compressed air outlet.

(4) Office, Shipping and Receiving: shop stores, maintenance float, plant maintenance, head, library. All require only 60 cycle, 110 volt single phase outlets.

(5) Battery Shop: exhaust system; all electrical systems to be of "non-sparking" construction; stainless steel sink with cold water and drain; shower head, in wall or overhead, and floor drain, cold water only; 60 cycle, 110 volt, single phase power; compressed air outlet.

(6) Single Sideband Shop: 110 volt, 40 cycle, single phase power; 110 volt, 60 cycle, single phase power; two, screw terminal type outlets for 220 volt, 400 cycle, 3 phase power; 0-50 volts DC power; compressed air outlet; feed through connections (2 or 3) for antennas through outside walls; screw terminal outlet-110 volt, 60 cycle- 3 phase power; hot and cold water faucet and deep sink required.

(7) Single Sideband Drive-in Shop: 110 volt, 60 cycle, single phase power, 220 volt, 400 cycle, three phase, with screw-type terminal outlets; 0-50 volt DC power; 110 volt, 400 cycle, single phase power; compressed air outlet; feed-through connections for passing antenna cables through walls; exhaust blower system with hoses for vehicle exhaust; overhead trolleylift, 10,000 lb capacity; overhead vehicle doors each end, minimum drive-through clearance 15 feet.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE SHOP - 2D MARINE DIVISION (HADNOT POINT)

(Cont'd)

b. The present 3d echelon maintenance facility is located in building 1707 and is a substandard temporary building which is not designed for the maintenance of costly electronics equipment. It is a building which is inadequate for the following reasons:

(1) Insufficient Space:

(a) Bench space is so restricted that electronic items being repaired interact with one another. This often requires halting work on one item until another has been repaired. The lack of bench space also complicates the testing and trouble shooting work conducted on benches.

(b) No interior space for the repair of vehicular mounted radios. This forces severe limitations on this work. It can only be accomplished outside in clear, dry weather because of the electrocution hazard associated with such equipment.

(2) Lack of Environmental Controls:

(a) The building cannot be properly heated in the winter and humidity control and air conditioning are non-existent. The type of construction precludes the installation of an adequate heating and air conditioning system for this facility.

(b) Environmental changes effect the performance of electronic test equipment. Lack of such controls require the frequent calibration of such equipment, and because environmental changes can be expected to make great differences in their performance, limits its use.

(c) Environmental controls are also required for the proper storage of miniaturized communications equipment.

(3) Insufficient Power:

(a) Available 400 cycle power is barely adequate to handle the existing workload. Requirement for this power is increasing as new families of electronic equipment are introduced.

(b) Fluctuation free 28-volt DC is not now available required for transistorized equipment.

(4) Summary: The insufficient space, environmental conditions and the insufficient power all contributes to extremely poor working conditions with the result of poor maintenance and a high dead-line rate for communications equipment.

(5) No criteria for Electronics Maintenance facilities is given in NAVDOCKS P-80. In order to take an analytical approach to the space requirements for facilities in this category, a set of criteria for Comm/Elect equipment was developed. This criteria is based on the best estimate of experienced maintenance personnel in the 2d Marine Division. The details of the criteria developed and the

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE SHOP - 2D MARINE DIVISION (HADNOT POINT)

(Cont'd)

requirements for the 15,000 SF of space for this facility are the subject of an additional submission for the Construction Program.

5. The 8422 items of communications equipment authorized this division is required to command and control the divisional units under combat conditions. Without adequate communications, the effectiveness of the Division is reduced. It is extremely important that this Marine Division be combat ready for movement on short notice. The money allocated for communications equipment, repair parts, and technicians is an indication of the importance of this material for combat units. To insure that this equipment is in a ready state of repair, adequate facilities for its proper maintenance are required. The present facilities are completely inadequate as noted above.

The division dead-line for communications equipment is high, and will continue to be until adequate facilities are provided to maintain it. By providing the proposed facility, the division will have the capability to repair and store the communications equipment it needs to maintain a state of readiness in support of national contingency plans. Without this adequate support facility, the division will be severely limited in its electronic maintenance capability, which directly affects its combat ready status.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE SHOP - 2D MARINE DIVISION (HADNOT POINT)

(Cont'd)

2. Collateral Equipment, Line Item:

a. All collateral equipment which may be included in the Military Construction line item in the way of built-in and installed equipment is detailed in paragraph 1 above.

3. Associated Collateral Equipment:

No.	Item	FSN	UNIT PRICE
8	Chair, Swivel w/o arms	7110-273-8795	$ 18.00
1	Chair, Swivel w/arms	7110-273-8793	19.20
6	Desk, Flat top Single Right Pad	7110-270-9842	61.00
1	Desk, Flat top, double Pad	7110-270-9840	74.00
2	Desk, Typewriter, Left Pad	7110-290-9838	83.00
2	Table, Office	7110-582-0982	23.00
12	Chair, Folding	7105-269-8463	2.55
6	Filing Cabinet, Legal	7110-286-3796	55.00
45	Stool, Revolving	7110-634-8596	9.25
2	Rack, Wearing apparel	7195-275-5825	18.00
4	Dispenser, Drinking Water	4110-255-8760	92.00
38	Table, Elect Test & Maint	6625-792-3060	
175'	Shelves, Steel, 36" wide x 8' high		
7	Desk, Shop		
1	Safe, Filing Cabinet		
3	Filing Cabinet,Visible Index		
8	Book Stand, Ready Index		

4. Justification:

a. The proposed 3d echelon Electronics Maintenance Shop is required to provide the Service Battalion, 2d Marine Division, an adequate facility for the repair of 8,422 end items authorized within the Division Tables of Equipment. In addition to the repair of end items, components of these items, i.e., receiver-transmitter units, control units, power supplies, etc., must be repaired. The repairs of modular equipment; printed circuit boards of modules; alignment of communications equipment and the repair of all test equipment within the inventory of the Division will be repaired and maintained in this facility. An average of 405 of these items arrive into this shop each week for maintenance.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-133	ELECTRONIC MAINTENANCE FACILITY, 2D MARINE DIVISION

(HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 352,800	P.L.	540-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 352,800		P-006	DENTAL CLINIC (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 12,030 SF

g. COOLING "AIR COND" CAP. 45 TN COST ($ 45,000)

19. DESCRIPTION OF WORK TO BE DONE

This project proposes a 24-chair Dental Clinic as shown on Y&D Drawing No. 817099, Department of the Navy, Bureau of Yards & Docks Definitive Designs for Naval Shore Facilities. Construction shall feature structural concrete floor and foundation with crawl space, masonry walls and partitions with brick veneer on exterior to conform to existing design of surrounding buildings.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
DENTAL CLINIC	SF	12,030	$ 23.10	$ 278
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 74.8
a. BUILT-IN DENTAL EQUIPMENT	LS			(16)
b. ACCESS & PARKING	LS			(18.4)
c. WALKS	SY	180	6.43	(1.2)
d. LANDSCAPING	LS			(.6)
e. SPECIAL FOUNDATIONS (PILES)	LF	2,500	8.19	(20.5)
f. UTILITIES/SANITARY SEWER	LF	220	4.68	(1.0)
g. STORM SEWER	LF	220	7.60	(1.6)
h. ELECTRICAL	LF	300	10.00	(3.0)
i. WATER	LF	300	6.50	(2.0)
j. STEAM	LF	300	35.00	(10.5)
22. TOTAL LINE ITEM COST				$ 352

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT HADNOT POINT	12,030	
b. EXISTING SUBSTANDARD	(9,170)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1970 PROGRAM	12,030	
h. DEFICIENCY (a-e-f-g)	0	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

A need exists for a consolidated Dental Clinic for the Marine Division Areas in order to provide the requisite dental service for the maintenance of a minimum level of dental health commensurate with the combat readiness of Marine and Naval personnel housed in the Marine Division Areas of Camp Lejeune. Construction of such a facility will consolidate the existing widely separated dental operating spaces, making available urgently needed space in existing medical facilities, precluding costly additions. The 26 dental officers and 44 technicians providing dental treatment to personnel of the Marine Division operate in 7 widely scattered locations. There are 5 separate operative clinics, 4 dental spaces in the Base Dental Clinic for prosthodontics, a dental storeroom and 3 offices in an administrative building. The 20 dental operating rooms in the area medical Dispensaries are inadequate for providing dental procedures. Ten of these rooms were formerly laboratories and the remaining 10 are of substandard size. Waiting rooms and appointment desks are, through necessity, located in narrow crowded passageways. Further, the spaces now occupied in the Dental Clinics are needed by the Division medical officers. The lack of dental standards for enlistment and time for dental treatment during recruit training accounts for the fact that the majority of personnel

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)

(Cont'd)

reporting to this Division need extensive dental treatment. Each clinic and the prosthodontic facility continually have a list of patients awaiting treatment. It is estimated that a consolidated Dental Clinic for this Division would increase the treatment by approximately 35 percent. This would be brought about by consolidation of facilities and more efficient utilization of available dental personnel. The proposed building will provide a dental surgical operating suite, prosthetic operating rooms, a prosthetic laboratory, a central stores and issue room, a dental X-ray suite and dental equipment repair service; all of which are currently obtained from already overloaded Marine Corps Base facilities. Service will be additionally improved through increased efficiency of such consolidation and result in a considerably more economical operation. The proposed structure will be one-story in height, complementing the existing structures in the area.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)

LINE ITEM FACILITY STUDY - PART I

1. A need exists for a consolidated dental clinic for the 2d Marine Division in order to provide the requisite dental service for the maintenance of a minimum level of dental health commensurate with the combat readiness of Marine and Naval personnel housed in the 2d Marine Division Areas of Camp Lejeune. Construction of such a facility will consolidate the existing widely separated dental operating spaces, making available urgently needed space in existing medical facilities, precluding costly additions. The 26 dental officers and 44 technicians providing dental treatment to personnel of the 2d Marine Division operate in seven widely scattered locations. There are five separate operative clinics, four dental spaces in the Base Dental Clinic for prosthodontics, a dental storeroom and three offices in an administrative building. The 20 dental operating rooms in the area medical dispensaries are inadequate for providing dental procedures. Ten of these rooms were formerly lavatories and the remaining ten are of substandard size. Waiting rooms and appointment desks are, through necessity, located in narrow, crowded passageways. Further, the spaces now occupied in the Dental Clinics are needed by the Division medical officers. The lack of dental standards for enlistment and time for dental treatment during recruit training accounts for the fact that the majority of personnel reporting to this Division need extensive dental treatment. Each clinic and the prosthodontic facility continually have a list of patients awaiting treatment. It is estimated that a consolidated Dental Clinic for this Division would increase the treatment by approximately 35 percent. This would be brought about by consolidation of facilities and more efficient utilization of available dental personnel. The proposed building will provide a dental surgical operating suite, prosthetic operating rooms, a prosthetic laboratory, a central stores and issue room, a dental X-Ray suite and dental equipment repair service; all of which are currently obtained from already overloaded Marine Corps Base facilities. Service will be additionally improved through increased efficiency of such consolidation and result in a considerably more economical operation. The proposed structure will be one-story in height, complementing the existing structures in the area. Y&D Definitive Drawing No. 817099 provides a building for 24 dental chairs. The building may be expanded to provide for a total of 28 chairs if the demand for chair space requires. The building will be constructed with masonry walls and partitions with brick veneer facing to conform to adjacent architecture; one story with concrete floor and crawl spaces. Building will be air conditioned. The current estimated cost of construction is approximately $318,000.

2. The need for the 2d Division Dental Clinic is based on the tabulations below of the existing facilities and requirements of the entire Marine Corps Base. It is noted that application of the established criteria would permit a total of approximately 40 dental chairs for 2d Division. It is believed that construction of a consolidated Dental Clinic in the 24-28 chair range will substantially satisfy the requirement due to increased efficiency and reduction in non-productive time.

a. Size of existing facilities in terms of dental operating units and dental operating rooms:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)

(Cont'd)

Area	Bldg. No.	Type Constr.	Organization	No. D.O. Rooms	No. D.O. Units	Remarks
Hadnot Point					*	
	15	P	Base	16		
	15		Force Troops	8		
	15		2d Mar Div	3		
	119	P	2d Mar Div	4		
	221	P	2d Mar Div	4		
	324	P	2d Mar Div	4		
	421	P	2d Mar Div	4		
	520	P	2d Mar Div	4		
Montford Point	M-128	P	Base	3		
Courthouse Bay	BB-10	P	Force Troops	1		
	BB-10		Base	1		
Rifle Range	RR-12	P	Base	1	1	Secured - not in use
Camp Geiger	TC-846	P	Base	2		
	TC-846		Force Troops	1		
			Sub-total Marine Corps Base	56	56*	
U. S. Naval Hospital		P	USNH	1		USNH personnel only
			Total	57		

*Number D.O. Units same as number D.O. Rooms
Type Construction: P - Permanent

b. Statement as to why existing facilities cannot continue to be used, modernized, or expanded to meet requirements:

Continued usage of existing facilities will prolong the existing unsatisfactory conditions. Building numbers 119, 221, 324, 421, 520, BB-10 and RR-12 were originally constructed in 1942 and 1943 as Dispensaries with identical floor plans which provided a total of 212 square feet for dental operations. On the basis of present criteria of 138 SF per dental operating room, this provided insufficient space for two DOR's. Over the course of the years each of the Division Area buildings has been modified to provide four DOR's in each building. These modifications were made by conversion of toilet, waiting room and other space to DOR's. Further expenditure of funds to modify these buildings is considered uneconomical since this would not provide corrective action concerning the dispersion of dental effort. The 2d Division dental effort is now dispersed in six widely separated buildings.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)

(Cont'd)

Construction of a Division Dental Clinic will consolidate this effort and permit economical usage of dental personnel with resulting increase in quantity, if not also the quality of dental work performed.

c. The estimate of requirements is based on the following number of personnel entitled to dental care at government expense, living in the area served by this facility:

		Average Strength Last 12 Months	Current Strength	Programmed Strength
Military Personnel (Marine Corps)	MCB	8,293	10,335	
	2d Mar Div	18,014	18,025	
	Force Troops	7,537	7,798	
		33,844	36,158	33,844
Military Personnel (Navy)	MCB	185	187	
	2d Mar Div	790	869	
	Force Troops	100	201	
		1,075	1,257	1,075
Retired Personnel		Unk	400	N/A

Source of figures shown herein and date programmed strength anticipated: The military figures were derived from the records of the 2d Marine Division, Force Troops, and Marine Corps Base. Since there are no known programmed strength increases or decreases, the average personnel figures for the past year appear to be a suitable estimate. The retired personnel figure is derived from the records of the U. S. Naval Hospital, Camp Lejeune.

d. The total number of dental operating rooms required for the Marine Corps Base is calculated as follows: From the above figures, the known average military strength for the last 12 months was 34,919; 400 retired personnel added gives a total of 35,419. The criteria for planning Dental Clinics listed in Appendix E to Enclosure (3) to Marine Corps Order 11010.12 of 27 April 1962 shows a tabulation of maximum strength served as 15,000 with 34 dental operating rooms allowed. In this tabulation the DOR's increase at the rate of two DOR's per 1,000 strength served in the range of 10,000 to 15,000 strength served. On the basis of this table, the allowable criteria for the Marine Corps Base is 68 DOR's for the first 30,000 strength and two additional DOR's for each 1,000 of the remaining 5,419 strength, or 10 additional DOR's, for a total requirement of 78 DOR's.

e. Available dental operating rooms in existing facilities of Marine Corps Base to be continued in use:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)

(Cont'd)

Location & Building No.	Organization	No. DOR's	Remarks
Hadnot Point 15	Base	19	3 now used by 2d Mar Div
	Force Troops	8	No change
Montford Point M-128	Base	3	No change
Courthouse Bay BB-10	Base	1	No change
	Force Troops	1	No change
Rifle Range RR-12	Base	0	1 secured - not in use
Camp Geiger TC-846	Base	2	No change
	Force Troops	1	No change
	Total	35	

f. Net requirement of dental operating rooms for new construction:

Total Requirement	78 DOR's
Existing - to be continued in use	35
Net requirement for new construction	43 DOR's

3. The dental collateral equipment to be installed and provided is listed on Y&D Definitive Drawing No. 817099.

4. Existing dental facilities are located in several buildings which were designed, built, and are presently in use as Dispensaries. These buildings will continue to serve as Dispensaries. After completion of the proposed Dental Clinic, the dental equipment will be removed from these various buildings and disposed of as surplus property in accordance with supply procedures.

5. In the event that the proposed Dental Clinic is not constructed, the result will be the continuation of the existing crowded conditions in individual buildings, continued dispersion of the dental effort, with resulting inefficiencies.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-006	DENTAL CLINIC (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
6 DEC 1968	1970		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 71,000	P.L. ———	610-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 71,000		P-234	ALTERATION OF IBM SYSTEM 360 COMPUTER FACILITY, BUILDING 1101 (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY —		f. GROSS AREA 3,720 SF	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 25 TN	COST ($ 18,000)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY		Enlarge computer room by removing one wall, constructing two walls, installation of raised floor and closing one window. Provide cabling for additional equipment, and transformers and power wiring for air conditioning equipment. Install a 25-ton air conditioning system and alter existing system. System to consist of two fan coil units with underfloor air supply, air-cooled condensing unit, piping and necessary electrical work, increasing the existing air conditioning capacity.			
b. ADDITION					
c. ALTERATION	X				
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ALTERATIONS, BLDG 1101	LS		$	$ 62
a. ALTERATION	SF	(3720)	11.02	(41)
b. CO 2 FIRE CONTROL	LS	( )		(3)
c. AIR CONDITIONING	TN	(25)	736.00	(18)
d.		( )		( )
21. SUPPORTING FACILITIES				$
a. ELECTRICAL DISTRIBUTION	LS			(9)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. *TOTAL LINE ITEM COST*				$ 71

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M NOT APPLICABLE)		
a. TOTAL REQUIREMENT		
b. EXISTING SUBSTANDARD	( )	
c. EXISTING ADEQUATE		
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)		
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY ____ PROGRAM		
h. DEFICIENCY (a-e-f-g)		

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

This line item is required to facilitate automatic data processing equipment necessary to proficiently perform current and planned workloads. Estimates of anticipated ADP workload at this Command by FY-1970 indicate processing requirements in excess of 720 hours. In accordance with Secretary of the Navy's policy, as stated in SecNavIst 10462.7B, this workload should be accomplished within 200 metered hours of Computer time. The existing facility houses an IBM System 360 Model 30F with random access and magnetic tape processing capability. An IBM System 360 Model 501 will replace the model 30F necessitating an increase in floor space, air conditioning and electrical power requirements. Space also will contain a 1401 System. This planned line item will enable this Command to accomplish its assigned mission and tasks in support of Marine Corps Operating Forces and Headquarters Marine Corps, and ensure economical utilization of allocated resources. If this line item is not approved, the existing computer will continue in use but will not be able to assimilate the anticipated increased workload requirements. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable. This item will not cause additional air/or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
6 DEC 1968	1970		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-234	ALTERATION OF IBM SYSTEM 360 COMPUTER FACILITY, BUILDING 1101 (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 1,209,000	P.L. ____	214-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 1,209,000		P-138	COMBAT VEH MAINT FAC (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		15. TYPE OF WORK	
a. PERMANENT	X	a. NEW FACILITY	X
b. SEMI-PERMANENT		b. ADDITION	
c. TEMPORARY		c. ALTERATION	
16. REPLACEMENT		d. CONVERSION	
17. TYPE OF DESIGN		e. OTHER (Specify)	
a. STANDARD DESIGN			
b. SPECIAL DESIGN	X		
c. DRAWING NO.			

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 3 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 30,150 SF

g. COOLING "AIR COND" CAP. 20 TN COST ($ 22,000)

19. DESCRIPTION OF WORK TO BE DONE

Combat vehicle maintenance buildings:
Concrete floors and roofs
Masonry walls Steel joist roof framing
Special foundations - treated timber piling
Total area includes:
Maintenance bay, tire shops, battery shops, spare parts storage, tool rooms, open vehicle equipment storage, and offices.
Utility connections:
Construct grease racks, wash apron, and lube storage adjacent to shops.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
CMBT VE MNT FAC	SF	30,150	$ 25.24	$ 761
a. BUILDING	SF	(30,150)	24.50	(741)
b.		( )		( )
c.		( )		( )
d. FALLOUT PROTECTION AREA	MN	(500)	40.00	(20)
21. SUPPORTING FACILITIES				$ 448
a. SPECIAL FOUNDATIONS-PILING	LF	11,000	3.50	(39)
b. ELECTRICAL & COMMUNICATION LINES	LF	750	9.33	(7)
c. STEAM DISTRIBUTION LINES	LF	350	54.29	(19)
d. WATER DISTRIBUTION LINE	LF	1,500	6.47	(10)
e. SANITARY SEWER LINES	LF	1,000	4.27	(4)
f. STORM DRAINAGE SYSTEM	LF	1,600	5.98	(10)
g. ROADS, PARKING AREAS & WALKS	SY	44,040	5.40	(237)
h. GREASE AND WASH RACKS	EA	4	4250.00	(17)
i. LOADING RAMPS	EA	2	3000.00	(6)
j. LUBE STORAGE	SF	3,600	10.30	(37)
22. TOTAL LINE ITEM COST				$ CONT'D

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT HADNOT POINT	BERL	120,979*
b. EXISTING SUBSTANDARD		(190,448)
c. EXISTING ADEQUATE		9,984
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)		

	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1971 PROGRAM	30,150	
h. DEFICIENCY (a-e-f-g)	80,843	

24. RELATED LINE ITEMS

P-195 Utilities

*BERL AS ADJUSTED: SEE 11000-3

25. REQUIREMENT FOR LINE ITEM

The existing combat vehicle maintenance shops of the 2nd MarDiv are scattered over a wide area. The majority of these facilities were constructed during, or prior to, World War II, and others, Butler type buildings, built during the Korean campaign for short term use. All are substandard, particularly as vehicles and weapons become more sophisticated. Each 2nd MarDiv unit is required to maintain its equipment in a combat ready condition. Second echelon maintenance is an important part of this effort and involves organizational maintenance, repair, and replacement of major parts. The length of time vehicles are deadlined is abnormally high, and will remain so until adequate shops are provided. Without the proposed shops, the 2d MarDiv units will be hamstrung by its inadequate 2d echelon maintenance capability and its operational readiness will continue to be greatly impaired. This line item will satisfy the requirements for 2d echelon maintenance facilities for the maintenance of combat equipment and vehicles assigned to Hqd.Bn., 1st Bn, 2d Bn, and 3rd Bn of the 10th Marine Regiment. This item will not cause additional water pollution. The air pollution caused by this time will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

DD FORM 1 JUL 62 1391

BOOK NO. ____ PAGE NO. ____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY (HADNOT POINT)

CONTINUATION OF SECTION B - COST ESTIMATES:

SECURITY FENCING	LF	4,400	6.00	26
SITE IMPROVEMENT	LS			36
			TOTAL LINE ITEM COST	1,209

DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-138		COMBAT VEHICLE MAINTENANCE FACILITY		(HADNOT POINT)

LINE ITEM FACILITY STUDY, PART I - COMBAT VEHICLE MAINTENANCE FACILITY (2d ECHELON), 2d MARINE DIVISION

1. General:

a. The combat vehicle maintenance facility (2d echelon) which is programmed for fiscal year 1971 is intended to provide a second echelon maintenance facility to each of the individual units of the Tenth Marine Regiment (less Fourth Battalion, Tenth Marines), by providing 3 modern equipped structures of steel and masonry construction of the type presently being built (ie: brick exterior and concrete floor) at Camp Lejeune, plus hard standing for those vehicles of those units.

b. U. S. Marine Corps Tables of Equipment prescribe the number and type of combat vehicles required by each unit of the Second Marine Division. These Tables of Equipment were used as the basis for preparing the computations necessary for determining the number of repair bays, direct and indirect support space for each unit. The number of repair bays required for each unit was computed as prescribed in NAVDOCKS P-80. Basically this involved preparing an inventory, listing by equipment, cost codes for all the combat vehicles supported by each individual unit, and multiplying the total number of each type of equipment by its corresponding space factor (see tables 21-7, 21-8 and 21-9 of NAVDOCKS P-80). The individual code subtotal were then added, resulting in a total number of bays required per unit. This figure was rounded off to the nearest whole integer and table 21-10 of NAVDOCKS P-80 was used to convert the number of bays to square feet. The work area requirements per unit were then totaled to give the total work area (including direct and indirect support areas) of 30,150 square feet as required for Tenth Marine Regiment (less Fourth Battalion, Tenth Marines) second echelon combat vehicle maintenance facilities. In table one, the requirements for the individual units is shown:

Table One

Unit	Area
1st Bn, 10 Marine Regt (+ Hdq Bn, 10th Marine Regt)	12,050 SF
2nd Bn, 10th Marine Regt	9,050 SF
3rd Bn, 10th Marine Regt	9,050 SF
Total	30,150 SF

c. In addition to covered working space, parking space is required for vehicles. NAVDOCKS P-80 prescribes the method to be used in calculating the parking area requirements for organizational vehicles. This method prescribes an area of 40 square yards per vehicle. Parking space must be provided for 75% of the organizational vehicles. Based upon the conditions set forth above, the requirements for outside parking space were computed for Headquarters Battalion, 1st Battalion, 2d Battalion and 3rd Battalion of the 10th Marine Regiment

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY (HADNOT POINT)

(Cont'd)

as 19,350 square yards of bituminous (Cat Code 852-11), and 270 square yards of concrete (Cat Code 852-10).

2. Requirements common to all structures:

a. Each of the proposed structures in the 2d Marine Division second echelon maintenance facility, have certain general construction features common to all. These are:

(1) Electrical: Single phase 110 volt 60 cycles per second power. Outlets should be placed at convenient locations throughout the structure. 110 volt electrical receptacles should be placed at each workbench.

(2) Lighting: Fluorescent lighting throughout. Each workbench should have a fluorescent bench lamp. Natural lighting (i.e., skylights, windows, etc.) should be utilized to the maximum extent possible. Floodlights required in parking areas.

(3) Heating: Central heating throughout.

(4) Air Conditioning: Temperature - humidity control in administrative spaces.

(5) Inter-office Communications: Intercom system in all work spaces. Master control unit should be installed in the maintenance office. Slave units should be used in all other spaces.

(6) Compressed Air: Outlets should be spaced in the maintenance bays, battery shop, and at each workbench.

(7) Telephones: Two telephones per structure.

(8) Floors: Reinforced concrete floors capable of supporting a ten ton wheeled vehicle.

(9) Air Exhaust System: A system by which exhaust fumes may be dispersed.

(10) Workbenches: Built-in, required in all work spaces.

(11) Interior walls: Painted masonry units throughout, metal doors with interior hinges.

(12) Ceilings: Acoustical tiling with asbestos insulation in direct and indirect support areas.

(13) Security: Interior and exterior security lighting.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY (HADNOT POINT)

(Cont'd)

(14) Plumbing: Hot and cold running water in head/locker area. Cold running water only in battery shop, and for fire protection sprinkling system.

(15) Working spaces: Each structure should incorporate the following:

(a) Vehicle maintenance bays: The maintenance shop should contain at least one 10 ton capacity hydraulic lift, an overhead lubrication unit, a 2½ ton overhead rail crane, compressed air outlets, 110 volt electrical outlets at convenient locations, a waste oil sump, overhead vehicle doors at one end of the shop, and an automotive parts cleaning facility.

(b) Spare parts and operational spares room: Sufficient shelving to stock all operational spare parts, 110 volt receptacles.

(c) Maintenance office: Telephone outlets, 110 volt receptacles.

(d) Battery shop: Cold running water, stainless steel sink and drain, shower heads in wall and overhead, floor drain, compressed air, explosion-proof electrical receptacles, and air exhaust system.

(e) Tool issue room: Adequate shelving to store tools, 110 volt electrical receptacles.

(f) Head/locker space: 110 volt electrical receptacles. Hot and cold running water and wash basins in head.

(g) Dispatch office: One double hung frame window, 110 volt electrical receptacles.

(h) Tire shop: Compressed air, 110 volt electrical receptacles.

(i) OVE storage area.

(16) Outside area:

(a) Washing area, paved parking (bituminous or concrete), high pressure water, duck drains and wash racks.

(b) Alternate lubrication rack next to structure.

(c) Security lighting, light poles, lighting transformers, weatherproof electrical receptacles and control devices.

(d) Steam facility to provide wet steam.

(e) Loading ramps.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY (HADNOT POINT)

(Cont'd)

3. Justification:

a. The proposed second echelon combat vehicle maintenance facility is required to provide proper second echelon maintenance for the 585 combat vehicles authorized the Division in the table of equipment for these units. Each individual unit is required to perform second echelon maintenance on all of the vehicleswithin the command, and provide adequate space to perform the work. The nature of the work involves organizational maintenance, minor repair work, replacement of minor parts and operator maintenance.

b. Many of the buildings now being used for second echelon maintenance were built prior to, or during World War II, and all are substandard. Butler buildings and concrete block structures are presently being utilized by the various units of the 2d Marine Division. Each of these buildings now utilized have the following insufficiencies:

(1) Space: Bench space is restricted. Parts stock rooms are insufficient and tool rooms cramped. Office space is lacking because of inadequate space, and dispatchers often work under adverse conditions. Repair areas are generally inadequate in that these structures were primarily built for temporary storage. The repair bays are not large enough for big vehicles.

(2) Power: Inadequate facilities for transmission of power in all areas.

(3) Lighting: Lighting in many areas consists of a naked incandescent bulb hanging from the ceiling. Bench lamps are insufficient.

(4) Heating: Heating consists of kerosene space heaters which fail to adequately heat the area and are a safety hazard.

(5) Head/locker facilities: In most areas, no head facilities are available.

(6) Lubrication facilities: Compressed air is not available, therefore vehicles must be lubricated by hand, requiring the time of two men.

(7) Parking and hardstands: Parking areas are inadequate; few have asphalt or concrete.

(8) Washing facilities: Washing areas are inadequate or nonexistent. Drainage is poor.

4. Summary:

Each of the units in the 2d Marine Division is required to maintain its combat vehicles in a combat ready condition. Second echelon maintenance is an important part of keeping these vehicles in combat ready condition. The present structures are completely inadequate

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY (HADNOT POINT)

(Cont'd)

for the reasons stated above. Vehicle deadline times are relatively high in the 2d Marine Division and will remain high until adequate facilities are provided which incorporate all of the features listed in paragraph 2. This facility will enable the entire 2d Marine Division to maintain its combat vehicles and fulfill its second echelon maintenance commitments. Without this facility, the Division will be hamstrung by its obviously inadequate second echelon maintenance capability and its operational readiness will be impaired.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	P-138		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-138	COMBAT VEHICLE MAINTENANCE FACILITY



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 500,000	P.L. -	229-90		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 500,000		P-146	PRESERVATION, PACKAGING AND PACKING FAC (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA 24,000 SF	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY	X	Construct a concrete frame structure w/masonry walls, reinforced concrete floor slab, roof insulation and built-up roof. Heating and ventilation.			
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
P, P & P BUILDING	SF	24,000	$ 20	$ 480
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 20
a. SITE PREPARATION & UTILITIES	LS			(20)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 500

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT HADNOT POINT	24,000	
b. EXISTING SUBSTANDARD	(47,014)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1971 PROGRAM	24,000	
h. DEFICIENCY (e - f - g)	-	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The Preservation, Packaging, and Packing (PP&P) Branch has the mission of providing preservation, packaging, and packing for all organizations within the Camp Lejeune Complex. The demands for support of the 2d Marine Division mount-out supplies and material and equipment to support Force Troops units comprise approximately 90 percent of the production output, which runs between 500,000 and 800,000 items annually. Operations are conducted in five old Butler buildings joined to form one building. These buildings, for the most part, are unheated, do not have adequate lighting, electrical outlets or ventilation. Air supply for pneumatic tools is also inadequate. The buildings are old and the metal covering panels fit so poorly that dust and blowing sand creates a contamination problem during packaging operations. The equipment now being used in the PP&P function has already passed its normal useful life expectancy and funds have been programmed for procurement of new replacement equipment. Installation of this new equipment in the Butler building described above will tend to negate the advantage that should be realized from the new equipment. In addition to the foregoing, approval of this line item will permit the consolidation of the PP&P function with other related warehousing activities at Camp Lejeune and will result in overall savings in money and personnel and a more efficient operation. This line item will not cause additional air or water pollution.

DD FORM 1 JUL 62 1391

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971			MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING, AND PACKING FACILITY (229-90) (HADNOT POINT)

1. Function to be Performed. The function to be performed is to provide adequate protection for all government supplies, i.e., spare parts, major item assemblies, and major items.

2. Necessity for Performing this Function. In order for this facility to provide adequate protection for government supplies, it is necessary that this facility have modern preservation and packaging facilities.

3. List of Existing and Authorized Facilities Similar to the New Facility Requested Which Can Be Used for Performing this Function. There are two existing facilities at the present time - Buildings #909 and #1810. Both of them are outdated. Building #909 is a second-hand prefabricated steel building approximately 200 feet square. The building was made by joining several 40' x 200' Butler buildings and the various sections are separated from the others by steel walls and framing. Building #1810 is in the same general condition.

4. Current and Planned Future Workload with Regard to This Function. This operation is carried on throughout the year. The thousands of items generated through the preservation and packaging sections are separated and segregated as to classification, checked for condition, and directed to the proper work operation which will provide the level of protection necessary for the individual item (2). This is accomplished by trained personnel following the prescribed sequence of procedures and utilizing the correct materials necessary to provide adequate protection. The end results are unit protection and intermediate packaging. Through physical directions and coordination by the assembly line supervisors and operators, items are directed to the packing and marking line to be placed in exterior containers and marked as to FSN, quantity, nonclameture, weight, cube and tactical markings. The exterior containers are nailwood boxes, plywood boxes, open and/or closed crates, pallet boxes, bin pallet boxes and corrugated or fiberboard boxes. These are ordered from the box assembly section as the items are being processed on the preservation assembly lines in order to prevent a backlog between the packaging and packing sections. Normally the Preservation and Packaging Branch processes approximately (20) twenty different work requests at the same time. There are usually about 5,000 different types and/or classes of materials being processed. The daily production is approximately 2,000 items per day being completed.

5. Description of Construction Being Requested. Duration of need is indefinite. Construction of a new building would provide space for Administrative Offices, nail wood box shop and adequate space to preform necessary functions as a Preservation, Package, and Packing Facility.

6. List of Collateral Equipment to be included in Line Item. None

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING, AND PACKING FACILITY (HADNOT POINT)

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Conveyer (Package Handling)	100,000
Paint Spray Booth	8,500
Total	108,500

8. Justification for the New Facility.

a. The primary purpose and assigned mission of the Preservation and Packaging Branch, Camp Lejeune, North Carolina, is to provide adequate protection for all government supplies, i.e. spare parts, major item assemblies, and major items. This is accomplished by various work methods performed in the following sequence: cleaning, drying preserving, unit protection, i.e., wrapping, sealing, cushioning, marking, packaging, identifying and packing. The classification of supplies processed by this Branch is: motor transport, ordnance, engineer, electronics, and general supply. Special projects are: code plan Cloud,B.L.T. mount-out blocks for F.M.F., Force Troops, mount-out blocks for the 2d Marine Division, and in general a miscellaneous amount of tactical commodities for the 2d Marine Air Wing, Cherry Point and M.A.G. 26, New River Air Facility. These services of adequately protecting government supplies for long-term storage and/or for mount-out readiness to be deployed to any destination, regardless of climatic conditions or mode of transportation are provided for all organizations within the Camp Lejeune and Cherry Point Complex.

b. This accomplishes the mission; work is performed under the most adverse and difficult conditions which cause severe problems in maintaining control of corrosion and preventing deterioration. Some of the problems are:

(1) Normal use for 16 years, plus the strong winds associated with hurricanes, has had a deteriorating effect on the present building. Although maintenance on this building has been continued, the roof has deteriorated to such an extent that moisture penetrates and leaks are so numerous that supplies, materials and equipment have to be covered to prevent excessive water damage. Due to the geographic location of the present building, less than ten miles from the Atlantic Ocean and the soil characteristic (sand) prevalent, salt air, sand and other abrasive types contaminants can and do penetrate the sectional type walls.

(2) The anilwood box section is located adjacent to the preservation and packaging section and separated only by a sectional type sheet steel wall. Moisture laden saw dust penetrates into the preservation section.

(3) The distribution of work performed is accomplished in different sections of Building #909. This results in supplies being moved completely outside exposed to the particular situation existing at the time - air, dust, and moisture.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING, AND PACKING FACILITY (HADNOT POINT)

(Cont'd)

(4) The ventilation system is not adequate. Only one section has stationary exhaust fans to cool the working area. Pedestal type fans are used. In summer, the heat in some working areas is in excess of 100 degrees F.

(5) The heating system is not adequate. There are only five (5) small steam heating units in one section to heat approximately 180,000 cubic feet. This is not sufficient. All five (5) sections are standard size Butler buildings, size 40' wide and 200' long. All other sections are heated with only pot-belly wood and/or coal heaters, one installed at each end of the buildings with the heater pipe sticking out through the side of the building. The majority of all working areas are very cold in winter.

(6) There are no exhaust systems to handle the saw dust generated within the nail wood box assembly section which cuts approximately 500,000 material board feet of lumber and 6,000 sheets of plywood per year.

(7) Production time is lost because of the location of the head facilities and water fountains. There are only three commodes to be utilized among the present T/O of 72 employees. Personnel working in the preservation section and box assembly section have to walk a distance of from 100 to 500 feet from their working areas to the head facilities. There are only two drinking fountains and two lavoratories in the five sections of Building #909. Not only are the facilities inadequate, but they are not conveniently located to save personal time.

(8) The overall area in square feet is not adequate to employ additional equipment necessary to increase capabilities of this plant.

(9) Most of the initial equipment originally installed was second hand and only in the past three years has any replacement been made. Most of the original pieces are now obsolete, and the life expectancy has expired.

(10) There are no head facilities for female employees. Although there is only one clerk stenographer working in this Branch at the present time, there is no discrimination in many job classifications performed within this Branch. At present the head facilities located in Building #941 are being utilized as the ladies' lounge.

(11) The only entrance and exits are large doors, size 12' x 12' at the end of each building section. There are no doors within the five (5) sections, therefore, since materials are moved from the staging area to the processing sections all supplies are moved inside and out through these doors utilizing material handling equipment (fork lifts). This results in dust penetrating through the plant in summer and severe cold air in winter.

(12) There are many safety factors that are problems to control, these being water leaking on electrical switches, fluorescent lights, and electrically operated stationary and portable equipment. These are hazards and involve the safety of

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING AND PACKING FACILITY (HADNOT POINT)

(Cont'd)

many employees. Also, materials and equipment used in the processing operation have to be protected with covers during heavy rain storms to prevent damage and accelerated deterioration.

c. There are, at the present, 56 employees performing duties within the preservation and packaging branch. The approved T/O is 72. Employees assigned to shops and sections are:

Administrative Section	2
Preservation and Packaging Section	26
Paint Shop	10
Box Shop	18
Total Personnel	56

9. Effects if the New Facility is Not Provided. If the alterations to Building #1011 are not made the mission of the facility cannot be carried out for a much longer period. There will be a great loss of material due to rust, etc. This, of course, would be a needless waste compounded by rational situation at present, and the standing demand for operational equipment.

10. Justification for the Size and Scope of the New Facility. Operational size and scope are based on a detailed report that concerned itself with workload, space available versus storage and personnel. All figures are compatible with all OPNAV Forms, plus NAVMC 10651.

11. Justification for the Type of Construction Planned. The material to be used if of a type that will give the longest use for the cheapest price.

12. Alternate Solution. There is no alternate solution.

13. Plans for Facilities Being Replaced. They will be returned to their former use, warehouses.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING & PACKING FACILITY (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING AND PACKING FACILITY (229-90) (HADNOT POINT)



DD FORM 1 JUL 62 1391c

Enclosure one (1)

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING, AND PACKING FACILITY (HADNOT POINT)



SITE PLAN Alt. BLDG 1011 PACKING AND PRESERVATION, P146

DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 18 DEC 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-146	PRESERVATION, PACKAGING, AND PACKING FACILITY (HADNOT POINT)



PART FLOOR PLAN, BLDG. 1011
SCALE: 1" = 40'-0"

DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1971		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 580,000	P.L. -	722-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 580,000		P-801	REHAB EM BARRACKS BLDGS #301, 305, 309 & 313 (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 4	b. NO. OF STORES 2	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY 464 MN		f. GROSS AREA 106,408 SF	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 224 TN	COST ($ 100,800)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY		Rehabilitate barracks buildings 301, 305, 309, and 313 in the 3rd regimental area to provide 3-man rooms for E2's and E4's and 2-man rooms for E5 pay grades. New room partitions shall be 6 inch masonry painted walls with steel door frames and wood doors. A new heating and air conditioning system and new lighting is included in this project. Chilled water for the air conditioning of each building shall be from a central system.			
b. ADDITION					
c. ALTERATION	X				
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
REHAB EM BARRACKS	MN	464	$ 1,250	$ 580
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. *TOTAL LINE ITEM COST*				$ 580

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M MEN)		
a. TOTAL REQUIREMENT HADNOT POINT	13,702 *	
b. EXISTING SUBSTANDARD	(14,133)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1971 PROGRAM	464	
h. DEFICIENCY (a-e-f-g)	13,238	
24. RELATED LINE ITEMS		

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

The existing open bay barracks are substandard by OPNAV instruction 11012.2A, dated 28 Sept 1967. Providing bachelor enlisted men with adequate living quarters is considered essential in order to compete for highly skilled manpower to operate and maintain complex equipment and weapons systems. This line item is the first in a series of increments that is proposed to rehabilitate existing barracks to conform to the new criteria for bachelor accommodations. This phasing in increments is necessary to avoid closing too many barracks at one time and the scheduling coincides with the rehabilitation of other support facilities within the specific area. If this line item is not provided, low morale and a high turnover rate in enlisted personnel will continue to be a major problem.

DD FORM 1 JUL 62 1391

BOOK NO._____ PAGE NO._____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA *(Continued)*	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-801	REHABILITATE ENLISTED MENS BARRACKS #301, 305, 309, 313 (HADNOT POINT)

1. Function to be Performed. Provide adequate billeting of enlisted personnel in quarters conforming to present criteria.

2. Necessity for Performing This Function. It is the Department of Defense policy to provide barracks for enlisted personnel. In line with this, new criteria are continually being developed to improve the habitability of barracks and considerable emphasis is currently being placed upon improving existing substandard barracks and/or construction of new modern barracks to replace those which cannot be economically rehabilitated to satisfy deficiency requirements for bachelor enlisted personnel who must be billeted aboard the base.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. All of the existing barracks at Camp LeJeune are substandard by the latest criteria for bachelor housing accommodations except for barracks recently completed for Force Troops in the French Creek area. In the five regimental areas at Hadnot Point there are 60 barracks of the H Type. Consolidation of the 2nd Marine Division in these areas is planned. All 60 barracks are structurally sound. The gang toilets have recently been rehabilitated and it is economically feasible to remodel these buildings. All other barracks of this type on the base are in similar condition and are to be rehabilitated and retained. There are no other buildings on the base similar to the facility requested that can be used to perform this function.

4. Current and Planned Future Workload With Regard to This Function. The planned workload for enlisted men billeting requirements in the 2nd Marine Division is 14,013 men.

5. Description of Construction Being Requested. This line item provides for the rehabilitation of 4 of the H Type barracks in the 3rd Regimental area. The open bays are to be remodeled to provide 36,3-men rooms and 4, 2-men rooms for a total of 116 men to be billeted in each barrack after rehabilitation. A new heating and air conditioning system and new lighting shall also be provided in each building. Chilled water for air conditioning will be provided from a new central system. The room partitions shall be 6 inch masonry painted walls with steel door frames and wood doors.

6. List of Collateral Equipment to Be Included in the Line Item.

Heating & Air Conditioning	224 Tons	$100,800
Drinking Water Coolers, Elect	16 @ $150.00	2,400
Total		$103,200

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-801	REHABILITATE ENLISTED MENS BARRACKS #301, 305, 309, 313 (HADNOT POINT)

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Item Description	Quantity	Unit Price	Total Price
Wardrobe	464	$225.00	$104,400
Bunks W/Mattress, Springs, Pillow, etc	464	50.00	23,200
Desk	464	100.00	46,400
Chair (Desk Type)	464	18.00	8,352
Lounge Furniture	-	Lump Sum	3,200
Total			$185,552

8. Justification for the New Facility. Providing completely livable bachelor enlisted men quarters with adequate space and facilities conforming to present day criteria is the policy of the Department of Defense. This project is intended to offset part of the total deficiency in bachelor housing by the rehabilitation of existing barracks to provide 2 and 3-men rooms in lieu of open dormitory space. Air conditioning is to be provided as well as improved lighting. This line item represents the first of a series of increments to satisfy the deficiency in EM bachelor housing. This is essential to avoid closing too many barracks simultaneously during construction.

9. Effects if Facility is not Provided. If this line item is not provided personnel will continue to be billeted in substandard quarters resulting in low morale and a low percentage of re-enlistments.

10. Justification for the Size and Scope of the New Facility. The size of the new rooms in the rehabilitated barracks will conform to present criteria for the grades involved.

11. Justification for the Type of Construction Planned. The type of new construction is the most durable and the most economical to maintain.

12. Alternate Solutions. There are no alternate solutions that can be economically justified.

13. Plans for Facilities Being Replaced. No facilities are being replaced by the planned construction.

14. Status of Preliminary Engineering. No preliminary engineering has been performed other than developing the floor plans and preliminary programming estimates.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1971		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-801	REHABILITATE ENLISTED MENS BARRACKS #301, 305, 309, 313 (HADNOT POINT)

15. Sketch Showing Planned Location of the Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. Enclosure (1).

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-801	REHAB EM BARRACKS BUILDINGS #301, 305, 309, 313 (HADNOT POINT)



1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 683,000	P.L. ——	214-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 683,000		P-139	COMBAT VEHICLE MAINTENANCE FACILITY 2ND INCR., 2ND MARINE DIVISION (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	X
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 26,160 SF

g. COOLING "AIR COND" CAP. 5 TN COST ($ 5,000)

19. DESCRIPTION OF WORK TO BE DONE

Provide a building with steel frame and masonry construction, concrete floor on-grade, overhead doors for track vehicle entrance, battery shop, carburetor and ignition shop, wash and grease racks, compressed air to all bays and related administrative space, part and record space. Air condition the administration area in each shop.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
MAINTENANCE BUILDING	SF	26,160	$22.30	$ 583
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 100
a. GREASE RACKS	EA	2		(13)
b. WASH RACKS	EA	1		(2)
c. LUBE STORAGE	LS			(3)
d. PARKING AREA - BIT CONC	SY	8,490		(38)
e. PARKING AREA - P.C. CONC	SY	270		(3)
f. STEAM DIST	LF	700		(28)
g. WATER DIST	LF	700		(5)
h. SANITARY SEWER	LF	500		(2)
i. ELEC. DIST	LF			(4)
j. COMM UNES	LS			(2)
22. *TOTAL LINE ITEM COST*				$ 683

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT HADNOT POINT	120,977 *	
b. EXISTING SUBSTANDARD	(190,448)	
c. EXISTING ADEQUATE	9,984	
d. FUNDED, NOT IN INVENTORY	30,150	
e. ADEQUATE ASSETS (c + d)	40,134	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	26,160	
h. DEFICIENCY (a-e-f-g)	54,683	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

The existing 2nd Marine Division, 3d Echelon combat vehicle maintenance facility, is an all steel (Butler Type) building which was second hand at the time it was erected. It is inadequate because of insufficient floor space and lighting and inadequate bench space. The building is impossible to heat in the winter and is terribly hot in the summer. The proposed new shop building will provide proper 3d Echelon maintenance for all of the 2,916 combat vehicles in the division. During FY 66, Maintenance Company, Service Battalion, completed 1,729 job requests on engineer equipment and 2,661 job requests on motor transport equipment. Repair on hulls, turrets, propulsive systems and power trains are included which require large floor space and heavy hoisting equipment. This facility will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 by corrective measures as part of this line item.

DD FORM 1 JUL 62 1391

BOOK NO. PAGE NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

1. Function to be Performed. The performance of 3d echelon combat vehicle (wheeled vehicle and engineer equipment) maintenance support for all of the 2d Marine Division.

2. Necessity for Performing This Function. In order for the 2d Marine Division to perform 3d echelon maintenance on combat vehicles, it is necessary to have functionally adequate facilities to expedite these services.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. The 2d Service Battalion, 2d Marine Division has no facilities which are similar to the requested facilities contained herein. The 3d echelon combat vehicle maintenance repairs are presently accomplished in the following Butler buildings located in the Division Industrial Area:

BLDG NO.	SIZE	TYPE CONSTRUCTION
1808	8,000 SF	Metal-Semi-Permanant
1826	6,700 SF	Metal-Semi-Permanant
1827	12,000 SF	Metal-Semi-Permanant

4. Current and Planned Future Workload With Regard to This Function.

(a) Breakdown of work orders accomplished by the 2d Service Battalion. These figures represent work orders accomplished during the period of Calendar Year 1966.

TYPE	POPULATION	NO. WORK ORDERS
Engineer Equipment	793	853
Automotive Equipment	2,661	5,200

(b) The present facilities are in use daily throughout the year. An average of 10 hours per work-day for a 5-day week is spent working in each shop. On various occasions it has been necessary to work at night and on week-ends.

(c) Availability of repair parts and excessive leadtime is a factor of paramount influence on the deadline rate of combat vehicles, and consequently influences the maintenance problem.

(d) List of different types of vehicles organic to the units supported by the 2d Service Battalion:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

ARTILLERY RESIMENT

ITEM	QUANTITY
Generator PU-239	3
Generator PU-482 Trlr Mtd	4
Radar Set AN/MPQ-10A	3
Radio Set AN/MRC-37	23
Radio Set AN/MRC-38	1
Radio Set AN/MRC-83	21
Radio Set AN/MRC-87	2
TD-15	15
Trlr M-100 ¼T	146
Trlr M-101 3/4T	67
Trlr M-105A2 1½T	60
Trlr Tank M-107A2 H20 400	24
Trk Ambulance M-170 ¼T	4
Trk M-37 3/4T	67
Trk M-35 2½T	131
Trk M-54 5T	30
Wrecker	4
Trk M-422 Mite	155
Howitzer 105MM M-2A2	54
M109 (Self Propelled)	18

A. T. BATTALION

ITEM	QUANTITY
Radio Set AN/MRC 36	4
Radio Set AN/MRC 38	1
Radio Set AN/MRC 83	1
Steam Cleaner	2
Lube Unit	3
Trlr ¼T M100	8
Trlr 3/4 M101	11
Trlr Tank m107 400 Gal	5
Trk Ambl M170 ¼T	1
Trk M37 3/4T	11
Trk M35 2½T	11
Trk Tanker	3
Trk Util M422	19
Trk Wrecker	3
Rifle S. P. 106MM	45

SHORE PARTY BATTALION

ITEM	QUANTITY
Generator PU-348	2
Radio Set AN/MBC 38	3
Radio Set AN/MBC 83	3
Crane, Shovel 2N	12
Crane 150 T46	3
Crane Wheeled M60	6
Floodlight Electric	12
Loader Scoop	3
TP-15	6

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

ITEM	QUANTITY
MRS-100	3
R. T. Forklift 3000lbs	6
R. T. Forklift 6000lbs	6
Welding Machine ARC	1
Steam Cleaner	3
Lube Unit	3
Low Bed 25T	1
Trailer Cargo ¼T M416B1	10
Trailer Cargo 3/4T M101A1	8
Trailer Tank Water 400Gal M107A2	9
Truck Ambulance ¼T	3
Truck Cargo 3/4T M37B1	8
Truck Cargo 2½ T M35A2	4
Truck Dump 5T M51A2	6
Truck Tank Fuel 1200Gal M49CA2	1
Truck Tractor 5T Mt2A2	1
Truck Utility ¼T M422A1	16
Truck Wrecker 5T	1

M. T. BATTALION

ITEM	QUANTITY
Gen PU-239	1
Radio Set AN/MRC-38	4
Radio Set AN/MRC-83	1
Lube Unit	3
Trlr M-100 ¼T	13
Trlr M-105A2 1½T	60
Trlr Tank M-107 400 Gal	5
Trk Amol M-170 ¼T	1
Trk Cargo M-35 2½T	96
Trk Tarker 2½T	3
Trk Util M422	16
Trk Wrecker	3

INFANTRY REGIMENT

ITEM	QUANTITY
Radio Set AN/MRC 38	1
Radio Set AN/MRC 83	2
Radio Set AN/MRC 87	1
Lube Unit	1
Trailer ¼T M416B	19
Truck Ambulance ¼T M170	1
Truck Utility ¼T M422A1	20
CLIW M274A2	30

MEDICAL BATTALION

ITEM	QUANTITY
Generator PU-482	10
Radio Set AN/MRC 83	1
Steam Cleaner	1
Lube Unit	1
Trailer Cargo ¼T M416B1	6
Trailer Cargo 3/4T M101A1	4
Trailer Cargo 1½T M105A2	4
Trailer Tank Water 400Gal M107A2	9
Truck Ambulance ¼T M170	12
Truck Ambulance 3/4T M43B1	20
Truck Cargo 3/4T M37B1	5
Truck Cargo 2½T M35A2	21
Truck Utility ¼T M422A1	10

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

PFCON BATTALION

ITEM	QUANTITY
Radio Set AN/MPC 38	17
Radio Set AN/MRC 83	9
Radio Set AN/MRC 87	3
Trailer Telegraphic Code OAH-4	1
Steam Cleaner	1
Lube Unit	1
Trailer Cargo ¼T M416B1	28
Trailer Cargo ½T M105A2	5
Trailer Tank Water M107A2	3
Truck Ambulance M170 ¼T	1
Truck Cargo 2½T M35A2	8
Truck Utility ¼T M422A1	30

HEADQUARTERS BATTALION

ITEM	QUANTITY
Generator PU-239	2
Generator PU-432	3
Generator PU-587	7
Radio Set AN/MRC 38	14
Radio Set AN/MRC 63	3
Radio Set AN/MRC 83	18
Radio Set AN/MRC 87	2
Radio Terminal Set AN/MRC 62	10
Shelter Electronics Maint AN/GRM 48	2
Shop Electronics AN/GRM 32B	1
Shop Electronics AN/GRM 38A	1
Trailer Telegraphic Code CAH-4	3
Steam Cleaner	2
Lube Unit	2
Trailer Cargo ¼T M416B1	2

ITEM	QUANTITY
Trailer Cargo 3/4 T M101A1	14
Trailer Cargo 1½ T M105A2	9
Trailer Cargo Water 400Gal M107A2	5
Truck Ambulance M170	1
Truck Cargo 3/4T M37B1	14
Truck Cargo 2½T M35A2	15
Truck Utility ¼T M422A1	46
Truck Wrecker 5T M543A2	1

2D ENGINEER BATTALION

ITEM	QUANTITY
Gen 60KW 60 CPS Skid Mtd	4
Gen Set DE Tlr Mtd PU-239	3
Gen Set DE PU-348 A/G 7KW	5
Radio Set AM/MPC-83	6
Bath Unit Trlr Mtd	16
Compressor 105 CFM	3
Compressor SP Wheeled	3
Crane-Shovel Crawler Bay City M37	3
Crane Trk Mtd Bay City 150-T46	1
Crane M60	3
Floodlight Trlr Mtd	6
Grader, Adams 550	4
Grader, Towed 125	2
Loader, Scoop Type	3
Scraper Earth Moving	4
Tractor, TD-15	15
Tractor, TD-18	4
Water Pist Set	12
Water Purif Unit	12

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

ITEM	QUANTITY
CLIW M-274	27
Steam Cleaner Trlr Mtd	2
Dolly M-199	1
HPLU	5
Low Bed 25T	3
Trlr ¼T M-100	13
Trlr 3/4T M-101	17
Trlr 1½T M-105 A2	14
Trlr 400 Gal M-107 (water)	5
Trk Ambulance ¼T M-170	1
Trk M-37 3/4T	19
Trk Dump M-51 5T	24
Trk V18A/MTO 2½T Earth Auger	1
Trk Tank Gas 2½ T 1200 Gal	2
Trk Tractor M-52 5T	3
Trk Util M-422 Mite	13
Trk Wrecker M-62 5T	1

SERVICE BATTALION

ITEM	QUANTITY
Generator 60 KW	2
Generator PU-239	4
Generator PU-348	7
Generator PU-482	3
Radio Set AN/MRC 38	1
Radio Set AN/MRC 83	3
Shop Maint. Electronic PW AN/GPM-32A	2
Shop Maint Electronic AN/GPM-38A	2
Floodlight Set Electronic	6

ITEM	QUANTITY
Saw Radial Overarm	1
Truck Forklift R. T. 30001bs	13
Truck Forklift R. T. 60001bs	9
Welding Machine Arc	4
Cleaner Steam	3
Dolly Trailer Converter 18T	2
Lube Unit	6
Lube Unit	2
Semi-trailer Low Bed 25T	2
Semi-trailer Low Bed 12T	4
Semi-trailer Van Expansive	3
Semi-trailer Shop Van 6T	4
Shop Set Automotive	2
Trailer Cargo ¼T M416B1	24
Trailer Cargo 3/4T M101A1	17
Trailer Cargo 1½T M105A2	20
Trailer Tank Water Gal M107A2	19
Truck Ambulance ¼T M170	2
Truck Cargo 3/4T M37B1	17
Truck Cargo 2½T M35A2	50
Truck Platform ½T M274A2	14
Truck Tanker 2½T M49Ca2	4
Truck Tank Water 100 Gal M50A2	3
Truck Tractor 5T M52A2	6
Truck Utility ¼T M422A1	34
Truck Van 2½T M109A3	4
Truck Wrecker 5T M543A2	6
Truck Shop Set	2
Shop Set	2
Shop Set Small Arms	2
Shop Set Basic Instrument	2
Shop Set Mobile Artillery	2

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

(e) List of engineer equipment organic to the 2d Marine Division:

ITEM	QUANTITY
Tractor TD-15	36
Tractor, Indust MPS 100	10
Loader, Scoop AC	6
Scraper, Towed P-82	4
Grader, MOD 550	4
Grader, MOD 125	2
Generator PU-239	3
Generator	4
Generator PU-348	5
Bath Unit	16
Floodlight	16
Water Dist Equipment	12
Water Purification Unit	12
Compressor 105	3
Compressor 125 SP	3
Welding Machine Arc	7
Saw Radial Overarm Wood-working & Metal TRL MTD	2
Shop Equip Organ Repair Light Truck MTD Set #2	2
Crane MOD 37	3
Crane MOD 2N	12
Crane MOD 150T46	4
Crane MOD M-60	9
Truck Forklift Art 30	19
Truck Forklift PFK-60	15
Mule M-274	27
Mighty Mite M-422	13
Truck Cargo M-37	19
Truck Cargo M-54	6
Truck Tractor M-52	3
Truck Wrecker M-62	1
Truck Dump M-51	24
Truck Tanker M-49	2

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

5. Description of construction being requested.

(a) A modern equipped structure of steel and masonry construction of the type presently being built (i.e., brick exterior and concrete floors) at Camp LeJeune, plus hardstand parking for those vehicles awaiting third echelon maintenance. This building should contain the following general construction features. Duration of need is indefinite.

(1) Electrical: Three-phase, 110/220 volt, 60 cycles per second power. Outlets should be placed at convenient locations throughout the structure. 110 volt electrical receptacles should be placed at each workbench. A complete electrical grounding system is required throughout. Portable type DC power sources are required in all shop areas.

(2) Lighting: Fluorescent lighting throughout. Each workbench should have a fluorescent bench lamp. Natural lighting (i.e., skylights, windows etc.) should be utilized to the maximum extent possible. Flood lights required in parking areas.

(3) Heating: Central heating throughout.

(4) Air Conditioning: Temperature - Humidity control in administrative spaces.

(5) Inter-Office Communications: Intercom system in all work spaces. Master control unit should be installed in both the wheeled vehicle and engineer maintenance office. Slave units should be used in all other spaces.

(6) Compressed Air: Outlets should be spaced in the wheeled vehicle maintenance shop, engineer maintenance shop, and at each workbench.

(7) Telephones: Two telephones required. One should be located in the Motor Transport Platoon Office and one should be located in the Engineer Platoon Office.

(8) Floors: Reinforced concrete floors capable of supporting a twenty-ton wheeled or tracked vehicle.

(9) Air Exhaust System: A system by which exhaust fumes may be dispersed should be installed throughout building including the paint shop. Flexible hose connections for dispersing engine exhausts are required in engineer and wheeled vehicle shop areas.

(10) Workbenches: Built in, required in all work spaces.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

(11) Interior Walls: Lath and plaster or plasterboard throughout; wood panel doors with interior hinges.

(12) Ceiling: Acoustical tiling with asbestos insulation in direct and indirect support areas.

(13) Security: Interior and exterior security lighting should be installed.

(14) Plumbing: Hot and cold running water in head/locker area. Cold running water only in all maintenance shops and for fire prevention sprinkling system.

(15) Steam: Wet steam should be provided in all maintenance shops.

(16) Working Spaces:

(a) Wheeled Vehicle Maintenance Shops (30 Bays): The wheeled vehicle maintenance shops should contain a total of at least six 20-ton capacity hydraulic lifts, an overhead lubrication unit, a 2½-ton overhead rail crane, compressed air outlest, 110/220 volt electrical outlets at convenient locations, a waste oil sump, overhead vehicle doors at both ends of the shop, an automotive parts cleaning facility, and "drive through" straddle racks capable of supporting at least 10 tons.

(b) Engineer Maintenance Shop (12 Bays): Engineer Maintenance shop should contain overhead lubrication units, a 2½-ton overhead rail crane, compressed air outlets, 110/220 vac electrical power outlets at convenient locations, a waste oil sump, overhead vehicle doors at both ends of the shop, and a parts cleaning facility.

(c) Engineer and Motor Transport Shop Stores: Sufficient shelving to stock all repair parts, 110 vac receptacles.

(d) Engineer Equipment Maintenance Office: Telephone outlet, 110 vac receptacles.

(e) Engineer Tool Issue Room: Adequate shelving to store tools, 110 vac electrical receptacles.

(f) Motor Transport Wheeled Vehicle Tool Issue Room: Adequate shelving to store tools, 110 vac electrical receptacles.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

(g) Head/Locker Space: 110 vac electrical receptacles. Hot and cold running water, and wash basins in head.

(h) Motor Transport Paint Shop: Compressed air, 110/220 vac 60 cycle per second power, overhead vehicle door, and parts cleaning facility. This area can be used as a maintenance shop when no vehicles are being painted. Explosive proof electrical outlets and lighting fixtures are required. Lighting should be of high intensity for paint drying, similar to commercial paint shop facilities.

(i) Welding Shop: Should contain storage racks for exygen, acetylene and welding equipment, welding bench.

(17) Outside Area:

(a) Washing Area: Hardstand (bituminous or concrete), high pressure water, deck drains and wash racks.

(b) Alternate lubrication rack next to structure.

(c) Security Lighting: Light poles, lighting transformers, weatherproof electrical receptacles and control devices.

(d) Steam facility to provide wet steam.

(e) Loading ramps.

(f) Approach Ramps: Approach ramp to engineer maintenance shop shall be concrete. It should extend at least fifty feet from the building. Other approach ramps may be bituminous material.

(b) Duration of need indefinite.

6. List of Collateral Equipment to Be Included in the Line Item:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

ITEM	QUANTITY
Air Conditioning	
Compressed Air to all Shops	
Inter-Communication System	
Mechanical Exhaust System	
Workbenches in all Work Bays	
Hydraulic Lift 20-Ton Capacity	1
Overhead Rail Crane 2½-Ton capacity	2
Shelving in all Storage Areas	

7. List of Collateral Equipment Associated With, but Not Included in, Line Item: None required.

8. Justification for New Facility:

(a) The proposed 3d echelon combat vehicle maintenance facility as described herein will provide a proper maintenance facility for the performance of 3d echelon maintenance on the 2661 wheeled combat vehicles and 793 engineer vehicles authorized the 2d Marine Division. The nature of the 3d echelon work in the general terms involves replacement of major assemblies such as engines and power trains, rebuilding of items replaced at 3d echelon such as carburetors and components of electrical systems. Welding, body repairs and painting of vehicles are also a function of 3d echelon maintenance.

(b) The 2d Service Battalion presently accomplishes all 3d echelon combat vehicle maintenance repairs in Butler buildings. These buildings were erected in 1951-1952 as semi-permanent buildings. All of the buildings are inadequate in all respects for a maintenance facility.

9. Effects if the New Facility is Not Provided.

(a) Combat vehicle deadline times are relatively high in the 2d Marine Division due to lack of adequate facilities, and in all probability will remain high until adequate indoor repair facilities are provided which incorporate all of these features outlined in paragraph 5.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

10. Justification for the size and scope of the new facility.

(a) The U.S. Marine Corps Table of Equipment (T/E) prescribes the number and type of combat vehicles organic to the units of the 2d Marine Division. The T/E was used as the basis for preparing the computations necessary for determining the number of repair bays, direct and indirect support space required for the 3d echelon combat vehicle maintenance facility.

(b) The number of repair bays required was computed as prescribed in NAVDOCKS P-80. This involved preparing an inventory listing by equipment cost codes for all of the combat vehicles in the 2d Marine Division as authorized by the T/E and multiplying the total number of each item of equipment by its corresponding space factor (see tables 21-7, 21-8, and 21-9 of NAVDOCKS P-80). The individual code subtotals were then added resulting in a total number of bays required. This figure was rounded off to the nearest whole integer and table 21-10 of NAVDOCKS P-80 was used to convert to square feet. Using this method, a total work area (including direct and indirect support areas) of 42,295 square feet is required for the 2d Marine Division third echelon combat vehicle maintenance facility. To provide for a maintenance facility of adequate size to properly perform third echelon maintenance, factors were developed by this command which are not covered by criteria of the NAVDOCKS P-80. Criteria was developed by using an average deadline rate of combat vehicles requiring third echelon maintenance, average repair time required in shop, unit tables of organization, repair parts availability and present space utilization. Using the method established by NAVDOCKS P-80 and applying that criteria developed by this command, a total work area (including direct and indirect support areas) of 26,160 square feet is required for the 2d Marine Division third echelon combat vehicle maintenance facility. This area includes 42 standard size repair bays, and 6,000 square feet of indirect and direct support space.

(c) In addition to covered working space, parking space is required for vehicles awaiting 3d echelon maintenance. NAVDOCKS P-80 prescribes the method to be used in calculating the parking area requirements for organizational vehicles. This method prescribes an area of 40 square yards per vehicle. However, NAVDOCKS P-80 does not specify a method by which parking space for vehicles requiring third echelon maintenance can be calculated. It is assumed that no more than 10% of the 2d Marine Division vehicles will be deadlined at any time. NAVDOCKS P-80 prescribes that parking space for 75% of those vehicles must be provided. Based upon the above hypothesis, parking space for 219 vehicles, or 8,760 square yards of parking area must be provided, and fenced. At least 270 square yards of this space must be reinforced concrete (Category Code 852-10) to support tracked vehicles. The remaining 8,490 square yards shall be bituminous hardstand (Category Code 852-11).

(d) The new facilities are required to replace the existing semi-permanent facilities now being used which have been in existance some 15 or 16 years. These Butler buildings are old and constructed during an era when construction codes were minimal. These buildings provide little more than a lean-to type structure. These buildings have the following deficiencies:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

(1) Space: Bench space is restricted. The parts stock room is insufficient and the tool room cramped. Office space is lacking because of inadequate space. Repair areas are generally inadequate in that these structures were primarily built for temporary storage. Because of the inadequacy of existing doors, large amounts of "dead space" are created.

(2) Power: Inadequate facilities for transmission of power. No grounded electrical system is available.

(3) Lighting: Lighting is insufficient. Bench lamps are insufficient.

(4) Heating: Heating consists of kerosene space heaters which fail to adequately heat the area and are a safety hazard.

(5) Ventilation: No ventilation system exists. Ventilation is insufficient, causing a safety hazard.

(6) Steam Facilities: Wet steam is insufficient.

(7) Plumbing Facilities: Water facilities are insufficient.

11. Justification for the type of Construction Planned.

(a) As pointed out in paragraph 10, the facilities used by the 2d Marine Division for 3d echelon combat vehicle maintenance are primitive with little or no utilities.

(b) The combat readiness of the Marine Corps major elements has proved a vital statistic to the defense of the United States. Without adequate facilities to perform its combat vehicle maintenance requirements its combat readiness posture is impaired.

12. Alternate Solution:

(a) There is no foreseeable economic solution to resolve this requirement which could be adopted. The present facilities at Camp LeJeune are being utilized to the maximum extent possible.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-139	COMBAT VEHICLE MAINTENANCE FACILITY, 2D INCREMENT, 3D ECHELON, 2D MARDIV (HADNOT POINT)

(Continued:)

(b) All of the buildings at Camp LeJeune are of the same vintage. To attempt to modify any other structure would be an exorbitant waste of time and funds.

13. Plans for Facilities Being Replaced. Building 1808 retained for temporary storage. Building 1826 and Building 1827 to be razed.

14. Status of Preliminary Engineering. No preliminary engineering reoprt has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards)are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-139		COMBAT VEHICLE MAINTENANCE FACILITY		



DD FORM 1 JUL 62 1391c

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 596,000	P.L.	214-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 596,000		P-196	COMBAT VEHICLE MAINTENANCE FACILITY 2ND MARINE DIVISION (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 4	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY --		f. GROSS AREA 20,935 SF	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 16 TN	COST ($ 20,000)	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	X
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Provide buildings with steel frame and masonry construction, concrete floor on-grade, overhead doors for track vehicle entrance, spare parts and operational spares room, wheeled vehicle maintenance office, battery shop, tool issue room, wheeled vehicle dispatcher office, tire shop, and OVE storage area. The utilities connections will be provided. Air condition the administration area in each shop.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
SHOP BUILDINGS	SF	20,935	$ 22.00	$ 460
a.		(20,935)		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 136
a. PARKING AREA (BITUMINOUS)	SY	22,680	4.00	(91)
b. PARKING AREA (CONCRETE)	SY	540	10.00	(5)
c. SITE PREPARATION AND UTILITIES	LS			(40)
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 596

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT HADNOT POINT	120,977 *	
b. EXISTING SUBSTANDARD	(190,448)	
c. EXISTING ADEQUATE	9,984	
d. FUNDED, NOT IN INVENTORY	56,310	
e. ADEQUATE ASSETS (c + d)	66,294	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	20,935	
h. DEFICIENCY (a-e-f-g)	33,748	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

Units of the 2nd Marine Division are working in buildings which were constructed nearly a quarter of a century ago. Those buildings new used for combat vehicle maintenance facilities are warehouse buildings (modified for maintenance facilities) and Butler buildings. These buildings are all semi-permanent structures which are inadequate in all respects for a maintenance facility, and also have out-lived the normal expectancy of a buildings of this type. Because of these inadequate facilities, combat vehicle deadlines are relatively high in the 2nd Marine Division and will in all probability remain high until adequate facilities are provided. At present any repairs which are beyond the scope of 2D Echelon maintenance must be performed at 3D Echelon by the 2D Service Battalion. This item will not cause additional water pollution. The air pollution cuased by this item will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-196		2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (214-10)		(HADNOT POINT)

1. Function to be Performed. The performance of 1st and 2d echelon maintenance of the unit's organizational combat vehicles as assigned by the Tables of Equipment (TE) for each unit.

2. Necessity for Performing This Function. The maintenance of the unit's organizational combat vehicles is the individual command's responsibility to maintain the equipment operating and combat ready for deployment in the event of a national emergency.

a. Each unit within the 2d Marine Division is authorized to accomplish 1st and 2d echelon maintenance to its assigned combat vehicles. Any repairs which are beyond the scope of 2d echelon maintenance must be performed at 3d echelon by the 2d Service Battalion.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. The 2d Marine Division has no facilities which are similar to the requested facilities contained herein. The Division presently utilizes various buildings located within the Marine Corps Industrial Aid for Combat Vehicle Maintenance Shops and Butler buildings located within the Division Industrial Area.

Buildings occupied by each unit:

UNIT	BLDG. NO.
2d Reconnaissance Battalion	BA130
2d Shore Party Battalion	1804
2d Service Battalion	1817
Headquarters Battalion	1406

4. Current and Planned Future Workload With Regard to This Function.

a. Breakdown of work orders accomplished by the above units. These figures represent repairs accomplished for the period of calendar year 1966.

UNIT	VEHICLE POPULATION	WORK ORDERS ACCOMPLISHED
Headquarters Battalion	212	---
2d Shore Party Battalion	140	514
2d Reconnaissance Battalion	107	368
2d Service Battalion	315	---
Total	774	

DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

b. The present facilities are in use daily throughout the year. There are, however, short periods of time when special exercises are conducted in which an entire unit may deploy in total for 2 or 3 weeks. During these periods of special deployment, the facility is not in use, however, deployments such as this double the maintenance requirements for vehicles and consequently many nights are also required for post deployment vehicle maintenance. Two examples of additional maintenance requirements when a vehicle contacts salt water are: all vehicles must be thoroughly washed down with water and steam to prevent rusting and secondly all wheel units must be removed and all wheel bearings repacked with grease.

c. List of different type vehicles organic to the above units which are repaired in the maintenance facilities:

RECON BATTALION

ITEM	QTY	FACTOR	BAYS
Radio Set AN/MRC 38	17	.023	.391
Radio Set AN/MRC 83	9	.023	.027
Radio Set AN/MRC 87	3	.023	.069
Trailer Telegraphic Code OAF-4	1	.016	.016
Steam Cleaner	1	.016	.016
Lube Unit	1	.016	.016
Trailer Cargo ¼T M416B1	28	.016	.448
Trailer Cargo ½T M105A2	5	.016	.080
Trailer Tank Water M107A2	3	.016	.048
Truck Ambulance M170 ¼T	1	.023	.023
Truck Cargo 2½T M35A2	8	.023	.184
Truck Utility ¼T M422A1	30	.023	.690

SHORE PARTY BATTALION

ITEM	QTY	FACTOR	BAYS
Generator PU-348	2	.016	.032
Radio Set AN/MRC 38	3	.023	.069
Radio Set AN/MRC 83	3	.023	.069
Crane, Shovel 2N	12	.020	.240
Crane, 150 T46	3	.020	.060
Crane Wheeled M60	6	.020	.120
Floodlight Electric	12	.016	.192
Loader Scoop	3	.020	.060
TD-15	6	.020	.120
MRS-100	3	.020	.060
R. T. Forklift 3000 lbs	6	.020	.120
R. T. Forklift 6000 lbs	6	.020	.120
Welding Machine ARC	1	.016	.016
Steam Cleaner	3	.016	.048
Lube Unit	3	.016	.048
Low Bed 25T	1	.016	.016
Trailer Cargo ¼T M416B1	10	.016	.160
Trailer Cargo 3/4T M101A1	8	.016	.128
Trailer Tank Water 400 Gal M107A2	9	.016	.144
Truck Ambulance ¼T	3	.023	.069
Truck Cargo 3/4T M37B1	8	.023	.184
Truck Cargo 2¼T M35A2	4	.023	.092
Truck Dump 5T M51A2	6	.023	.138
Truck Tank Fuel 1200 Gal M49CA2	1	.023	.023
Truck Tractor 5T Mt2A2	1	.023	.023
Truck Utility ¼T M422A1	16	.023	.368
Truck Wrecker 5T	1	.023	.023
			2.742

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

SERVICE BATTALION

ITEM	QTY	FACTER	BAYS
Generator 60KW	2	.016	.032
Generator PU-239	4	.016	.064
Generator PU-348	7	.016	.112
Generator PU-482	3	.016	.048
Radio Set AN/MRC 38	1	.023	.023
Radio Set AN/MRC 83	3	.023	.069
Shop Maint. Electronic PU-AN/GRM-32A	2	.016	.032
Shop Maint. Electronic AN/GRM-38A	2	.016	.032
Floodlight Set Electric	6	.016	.096
Saw Radial Overarm	1	.016	.016
Truck Forklift R.T. 3000 Lbs	13	.020	.260
Truck Forklift R.T. 6000 Lbs	9	.020	.180
Welding Machine Arc	4	.016	.064
Cleaner Steam	3	.016	.048
Dolly Trailer Converter 18T	2	.016	.032
Lube Unit	6	.016	.096
Lube Unit	2	.016	.032
Semi-trailer Low Bed 25T	2	.016	.032
Semi-trailer Low Bed 12T	4	.016	.064
Semi-trailer Van Expansive	3	.016	.048
Semi-trailer Shop Van 6T	4	.016	.064
Shop Set Automotive	2	.016	.032
Trailer Cargo ¼T M416B1	24	.016	.384
Trailer Cargo 3/4T M101A1	17	.016	.272
Trailer Cargo 1½T M105A2	20	.016	.320
Trailer Tank Water 400 Gal M107A2	19	.016	.304
Truck Ambulance ¼T M170	2	.023	.046
Truck Cargo 3/4T M37B1	17	.023	.391
Truck Cargo 2½T M35A2	50	.023	1.150
Truck Platform ½T M274A2	14	.023	.322
Truck Tanker 2½T M49CA2	4	.023	.092
Truck Tank Water 100 Gal M50A2	3	.023	.069
Truck Tractor 5T M52A2	6	.023	.138
Truck Utility ¼T M422A1	34	.023	.782
Truck Van 2½T M109A3	4	.023	.092
Truck Wrecker 5T M543A2	6	.023	.138
Truck Shop Set	2	.023	.046
Shop Set	2	.016	.032
Shop Set Small Arms	2	.016	.032
Shop Set Basic Instrument	2	.016	.032
Shop Set Mobile Artillery	2	.016	.032
			5.150

HEADQUARTERS BATTALION

ITEM	QTY	FACTOR	BAYS
Generator PU-239	2	.016	.032
Generator PU-482	3	.016	.048
Generator PU-587	7	.016	.112
Radio Set AN/MRC 38	14	.023	.312
Radio Set AN/MRC 63	3	.023	.069
Radio Set AN/MRC 83	18	.023	.414
Radio Set AN/MRC 87	2	.023	.046
Radio Terminal Set AN/MRC 62	10	.023	.230
Shelter Electronics Maint AN/GRM 48	2	.023	.046
Shop Electronics AN/GRM 32B	1	.016	.016
Shop Electronics AN/GRM 38A	1	.016	.016

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CARLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

ITEM	QTY	FACTER	BAYS
Radio Terminal Set AN/MRC 62	10	.023	.230
Shelter Electronics Maint AN/GRM 48	2	.023	.046
Shop Electronics AN/GRM 32B	1	.016	.016
Shop Electronics AN/GRM 38A	1	.016	.016
Trailer Telegraphic Code CAH-4	3	.016	.048
Steam Cleaner	2	.016	.032
Lube Unit	2	.016	.032
Trailer Cargo ¼T M417B1	37	.016	.592
Trailer Cargo 3/4T M101A1	14	.016	.224
Trailer Cargo 1½T M105A2	9	.016	.114
Trailer Cargo Water 400 Gal M107A2	5	.016	.080
Truck Ambulance M170	1	.023	.023
Truck Cargo 3/4T M37B1	14	.023	.312
Truck Cargo 2½T M35A2	15	.023	.335
Truck Utility ¼T M422A1	46	.023	1.058
Truck Wrecker 5T M543A2	1	.023	.023
			4.214

5. Description of Construction Being Requested.

a. Each separate structure in the 2d Marine Division 2d Echelon Maintenance facility shall be a permanent structure having general construction features common to all. These are.

(1) Electrical: 3 Phase 4 wire 110/220 Volt Power. Outlets should be placed at convenient locations throughout the structure. Each work bench should have adequate 110 volt receptacles.

(2) Lighting: Fluorescent lighting throughout. Each workbench should have fluorescent bench lamps. Natural lighting (i.e. skylights, windows etc.) should be utilized to the maximum extent possible. Flood lights required in all organizational vehicle parking areas.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued)

(3) Heating: Central heating throughout.

(4) Air-Conditioning: Temperature-humidity control in all administrative areas.

(5) Floors: Reinforced concrete floors capable of supporting a five-ton wheeled vehicle.

(6) Mechanical Air Exhaust System: A system by which motor vehicle exhaust fumes may be dispensed from the facility.

(7) Interior Walls: Lath and plaster or plasterboard throughout, wood panel doors with interior hinges.

(8) Ceilings: Acoustical tile with asbestos insulation in direct and indirect support areas.

(9) Security: Interior and exterior lighting.

(10) Plumbing: Hot and cold running water in head/locker room area. Cold running water only in battery shop and for fire prevention sprinkling system.

b. Each Structure Should Incorporate the Following Work Spaces:

(1) Wheeled Vehicle Maintenance: Motor Transport Maintenance Shop should contain at least one 5-ton capacity hydraulic lift; an overhead lubrication unit; a one-ton overhead rail crane; compressed air outlets; overhead vehicle doors at one end of the shop; and automotive parts cleaning facility.

(2) Spare Parts and Operational Spares Room: Sufficient shelving to stock all operational spare parts; 110 volt AC receptacles.

(3) Wheeled Vehicle Maintenance Office: Telephone outlets; 110 volt AC receptacles.

(4) Battery Shop: Cold running water, stainless steel sink and drain, shower heads in wall and overhead, floor drains, compressed air, explosion proof electrical receptacles, and a mechanical air exhaust system.

(5) Tool Issue Room: Adequate shelving to store tools; 110 volt AC electrical receptacles.

(6) Wheeled Vehicle Dispatcher Office: One double hung window; 110 volt AC electrical receptacles.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 68	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued)

(7) Tire Shop: Compressed air, 110 volt AC electrical receptacles.

(8) OVE Storage Area:

c. Outside Areas:

(1) Washing area; hardstand (concrete), high pressure water, deck drains, wash racks, and steam.

(2) Alternate lubrication rack next to structure.

(3) Security lighting: light poles, lighting transformers, weatherproof electrical receptacles and control devices.

(4) Steam facility to provide wet steam.

d. Special construction requirements for individual units:

(1) Headquarters Battalion Facility: A 10-ton capacity hydraulic lift in the wheeled vehicle maintenance shop. Reinforced concrete floors to support up to a 10-ton vehicle.

(2) 2d Service Battalion Facility: Same as Headquarters Battalion plus reinforced concrete loading ramp.

(3) 2d Shore Party Battalion Facility:

(a) The Engineer Maintenance Shop to incorporate the same features as the wheeled vehicle maintenance shop, except that no hydraulic lift is required.

(b) A 20-ton capacity hydraulic lift in wheeled vehicle maintenance shop.

(c) A $2\frac{1}{2}$-ton capacity overhead rail crane in the engineer shop, instead of a 1-ton capacity overhead rail crane.

(d) Reinforced concrete floor to support up to 20-tons in engineer maintenance shops and wheeled vehicle shops.

(e) An engineer maintenance office similar to the wheeled vehicle maintenance office.

(f) An engineer dispatch office similar to the wheeled vehicle dispatcher office.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

(g) Welding shop; storage racks for oxygen, acetylene, and welding equipment, welding bench.

(h) OVE storage area for engineer equipment in addition to thatoof wheeled vehicles.

(i) Reinforced concrete loading ramp.

(4) 2d Reconnaissance Battalion Facility: Same as Headquarters Battalion.

6. List of Collateral Equipment to be Included in Line Item (Built-in).

List of Collateral Equipment:

Item	QTY
Air Conditioning Central	Each Facility
Heating, Central	Each Facility
Mechanical Air Exhaust System	Each Facility
10-ton Hydraulic lift	4
20-ton Hydraulic lift	1
$2\frac{1}{2}$-ton Overhead Rail Crane	1
5-ton Hydraulic lift	12
Compressed Air System	Each Facility
Overhead lubrication Unit	17
Shelving (parts & tool rooms)	Each Facility
1-ton Overhead Rail Crane	16

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

List of Collateral Equipment:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

ITEM	PSN	QTY	COST
Desk	7110-270-9838	17	1,337.15
Chair	7110-273-8791	17	410.55
Cabinet File	7110-000-0039	17	3,601.45
Table Office	7110-000-0323	17	338.64
Cabinet Storage	7110-000-0325	17	708.90
Book Case Sect	7110-000-0336	51	1,009.80
Book Case Base	7110-000-0338	17	87.55
Book Case Top	7110-000-0340	17	83.74

8. Justification for New Facility.

a. The proposed 2d echelon combat vehicle maintenance facilities for the above units will provide proper maintenance facilities for the performance of 1st and 2d echelon maintenance on the 1739 combat vehicle authorized in the Marine Corps Tables of Equipment. Each individual unit is required to perform 1st and 2d echelon maintenance on all of the vehicles assigned to the command and provide adequate space to accomplish the work. The nature of the work in general terms involves organizational maintenance, minor repairs, replacement of parts, and operator maintenance.

b. Units of the 2d Marine Division are working in buildings which were constructed nearly a quarter of a century ago. Those buildings now used for combat vehicle maintenance facilities are warehouse buildings (modified for maintenance facilities) and Butler buildings. These buildings are all semi-permanent structures which are inadequate in all respects for a maintenance facility, and also have out-lived the normal life expectancy of a building of this type.

9. Effects if the New Facility is not Provided. Combat vehicle deadlines are relatively high in the 2d Marine Division and will in all probability remain high until adequate facilities are provided which incorporate all features outlined in paragraph 5.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1-Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

10. Justification for the Size and Scope of the New Facility: Breakdown on the square feet of facilities required by each unit, also the amount of parking area required for each of the organization's combat vehicles:

UNIT	VEHICLE POPULATION	NO. BAYS	SQFT BAYS	INDIRECT SUPPORT SQFT	DIRECT SUPPORT SQFT	CROSS AREA OF BLDG SQFT	ASPHALT HARDSTAND	CONCRETE HARDSTAND
Hq Bn	212	4	1920	1500	2720	6140	6360	0
Shore Party	140	3	1440	1050	2080	4570	3660	540
Recon Bn	107	2	960	600	1440	3000	3210	0
Svc Bn	315	5	1725	1725	3100	7225	9450	0
TOTALS	774	14	6045	4875	9340	20935	22680 SY	540 SY

a. The U. S. Marine Corps Tables of Equipment (T/E) prescribes the number and type of Combat Vehicles authorized each individual unit of the 2d Marine Division. The T/E was used as the basis for preparing the computations necessary for determining the number of repair bays, and direct and indirect support spaces required for each unit. The number of repair bays for each unit was computed as prescribed in the NAVDOCKS P-80. Basically this involved preparing an inventory listing by equipment cost codes for all of the combat vehicles supported by each unit, and multiplying the total number of each type of equipment by its corresponding space factor (see tables 21-7, 21-8 and 21-9 of NAVDOCKS P-80). The individual code subtotals were then added, resulting in a total number of bays authorized per unit. This figure was rounded off to the nearest whole integer and table 21-10 of NAVDOCKS P-80 was used to convert the number of bays to square feet. The work area requirements per unit were then totaled to give the total work area (including direct and indirect support areas). A gross area (including direct and indirect support areas) of 22,680 square feet is required for the 2d Shore Party Battalion, 2d Service Battalion, 2d Reconnaissance Battalion and Headquarters Battalion, 2d Marine Division to provide 1st and 2d echelon combat vehicle maintenance facilities for each of the units.

b. In addition to covered working space, parking space is required for the organizational vehicles of each unit. The NAVDOCKS P-80 prescribes the method to be used in calculating the parking area requirements for organizational vehicles at a maintenance facility. Using an area of 40 square yards per vehicle, parking space is provided for 75% of the organizational vehicles. Based upon the criteria promulgated by the NAVDOCKS P-80, the requirements of 22,680 square yards of bituminous hardstand category code 852-11, and 540 square yards of concrete hardstand category code 852-10 are required for outside organizational vehicle parking space. A breakdown of outside vehicle parking requirements per unit was computed and listed above.

c. The new facilities are required to replace the existing semi-permanent facilities now being used which have been in existence some 20 to 25 years. These buildings are old, and constructed during an era when construction codes were minimal. The buildings now being used as combat vehicle maintenance facilities have the following deficiencies:

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

(1) Spaces: Bench space is restricted and parts rooms and tool rooms are insufficient and inadequate. Office space is lacking because of inadequate space, and dispatchers often work under adverse conditions. Repair areas are inadequate, since these structures were primarily built as temporary and semi-permanent storage buildings.

(2) Telephone Service: Notable in the Infantry Regiment areas, telephone services are totally inadequate. In these areas, one telephone number serves two Battalion maintenance facilities located in different structures.

(3) Electrical Power: Inadequate facilities for transmission of electrical power in all areas. Some shops have no electrical receptacles, due to inadequate power supply.

(4) Lighting: Lighting in many cases consists of a naked incandescent bulb suspended from the ceiling. Bench lamps are insufficient.

(5) Heating: Heating consists of kerosene space heaters which fail to heat the shop, monopolize valuable space and are a safety hazard.

(6) Head/Locker Facilities: In most areas, no head facilities are available.

(7) Lubrication Facilities: Compressed air is not available therefore many vehicles must be lubricated by hand.

(8) Mechanical Ventilation System: In most shops none is available and inadequate electrical power precludes the installation.

(9) Washing Facilities: Washing areas in the Infantry Regiment are inadequate or nonexistent. Drainage is poor.

(10) Parking and Hardstands: Most parking areas are inadequate due to crowded conditions. Few have asphalt or concrete surfaces.

11. Justification for the Type of Construction Planned.

a. As pointed out in paragraph 10, the 2d Marine Division is now performing maintenance on its combat vehicles in some structures which prove to be little more than a lean-to facility with little or no utilities.

b. The combat readiness of the Marine Corps and its major elements has proved a vital defense to the United States, Without facilities to perform its combat vehicle maintenance, this defense could be impaired.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

12. Alternate Solution.

a. There are no foreseeable solutions to resolve this requirement which could be adopted. The present facilities at Camp Lejeune are being utilized to the maximum extent possible.

b. All of the buildings at Camp Lejeune are of the same vintage. To attempt to modify any other structure would be an exorbitant waste of time and funds.

13. Plans for Facilities Being Replaced. Buildings to be replaced by the construction of the new maintenance facilities:

UNIT	BLDG #	AREA #	SQFT	YEAR CONSTRUCTED	TYPE OF CONSTRUCTION	PROPOSED DISPOSITION
2d Reconnaissance Btn	BA130 *	*	4,000	1953	S	Retained as Storage Facility
2d Shore Party Btn	1804	3	8,000	1951	S	Retained as Storage Facility
2nd Service Btn	1817	3	12,000	1952	T	Retained as Storage Facility
Headquarters Btn	1406	1	4,396	1942	P	Returned to MCB

* Located at Onslow Beach

a. The Hadnot Point Area of Camp Lejeune has been divided into 4 areas where the 2d Marine Division occupies combat vehicle maintenance facilities. Those facilities located in area #1 are categorized as "permanent" type facilities of concrete block construction. It is planned to relinquish these buildings to Marine Corps Base for their designed use as warehouses.

b. Area #2 will be retained as 2d Marine Division real estate.

c. Area #3 is a conglomeration of semi-permanent and temporary buildings, predominantly Butler Buildings. There are no permanent buildings in the area #3 complex. Proposed future military construction plans will require raising of some Butler Buildings within area #3 to permit construction of new facilities.

d. Area #4 is a wooded area which is under consideration for development as the new "2d Marine Division Industrial Area Complex". A topographic survey has been conducted in this area.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 Oct 1968	1972		NAVY	MARINE CORPS. BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-196	2D-ECHELON COMBAT VEH FACILITIES - 2D DIVISION (HADNOT POINT)

(Continued:)

14. Status of Preliminary Engineering. No preliminary engineering report has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Floor Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item.

DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 27,000	P.L. ———	610-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 27,000		P-800	REHAB ADMINISTRATION BLDG. #315 (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	
b. ADDITION	
c. ALTERATION	X
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 5,181 SF

g. COOLING "AIR COND" CAP. 15 TN COST ($ 12,500)

19. DESCRIPTION OF WORK TO BE DONE

Remodel administration building 315, and install a new central heating and air conditioning system for the building. A new ceiling and new lighting system shall be included as a part of the remodeling. Chilled water for air conditioning shall be from a central chilled system.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ADMINISTRATION BUILDING			$	$
a. REMODEL AND AIR CONDITION	SF	(5,181)	5.20	(27)
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 27

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT HADNOT POINT	512,728 *	
b. EXISTING SUBSTANDARD	(525,967)	
c. EXISTING ADEQUATE	42,408	
d. FUNDED, NOT IN INVENTORY	14,536	
e. ADEQUATE ASSETS (c + d)	56,944	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	5,181	
h. DEFICIENCY (a-e-f-g)	450,603	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

There are 21 administration buildings in the 5 regimental areas at Hadnot Point that were built in 1942 and 1943 as division, regimental and battalion headquarters and administration buildings. The buildings are of permanent construction, and are structurally sound but are substandard due to the lack of air conditioning and inadequate lighting. Air conditioning is authorized when the wet bulb temperature exceeds 67° F for more than 2,200 hours per year. Camp LeJeune averages 2,898 hours per year that exceed 67° F wet bulb temperature. This project is the first increment in the remodeling of all 21 administration buildings for the 2nd division. The remodeling of the administration building is to be scheduled in conjunction with the rehabilitation of the barracks in the battalion area.

DD FORM 1 JUL 62 1391

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-800	REHAB ADMINISTRATION BLDG #315	(HADNOT POINT)

1. Function to be Performed. An administration building for the command and control of a battalion of the 10th Marines.

2. Necessity for Performing This Function. The battalion H & S Company has the responsibility for maintaining the records and requisitions for all personnel assigned to the battalion.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There are 15 battalion administration buildings in the 5 regimental areas assigned to the 2nd Division. All of these buildings were built in 1942 and 1943 and are in good repair and are structurally sound. To consolidate the 2nd Division in these 5 regimental areas will require the retention and remodeling of all of the existing administration buildings in this area. There are other similar buildings in other areas of the base that are to be utilized for other command functions, but there is no other area where the 2nd Division command could be consolidated with existing facilities more adequate.

4. Current and Planned Future Workload With Regard to This Function. An average of 8 to 9 hours per day for a 5-day work week is required to maintain personnel records and schedules, and to requisition materials and supplies at the battalion level. There is no indication that the present work load would be reduced in the foreseeable future.

5. Description of Construction Being Requested. The existing administration buildings built in 1942 are not air conditioned and existing lighting is not adequate for the type of work being performed. Remodeling of the building with a central air conditioning and heating system, a new ceiling, new lighting, and an electrical distribution panel is proposed to offset the substandard conditions of the administration buildings. Chilled water for air conditioning shall be furnished from a central system.

6. List of Collateral Equipment to Be Included in the Line Item.

1. Central heating and air conditioning system.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. The existing desks, chairs, files and other related office equipment is to be inventoried and evaluated to determine the additional collateral equipment requirements.

8. Justification for the New Facility. Air conditioning is authorized when the wet bulb temperature exceeds 67° F for more than 2,200 hours per year. Camp LeJeune averages 2,898 hours per year that exceeds 67° F wet bulb temperature. Existing administration facilities can be remodeled and air conditioned to provide adequate facilities with improved working conditions for less than one-half the cost of new facilities.

9. Effects if the New Facility is Not Provided. If the existing administration buildings are not improved and air conditioned, personnel will have to continue to work in substandard facilities in a very humid and hot environment that affects the quality and the efficiency of the work being performed.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-800	REHAB ADMINISTRATION BLDG #315 (HADNOT POINT)

10. Justification for the Size and Scope of the New Facility. This is the 1st increment and the first of 21 administration buildings in the 2nd Division area that are scheduled for remodeling and air conditioning. It is more economical to remodel and air condition the existing facilities than to build new administration buildings.

11. Justification for the Type of Construction Planned. A central chilled water system is planned for the 5 regimental areas. Supplying chilled water to all buildings in the area requiring air conditioning from a central system will offer the greatest diversity and a reduction in the total air conditioning tonnage requirements, and it will also reduce maintenance requirements.

12. Alternate Solutions. There are no alternate solutions that would be more economical or justifiable.

13. Plans for Facilities Being Replaced. Existing facilities are being remodeled.

14. Status of Preliminary Engineering. No preliminary engineering report has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1)

16. Other Graphic Presentations, Including Photographs. None

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood hazards)are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-800	REHAB ADMINISTRATION BLDG #315 (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 900,000	P.L. _____	722-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 900,000		P-802	ENLISTED MENS BARRACKS (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 2 | b. NO. OF STORES 3 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY 300 MN | f. GROSS AREA 49,600 SF

g. COOLING "AIR COND" CAP. 125 TN COST ($ 110,000)

19. DESCRIPTION OF WORK TO BE DONE

Construct 2 new 3-story barracks buildings in the 3rd regimental area with 2 and 3 men rooms for additional bachelor housing accommodations. The buildings shall be of masonry construction with a steel frame structure, poured concrete floors on a steel truss system, and a built-up insulated roof deck. The building shall be heated and air conditioned from the central steam plant and centrally located chillers. The buildings shall be connected to existing utilities in the area.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
EM BARRACKS	MN	300	$2,900	$ 870
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a. UTILITIES CONNECTIONS				(30)
b. SITE PREPARATION and				( )
c. LANDSCAPING	LS			(30)
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 900

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M MEN)		
a. TOTAL REQUIREMENT HADNOT POINT	13,702*	
b. EXISTING SUBSTANDARD	(14,133)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	464	
e. ADEQUATE ASSETS (c + d)	464	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	300	
h. DEFICIENCY (a-e-f-g)	12,938	

24. RELATED LINE ITEMS

* BFRL AS ADJUSTED: SEE 11000-3

25. REQUIREMENT FOR LINE ITEM

Providing completely livable quarters for bachelor personnel with adequate space and facilities conforming to present criteria is the policy of the Department of Defense. Existing barracks are substandard by the new criteria and are programmed for rehabilitation. After rehabilitation, the 60 barracks in the 5 regimental areas will provide space for only 6,960 men. To consolidate all E2's thru E5's in the 2nd Division in this area, barracks space for 11,460 men is required. This line item is the 1st of 9 increments that is planned to provide 30 new barracks in the 2nd MarDiv area.

DD FORM 1 JUL 62 1391

BOOK NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-802	ENLISTED MENS BARRACKS, 1ST INCREMENT (HADNOT POINT)

1. Function to be Performed. Provide adequate billeting for enlisted personnel in quarters conforming to present criteria.

2. Necessity for Performing This Function. It is the Department of Defense policy to provide adequate barracks for enlisted personnel. In line with this, new criteria are continually being developed to improve the habitability of barracks and considerable emphasis is currently being placed upon improving existing substandard barracks, and/or construction of new modern barracks to replace those which cannot be economically rehabilitated and to satisfy deficiency requirements for bachelor enlisted personnel who must be billeted aboard the base.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. All of the existing barracks at Camp LeJeune are substandard by the new criteria for bachelor housing accommodations except for barracks recently completed for force troops in the French Creek area. In the five regimental areas at Hadnot Point there are 60 barracks of the H Type. Consolidation of the 2nd Marine Division in these areas is planned. All 60 barracks are to be rehabilitated to conform to the new criteria. All other barracks of this type on the base are also to be rehabilitated and retained. There are no other barracks on the base that can be used to perform this function.

4. Current and Planned Future Workload With Regard to This Function. The planned workload for enlisted men billeting requirements in the 2nd Marine Division is 11,708 men.

5. Description of Construction Being Requested. This line item provides for the construction of 2 new barracks buildings to offset the deficiency of bachelor housing accommodations that will exist in the battalion when existing barracks are rehabilitated. 2-men rooms for E-5 grade personnel and 3-men rooms for E-4 and under grade personnel are to be provided to conform to the present criteria. The buildings shall be of masonry construction with a steel frame structure, poured concrete floors over a steel truss system, and a built-up insulated roof deck. The buildings shall be air conditioned from a central system and heated from the central steam plant. Duration of the need for the barracks is indefinite.

6. List of Collateral Equipment to Be Included in the Line Item.

Heating & Air Conditioning	125 Tons	110,000	110,000
Water Cooler, Electric	12 @ 150.00	1,800	1,800
Screens, Door	4 @ 10.00	40	40
Screens, Window	200 @ 4.00	800	800
Total		112,640	112,640

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-802	ENLISTED MENS BARRACKS, 1ST INCREMENT (HADNOT POINT)

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Item Description	Quantity	Unit Price	Total Price
Wardrobe	300	$225.00	$ 67,500
Bunks w/mattress-springs- pillows & linen	300	50.00	15,000
Desk	300	100.00	30,000
Chair (Desk Type)	300	18.00	5,400
Total			$117,900

8. Justification for the New Facility. Providing completely livable bachelor mens quarters with adequate space and facilities conforming to present day criteria is the policy of the Department of Defense. This project is intended to offset part of the total deficiency that will exist when existing barracks are rehabilitated to the new criteria. Air conditioning is authorized when the wet bulb temperature of 67° F exceeds 2,200 hours per year. Camp LeJeune averages 2,892 hours per year that exceed this temperature. This line item represents the first of a series of increments that is planned to satisfy the EM housing deficiency. This is essential to avoid closing too many barracks simultaneously during construction.

9. Effects if the New Facility is Not Provided. If this line item is not provided personnel will continue to be billeted in substandard quarters.

10. Justification for the Size and Scope of the New Facility. The size of the rooms in the new barracks will conform to present criteria for the grades involved.

11. Justification for the Type of Construction Planned. The type of new construction must match that of the existing buildings.

12. Alternate Solutions. There are no alternate solutions.

13. Plans for Facilities Being Replaced. No facilities are being replaced by the planned construction.

14. Status of Preliminary Engineering. No preliminary engineering has been performed other than developing the floor plans and preliminary programming estimates.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-802	ENLISTED MENS BARRACKS, 1ST INCREMENT (HADNOT POINT)

16. Other Graphic Presentations, Including Photographs. None

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards are not applicable).

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
13 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-802	2 NEW EM BARRACKS (HADNOT POINT)



1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
16 SEPT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 90,000	P.L. ———	723-10 (171-10)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 90,000		P-803	REHAB EXISTING MESSHALL #307 (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	
b. ADDITION	
c. ALTERATION	X
d. CONVERSION	X
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 23,073 SF

g. COOLING "AIR COND" CAP. 60 TN COST ($ 53,000)

19. DESCRIPTION OF WORK TO BE DONE

Build partitions in each end of the messhall to provide 4,800 square feet classrooms. A dropped ceiling with new lighting and a new tile floor shall be provided. An air conditioning system shall cool the dining area and the classrooms. Rewiring and new lighting plus the necessary repairs for the messhall shall be included as a part of this project.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
REHAB BUILDING	SF	23,073	$ 3.90	$ 90
a. REHAB MESSHALL	SF	(19,873)	3.90	(77)
b. ACAD/GEN INSTR	SF	(3,200)	3.90	(12)
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 90

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT HADNOT POINT	147,045*	
b. EXISTING SUBSTANDARD	(415,457)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	19,873	
h. DEFICIENCY (a-e-f-g)	127,172	

24. RELATED LINE ITEMS

*BERL AS ADJUSTED: SEE 11000-3

25. REQUIREMENT FOR LINE ITEM

The change to cafeteria operation of the messhall has created an excess of dining space in each messhall. Two 800 square feet classrooms in each end of the messhall can be provided to utilize the excess space and also offset the deficiency which exists for academic and general instruction space. Air conditioning is required because Camp Lejeune has 2,898 hours per year that exceed 67° wet bulb temperature. Air conditioning is authorized when the wet bulb temperature of 67° F exceeds 2200 hours per year. Complete utilization of the space justifies the air conditioning system. Remodeling of the building with new wiring, lighting and ceiling for the classrooms can be provided at less than 1/2 the cost of building new facilities. Repairs to the messhall is economically justifiable. This item will not cause additional air or water pollution.

BOOK NO. ——— PAGE NO. ———

DD FORM 1 JUL 62 1391

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
16 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-803	REHAB EXIST MESSHALL BLDG #307

1. Function to be Performed. Improve substandard conditions in the Messhalls, air condition the dining area, and utilize excess space in the Messhalls for academic and general instruction classrooms.

2. Necessity for Performing this Function. Air conditioning of the dining areas is required to eliminate the hot and humid conditions that exceed a 67° wet bulb temperature for an average of 2,898 hours per year.

3. List of Existing and Authorized Facilities Similar to the New Facility Requested Which Can Be Used for Performing this Function. N/A

4. Current and Planned Future Workload with Regard to This Function. The Messhalls are in daily use serving three meals daily and all Messhalls are conveniently located to serve a battalion area.

5. Description of Construction Being Requested. Permanent installation of air conditioning, requiring some alterations to construct 2 - 800 sq. st. classrooms on each end of the dining area, new lighting and electrical distribution panels, and remodeling and repair of other substandard conditions.

6. List of Collateral Equipment Associated with but not Included in Line Item. N/A.

7. List of Collateral Equipment to be Included in Line Item. N/A.

8. Justification for the New Facility. Air conditioning is authorized when the wet bulb temperature exceeds 67° F. for more than 2200 hours per year. Camp LeJeune has 2,898 hours per year exceeding a wet bulb temperature of 67° F. Air conditioning of Messhalls is an important morale factor in that environmental conditions would be improved in the Messhalls and absenteeism from meals would be decreased and health and eating standards would be improved.

9. Effects if the New Facility is Not Provided. Continued discomfort while eating and a loss of appetite due to high humidity and heat during summer months.

10. Justification for the Size and Scope of the New Facility. This is the 1st increment in the remodeling of 15 Messhalls in the five regimental areas. This project is being scheduled in conjunction with the remodeling and rehabilitating of other buildings within the Battalion area, while the personnel is relocated for rehab of barracks.

11. Justification for the Type of Construction Planned. There is one Messhall in each battalion area that averages feeding approximately 2,200 meals daily per Messhall. The Messhalls are of permanent construction, structurally sound and are conveniently located. It is economically feasible to remodel and retain all 15 Messhalls and utilize excess space for classrooms.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
16 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-803		REHAB EXIST MESSHALL BLDG #307		

12. Alternate Solutions. There is no alternate solution that is more economical.

13. Plans for Facilities being Replaced. N/A..

14. Status of Preliminary Engineering. Preliminary engineering report has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. N/A.

17. Activities Without Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Abatement, Prevention and Control. This item will not cause additional air and water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
16 SEPT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-803	REHAB MESSHALL BUILDING #307 (HADNOT POINT)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 150,000	P.L. _____	730-40	-	CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 150,000	-	P-136	RENOVATION AND ADDITION TO LAUNDRY - BLDG #1500 (HADNOT POINT)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA 35,894 SF	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	

15. TYPE OF WORK	
a. NEW FACILITY	
b. ADDITION	X
c. ALTERATION	X
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Construct an 80'x38' addition to the existing laundry building (#1500). The addition will be concrete block walls on reinforced concrete foundation. Floor will be concrete slab on-grade at same elevation as existing floor. Roof to be steel frame with open web joist with metal deck and built-up roof. Existing building to be ventilated and rehab as required.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
LAUNDRY BUILDING	SF	35,894	$ 4.18	$ 150
a. ADDITION	SF	(3,070)	16.75	(52)
b. RENOVATION	SF	(32,824)	3.00	(98)
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 150

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT	75,200	
b. EXISTING SUBSTANDARD	(42,288)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	35,894	
h. DEFICIENCY (a-e-f-g)	39,306	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM This project is necessary to provide adequate separate space for operating areas, storage areas, and shipping (including pre-shipping storage) areas. It has been found impossible to adequately separate these above three functions within the present space limitations. A satisfactory solution is primarily dependent on provisions of of adequate space to support the functions as separate functions. Positive separation of the operating areas, storage areas, and shipping (including Pre-shipping) will increase overall efficiency by correction of the existing crowded and intermingled conditions, permit proper storage, care and issue of operating supplies, and provide the shipping department with adequate space for efficient pre-shipment storage and shipment of finished items. Overall efficiency will be improved through elimination of backtracking, bottlenecks, and fire and personnel hazards. Truck waiting time will be eliminated or greatly reduced by provision of one additional outloading station for truck pick-up service. Approximately 3070 square feet of additional space is required to correct these conditions. The proposed project is the most feasible of the possible alternatives which will satisfy the requirement. No existing facilities are available for expansion of the laundry. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable. This item will not cause air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-136	RENOVATION AND ADDITION TO LAUNDRY - BLDG #1500 (HADNOT POINT)

1. Function to be Performed. The functions to be performed are the assembling, storage and shipping of cleaned fabrics.

2. Necessity for Performing This Function. It is necessary for this function to be performed in order that fabrics can be returned to the rightful custodian within a reasonable time.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There is no existing authorized facility for this function, nor can one be made available aside from this request that will be practical or economical.

4. Current and Planned Future Workload With Regard to This Function. The current workload will require the utilization of 88% of the floor space that will be made available by this addition. It is expected that 100% of the available space will be utilized within the next year.

5. Description of Construction Being Requested. Duration of need is indefinite. The new addition will be 80'-1½" x 38'-4" and will fill in a rectangular opening between two wings. Three walls will be common with the existing building except for a bit of new wall at the top of the 38'-4" walls to bring the roof up to the proper elevation. The 80'-1½" common wall has 8 windows which must be blocked up because they come at roof level. Two door openings must be cut into this wall also to provide openings for ramps to the main floor of the laundry. A door opening must also be cut into the 38'-4" wall between the new addition and the existing shipping and receiving room. The floor will be concrete slab on-grade at the same elevation as the existing shipping and receiving room floor (approximately 2'-0" fill required). The new wall will be masonry with stucco exterior to match the existing building. Three large doors for truck loading and unloading are required in the new wall. Construction will be similar to the existing building. The roof will be supported by open web bar joists on steel frame and will be metal roof deck with light weight concrete fill and built-up roofing. Continuous loading platform will be provided along the entire front.

6. List of Collateral Equipment to Be Included in the Line Item. No collateral equipment will be needed.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. No collateral equipment of this type will be needed.

8. Justification for the New Facility.

a. Reasons why Project should be done: The present laundry building was constructed in 1941 and was originally built and equipped to service about 20,000 troops or to process 24,700 pounds of laundry per day. For several years the laundry has serviced 30,000 to 35,000 troops and their dependents. During this period additional operating equipment has been procured and installed for producing the required increased workload. The laundry now processes as high as 40,000 pounds per day and habitually ships an average of 29,400 pounds per day. This increase in workload, increase in installed machinery and increase in number of operating personnel has not been

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-136	RENOVATION AND ADDITION TO LAUNDRY - BLDG #1500 (HADNOT POINT)

(Cont'd)

accompanied by an adequate increase in operating space. The increased space need for machinery has previously been met by encroaching upon normal storage areas for work that is in process in the pressing section in the plant. Shipping department space was encroached in the same manner by the installation of flatwork ironer, resulting in crowded conditions, pre-empting of space and lessening of overall efficiency in the shipping department. All previous attempts to balance the workload assembly, storage and shipping problems within the existing space have not produced a satisfactory solution. The three functions of operation; assembly, storage and shipping are inseparably intermingled due to lack of sufficient space to effectively separate these functions within the present space limitations.

b. Description of Existing Conditions: The shipping department has been crowded out to such extent that the shipping area is inadequate. Clean articles of clothing, pending pick-up by customers, are now stored in active work areas. This results in congested work areas and aisles, workload bottlenecks, backtracking, reduction in employee and machinery production and increased fire hazards and hazards to safety of personnel. At present the laundry is unable to completely separate the pre-shipment storage of clean government linen exchange items (fast moving items) from deferred items (slow moving items) which causes unnecessary relocation of either one class items or the other prior to shipping. The shipping department has only one exterior door from which items can be shipped; therefore, only one truck at a time can be loaded. This results in delay in serving activities and delays motor transport trucks for extended periods while waiting turn to load. The various efforts to improve conditions resulting from this workload-storage-shipping-space problem have not produced a solution satisfactory to all factors. The total square footage of the original appropriated shipping department was 1867 square feet, of which 785 square feet has been encroached upon and occupied by production equipment, leaving only 1082 square feet which is inadequate. In fact, in recent years it has become necessary to inconveniently transfer the assembly, storage and shipping of messhall fabrics to another building (No. 1501) across the street. This function required the assignment of three additional military personnel to perform this function. This work could very well be performed with the present laundry personnel if sufficient work and storage space was available in a centralized area in building 1500.

c. Necessity for Correcting or Altering Existing Conditions: Since it has been found impossible to adequately separate the above three functions within the present space limitations, it appears that a satisfactory solution is primarily dependent on provisions of adequate space to support the functions as separate functions. Positive separation of the operating areas, flatwork ironing, storage and shipping, will increase overall efficiency by correction of the existing crowded and intermingled conditions, permit proper storage, care, and issue of finished items. Overall efficiency will be improved through elimination of backtracking, bottlenecks, and fire and personnel hazards. Truck waiting time will be eliminated or greatly reduced by provision of additional outloading stations for truck pick-up service. Approximately 3100 square feet of additional space is required to correct these conditions.

d. Estimated reduction in annual maintenance cost if project is accomplished: The present confused and intermingled conditions result in laundry trucks damaging concrete block walls, doors, machinery and the concrete floor due to constant back-tracking, relocation of products and restricted rolling space. It is estimated that elimination of this excessive laundry truck movement will result in reduction in building maintenance cost of from $300 to $500 per year in reduction of damage to items noted above.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-136	RENOVATION AND ADDITION TO LAUNDRY - BLDG #1500	(HADNOT POINT)

(Cont'd)

e. Functional advantages: The provisions of a separate shipping section will provide control of linen inventories and will prevent the frequent unloading and recounting truck loads of garments. Provision of additional doors (in lieu of the existing one door) will expedite loading out trucks. Adequate shipping space will eliminate the rehandling and relocation of fast and slow moving items. Working conditions and hence efficiency will improve with relief from present crowded and congested conditions. Excessive movement of laundry trucks (backtracking) will be eliminated resulting in increased efficiency of personnel and reduction in damage to the building and equipment.

f. Urgency: Numerous and continuing efforts have been made to correct the operating condition indicated above within the existing space limitations. These efforts have not produced results which were satisfactory for all functions involved. In order to correct the conditions, additional space must be provided for efficient performance of all functions. Further delay in taking positive corrective action in the conditions enumerated above will result in the continuation of all the unsatisfactory conditions above. It is concluded that corrective action should be taken as soon as possible.

g. Date requirement became known: Requirement was known several months before 1961, the year the request was initiated for this construction. Numerous efforts were made within the existing space limitations to correct the conditions. An adequate solution has not been found within these present limitations.

h. Workload, event or other action which created the requirement: No specific event has occured to create the requirement other than the gradual increase in workload and addition of operating machinery over the years for which no additional space has been provided. The original laundry building was constructed in 1941. Need for additional space must have soon been evident since Extension No. 1 (5,293 SF) was added prior to 1944. Extension No. 2 (2,620 SF) was added about 1944-45. No additions have been made in the ensuing years to date.

9. Effects if the New Facility is Not Provided. The unsatisfactory and costly conditions enumerated above will continue to exist into the indefinite future.

10. Justification for the Size and Scope of the New Facility. About 3100 square feet of additional space is needed to overcome the problems enumerated above. To provide this space by connecting the two portions of the present building as indicated on the attached sketch will be the most economical construction.

11. Justification for the Type of Construction Planned. The present building is constructed of clay tile blocks and brick; therefore, the addition should be constructed of concrete blocks and brick because of the duration of the continued need of this facility.

12. Alternate Solutions. There are no alternate solutions to be considered that will provide adequate space for this function.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-136	RENOVATION AND ADDITION TO LAUNDRY - BLDG #1500 (HADNOT POINT)

13. Plans for Facilities Being Replaced. At present the laundry is occupying 1150 square feet of space in building 1501 (Warehouse) for the purpose of assembling, storage and shipping of messhall fabrics. This space will be released to MCB for re-assignment.

14. Status of Preliminary Engineering. No preliminary engineering has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1)

16. Other Graphic Presentations, Including Photographs. Attached photos. (Enclosure 2).

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-136		ADDITION TO LAUNDRY BUILDING #1500		



DD FORM 1 JUL 62 1391c

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-136	ADDITION TO LAUNDRY - RENOVATION BLDG #1500 (HADNOT POINT)



1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 2 NOV 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER	6. LINE ITEM TITLE			
P-136	ADDITION TO LAUNDRY - RENOVATION - BLDG #1500			

(HADNOT POINT)



DD FORM 1 JUL 62 1391c

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	HADNOT POINT												
124-50	S 1023	2-6689	P	U	5,000	VEH READY FUEL STOR TANK	GA	12,000	12,000	29	RETAIN		
124-50	S 1024	2-6690	P	U	5,550	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1025	2-6691	P	U	5,000	VEH READY FUEL STOR TANK	GA	12,000	12,000	29	RETAIN		
124-50	S 1026	2-6692	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1027	2-6693	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1028	2-6694	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1029	2-6695	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1030	2-6696	P	U	5,000	VEH READY FUEL STOR TANK	GA	12,000	12,000	29	RETAIN		
124-50	S 1031	2-6697	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
124-50	S 1032	2-6698	P	U	5,500	VEH READY FUEL STOR TANK	GA	15,000	15,000	29	RETAIN		
	1709	2-5060	P	T	28,370	MULTIPLE USE BLDG	SF	8,372	8,372	25	REMOVE		
442-10	* A					GEN WAREHOUSE	SF	3,881	3,881				
131-90	* B					COMM BLDG/OTHER	SF	1,750	1,750				
171-10	* C					ACD/GEN INSTR BLDG	SF	477	477				
229-90	* D					PROD FACS/OTHER	SF	2,264	2,264				
132-10	S 99	2-6787	P	U	900	RADIO TOWER	EA	1	1	29	RETAIN		

NOTE: (1) = REMOVE DUE TO NEW CONSTRUCTION

CLASSIFICATION STAMP

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
DPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-90	244	2-4753	S	R	254	TRAINING BLDG/OTHER	SF	140	140	29	RETAIN		
171-90	548	2-4752	S	U	254	TRAINING BLDG/OTHER	SF	140	140	29	RETAIN		
171-90	752	2-4800	S	U	837	TRAINING BLDG/OTHER	SF	549	549	29	RETAIN		
171-90	807	2-4794	S	U	5,600	TRAINING BLDG/OTHER	SF	800	800	29	RETAIN		
171-90	919	2-5252	S	U	560	TRAINING BLDG/OTHER	SF	160	160	29	RETAIN		
171-90	1208	2-5039	P	R	13,886	TRAINING BLDG/OTHER	SF	1,430	1,430	29	RETAIN		
171-90	1731	2-6639	P	U	732	TRAINING BLDG/OTHER	SF	64	64	29	RETAIN		
171-90	TC 175	2-3448	T	N	3,714	TRAINING BLDG/OTHER	SF	960	960	25	REMOVE		
214-10	576	2-5132	P	N	5,660	COMBAT VEH MAINT FAC	SF	2,800	2,800	25	REMOVE		
214-10	598	2-4760	P	N	1,280	COMBAT VEH MAINT FAC	SF	2,800	2,800	25	REMOVE		
214-10	816	2-5192	S	N	32,361	COMBAT VEH MAINT FAC	SF	7,200	7,200	25	REMOVE		
214-10	1711	2-5074	S	N	12,484	COMBAT VEH MAINT FAC	SF	8,000	8,000	25	REMOVE		
214-10	1804	2-5058	S	N	25,831	COMBAT VEH MAINT FAC	SF	8,000	8,000	25	REMOVE		
	1809	2-5111	S	N	36,737	MULTIPLE USE BLDG	SF	12,000	12,000	25	REMOVE		
214-10	* A					COMBAT VEH MAINT FAC	SF	6,688	6,688				
442-10	* B					GEN WAREHOUSE/RI	SF	5,312	5,312				

CLASSIFICATION STAMP

HADNOT POINT

A-1573

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
214-10	1817	2-5062	T	N	35,379	COMBAT VEH MAINT FAC	SF	12,000	12,000	25	REMOVE		
214-10	1823	2-5108	S	N	16,598	COMBAT VEH MAINT FAC	SF	4,000	4,000	25	REMOVE		
	1826	2-5109	S	N	23,048	MULTIPLE USE BLDG	SF	8,000	8,000	25	REMOVE		
214-10	* A					COMBAT VEH MAINT FAC	SF	6,700	6,700				
442-10	* B					GEN WAREHOUSE/RI	SF	1,300	1,300				
214-10	1827	2-5136	S	N	37,460	COMBAT VEH MAINT FAC	SF	12,000	12,000	25	REMOVE		
214-10	1832	2-5116	S	N	23,938	COMBAT VEH MAINT FAC	SF	7,350	7,350	25	REMOVE		
214-10	1841	2-5118	S	N	29,864	COMBAT VEH MAINT FAC	SF	12,000	12,000	25	REMOVE		
214-10	1842	2-5115	S	N	14,297	COMBAT VEH MAINT FAC	SF	4,000	4,000	25	REMOVE		
214-20	912	2-4869	P	C	8,189	AUTO VEH MAINT FAC	SF	5,423	5,423	29	RETAIN		
								REHAB BLDG 912 FOR (215-XX)					
214-20	1819	2-5139	T	N	26,798	AUTO VEH MAINT FAC	SF	8,000	8,000	25	REMOVE		
214-20	1502	2-5143	P	R	307,941	AUTO VEH MAINT FAC	SF	55,000	25,164	29	RETAIN		
214-20	1601	2-5144	P	R	325,725	AUTO VEH MAINT FAC	SF	61,776	61,776	29	RETAIN		
214-90	S 1821	2-4986	P	N	2,037	VEHICLE WASH RACK	SF	1,600	1,600	25	REMOVE		
214-90	S 1846	2-6431	P	U	1,384	VEHICLE WASH APRON	SF	288	288	25	REMOVE (1)		

CLASSIFICATION STAMP

HADNOT POINT

A-1878

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	1810	2-5085	S	N	36,901	MULTIPLE USE BLDG	SF	12,000	12,000	25	REMOVE		
214-10	* A					COMBAT VEH MAINT FAC	SF	5,814	5,814				
217-10	* B					ELEC COMM MAINT SHOP	SF	1,830	1,830				
229-90	* C					PROD FACS/OTHER	SF	4,760	4,760				
610-10	* D					ADMIN BLDG	SF	1,426	1,426				
214-90	S 1805	2-4962	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1806	2-4987	S	U	9,340	GREASE RACK	SF	4,500	4,500	25	REMOVE (1)		
214-90	S 1807	2-4963	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1818	2-4961	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1830	2-4960	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1836	2-4959	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1838	2-4958	P	S	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1839	2-4957	S	U	2,000	GREASE RACK	SF	440	440	25	REMOVE (1)		
214-90	S 1122	2-6673	P	U	1,500	LOADING RAMP	SF	404	404	29	RETAIN		
214-90	S 1837	2-4971	P	U	4,200	RAMP VEH LOADING	SF	500	500	25	REMOVE (1)		

CLASSIFICATION STAMP

HADNOT POINT

A-1972

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
214-90	908	2-4830	S	R	122,435	CENT PAINT SHOP	SF	9,600	9,600	29	RETAIN		
215-10	1828	2-5137	S	N	45,493	ORD REPAIR SHOP	SF	11,545	11,545	25	REMOVE (1)		
	103	2-3885	P	R	10,507	MULTIPLE USE BLDG	SF	3,663	1,467	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,470					
215-10	* B					SMALL ARMS SHOP	SF	1,467	1,467				
610-10	* C					ADMINISTRATION BLDG	SF	726					
								REHAB BLDG 103 to (442-10)					
	126	2-3888	P	R	9,635	MULTIPLE USE BLDG	SF	3,663	1,312	29	RETAIN		
442-10	* A					GEN WAREHOUSE BLDG	SF	2,351					
215-10	* B					SMALL ARMS SHOP	SF	1,312	1,312				
								REHAB BLDG 126 FOR (442-10)					
	222	2-3893	P	C	9,635	MULTIPLE USE BLDG	SF	3,663	1,280	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,383					
215-10	* B					SMALL ARMS SHOP	SF	1,280	1,280				
								REHAB BLDG 222 FOR (442-10)					

CLASSIFICATION STAMP

HADNOT POINT

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (REV 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	231	2-4060	P	R	9,979	MULTIPLE USE BLDG	SF	3,729	1,110	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,619					
215-10	* B					SMALL ARMS SHOP	SF	1,110	1,110				
								REHAB BLDG 231 FOR (442-10)					
	234	2-3894	P	C	10,513	MULTIPLE USE BLDG	SF	3,663	3,663	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,176	2,176				
215-10	* B					SMALL ARMS SHOP	SF	1,487	1,487				
								REHAB BLDG 234 FOR (442-10)					
	328	2-3949	P	C	14,058	MULTIPLE USE BLDG	SF	3,663	576	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	3,087					
215-10	* B					SMALL ARMS SHOP	SF	576	576				
								REHAB BLDG 328 FOR (442-10)					
	402	2-3950	P	C	10,082	MULTIPLE USE BLDG	SF	3,663	1,660	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,003					
215-10	* B					SMALL ARMS SHOP	SF	1,450	1,450				
610-10	* C					ADMINISTRATION BLDG	SF	210	210				
								REHAB BLDG 402 FOR (217-10)					

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	413	2-3951	P	C	9,635	MULTIPLE USE BLDG	SF	3,663	1,569	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,094					
610-10	* B					ADMINISTRATION BLDG	SF	1,164	1,165				
215-10	* C					SMALL ARMS BLDG	SF	405	405				
								REHAB BLDG 413 FOR (442-10)					
	230	2-4059	P	C	9,979	MULTIPLE USE BLDG	SF	3,729	910	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,819					
215-10	* B					SMALL ARMS SHOP	SF	270	270				
610-10	* C					ADMINISTRATION BLDG	SF	640	640				
								REHAB BLDG 230 for (442-10)					
	435	2-4109	P	C	11,464	MULTIPLE USE BLDG	SF	3,240	2,160	29	RETAIN		
215-10	* A					SMALL ARMS SHOP	SF	2,160	2,160				
442-10	* B					GEN WAREHOUSE/RI		1,080					
								REHAB BLDG 435 FOR (442-10)					

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	440	2-4114	P	C	12,004	MULTIPLE USE BLDG	SF	3,240	1,080	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,080					
215-10	* B					SMALL ARMS SHOP	SF	1,080	1,080				
610-10	* C					ADMINISTRATION BLDG	SF	1,080					
								REHAB BLDG 440 FOR (442-10)					
	505	2-3929	P	C	10,374	MULTIPLE USE BLDG	SF	3,663	2,185	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,478					
217-10	* B					ELEC & COMM MAINT BLDG	SF	1,760	1,760				
215-10	* C					SMALL ARMS SHOP	SF	425	425				
								REHAB BLDG 505 FOR (442-10)					
	513	2-3929	P	C	10,002	MULTIPLE USE BLDG	SF	3,663	2,208	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,455					
217-10	* B					ELEC & COMM MAINT SHOP	SF	1,376	1,376				
215-10	* C					SMALL ARMS SHOP	SF	832	832				
								REHAB BLDG 513 FOR (442-10)					

CLASSIFICATION STAMP

HADNOT POINT

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-51)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	533	2-4077	P	C	9,979	MULTIPLE USE BLDG	SF	3,729	3,729	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	1,865	1,865				
215-10	* B					SMALL ARMS SHOP		1,864	1,864				
								REHAB BLDG 533 FOR (442-10)					
	525	2-3939	P	C	10,002	MULTIPLE USE BLDG	SF	3,663	3,663	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,383	2,383				
215-10	* B					SMALL ARMS SHOP	SF	1,280	1,280				
								REHAB BLDG 525 FOR (442-10)					
	530	2-4074	P	C	10,122	MULTIPLE USE BLDG	SF	3,729	2,212	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	1,812	1,812				
442-10	* B					GEN WAREHOUSE/RI	SF	1,517					
215-10	* C					SMALL ARMS SHOP	SF	400	400				
								REHAB BLDG 530 FOR (442-10)					
216-50	TP-448	2-5162	S	R	43,510	SPECIAL WEAPONS SHOP	SF	4,800	4,800	29	RETAIN		
	442	2-4116	P	R	12,232	MULTIPLE USE BLDG	SF	3,240	1,705	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,535					
217-10	* B					ELEC & COMM MAINT SHOP	SF	1,705	1,705				
								REHAB BLDG 442 FOR (217-10)					

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY, LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	444	2-4118	P	C	11,464	MULTIPLE USE BLDG	SF	3,240	2,160	29	RETAIN		
217-10	* A					ELEC COMM MAINT SHOP	SF	2,160	2,160				
442-10	* B					GEN WAREHOUSE/RI	SF	1,080					
								REHAB BLDG 444 FOR (442-10)					
	529	2-4073	P	C	10,356	MULTIPLE USE BLDG	SF	3,729	3,329	29	RETAIN		
217-10	* A					ELEC COMM MAINT SHOP	SF	2,640	2,640				
442-90	* B					ST COV ORG/OTH	SF	689	689				
610-10	* C					ADMINISTRATION BLDG	SF	400					
								REHAB BLDG 529 FOR (217-10)					
	531	2-4075	P	C	12,695	MULTIPLE USE BLDG	SF	3,729	512	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	3,217					
217-10	* B					ELEC COMM MAINT SHOP	SF	512	512				
								REHAB BLDG 531 FOR (217-10)					
217-10	329	2-4062	P	C	10,686	ELEC & COMM MAINT SHOP	SF	3,729	3,729	29	RETAIN		
	338	2-4104	P	R	12,335	MULTIPLE USE BLDG	SF	3,240	714	29	RETAIN		
171-10	* A					ACD/GEN INSTR BLDG	SF	2,526					
217-10	* B					ELEC & COMM MAINT SHOP	SF	714	714				
								REHAB BLDG 338 FOR (171-10)					

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	414	2-3952	P	C	9,635	MULTIPLE USE BLDG	SF	3,663	2,272	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,272	2,272				
442-10	* B					GEN WAREHOUSE/RI	SF	1,391					
								REHAB BLDG 414 FOR (171-10)					
	429	2-4067	P	C	9,979	MULTIPLE USE BLDG	SF	3,729	1,444	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,285					
217-10	* B					ELEC & COMM MAINT SHOP	SF	1,444	1,444				
								REHAB BLDG 429 FOR 442-10					
	437	2-4111	P	C	11,809	MULTIPLE USE BLDG	SF	3,240	2,160	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,160	2,160				
442-10	* B					GEN WAREHOUSE/RI	SF	880					
								REHAB BLDG 437 FOR (442-10)					
217-10	S-23	2-5031	P	U	44,938	RADIO REPAIR	SF	317	317	29	RETAIN		
	100	2-3884	S	U	9,882	MULTIPLE USE BLDG	SF	3,663	3,663	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,678	2,678				
442-90	* B					COVERED STOR/OTH	SF	679	679				
610-10	* C					ADMINISTRATION BLDG	SF	306	306				
								REHAB BLDG 100 FOR (442-10)					

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 3-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
217-10	134	2-4056	P	C	12,844	ELEC & COMM MAINT SHOP	SF	3,729	3,729	29	RETAIN		
217-10	207	2-3889	P	R	9,635	ELEC & COMM MAINT SHOP	SF	3,663	3,663	29	RETAIN		
	200	2-4057	P	C	9,970	MULTIPLE USE BLDG	SF	3,729	1,600	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,129					
217-10	* B					ELEC & COMM MAINT SHOP	SF	1,600	1,600				
								REHAB BLDG 200 FOR (442-10)					
	218	2-3892	P	C	9,635	MULTIPLE USE BLDG	SF	3,663	1,280	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,383					
217-10	* B					ELEC & COMM MAINT SHOP	SF	1,280	1,280				
								REHAB BLDG 218 FOR (442-10)					
	1602	2-5076	P	C	12,193	MULTIPLE USE BLDG	SF	4,396	2,242	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	2,242	2,242				
442-90	* B					ST COV ORG/OTH	SF	2,154					
								REHAB BLDG 1602 FOR (442-90)					
	1603	2-5077	P	C	13,868	MULTIPLE USE BLDG	SF	4,396	3,014	29	RETAIN		
217-10	* A					ELEC COMM MAINT SHOP	SF	3,014	3,014				
171-10	* B					ACAD/GEN INSTR BLDG	SF	1,264					
								REHAB BLDG 1603 FOR (442-90)					

CLASSIFICATION STAMP

HADNOT POINT

A-167

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	1704	2-5067	P	C	15,486	MULTIPLE USE BLDG	SF	4,396	1,718	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,158					
217-10	* B					ELEC COMM MAINT SHOP	SF	1,718	1,718				
								REHAB BLDG 1704 FOR (442-10)					
	1707	2-5159	P	C	32,252	MULTIPLE USE BLDG	SF	4,554	3,570	29	RETAIN		
217-10	* A					ELEC & COMM MAINT SHOP	SF	3,570	3,570				
610-10	* B					ADMINISTRATION BLDG	SF	984					
								REHAB BLDG 1707 FOR (442-10)					
	PT-1	2-5149	S	R	145,798	MULTIPLE USE BLDG	SF	29,104	19,472	29	RETAIN		
218-10	* A					PARACHUTE LOFT	SF	19,472	19,472				
442-10	* B					GEN WAREHOUSE/RI	SF	5,474					
610-10	* C					ADMINISTRATION BLDG	SF	4,158					
218-20	910	2-4835	S	R	12,388	CONST EQ MAINT SHOP	SF	4,000	4,000	29	RETAIN		
218-20	622	2-6621	S	U	150	MAINT FAC/OTHER	SF	24	24	29	RETAIN		
218-20	1504	2-5071	P	N	11,737	MAINT FAC/OTHER	SF	4,396	4,396	25	REMOVE		

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
218-20	1808	2-5061	S	N	30,481	CONST EQ MAINT SHOP	SF	8,000	8,000	25	REMOVE		
218-20	1815	2-5057	S	N	15,966	MAINT FAC/OTHER	SF	1,600	1,600	25	REMOVE		
	902	2-4892	P	C	383,984	MULTIPLE USE BLDG	SF	45,900	45,900	29	RETAIN		
218-20	* A					CONST EQUIP MAINT SHOP	SF	32,400	32,400				
215-10	* B					SMALL ARMS SHOP	SF	13,500	13,500				
								REHAB BLDG 902 FOR (442-10)					
218-40	S 1008	2-5033	P	U	2,000	RR EQ MAINT SHOP	SF	264	264	29	RETAIN		
219-10	765	2-4797	P	R	17,794	P W/MAINT SHOP	SF	600	600	29	RETAIN		
219-10	780	2-4809	T	U	16,160	P W/MAINT SHOP	SF	3,300	3,300	29	RETAIN		
219-10	847	2-6351	P	R	1,243	P W/MAINT SHOP	SF	576	576	29	RETAIN		
	1102	2-4867	P	U	12,549	MULTIPLE USE BLDG	SF	5,040	2,033	29	RETAIN		
442-70	* A					BASE MAINT STORAGE	SF	2,907					
219-10	* B					PW/MAINT SHOP	SF	2,033	2,033				
610-90	* C					ADMINISTRATION BLDG	SF	100					

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
219-10	1410	2-5075	P	U	11,487	PW/MAINT SHOP	SF	4,396	4,396	29	RETAIN		
	909	2-4828	S	R	122,435	MULTIPLE USE BLDG	SF	57,200	57,200	25	REMOVE		
229-90	* A					PRES/PAC FAC	SF	41,200	41,200				
214-10	* B					COMBAT VEH MAINT FAC	SF	16,000	16,000				
310-90	PT-8	2-5103	T	N	5,000	RD-T BLDG/OTHER	SF	960	960	25	REMOVE		
422-20	S 843	2-6347	P	R	1,021	SM/ARM/PYRO MAG	SF	140	140	29	RETAIN		
422-30	S 835	2-6339	P	R	534	SM/ARM/PYRO MAG	SF	168	168	29	RETAIN		
422-30	S 837	2-6341	S	R	719	SM/ARM/PYRO MAG	SF	208	208	29	RETAIN		
422-30	S 840	2-6344	S	R	433	SM/ARM/PYRO MAG	SF	168	168	29	RETAIN		
422-30	S 842	2-6346	S	R	1,006	SM/ARM/PYRO MAG	SF	144	144	29	RETAIN		
422-90	S 846	2-6350	P	R	321	AMO SI RI/OTHER	SF	110	110	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	1835	2-5113	S	R	25,945	MULTIPLE USE BLDG	SF	8,000	8,000	25	REMOVE (1)		
442-10	* A					GEN WAREHOUSE/RI	SF	4,840	4,840				
217-10	* B					ELE COMM MAINT SHOP	SF	2,400	2,400				
610-10	* C					ADMINISTRATION BLDG	SF	760	760				
	905	2-4900	P	R	389,950	MULTIPLE USE BLDG	SF	64,800	11,960	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	51,840					
217-10	* B					ELEC & COMM MAINT SHOP	SF	11,960	11,960				
610-10	* C					ADMINISTRATION BLDG	SF	1,000					
	1405	2-4847	P	C	12,572	MULTIPLE USE BLDG	SF	4,396	2,563	29	RETAIN		
214-10	* A					COMBAT VEH MAINT FAC	SF	1,387	1,387				
610-10	* B					ADMINISTRATION BLDG	SF	1,176	1,176				
442-10	* C					GEN WAREHOUSE/RI	SF	1,833					
								REHAB BLDG 1405 FOR (442-10)					

CLASSIFICATION STAMP

HADNOT POINT

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
219-10	1404	2-5054	P	R	67,861	P W/MAINT SHOP	SF	10,050	10,050	29	RETAIN		
								REHAB BLDG 1404 FOR (442-10)					
	1403	2-5086	P	R	63,819	MULTIPLE USE BLDG	SF	10,050	10,050	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	8,794	8,794				
740-34	* B					THRIFT SHOP	SF	1,256	1,256				
								REHAB BLDG 1403 FOR (422-10)					
214-10	1406	2-4833	P	C	13,167	COMBAT VEH MAINT FAC	SF	4,396	4,396	29	RETAIN		
								REHAB BLDG 1406 FOR (442-10)					
442-30	702	2-4827	P	U	296	FLAM STHSE/RI	SF	156	156	29	RETAIN		
442-30	729	2-4826	P	U	801	FLAM STHSE/RI	SF	143	143	29	RETAIN		
442-30	1816	2-5056	P	U	200	FLAM STHSE/RI	SF	200	200	25	REMOVE (1)		
442-30	1847	2-6760	P	T	1,308	FLAM STHSE/RI	SF	192	192	25	REMOVE		
442-30	1849	2-6796	S	U	589	FLAM STHSE/RI	SF	204	204	25	REMOVE (1)		
442-30	TP 451	2-5126	S	R	5,145	FLAM STHSE/RI	SF	3,200	3,200	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-90	1822	2-5117	S	N	27,871	ST COV ORG/OTH	SF	8,000	8,000	25	REMOVE		
442-90	1824	2-5138	S	N	29,610	ST COV ORG/OTH	SF	8,000	8,000	25	REMOVE		
442-90	1848	2-6786	S	U	2,102	ST COV ORG/OTH	SF	192	192	25	REMOVE (1)		
	36	2-3648	P	U	31,863	MULTIPLE USE BLDG	SF	3,663	3,063	29	RETAIN		
540-90	* A					PREVENTIVE DENTISTRY FAC	SF	3,063	3,063				
610-10	* B					ADMINISTRATION BLDG	SF	600					
	1811	2-5140	S	T	34,290	MULTIPLE USE BLDG	SF	4,000	4,000	25	REMOVE (1)		
610-10	* A					ADMINISTRATION BLDG	SF	2,050	2,050				
171-10	* B					ACAD/GEN INSTR BLDG	SF	1,688	1,688				
550-20	* C					DISPENSARY W/O BEDS	SF	262	262				
	1832	2-1511	S	R	34,290	MULTIPLE USE BLDG	SF	8,000	8,000	25	REMOVE (1)		
214-10	* A					CAMBAT VEH MAINT FAC	SF	7,350	7,350				
610-10	* B					ADMINISTRATION BLDG	SF	650	650				

CLASSIFICATION STAMP

HADNOT POINT

A-1871

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
610-10	1812	2-5141	S	N	23,053	ADMINISTRATION BLDG	SF	2,400	2,400	25	REMOVE		
	900	2-5163	P	R	137,760	MULTIPLE USE BLDG	SF	11,416	4,424	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	6,992					
217-10	* B					ELEC & COMM MAINT SHOP	SF	4,424	4,424				
	337	2-4103	P	R	12,020	MULTIPLE USE BLDG	SF	3,240	804	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	1,350					
442-10	* B					GEN WAREHOUSE/RI	SF	1,086					
171-30	* C					ARMORY	SF	804	804				
								REHAB BLDG 337 FOR 442-10					
	11	2-3651	P	C	11,715	MULTIPLE USE BLDG	SF	3,729	3,729	29	RETAIN		
141-60	* A					PHOTO BUILDING	SF	2,041	2,041				
610-90	* B					ADMIN BLDG/OTHER	SF	1,688	1,688				
								REHAB BLDG 11 FOR (442-10)					

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	45	2-5055	P	U	251,278	MULTIPLE USE BLDG	SF	16,262	1,768	29	RETAIN		
219-10	* A					PW/MAINT SHOP	SF	14,494					
610-90	* B					ADMIN BLDG/OTHER	SF	1,768	1,768				
								REHAB BLDG 45 FOR (219-10)					
	67	2-3912	P	U	178,799	MULTIPLE USE BLDG	SF	30,544	4,955	29	RETAIN		
722-10	* A					EM BARRACKS	SF	25,549					
740-10	* B					CHAPEL	SF	1,976	1,976				
610-90	* C					ADMIN BLDG/OTHER	SF	538	538				
171-90	* D					TRAINING BLDG/OTHER	SF	2,481	2,481				
								REHAB BLDG 67 FOR (722-20)					
610-90	117	2-3985	P	U	21,705	ADMIN BLDG/OTHER	SF	3,333	3,333	29	RETAIN		
610-90	203	2-3986	P	U	24,972	ADMIN BLDG/OTHER	SF	3,333	3,333	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC		☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	215	2-3891	P	C	9,635	MULTIPLE USE BLDG	SF	3,729	1,280	29	RETAIN		
610-90	* A					ADMIN BLDG/OTHER	SF	1,280	1,280				
442-10	* B					GEN WAREHOUSE/RI	SF	2,449					
								REHAB BLDG 215 FOR (442-10)					
610-90	518	2-3989	P	R	16,391	ADMIN BLDG/OTHER	SF	3,333	3,333	29	RETAIN		
	914	2-4954	P	R	408,315	MULTIPLE USE BLDG	SF	70,200	10,800	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	59,400					
610-90	* B					ADMIN BLDG/OTHER	SF	10,800	10,800				
								REHAB BLDG 904 FOR (442-10)					
610-90	918	2-5156	S	R	975	ADMIN BLDG/OTHER	SF	225	225	29	RETAIN		
610-90	922	2-5258	S	R	352	ADMIN BLDG/OTHER	SF	100	100	29	RETAIN		
	1005	2-5168	P	R	107,495	MULTIPLE USE BLDG	SF	29,504	21,536	29	RETAIN		
610-90	* A					ADMIN BLDG/OTHER	SF	21,536	21,536				
229-50	* B					PRINTING PLANT	SF	1,686					
740-33	* C					POST OFFICE	SF	6,282					

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
610-90	1018	2-6555	S	R	3,750	ADMIN BLDG/OTHER	SF	390	390	29	RETAIN		
610-90	1020	2-6619	S	R	280	ADMIN BLDG/OTHER	SF	96	96	29	RETAIN		
610-90	1021	2-6620	S	R	420	ADMIN BLDG/OTHER	SF	140	140	29	RETAIN		
610-90	1100	2-4896	P	C	2,293	ADMIN BLDG/OTHER	SF	798	798	29	RETAIN		
	1102	2-4867	P	U	12,549	MULTIPLE USE BLDG	SF	5,040	100	29	RETAIN		
442-70	* A					BASE MAINT SHOP	SF	2,907					
219-10	* B					PW/MAINT SHOP	SF	2,033					
610-90	* C					ADMIN BLDG/OTHER	SF	100	100				
	1103	2-4866	P	U	18,108	MULTIPLE USE BLDG	SF	7,840	532	29	RETAIN		
442-70	* A					BASE MAINT SHOP	SF	4,116					
740-36	* B					HOBBY SHOP	SF	3,192					
610-90	* C					ADMIN BLDG/OTHER	SF	532	532				
	1202	2-5151	P	U	363,713	MULTIPLE USE BLDG	SF	48,727	7,167	29	RETAIN		
219-10	* A					PW/MAINT SHOP	SF	41,560					
610-90	* B					ADMIN BLDG/OTHER	SF	7,167	7,167				

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	1211	2-4907	P	R	396,325	MULTIPLE USE BLDG	SF	70,200	10,800	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	59,400					
610-90	* B					ADMIN BLDG/OTHER	SF	10,800	10,800				
	1402	2-5022	P	R	278,977	MULTIPLE USE BLDG	SF	64,800	23,350	29	RETAIN		
442-90	* A					ST COV ORG/OTHER	SF	30,400					
610-90	* B					ADMIN BLDG/OTHER	SF	2,000	2,000				
740-86	* C					EXCHANGE/ST HSE	SF	32,400	21,350				
	1501	2-5001	P	U	307,941	MULTIPLE USE BLDG	SF	68,400	1,400	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	67,000					
610-90	* B					ADMIN BLDG/OTHER	SF	1,400	1,400				
610-90	1509	2-6622	S	R	324	ADMIN BLDG/OTHER	SF	108	108	29	RETAIN		
610-90	1722	2-5089	S	T	4,000	ADMIN BLDG/OTHER	SF	1,200	1,200	29	RETAIN		
690-90	S 92	2-6730	S	U	1,743	BASE HDQTS SIGN	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	1109	2-4928	P	N	72,585	EM BARRACKS W/O MESS	SF	14,956	14,956	25	REMOVE		
	1110	2-4927	P	N	73,670	MULTIPLE USE BLDG	SF	14,956	14,956	25	REMOVE		
722-10	* A					EM BARRACKS W/O MESS	SF	10,902	10,902				
610-10	* B					ADMIN BLDG	SF	4,054	4,054				
	1208	2-5039	P	N	13,886	MULTIPLE USE BLDG	SF	3,240	3,240	25	REMOVE		
171-90	* A					TRAINING BLDG/OTHER	SF	1,430	1,430				
610-10	* B					ADMIN BLDG	SF	1,182	1,182				
722-10	* C					EM BARRACKS W/O MESS	SF	628	628				
722-10	1313	2-5063	P	N	72,780	EM BARRACKS W/O MESS	SF	14,956	14,956	25	REMOVE		
722-10	1314	2-5064	P	N	72,780	EM BARRACKS W/O MESS	SF	14,956	14,956	25	REMOVE		
723-10	1209	2-5043	P	R	154,014	MESSHALL	SF	22,490	22,490	25	REMOVE		
723-10	9	2-3687	P	R	134,781	MESSHALL	SF	23,073	23,073	29	RETAIN		
723-10	106	2-3999	P	R	119,631	MESSHALL	SF	23,073	23,073	29	RETAIN		
723-10	226	2-4004	P	R	119,833	MESSHALL	SF	23,073	23,073	29	RETAIN		
723-10	325	2-4007	P	R	120,475	MESSHALL	SF	23,073	23,073	29	RETAIN		
723-10	424	2-3930	P	R	148,864	MESSHALL	SF	23,073	23,073	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-10	509	2-4012	P	R	134,124	MESSHALL	SF	23,073	23,073	29	RETAIN		
								NOTE: EACH MESSHALL IN 2ND MARINE DIVISION					
								AREA TO BE REHAB FOR 3,200 SF of					
								(171-10) = TOTAL OF 48,000 SF					
723-30	1820	2-5119	T	N	17,670	TOILET	SF	600	600	25	REMOVE		
723-30	1814	2-5120	T	N	15,603	TOILET	SF	960	960	25	REMOVE		
	572	2-5130	S	N	4,105	MULTIPLE USE BLDG	SF	1,420	1,420	25	REMOVE		
723-20	* A					TOILET		734	734				
442-10	* B					GEN WAREHOUSE/RI	SF	385	385				
171-10	* C					ACD/GEN INST BLDG	SF	3011	301				
730-10	1400	2-5152	P	R	24,848	FIRE STATION	SF	5,151	1,995	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-90	875	2-6613	S	U	430	TICKET BOOTH	SF	35	35	29	RETAIN		
730-90	S 1946	2-6393	P	U		PERS SUP FAC/OTHER	SF	4	4	29	RETAIN		
730-90	PT 23	2-5100	S	N	1,444	PERS SUP FAC/OTHER	SF	384	384	25	REMOVE		
730-90	PT 24	2-5099	S	N	84	PERS SUP FAC/OTHER	SF	48	48	25	REMOVE		
	438	2-4112	P	C	12,315	MULTIPLE USE BLDG	SF	3,240	1,084	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	1,086					
730-90	* B					SUP FAC/OTHER	SF	1,084	1,084				
171-10	* C					ACAD/GEN INSTR BLDG	SF	1,070					
	58	2-3860	P	C	199,360	MULTIPLE USE BLDG	SF	29,896	700	29	RETAIN		
722-10	* A					EM BARRACKS W/O MESS	SF	29,196					
740-19	* B					CREDIT UNION	SF	7,700	700				
								REHAB BLDG 58 FOR (722-20)					
740-30	1610	2-5309	P	R	46,900	SERVICE STATION	SF	3,680	2,395	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

4-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-33	319	2-3971	P	C	9,635	POST OFFICE	SF	3,663	3,663	29	RETAIN		
	229	2-4058	P	C	9,979	M. U. B.	SF	3,729	738	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	2,991					
740-33	* B					POST OFFICE	SF	738	738				
								REHAB BLDG FOR (442-10)					
	344	2-4108	P	R	11,464	M. U. B.	SF	3,260	1,698	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	640					
740-33	* B					POST OFFICE	SF	1,698	1,698				
550-20	* C					DISPENSARY W/O BEDS	SF	922					
								REHAB BLDG FOR (442-10)					
740-74	712	2-5146	P	U	20,152	CHILD CARE CENTER	SF	2,592	2,592	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	36	2-3659	P	R	191,993	MARINE CORPS BASE	SF	27,298	6,547	29	RETAIN		
722-10	* A					EM BARRACKS W/O MESS	SF	19,432					
740-76	* B					LIBRARY	SF	6,547	6,547				
610-10	* C					ADMIN BLDG	SF	896					
171-30	* D					ARMORY	SF	423					
								REHAB BLDG 36 FOR (722-10)					
	1402	2-5022	P	U	278,977	MARINE CORPS BASE	SF	64,800	32,400	29	RETAIN		
740-86	* A					RETAIL WAREHOUSE	SF	32,400	32,400				
442-90	* B					ST COV ORG/OTHER	SF	32,000					
610-10	* C					ADMIN BLDG	SF	4,000					
								CONVERT BLDG 1402 TO (442-10)					
740-87	31	2-3613	S	R	41,842	BOAT HOUSE	SF	4,485	4,485	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-50	S 769	2-4969	S	U	77,464	OUTDOOR THEATER	SF	33,887	33,887	29	RETAIN		
750-50	S 808	2-4968	S	U	4,574	OUTDOOR THEATER	SF	8,500	8,500	29	RETAIN		
750-50	S 1016	2-4945	S	R	3,185	OUTDOOR THEATER	SF	10,800	10,800	29	RETAIN		
750-60	S 749	2-479	S	U	8,045	RECREATION PIER	EA	1	1	29	RETAIN		
750-60	S 135	2-5038	P	U	2,614	RECREATION PIER	EA	1	1	29	RETAIN		
750-60	S 446	2-5037	S	U	3,161	RECREATION PIER	EA	1	1	29	RETAIN		
750-60	S 714	2-4903	S	U	4,572	RECREATION PIER	EA	1	1	29	RETAIN		
750-60	S 715	2-4902	S	U	4,572	RECREATION PIER	EA	1	1	29	RETAIN		
750-60	S 713	2-5032	P	U	2,500	MARINE RAILWAY	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

HADNOT POINT

OPNAV FORM 11000-1 (REV 4-60)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	FRENCH CREEK						
111-81	HELICOPTER LANDING PAD	1,112		SY			
123-10	FILLING STATION	11		OL			
124-50	VEHICLE READY FUEL STORAGE TANK	21,900		GA			
131-15	COMMUNICATIONS CENTER	11,450		SF			
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	1		EA			
141-60	PHOTOGRAPHIC BUILDING	0		SF			
171-10	ACADEMIC & GENERAL INSTR BUILDING	43,935		SF			
171-20	APPLIED INSTR BUILDING	32,000		SF			
171-30	ARMORY	14,000		SF			
171-50	SMALL ARMS RANGE - INDOOR	13		FP			
213-58	BOAT SHOP	960		SF			
214-10	COMBAT VEHICLE MAINT FACILITY	99,250		SF			
214-30	REFUELING VEHICLE MAINT FACILITY	2,240		SF			
214-90	VEHICLE WASH APRON	5,600		SF			
214-90	GREASE RACK	7,000		SF			
215-XX	SMALL ARMS SHOP	0		SF			
216-50	SPECIAL WEAPONS SHOP	5,650		SF			
217-10	ELECTRONICS & COMM MAINT SHOP	0		SF			
218-10	PARACHUTE LOFT	17,500		SF			
218-20	CONSTRUCTION EQUIPMENT MAINT SHOP	11,350		SF			
422-XX	MAGAZINES	63,200		SF			
442-10	GENERAL WAREHOUSE/RI	211,000		SF			
442-20	CONTROLLED HUMIDITY WAREHOUSE	0		SF			
442-90	COVERED STORAGE/OTHER	23,160		SF			
452-XX	OPEN STORAGE	74,500		SY			
540-10	DENTAL CLINIC	11,500		SF			
550-20	DISPENSARY W/O BEDS	14,660		SF			
610-10	ADMINISTRATION OFFICE	162,160		SF			
690-10	FLAGPOLE	4		EA			
722-10	EM BARRACKS W/O MESS	3,457		MN			
723-10	MESSHALL	37,806		SF			

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

NO. OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 2 DECEMBER 1968

SHEET 1 OF 2 SHEETS

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
723-20	LATRINE	0		SF			
724-15	BOQ W/O MESS	0	(INCLUDED IN BASEWIDE/MISC)				
724-30	OFFICERS MESS - CLOSED	2,840		SF			
730-10	FIRE STATION	0		SF			
730-25	GATE/SENTRY HOUSE	100		SF			
730-65	AIR RAID/FALLOUT SHELTER	48,720		SF			
740-10	CHAPEL	1,200		SE			
740-14	EXCHANGE	12,660		SF			
740-30	SERVICE STATION	2,470		SF			
740-33	POST OFFICE	5,230		SF			
740-36	HOBBY SHOP	9,100		SF			
740-37	SPECIAL SERVICES CENTER	990		SF			
740-40	BOWLING ALLEY	12		LA			
740-43	GYMNASIUM	20,500		SF			
740-56	THEATER	734		SE			
740-60	OFFICERS CLUB - OPEN	0	(INCLUDED IN BASEWIDE/MISC)				
740-63	EM SERVICE CLUB	15,850		SF			
740-66	NCO CLUB	15,400		SF			
740-70	STAFF NCO CLUB	6,860		SF			
740-76	LIBRARY	6,780		SF			
740-83	BUS STATION & SHELTERS	150		SF			
740-86	RETAIL WAREHOUSE	3,088		SF			
740-88	EDUCATION CENTER	0	(INCLUDED IN HADNOT POINT)				
740-90	COMPANY RECREATION BUILDING	0		SF			
750-10	PLAYING COURTS	52		EA			
750-20	PLAYING FIELDS	15		EA			
750-30	OUTDOOR SWIMMING POOL	2		EA			
750-50	OUTDOOR THEATER	0		SF			

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

MCO OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. ____

PREPARATION DATE: 2 DECEMBER 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
171-20	FC0201	2- 6592	APPL INSTR BLDG	COV STOR/INST	91	P	U	SF	1320.		0.	0/ 0/ 0
171-20	SH0008	2- 5400	APPL INSTR BLDG	SAME	91	P	U	SF	5604.		0.	0/ 0/ 0
									6924.		0.	
214-10	FC0100	2- 6586	AUTO VE MNT FAC	SAME	91	P	U	SF	31160.		0.	0/ 0/ 0
214-10	FC0200	2- 6591	AUTO VE MNT FAC	SAME	91	P	U	SF	17400.		0.	0/ 0/ 0
214-10	GP0001	2- 5220	AUTO VE MNT FAC	SAME	91	S	R	SF	4000.		4000.	1/ 7/ 0
S 214-10	GP0005	2- 5224	AUTO VEH MNTFAC	SAME	91	T	T	SF	960.* 449.		449.	4/ 0/ 0
									53009.		4449.	
214-90	SFC0103	2- 6589	GREASE RACK	SAME	91	P	U	SF	825.		0.	0/ 0/ 0
214-90	SFC0104	2- 6590	GREASE RACK	SAME	91	P	U	SF	825.		0.	0/ 0/ 0
214-90	SFC0204	2- 6595	GREASE RACK	SAME	91	P	U	SF	825.		0.	0/ 0/ 0
214-90	SFC0205	2- 6596	GREASE RACK	SAME	91	P	U	SF	790.		0.	0/ 0/ 0
214-90	SGP0015	2- 6493	GREASE RACK	SAME	90	P	U	SF	539.		0.	0/ 0/ 0
214-90	SGP0016	2- 6498	GREASE RACK	SAME	90	P	U	SF	477.		0.	0/ 0/ 0
									4281.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
422-10	SHE0001	2- 2569	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0002	2- 2570	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0003	2- 2571	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0004	2- 2572	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0005	2- 2573	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0006	2- 2574	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0007	2- 2575	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0008	2- 2576	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0009	2- 2577	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0010	2- 2578	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0011	2- 2579	HI EXPL/MAG/RI	SAME	10	P	U	SF	3321.		0.	0/ 0/ 0
422-10	SHE0012	2- 5402	HI EXPL/MAG/RI	SAME	91	P	U	SF	2000.		0.	0/ 0/ 0
422-10	SHE0013	2- 5403	HI EXPL/MAG/RI	SAME	91	P	U	SF	2000.		0.	0/ 0/ 0
									40531.		0.	
422-15	SFD0001	2- 2589	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0002	2- 2588	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0003	2- 2590	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0004	2- 2591	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
422-15	SFD0005	2- 2592	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0006	2- 2593	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0007	2- 2594	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0008	2- 2595	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0009	2- 2596	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0010	2- 2597	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0011	2- 2598	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0012	2- 2599	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0013	2- 2600	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
422-15	SFD0014	2- 2601	FUSE DET MAG/RI	SAME	10	P	U	SF	208.		0.	0/ 0/ 0
									2912.		0.	
422-30	SSA0001	2- 2563	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0002	2- 2564	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0003	2- 2565	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0004	2- 2566	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0005	2- 2567	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0006	2- 2568	SM/ARM/PYRO MAG	SAME	10	P	U	SF	1683.		0.	0/ 0/ 0
422-30	SSA0007	2- 2562	HI EXPL/MAG/RI	SAME	10	P	U	SF	1066.		0.	0/ 0/ 0

ACTIVITY AND LOCATION					ACTIVITY CODE		NAVAL DISTRICT OR AREA		FROM STATUS IF OTHER THAN INITIAL ISSUE		DATE PREPARED	
Marine Corps Base, Camp Lejuene, North Carolina					8270-175		5 ND		☐ REVISED CHANGE NO.		1 NOVEMBER 1968	
CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
422-30	SSA0008	2- 2561	SM/ARM/PYRO MAG	SAME	10	P	U	SF	4000.		0.	0/ 0/ 0
422-30	SSA0009	2- 2560	SM/ARM/PYRO MAG	SAME	10	P	U	SF	4000.		0.	0/ 0/ 0
422-30	SSH0001	2- 2528	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
422-30	SSH0002	2- 2529	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
422-30	SSH0003	2- 2530	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
422-30	SSH0004	2- 2557	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
422-30	SSH0005	2- 2558	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
422-30	SSH0006	2- 2559	SM/ARM/PYRO MAG	SAME	10	P	R	SF	320.		320.	8/ 0/ 0
									21084.		1920.	
422-40	SFA0001	2- 2580	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0002	2- 2581	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0003	2- 2582	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0004	2- 2583	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0005	2- 2584	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0006	2- 2585	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0007	2- 2586	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
422-40	SFA0008	2- 2587	FIXED AMMO MAG	SAME	10	P	U	SF	1148.		0.	0/ 0/ 0
									9184.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	FC0101	2- 6587	GEN WHSE/RI	SAME	91	P	U	SF	1320.		0.	0/ 0/ 0
442-10	FC0102	2- 6588	GEN WHSE/RI	SAME	91	P	U	SF	1320.		0.	0/ 0/ 0
442-10	GP0002	2- 5221	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0003	2- 5222	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0004	2- 5223	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0006	2- 5225	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0007	2- 5372	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0008	2- 5373	GEN WHSE/RI	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
442-10	GP0009	2- 5254	GEN WHSE/RI	SAME	91	T	T	SF	512.		512.	4/ 0/ 0
									8912.		6272.	
442-30	SH0009	2- 5968	FLAM STHSE/RI	SAME	91	P	U	SF	64.		0.	0/ 0/ 0
									64.		0.	
442-90	GP0010	2- 5374	ST COV ORG/OTH	SAME	90	T	T	SF	960.		960.	4/ 0/ 0
442-90	GP0011	2- 5375	ST COV ORG/OTH	SAME	90	T	T	SF	960.		960.	4/ 0/ 0
442-90	GP0012	2- 5376	ST COV ORG/OTH	SAME	90	T	T	SF	960.		960.	4/ 0/ 0
442-90	GP0013	2- 5377	ST COV ORG/OTH	SAME	90	T	T	SF	960.		960.	4/ 0/ 0
									3840.		3840.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
									960.*			
P 610-10	GP0005	2- 5224	ADMIN BLDG	SAME	91	T	T	SF	511.		511.	4/ 0/ 0
610-10	SH0007	2- 2522	ADMIN BLDG	SAME	10	P	R	SF	697.		697.	2/ 8/ 0
									1208.		1208.	
690-10	SWF0003	2- 6501	FLAGPOLE	SAME	31	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
723-20	GP0014	2- 5982	TOILET	SAME	90	P	R	SF	224.		224.	1/ 0/ 0
									224.		224.	
730-25	SH008A	2- 5401	AGATE HOUSE	SAME	91	P	U	SF	64.		0.	0/ 0/ 0
									64.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☒ REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col. 6 - Using Activity Codes are as follows:

Code	Activity	Code	Activity
00	2D FORCE SERVICE REGIMENT	31	ASSISTANT CHIEF OF STAFF, G-3
09	FIELD MEDICAL SERVICE SCHOOL	32	DIRECTOR, HOUSING
10	BASE MATERIAL BATTALION	50	BASE MOTOR TRANSPORT
13	RESERVE LIAISON	60	BASE SUPPLY
14	DEPENDENTS SCHOOL	70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
16	BASE MEDICAL	80	STAFF NCO CLUB, E-6 THROUGH E-9
17	BASE COMMUNICATIONS	81	MARINE CORPS EXCHANGE
18	SPECIAL SERVICES	82	COMMISSIONED OFFICERS MESS
21	RIFLE RANGE	83	NURSERY
22	1ST INFANTRY TRAINING REGIMENT	84	KINDERGARTEN
23	MARINE CORPS ENGINEER SCHOOL	85	USO
24	MARINE CORPS SUPPLY SCHOOL	87	SCOUTING ACTIVITIES
25	HEADQUARTERS AND SERVICE BATTALION	89	NCO CLUB E/4, E/5
29	NAVY MEDICAL FIELD RESEARCH LAB	90	2D MARINE DIVISION
30	BASE MAINTENANCE	91	FORCE TROOPS
		92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an explanatory note following the itemized listing of facilities.

Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE 8270-175 | NAVAL DISTRICT OR AREA 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE [X] REVISED CHANGE NO. | DATE PREPARED 1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for ist present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls along with need for rewiring.
14. Building is inadequate because the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an arearea of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	FRENCH CREEK									
111-81	HELICOPTER LANDING PAD	SY	1,112	0	0			1,112	O & M (C)	1,112
	MARINE CORPS BASE		(1,112)	0	0			(1,112)		
123-10	FILLING STATION	OL	11	0	0			11	MILCON	
	MARINE CORPS BASE		(11)	0	0			(11)	3B (UP) P-899	11
124-50	VEHICLE READY FUEL STORAGE TANK	GA	21,900	0	0			21,900	MILCON	
	MARINE CORPS BASE		(21,900)	0	0			(21,900)	3B (UP) P-890	21,900
131-15	COMMUNICATIONS CENTER	SF	11,450	0	0			11,450	MILCON	
	MARINE CORPS BASE		(11,450)	0	0			(11,450)	INCL. IN P-058	11,450
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	EA	1	0	0			1	O & M (C)	1
	MARINE CORPS BASE		(1)	0	0			(1)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-10	ACADEMIC & GENERAL INSTRUCTION BLDG	SF	43,935	0	0	15,435		28,500	MILCON	
	FORCE TROOPS		(43,935)	0	0	(15,435)		(28,500)	3B(FY-73)P-051	28,367
	2ND FSR		ASSIGN 12,800 SF FROM HADNOT POINT CAT CODE (171-10)					12,800	3B(FY-75)P-875	12,800
171-20	APPLIED INSTRUCTION BUILDING	SF	32,000	6,924	0			25,076	MILCON	
	FORCE TROOPS		(32,000)	(6,924)	0			(25,076)	3B(FY-75)P-904	25,076
	2ND FSR		ASSIGN 5,620 SF FROM HADNOT POINT CAT CODE (171-20)					5,620	3B(FY-76)P-906	5,620
171-30	ARMORY	SF	14,000	0	0			14,000	MILCON	
	FORCE TROOPS		(14,000)	0	0			(14,000)	3B(FY-73)P-227	14,000
171-50	SMALL ARMS RANGE - INDOORS	FP	13	0	0			13	MILCON	
	FORCE TROOPS		(13)	0	0			(13)	3B(UP) P-902	13
213-58	BOAT SHOP	SF	960	0	0			960	MILCON	
	FORCE TROOPS		(960)	0	0			(960)	3B(UP)P-207	960

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-10	COMBAT VEHICLE MAINTENANCE FACILITY	SF	99,250	53,009	4,449		(4,449)	50,690	MILCON	106,723
	FORCE TROOPS		(99,250)	(53,009)	(4,449)	EXCESS DUE TO NEW CONST		(50,690)	3B(FY-72)P-054	38,800
	2ND FSR		ASSIGN 51,833	SF FROM HADNOT POINT		CAT CODE (214-10)		51,833	3B(FY-74)P-897	51,833
214-20	AUTO VEHICLE MAINTENANCE FACILITY	SF	0	0	0			0	MILCON	
	FORCE TROOPS		ASSIGN 24,081	SF FROM HADNOT POINT		(214-20)		24,081	3B(FY-73)P-898	24,081
214-30	REFUELING VEHICLE MAINTENANCE FACILITY	SF	2,240	0	0			2,240	INCL.IN P-054	1,600
	FORCE TROOPS		(2,240)	0	0			(2,240)	REMAINDER (6)	
214-90	VEHICLE WASH APRON	SF	5,600	0	0			5,600	INCL.IN P-054	2,600
	FORCE TROOPS		(5,600)	0	0			(5,600)	REMAINDER (6)	
214-90	GREASE RACKS	SF	7,000	4,281	0			2,719	O & M (C)	2,719
	FORCE TROOPS		(7,000)	(4,281)	0			(2,719)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
216-50	SPECIAL WEAPONS SHOP	SF	5,650	0	0			5,650	MILCON	5,650
	FORCE TROOPS		(5,650)	0	0			(5,650)	3B(UP)P-905	5,650
217-90	ELECTRONIC CALIBRATION SHOP (RADIAC)	SF	0	0	0			0	MILCON	
	2ND FSR		ASSIGN 4,000	SF FROM HADNOT POINT CAT CODE (217-90)				4,000	3B(FY-75)P-893	4,000
218-10	PARACHUTE LOFT	SF	17,500	0	0			17,500	MILCON	
	FORCE TROOPS		(17,500)	0	0			(17,500)	3B(FY-74)P-162	17,500
218-20	CONSTRUCTION EQUIPMENT MAINT SHOP	SF	11,350	0	0			11,350	MILCON	
	FORCE TROOPS		(11,350)	0	0			(11,350)	3B(UP)P-892	18,575
	2ND FSR		ASSIGN 7,225	SF FROM HADNOT POINT CAT CODE (217-20)				7,225		
422-XX	MAGAZINES	SF	63,200	73,718	1,920		10,518	0	(5)	
	MARINE CORPS BASE		(63,200)	(73,718)	(1,920)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
									MILCON & O & M(1)	549,292
442-10	GENERAL WAREHOUSE/RI	SF	211,000	8,912	6,272	27,000	(6,272)	181,360	3B(FY-72)P-055 3B(FY-UP)P-118	27,000 120,000
	FORCE TROOPS		(211,000)	(8,912)	(6,272)	(27,000)		(181,360)	REMAINDER(2A)HADNOT POINT BLDGS 1403-1406	28,892
	(1) 2ND FSR		ASSIGN 398,000 SF FROM HADNOT POINT CAT CODE (442-10)					398,000	BLDGS 902 THRU 905 & 914	319,400
									3B(FY-74)P-854	54,000
442-30	FLAMMABLE STORAGE/RI	SF	0	64	0		64		(5)	
	FORCE TROOPS			(64)	0					
442-90	COVERED STORAGE/OTHER	SF	23,160	3,840	3,840		(3,840)	23,160	(2A)	
	FORCE TROOPS		(23,160)	0	0			(23,160)	ALL TO HADNOT POINT BLDGS 1407-1413	21,584
	2ND MARINE DIVISION			(3,840)	(3,840)				(4)	
	2ND FSR		ASSIGN 13,000 SF FROM HADNOT POINT CAT CODE (442-90)					13,000		
452-XX	OPEN STORAGE	SY	74,500	0	0			74,500	O & M (C)	105,722
	FORCE TROOPS		(74,500)	0	0			(74,500)		
	2ND FSR		ASSIGN 31,222 SY FROM HADNOT POINT CAT CODE (452-XX)					31,222		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
540-10	DENTAL CLINIC	SF	11,500	0	0			11,500	MILCON	
	FORCE TROOPS		(11,500)	0	0			(11,500)	3B(FY-72)P-200	14,220
	2ND FSR		ASSIGN 2,720 SF FROM HADNOT POINT CAT CODE (540-10)					2,720		
550-20	DISPENSARY W/O BEDS	SF	14,660	0	0	3,915		10,745	MILCON	
	FORCE TROOPS		(14,660)	0	0	(3,915)		(10,745)	3B(FY-76)P-114	17,513
	2ND FSR		ASSIGN 6,768 SF FROM HADNOT POINT CAT CODE (550-20)					6,768		
610-10	ADMINISTRATION OFFICE	SF	162,160	1,208	1,208	22,800	(511)	139,360	MILCON (1)	197,266
	MARINE CORPS BASE		(0)	(697)	(697)			(0)	3B(FY-73)P-058	28,188
	FORCE TROOPS		(162,160)	(511)	(511)	(22,800)		(139,360)	3B(FY-76)P-999	84,078
	2ND FSR		ASSIGN 84,078 SF FROM HADNOT POINT CAT CODE (610-10)					84,078	3B(UP) P-777	85,000
690-10	FLAGPOLE	EA	4	1	0			3	O & M (C)	3
	FORCE TROOPS		(4)	(1)	0			(3)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
722-10	EM BARRACKS W/O MESS	MN	3,457	0	0	1,500		1,957	MILCON	4,120
	FORCE TROOPS		(3,457)	0	0			(1,957)	3B(FY-72) P-061	1,620
	2ND FSR		ASSIGN 2,012 MN FROM HADNOT POINT CAT CODE (722-10)					2,012	3B(FY-74) P-201 3B(FY-73) P-815	1,500 1,000
723-10	MESSHALL	SF	37,806	0	0	17,315		20,491	MILCON	
	FORCE TROOPS		(37,806)	0	0	(17,315)		(20,491)	3B(FY-72)P-062	20,491
	2ND FSR		ASSIGN 27,000 SF FROM HADNOT POINT CAT CODE (723-10)					27,000	3B(FY-74)P-806	27,000
723-20	LATRINE	SF	0	224	224		(224)	0	(4)	
	2ND MARINE DIVISION		0	(224)	(224)					
724-30	OFFICERS MESS (CLOSED)	SF	2,840	0	0			2,840	MILCON	
	FORCE TROOPS		(2,840)	0	0			(2,840)	INCL IN P-062	3,690
			ASSIGN 850 SF FROM HADNOT POINT CAT CODE (724-30)					850		
730-25	GATE/SENTRY HOUSE	SF	100	64	0			36	(1)	
	FORCE TROOPS		(100)	(64)	0			(36)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-65	AIR RAID/FALLOUT SHELTER	SF	48,720	0	0			48,720	(6)	
	MARINE CORPS BASE		(48,720)	0	0			(48,720)		
740-10	CHAPEL	SE	1,200	0	0			1,200	MILCON	
	MARINE CORPS BASE		(1,200)	0	0			(1,200)	3B(UP)P-260	1,200
740-14	EXCHANGE	SF	12,660	0	0			12,660	MILCON	
	MARINE CORPS BASE		(12,660)	0	0			(12,660)	3B(FY-74)P-063	12,660
740-30	SERVICE STATION	SF	2,470	0	0			2,470	MILCON	
	MARINE CORPS BASE		(2,470)	0	0			(2,470)	3B(UP)P-891	2,470
740-33	POST OFFICE	SF	5,230	0	0			5,230	MILCON	
	MARINE CORPS BASE		(5,230)	0	0			(5,230)	INCL IN P-063	5,230
740-36	HOBBY SHOP	SF	9,100	0	0			9,100	MILCON	
	MARINE CORPS BASE		(9,100)	0	0			(9,100)	3B(UP)P-903	9,100

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ——— | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-37	SPECIAL SERVICE CENTER	SF	990	0	0			990	MILCON	
	FORCE TROOPS		(990)	0	0			(990)	INCL IN P-065	990
740-40	BOWLING ALLEY	LA	12	0	0			12	MILCON	
	MARINE CORPS BASE		(12)	0	0			(12)	3B(UP)P-259	12
740-43	GYMNASIUM	SF	20,500	0	0			20,500	MILCON	
	FORCE TROOPS		(20,500)	0	0			(20,500	3B(UP)P-065	20,500
740-56	THEATER	SE	734	0	0			734	MILCON	
	MARINE CORPS BASE		(734)	0	0			(734)	3B(UP)P-036	734
740-63	EM SERVICE CLUB	SF	15,850	0	0			15,850	MILCON	
	FORCE TROOPS		(15,850)	0	0			(15,850)	3B(FY-75)P-037	28,550
	2ND FSR		ASSIGN 12,700 SF FROM HADNOT POINT			CAT CODE (740-63)		12,700		

OP 441E

CLASSIFICATION STAMP

A-51761

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-66	NCO CLUB	SF	15,400	0	0			15,400	MILCON	
	FORCE TROOPS		(15,400)	0	0			(15,400)	3B(UP)P-778	15,400
740-70	STAFF NCO CLUB	SF	6,860	0	0			0		
	FORCE TROOPS		(6,860)	ASSIGN 6,860 SF TO HADNOT POINT CAT CODE (740-70)						
740-76	LIBRARY	SF	6,780	0	0			6,780	MILCON	
	MARINE CORPS BASE		(6,780)	0	0			(6,780)	INCL IN P-063	
740-83	BUS STATION & SHELTER	SF	150	0	0			150	0 & M (C)	150
	MARINE CORPS BASE		(150)	0	0			(150)		
740-86	RETAIL WAREHOUSE	SF	3,088	0	0			3,088	MILCON	
	MARINE CORPS BASE		(3,088)	0	0			(3,088)	INCL IN P-063	3,08
750-10	PLAYING COURTS	EA	52	0	0			52	3B(UP)P-261	8
	MARINE CORPS BASE		(52)	0	0			(52)	(6)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-20	PLAYING FIELDS	EA	15	0	0			15	3B(UP)P-262	5
	MARINE CORPS BASE		(15)	0	0			(15)		
750-30	SWIMMING POOL (OUTDOOR)	EA	2	0	0			2	MILCON (1)	
	MARINE CORPS BASE		(2)	0	0			(2)	3B(UP)P-901	1

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT LIMITED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	RD OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ------	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O.'s TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITH REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY. 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. NAVY AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 2 DECEMBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FRENCH CREEK														
	FISCAL YEAR 1972														
214-10	COMBAT VEHICLE MAINT FACILITY	38,800	SF	1,053				6	73				3		P-054
442-10	GENERAL WAREHOUSE/RI	27,000	SF	332				6	73				5		P-055
540-10	DENTAL CLINIC	14,220	SF	598				6	73				4		P-200
722-10	EM BARRACKS W/O MESS	1,620	MN	5,608				6	73				1		P-061
723-10	MESSHALL	20,491	SF	941				6	73				2		P-062
	FISCAL YEAR 1972 TOTAL			8,532											
	FISCAL YEAR 1973														
171-10	ACADEMIC & GENERAL INSTR BUILDING	28,367	SF	216				6	74				2		P-051
171-30	ARMORY	14,000	SF	420				6	74				4		P-227
214-20	AUTO VEHICLE MAINT FACILITY	24,081	SF	309				5	74				1		P-898
610-10	ADMINISTRATION BUILDING	28,188	SF	730				6	74				3		P-058
	FISCAL YEAR 1973 TOTAL			1,675											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C. — ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 2 DECEMBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1974														
214-10	COMBAT VEHICLE MAINT FACILITY	51,833	SF	1,140				7	75				3		P-897
218-10	PARACHUTE LOFT	17,500	SF	560				7	75				4		P-162
442-10	GENERAL WAREHOUSE/RI	54,000	SF	644				7	75				5		P-854
722-10	EM BARRACKS W/O MESS	1,500	MN	5,803				6	75				1		P-201
723-10	MESSHALL	27,000	SF	1,349				7	75				2		P-806
740-14	EXCHANGE	27,758	SF	665				7	75				6		P-063
	FISCAL YEAR 1974 TOTAL			10,161											
	FISCAL YEAR 1975														
171-10	ACADEMIC & GENERAL INSTR BUILDING	12,800	SF	384				7	76				4		P-875
171-20	APPLIED INSTR BUILDING	25,076	SF	797				7	76				3		P-904
217-90	ELECTRONICS CALIB SHOP	4,000	SF	114				7	76				2		P-893
722-10	EM BARRACKS W/O MESS	1,000	MN	4,023				6	76				1		P-815
740-63	EM SERVICE CLUB	28,550	SF	869				7	76				5		P-037
	FISCAL YEAR 1975 TOTAL			6,187											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

4-8881

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title)

CODE 3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 2 DECEMBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1976														
171-20	APPLIED INSTR BUILDING	5,620	SF	198				6	77				3		P-906
550-20	DISPENSARY W/O BEDS	17,513	SF	595				6	77				1		P-114
610-10	ADMINISTRATION BUILDING	84,078	SF	2,354				6	77				2		P-999
	FISCAL YEAR 1976 TOTAL			3,147											
	UNPROGRAMMED YEARS														
123-10	FILLING STATION	11	OL	44									3		P-899
124-50	VEHICLE READY FUEL STORAGE TANK	21,900	GA	90									2		P-890
171-50	SMALL ARMS RANGE - INDOORS	13	FP	450									4		P-902
213-58	BOAT SHOP	960	SF	28									6		P-207
216-50	SPECIAL WEAPONS SHOP	5,650	SF	130									5		P-905
218-20	CONSTRUCTION EQUIPMENT MAINT SHOP	18,575	SF	260									1		P-892
442-10	GENERAL WAREHOUSE/RI	120,000	SF	1,386									8		P-118
610-10	ADMINISTRATION OFFICE	85,000	SF	2,400									7		P-777
610-10	ADMINISTRATION OFFICE	2,197	SF	84									7		P-153
610-10	ADMINISTRATION OFFICE	6,532	SF	165									7		P-263

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 2 DECEMBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS (Cont'd)														
740-10	CHAPEL	1,200	SF	1,099									11		P-260
740-30	SERVICE STATION	2,410	SF	40									9		P-891
740-36	HOBBY SHOP	9,100	SF	75									12		P-903
740-40	BOWLING ALLEY	12	LA	415									10		P-259
740-43	GYMNASIUM	21,490	SF	450									10		P-065
740-56	THEATER	734	SE	655									13		P-036
740-66	NCO CLUB	15,400	SF	369									14		P-778
750-10	PLAYING COURTS	8	EA	37									14		P-261
750-20	PLAYING FIELDS	5	EA	51									10		P-262
750-30	SWIMMING POOL - OUTDOOR	2	EA	120											P-901
	UNPROGRAMMED YEARS TOTAL			8,258											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 1,053,000	P.L. —	214-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 1,053,000		P-054	COMBAT VEHICLE MAINT FACILITY (FRENCH CREEK)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 6 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY — | f. GROSS AREA 38,800 SF

g. COOLING "AIR COND" CAP. 14 TN COST ($ 14,000)

19. DESCRIPTION OF WORK TO BE DONE

Construct a maintenance building encompassing 8,500 Sq. Ft., 5 Tank Company Maintenance Facilities encompassing a gross Sq. Ft. floor area of 6,050 Sq. Ft. each. Buildings will be masonry with reinforced concrete foundations and floor. Roofs will be precast concrete on steel frame. Pool storage bldg, 800 Sq. Ft., vehicle maintenance shed, 1,260 Sq. Ft. Refueling facilities with 6 outlets. High pressure washracks, 2 each.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
COMBAT VEHICLE MAINT FACILITY	SF	38,800	$21.73	$ 843
a. BUILDING	SF	(38,800)	21.47	(833)
b.		( )		( )
c.		( )		( )
d. FALLOUT PROTECTION AREA	MN	(240)	40.00	(10)
21. SUPPORTING FACILITIES				$ 210
a. ASPHALTIC CONC PAVE	SY	10,400	4.00	(42)
b. CONC PARKING STANDS	SY	6,000	10.00	(60)
c. 2000	LS	-	-	(30)
d. POL STOR BLDG	SF	800	12.00	(10)
e. VEH MAINT SHED	SF	1,260	6.00	(8)
f. REFUELING FACILITY	OL	6	5000.00	(30)
g. HIGH PRESSURE WASH RACKS	EA	2	15000.00	(30)
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 1,053

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT FRENCH CREEK BFRL	151,083 *	
b. EXISTING SUBSTANDARD	(4,449)	
c. EXISTING ADEQUATE	48,560	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	48,560	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	38,800	
h. DEFICIENCY (a-e-f-g)	63,728	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

The Marine Corps Base includes seven administrative, operational and troop housing areas which form a circular pattern on both sides of New River. Distance between areas varies from 5 to 15 miles, with a total perimeter distance of 68 miles. Force Troops units are dispersed through all these areas (except Rifle Range), and are superimposed on facilities assigned to units of the other commands. Force Troops combat units do not have facilities which are appropriate for the care and maintenance of the specialized equipment assigned. The above conditions result in lowering the effectiveness of command and the ability to maintain combat readiness. In order to permit maximum effectiveness, it is necessary to consolidate all units of Force Troops in one area equipped with suitable facilities. Provision for equipment maintenance facilities is required in the development of the new consolidated area. Failure to provide these requested maintenance facilities will result in improper maintenance, costly parts replacement, loss of man hours, high deadline rates, and incalculable cost of decreased combat readiness. This item will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 (Air Pollution) by corrective measures included as part of this line item. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

DD FORM 1 JUL 62 1391

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

1. Function to be Performed. To provide a first, second, and limited third echelon maintenance and parking facility for wheeled vehicles, ordnance equipment, engineer equipment, fire control, and optical instruments of communications of the Second Tank Battalion.

2. Necessity for Performing This Function. To provide adequate facilities, where efficient, (2nd/3rd Echelon) Combat Vehicle maintenance can be performed.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function.

a. There is a similar facility being constructed at Camp Pendleton, California.

b. The structures presently in use for current equipment maintenance facilities are of temporary construction. They have been expediently rehabilitated or modified to fill the required equipment facility requirements as functionally as possible with what is available. Descriptive data is as follows:

(1) Building 1819.

(a) Motor Transport operations, maintenance, OVE storage and repair including mezzanine 5,941 sq. ft.

(b) Butler building with concrete floor. Constructed 1951, cost $25,831.00.

(2) Building 1820.

(a) Emergency treatment facilities 300 sq. ft.

(b) Head 660 sq. ft.

(c) Total 960 sq. ft.

(d) Quonset building with concrete floor. Constructed 1951, cost $17,620.00

(3) Building 1831.

(a) Supply operations 1,961 sq. ft.

(b) Ready issue & parts 2,000 sq. ft.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-054		COMBAT VEHICLE MAINTENANCE FACILITY		

(FRENCH CREEK)

(continued)

(c) Total 3,961 sq. ft.

(d) Butler building with concrete floor. Constructed 1951, cost $17,155.00

(4) Building 1832.

(a) Battalion tank, ordnance and engineer equipment maintenance and repair 8,000 sq. ft.

(b) Mezzanine 1,312 sq. ft.

(c) Total 9,312 sq. ft.

(d) Butler building with concrete floor.. Constructed 1952, cost $23,938.00.

(5) Building 1833.

(a) Companies "A", "B", and H&S Tank OVE, weapons, optics and communications storage, maintenance and repair facilities 6,957 sq. ft.

(b) Operational deployment supplies and Mount-out supplies for the Battalion and Companies 5,043 sq. ft.

(c) Total 12,000 sq. ft.

(d) Butler building with concrete floor. Constructed 1951, cost $38,788.00.

(6) Building 1835.

(a) Battalion Communications/Electronics maintenance and equipment storage 3,120 sq. ft.

(b) Mezzanine to be included in long-term storage area 960 sq. ft.

(c) Company "C" Tank OVE, weapons and optics storage, maintenance and repair area, 4,880 sq. ft.

(d) Total 8,960 sq. ft.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

(e) Butler building with concrete floor. Constructed 1951, cost $29,945,00

c. Collateral equipment (in broad terms) will include T/E equipment authorized for servicing and repairing the organic equipment of the battalion in addition the collateral equipment listed in definitive drawings NAVDOCKS P-272, 214-10. Combat Vehicle Maintenance Facility (one Battalion size and five Company size), 214-20 Automotive Vehicle Maintenance Facility (one-Four Bay facility) and 214-30 Refueling Vehicle Maintenance Facility.

d.

Bldg.	Area	Type	Unit
574	Hadnot Point	Temp (Butler)	Hq Co Force Troops
TC-952	Camp Geiger	Temp (Butler)	2d Radio Bn
A-11	Courthouse Bay	Temp (Butler)	2d Anglico Co.
TC-569	Camp Geiger	Temp (Butler)	2d Bridge Co.
TC-862	Camp Geiger	Temp (Butler)	2d Force Recon
TC-862	Camp Geiger	Temp (Butler)	2d Topo Co.

4. Current and Planned Future Workload With Regard to This Function.

a. Weapons and equipment density.

(1) Small Arms (less than 20mm) 1,013.

(2) Guns (20mm and up to 240mm) 85.

(3) Fire Control and Optical Instruments 17,024.

b. Vehicle and equipment density.

(1) Tracked Vehicles (maximum weight 65 tons) 85.

(2) Wheeled Vehicles 169.

(3) Compressor and Mixers 8.

(4) Generators and Engineer equipment 11.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-054		COMBAT VEHICLE MAINTENANCE FACILITY		(FRENCH CREEK)

(continued)

c. Battalion Service Platoon Personnel strengths to utilize maintenance facilities.

(1) Comm/Elec 2 Off. 34 Enl.

(2) Maint 4 Off. 69 Enl.

(3) Motor Trans 1 Off. 111 Enl.

(4) Supply 2 Off. 41 Enl.

(5) Total 9 Off. 255 Enl.

d. Company Personnel strengths to utilize company tank maintenance facilities.

H&S Co.	1 Off. 52 Enl.
Co. "A	5 Off. 97 Enl.
Co. "B"	5 Off. 97 Enl.
Co. "C"	5 Off. 114 Enl.
Co. "D"	5 Off. 97 Enl.
Total	21 Off. 457 Enl.

e. The T/O personnel strengths of this battalion over the last twelve months reflect that the battalion has been as high as 250 men over strength. There have been at least 3 officers and 86 men on constant contingence deployment plus the occasional doubled deployment to effect a contact relief. However, it should also be pointed out that this organization hosts annual training duty equipment and facilities for reserve tank and maintenance units during the summer months.

f. The planned future workload is anticipated to increase with the addition of the fourth tank company in addition to the rapid turnover of personnel. In addition, the complex equipment dictates that training of new personnel must be conducted as expeditiously as possible for which adequate facilities are most necessary.

5. Description of Construction Being Requested.

a. Duration of need is indefinite. All structures are to be of masonry construction conforming with the general development plan of the Force Troops Complex.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

b. The main building will be the Battalion Maintenance Building. It will provide facilities for the battalion's support platoons, i.e. Tank Maintenance; Motor Transport operations and maintenance; Communications/Electronic operations and maintenance; Engineer maintenance; Ordnance; and Supply operational parts and administrative. The building will also provide direct and indirect support requirements to support the maintenance areas.

c. Five Tank Company Maintenance Facilities encompassing a gross square foot floor area of 6,050 square feet each.

d. Tank Refueling Facilities capable of dispensing both MOGAS and Diesel with a minimum capacity of 5,000 gallon MOGAS and 15,000 gallons Diesel.

e. Motor Transport Refueling Facilities capable of dispensing both MOGAS and Diesel with a minimum capacity of 5,000 gallons MOGAS and 5,000 gallons Diesel.

f. Both tracked and wheeled vehicle suspension washing pad facilities equipped with high pressure water hoses arranged and capable of quick efficient vehicle suspension cleaning.

g. Wheeled Vehicle Parking Facilities providing a total parking area of 6,468 square yards.

h. Tracked Vehicle Parking Facilities providing a 20 feet by 55 feet parking pad for each tracked vehicle plus ingress and egress to the pads. Total park area 49,720 square yards.

i. Tracked Vehicle Deadlined Equipment Parking Facilities for tracked vehicles consisting of 480 square yards.

j. Wheeled Vehicle Deadline Equipment Parking Facilities consisting of 510 square yards.

k. Specific details relating to structural requirements are as follows:

(1) Floor: Reinforced concrete capable of supporting a 65-ton tracked vehicle in all tracked vehicle maintenance areas including the Comm/Elec bay. All others capable of normal weights up to 10 tons.

(2) Walls: All walls of standard masonry units. Walls encompassing office and administrative spaces should be of sound suppresent quality and construction.

(3) Tank Maintenance repair bays must be obstruction free to allow the 90 degree traverse of the tank turret to allow the power pack removal and replacement. Minimum depth of tank maintenance bays head to head must be 70 feet.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

(4) Windows: Aluminum or steel sash awning type.

(5) Doors: All passage doors to be solid wood or metal. All vehicular or service doors to be metal overhead roller type.

(6) Electrical: Optimum fluorescent illumination in all areas plus sufficient wall plugs for trouble lights and portable electrical tools. Voltage to be 110 volts and 220 volt single and three-phase service to accommodate electrical equipment, in addition to communication repair shops at battalion and each company facility 400 cycle 220 volts. Provide protective cross line starters for all machinery.

(7) Paving: Reinforced concrete capable of supporting a 65-ton tracked vehicle in all areas to service tracked vehicles including routes of ingress and egress. All other areas supporting vehicle traffic are to be bituminous paving.

(8) Combustible/Flammable Storage Building is to be equipped with an automatic fire extinguishing and fire alarm system.

(9) Install a treadle operated flush shower in the battery servicing room.

(10) Install centralized lubrication system.

(11) Landscape and provide connecting roadways to nearest road.

(12) Armories: Must be dehumidified, in addition to provide weapons and optics storage facilities and a work bench.

6. List of Collateral Equipment to Be Included in the Line Item.

a. General instructions to apply to all buildings:

(1) Air conditioning in all office spaces and the Comm/Electronics maintenance and operations areas.

(2) Central heating of all spaces as much as practical.

(3) Telephone - one per office-separate numbers.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

(4) Electrically operated water cooler - one per shop space.

(5) Central lubrication dispersing system.

(6) Built-in or portable wooden topped work benches in each maintenance bay and separate maintenance areas.

(7) Exhaust fans in vehicle maintenance areas, battery shop, and combustible/flammable storage areas.

(8) Appropriate automatic fire extinguishing and alarm systems in all areas.

b. Tank Battalion and Company Combat Maintenance Facilities. Install and provide collateral equipment listed in Definitive Designs 214-10, NAVDOCKS P-272 plus include 70' bridge crane with minimum capacity of five tons.

c. Automatic Vehicle Maintenance Facilities. Install and provide collateral equipment listed in Definitive Designs 214-20 NAVDOCKS P-272 for a four bay facility.

d. Refueling Vehicle Maintenance Facility. Install and provide collateral equipment listed in Definitive Designs 214-20 NAVDOCKS P-272 for two repair stalls.

e. Communications/Electronics Maintenance Shops. Install 400 cycle, 220 volt power source for radio repair facilities in company and battalion shops.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. All items to be used are on hand or are authorized this command either by Table of Equipment or Table of Allowance.

8. Justification for the New Facility. Keeping in mind that Shore Establishments exist to serve the operation forces, this new facility is fully-justified particularly considering the fact that the present tank is twice the size and weight of the vehicle initially using the present facilities. As a result, the present facilities lack size and capacity.

9. Effects if the New Facility is Not Provided. The Marine Division Forces will continue to receive the high degree of competent tank support, that it has enjoyed in the past. However, additional space will have to be made available for the fourth Gun Tank Company. Furthermore, the morale and efficiency gained with new facilities could not be realized.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

10. Justification for the Size and Scope of the New Facility.

a. The Facilities Planning Factors for Naval Shore Activities NAVDOCKS P-80 was used as the basic doctrine for establishing the space requirements for the new facilities. In addition, Definitive Designs NAVDOCKS P-272 and Department of the Army Definitive Designs were used for arrangement and space allocation.

b. Utilizing the above factors the following space factors were established:

(1) 214-10 Combat Vehicle Maintenance Facility:

(a) Battalion Tank, Engineer and Ordnance Maintenance Facility — 8,550 sq. ft.

(b) H&S Company Tank Maintenance Facility — 6,050 sq. ft.

Company "A"	6,050 sq. ft.
Company "B"	6,050 sq. ft.
Company "C"	6,050 sq. ft.
Company "D"	6,050 sq. ft.

(c) Total — 30,250 sq. ft.

38,800 sq. ft.

(2) 214-20 Automotive Vehicle Maintenance Facility.

Four Repair Bays	1,920 sq. ft.
Administrative and Indirect Support Areas	1,500 sq. ft.
Direct Support Areas	2,720 sq. ft.
Total	6,140 sq. ft.

(3) 214-30 Refueling Vehicle Maintenance Facility - three repair stalls — 1,600 sq. ft.

(4) 214-40 Vehicle Maintenance Shed - 98 pieces of self-propelled equipment — 1,260 sq. ft.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEHICLE MAINTENANCE FACILITY (FRENCH CREEK)

(continued)

(5) 217-10 Electronics Maintenance Shops 2,500 sq. ft.

(6) Combustible/Flammable Storage 800 sq. ft.

(7) Motor Transport Parking Facilities 169 vehicles at 30 square yards per vehicle. Additional space is required because of the trucks. Five tons occupy 32 square yards as it stands, in addition the turning radius is essential.

(8) Tracked Vehicle Parking Facilities 85 vehicles with a 20-foot by 55-foot reinforced concrete pad capable of supporting a 65-ton tracked vehicle. There must be a minimum of 15 feet between each pad to allow the turret to be traversed without striking the adjacent vehicle during preventive maintenance servicing and vehicle operational checks required prior to and after vehicle operations. A metal shed four feet by ten feet by six feet high for storage of the approximately 1,500 pounds of OVE that does not require maximum security or dehumidified storage in the company building in addition essential vehicle cleaning and maintenance material. Access to the shed should be a 6' double door.

(9) Refueler Parking Facilities for nine refuelers and must be 100 feet from any other vehicles or facilities.

11. Justification for the Type of Construction Planned. The type construction planned will provide optimum durability and economy comensurate with anticipated indefinite requirements.

12. Alternate Solutions. No alternate solutions are considered feasible.

13. Plans for Facilities Being Replaced. All structures will be returned to the custodial control of the Commanding General, MCB, Camp LeJeune, North Carolina. All collateral equipment will be utilized in the new facility less space heaters.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 (air pollution) by corrective measures included as part of this line item.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-054	COMBAT VEH MAINT FACILITY (FRENCH CREEK)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 322,000	P.L. —	422-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 322,000		P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	
15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 2	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
e. DESIGN CAPACITY —		f. GROSS AREA 27,000 SF	
g. COOLING —	CAP. —	COST ($ —)	

19. DESCRIPTION OF WORK TO BE DONE

Construction will consist of reinforced concrete foundation and floor slab with masonry walls and connecting utilities, and including asphalt concrete parking area. Fallout shelter excluded - impairment of item purpose.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
GENERAL WAREHOUSE/RI	SF	27,000	$11.00	$ 297
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 25
a. SITE PREPARATION AND UTILITIES	LS			(25)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 322

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT FRENCH CREEK BFRL	609,000 *	
b. EXISTING SUBSTANDARD	(8,912)	
c. EXISTING ADEQUATE	6,272	
d. FUNDED, NOT IN INVENTORY	27,000	
e. ADEQUATE ASSETS (c + d)	33,272	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	27,000	
h. DEFICIENCY (a-e-f-g)	548,728	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

At the present time there are no acceptable facilities available to Force Troops units for the care and storage of their equipment. Space in overcrowded buildings throughout the 2nd Marine Division area is being utilized as a stop-gap measure. This arrangement ham-strings the Force Troops units in carrying out their assigned mission, and places an unacceptable burden on the Division area storage facilities. Utilization of the present facilities will become even more undesirable and inefficient when units of Force Troops move into the new Force Troops area upon completion of the 1st Increment of construction in view of the increase in distance from organic equipment. Construction of new facilities is necessary to provide essential storage space for "mounting-out" equipment and housekeeping supplies incidental to the operation of each of the various Force Troops units. These units are equipped with specialized items in addition to regular equipment. This equipment, while used on a day-to-day basis, must be habitually maintained in a state of readiness for punctual "mount-out" excercises or emergencies. The proposed facilities are not for inert inventory, but for fast-moving items which must be available on an over-the-counter basis. This item will not cause additional water or air pollution. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-055	GENERAL WAREHOUSE/RI	(FRENCH CREEK)

1. Function to be Performed. To provide company size storage/ready issue space to Force Troops units, occupying the New Complex.

2. Necessity for Performing This Function. At the present time there are no adequate facilities available to Force Troops units for the care and storage of their equipment.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. The storage facilities occupied by Force Troops are located in five (5) areas scattered throughout the Camp LeJeune Complex. A summation is listed below:

Bldg.	Area	Type	Use
7	Hadnot Point	Permanant	Force Troops Disbersing
26	Hadnot Point	Permanant	Regimental TV/Rec Room
61	Hadnot Point	Permanant	Force Troops Chaplain Navy Records Office Sickbay/Navy Relief
303	Hadnot Point	Permanant	Covered Storage/Admin
310	Hadnot Point	Permanent	Covered Storage
337	Hadnot Point	Permanent	Covered Storage/Admin
341	Hadnot Point	Permanant	Covered Storage/Classrooms
344	Hadnot Point	Permanant	Dispensary/Post Office
703	Hadnot Point	Temporary	Storage
775	Hadnot Point	Temporary	Storage
776	Hadnot Point	Temporary	Storage
1308	Hadnot Point	Permanent	Storage/Admin
1311	Hadnot Point	Permanent	Elnics/Elect Maint
1312	Hadnot Point	Permanent	Covered Storage
1831	Hadnot Point	Temporary	Storage/Classrooms
1833	Hadnot Point	Temporary	Covered Storage
1835	Hadnot Point	Temporary	Storage/Admin
A-7	Courthouse Bay	Temp (Butler)	Classroom
A-8	Courthouse Bay	Temp (Butler)	Covered Storage
A-9	Courthouse Bay	Temp (Butler)	Covered Storage
A-10	Courthouse Bay	Temp (Butler)	Storage/Para-loft
A-12	Courthouse Bay	Temp (Butler)	Storage

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

(Continued)

Bldg	Area	Type	Use
BB-6	Courthouse Bay	Permanant	Storage/Post Office
BB-16	Courthouse Bay	Permanant	Storage/Dry Cleaners
BB-104	Courthouse Bay	Temp (Quonset)	Storage/Admin
BB-105	Courthouse Bay	Temp (Quonset)	Storage/Admin
BB-106	Courthouse Bay	Temp (Quonset)	Storage/Admin
BB-110	Courthouse Bay	Temp (Quonset)	Covered Storage
BB-111	Courthouse Bay	Temp (Quonset)	Covered Storage
BB-112	Courthouse Bay	Temp (Quonset)	Covered Storage
BB-113	Courthouse Bay	Temp (Quonset)	Covered Storage
M-512	Montford Point	(Wooden Head Fac.)	Storage
*ES-100	Engr Stockade	Temp (wooden)	Storage
ES-102	Engr Stockade	Temp (wooden)	Storage
ES-103	Engr Stockade	Temp (wooden)	Storage
ES-104	Engr Stockade	Temp (wooden)	Storage
ES-105	Engr Stockade	Temp (wooden)	Storage
ES-107	Engr Stockade	Temp (wooden)	Storage
ES-110	Engr Stockade	Temp (wooden)	Storage
ES-116	Engr Stockade	Temp (wooden)	Flammable Storage
ES-121	Engr Stockade	Temp (wooden)	Storage
ES-123	Engr Stockade	Temp (wooden)	Storage
ES-125	Engr Stockade	Temp (wooden)	Storage
ES-127	Engr Stockade	Temp (wooden)	Storage
ES-130	Engr Stockade	Temp (wooden)	Storage
ES-200	Engr Stockade	Temp (wooden)	Storage
ES-301	Engr Stockade	Temp (wooden)	Storage
ES-302	Engr Stockade	Temp (wooden)	Storage
ES-303	Engr Stockade	Temp (wooden)	Storage
FC-101	French Creek	Permanant	Covered Storage
FC-102	French Creek	Permanant	Covered Storage
FC-201	French Creek	Permanent	Welding Shop
**TC-833	Camp Geiger	Temporary	Covered Storage
TC-860	Camp Geiger	Temporary	Covered Storage
TC-861	Camp Geiger	Temporary	Covered Storage

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

(continued)

Bldg	Area	Type	Use
TC-863	Camp Geiger	Temporary	Covered Storage
TC-1020	Camp Geiger	Temporary	Covered Storage
TC-1023	Camp Geiger	Temporary	Covered Storage
TC-1030	Camp Geiger	Temporary	Covered Storage
TC-1031	Camp Geiger	Temporary	Covered Storage
TC-1032	Camp Geiger	Temporary	Covered Storage
TC-1033	Camp Geiger	Temporary	Covered Storage
TC-1035	Camp Geiger	Temporary	Covered Storage

*Note #1: Buildings located in the "Engineer Stockade" are of wooden construction, and due to their deteriorated condition are to be demolished.

**Note #2: Buildings located in the Camp Geiger area are temporary buildings. A number of these will also be demolished to make room for the new ITR Complex.

4. Current and Planned Future Workload With Regard to This Function. The Ready Issue storage facilities requirement is as listed below for units that will occupy the 2d Increment of storage buildings in the new Complex.

Unit	Storage Requirement SF
2d Tank Bn	4,500
4th Dental Co	500
2d SepSurg Co	1,850
2d FAG	5,000
2d Radio Bn	3,000
HQ Co, ForTrps	1,800
2d ANGLICO	2,000
2d Force Recon Co	4,061
2d Bridge Co	3,500
2d Topo Co	540
	26,751 SF

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

(continued)

5. Description of Construction Being Requested. The estimated duration of need for these requested facilities is indefinite. The proposed construction should consist of two (2) one (1) story buildings, 60' X 225' X 2 = 27,000 Sq Ft. Using the same construction material and design as the General Warehouse-Ready Issue now under construction in Line Item P-028.

6. List of Collateral Equipment to Be Included in the Line Item.

A. Built-In:

(1) De-humidification system.

(2) Sprinkler System for fire protection.

(3) Required plumbing for head facilities.

(4) Water fountains (as required).

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility. At the present time there are no acceptable facilities available to Force Troops units, for the care and storage of their equipments. Space in overcrowded buildings throughout the 2nd Marine Division area is being used as a stop-gap measure. This arrangement ham-strings the Force Troops units in carrying out their assigned missions, and places an unacceptable burden on the Division area storage facilities. Construction on new facilities is necessary to provide essential storage space for "Mounting-out equipment", organic equipment and housekeeping supplies incidental to the operation of each of the various Force Troops units. These units are equipped with specialized items in addition to regular equipment. This equipment, while used on a day-to-day basis, must be habitually maintanined in a state of readiness for punctual "mount-out" exercises or emergencies. The proposed facilities are not for inert inventory, but for fast moving items which must be available on an over-the-counter basis.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

(continued)

9. Effects if the New Facility is Not Provided. Utilization of the present facilities will become even more undesirable and inefficient when Force Troops units move into the new Complex, due to the increase in distance from the present facilities, where the units organic equipment would be stored.

10. Justification for the Size and Scope of the New Facility. The first increment of General Warehouse-Ready Issue storage program, will provide a total of 15,000 Sq. Ft. These proposed facilities, Line Item P-055, FY-1971, will provide approximately 27,000 Sq. Ft. (442-10) of a overall total, operational requirement of 231,000 Sq.Ft.. A summation of the storage space requirement for this Line Item (P-055) is as listed below:

Unit	A	B	C	D	E	F	G	H	Total
2d FAG	1000	300	300	60	100	140	1800	1250	5000
2d ANGLICO	500	400	300	100	100	100	100	400	2000
*2d Tank Bn	1000	600	300	400	300	300	164	1486	4500
2d Radio Bn	400	300	300	200	100	100		1600	3000
2d Bridge Co	300	600	200	100		300	300	1700	3500
2d SepSurg Co		800	150	100		150	150	500	1850
2d ForRecon Co	150	529	359	357		336	2108	222	4061
2d Topo Co	100	50	150	50		140		50	540
4th Dental Co			500						500
#HQ Co ForTrps	350	500	500	100		100		250	1800
									26,751 Sq.Ft.

*Based upon 4 Tank companies
#Includes 2d, 4th & 6th IT Teams and 2d CI Team

SAY 27,000 Sq. Ft.

Column

A	Secured space for individual and crew served weapons organic to unit
B	Protection of garrison equipment (Mattresses, bunks, etc.)
C	Protection of individual combat equipment kept on a ready issue basis
D	Storage of buildings and grounds tools used daily (lawn mowers, rakes, etc.)
E	Storage for mock-ups, other pieces of dummy equipment and training aids.
F	Ready issue of office supplies and units special services supplies and equipment
*G	Other unit equipment, repair parts, medical supplies
*H	Support of ready issue function (aisles, assembly, identification, inspection, packing, crating, administrative storage, and offices)

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-055	GENERAL WAREHOUSE/RI (FRENCH CREEK)

*Total requirement in this Column must be justified as to space required for each of the outlined functions.

11. Justification for the Type of Construction Planned. The proposed construction should be two (2) single story buildings 60' x 225' = 27,000 SF, respectively. Construction, the same design and materials, as Line Item P-028.

12. Alternate Solution. No alternate solutions were considered.

13. Plans for Facilities being Replaced. Upon completion of the new Complex, all storage facilities vacated by Force Troop units will be returned to the control of the Commanding General, Marine Corps Base.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water and air pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER	6. LINE ITEM TITLE			
P-055	GENERAL WAREHOUSE/RI			



DD FORM 1 JUL 62 1391c

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 5,608,000	P.L. ———	722-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 5,608,000		P-061	EM BARRACKS, 2D INCR (FRENCH CREEK)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 6	b. NO. OF STORES 2	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY 1,620 MN		f. GROSS AREA 278,550 SF	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 570 TN	COST ($ 592,000)	

15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE
a. NEW FACILITY	X	The six, two-story T-type barracks will be reinforced concrete frame, concrete slab on-grade floor, precast concrete roof-deck, and masonry walls with a brick veneer and precast concrete trim with architectural motif compatible with other buildings in the vicinity. Air conditioned and necessary utilities. Three-man rooms and gang-type toilets will be provided for 1,350 E-2 through E-4's, and two-man rooms and private baths will be provided for 270 E-5's.
b. ADDITION		
c. ALTERATION		
d. CONVERSION		
e. OTHER (Specify)		
16. REPLACEMENT		
17. TYPE OF DESIGN		
a. STANDARD DESIGN		
b. SPECIAL DESIGN	X	
c. DRAWING NO.		

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
BARRACKS	MN	1,620	$2606.78	$ 5458
a. BARRACKS	SF	(271,350)	19.25	(5223)
b. ADMIN SPACE	SF	(7,200)	23.66	(170)
c.		( )		( )
d. FALLOUT PROTECTION AREA	MN	(1,620)	40.00	(65)
21. SUPPORTING FACILITIES				$ 150
a. SITE PREPARATION AND UTILITIES				(150)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 5,608

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M MEN)		
a. TOTAL REQUIREMENT FRENCH CREEK BFRL	5,525 *	
b. EXISTING SUBSTANDARD	(0)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	1,500	
e. ADEQUATE ASSETS (c + d)	1,500	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	1,620	
h. DEFICIENCY (a-e-f-g)	2,405	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM The existing facilities at Marine Corps Base, Camp LeJeune, were built to accommodate the Marine Corps Base and 2d Marine Division. Force Troops elements formerly occupied temporary facilities on the opposite side of New River from the Main Base. These facilities passed their useful economical life and it was necessary in the interest of economy to move the Force Troops units, superimposing them upon the Marine Corps Base and Division units and demolish the old temporary facilities. This situation has resulted in overloaded troop housing and messing facilities and dispersion of Force Troops elements throughout the Hadnot Point area. It is proposed to construct permanant barracks to accommodate all Force Troops personnel less those proposed for the first increment of barracks and 2d Amtrac Bn. which is located at Mile Hammock Bay area. The remaining requirement for barracks for the 2d increment is 5,669 men less 1,500, or a total of 4,169 men. These remaining units will be relocated to the new Force Troops area upon completion of the 2nd, 3rd, and 4th increment of construction. If this line item is not provided, personnel must continue to be superimposed upon the Marine Corps Base and 2nd MarDiv area in substandard and overcrowded quarters. This item will not cause additional air and water pollution. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-061	EM BARRACKS, 2D INCR	(FRENCH CREEK)

1. Function to be Performed. The function to be performed is the berthing of enlisted men in barracks.

2. Necessity for Performing This Function. It is a Marine Corps policy that enlisted men at Marine Corps activities must be billeted in barracks.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. This project will complete the 2d increment of new barracks to house all of Force Troops less the 2d Force Service Regiment and 2d Amphibian Tractor Battalion. The AmTrac Bn must be near the coastal waters to carry out training exercises, requiring this unit to be housed at MILE HAMMOCK BAY area. 2d Force Service Regiment will be housed at FRENCH CREEK area when 3rd and 4th increments are completed.

Bldg No.	Location	Number of Occupants	Capacity (Min)
6	Hadnot Point	281	200
8	Hadnot Point	346	200
10	Hadnot Point	314	200
12	Hadnot Point	326	200
55	Hadnot Point	290	178
63	Hadnot Point	210	148
101	Hadnot Point	223	200
205	Hadnot Point	327	200
209	Hadnot Point	365	200
301	Hadnot Point	237	200
305	Hadnot Point	210	200
308	Hadnot Point	253	200
309	Hadnot Point	292	200
312	Hadnot Point	234	200
313	Hadnot Point	253	200
BB-11	Courthouse Bay	206	200
BB-12	Courthouse Bay	306	200
BB-13	Courthouse Bay	146	100

Bldg No.	Location	No. of Occupants	Capacity (Men)
1313	Industrial Area	193	140
1314	Industrial Area	152	140
*TC-1036	Camp Geiger	60	55
*TC-1037	Camp Geiger	56	55
*TC-1048	Camp Geiger	75	55
*TC-1046	Camp Geiger	68	55
*TC-1049	Camp Geiger	50	50
*TC-1055	Camp Geiger	47	55
*TC-1060	Camp Geiger	27	40
*TC-1061	Camp Geiger	58	55
*TC-1062	Camp Geiger	62	55
*TC-1142	Camp Geiger	65	45
M-509	Montford Point	62	84
M-526	Montford Point	10	42
M-518	Montford Point	38	48

*To be Demolished

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-061		EM BARRACKS, 2D INCR		(FRENCH CREEK)

Total Capacity (Men)	4,320
Less Substandard	4,320
Total Adequate	0
Force Troops In Barracks	5,919

It is obvious from the above figures that Force Troops personnel are living in very crowded and unhealthy conditions, that can only be alleviated by providing adequate facilities.

4. Current and Planned Future Workload With Regard to This Function. The first increment of barracks (P-033, FY-66) furnished barracks for the berthing of 1,500 men. This increment furnishes barracks for the berthing of 1,620 men. Summation of requirements are listed below:

Total Force Troops	8,211
Less 2d FSR	2,572
Less 2d AmTrac Bn	873
	4,766
Personnel:	X 68
Permanent	3,241
Transient	216
Total Required	3,457
Less 1st increment	1,500
Required	1,957

5. Description of Construction Being Requested. The requested barracks should consist of six (6) permanent two story "T" type barracks with 270 man capacity using 2 & 3 man cubicles. They should provide administrative space for two (2) companies in each building, and should be constructed in design, and of materials compatible to surrounding buildings in the new Forces Troops Complex. Estimated duration of need for the new facility is indefinite.

6. List of Collateral Equipment to Be Included in the Line Item. The below listing of collateral equipment will be required in the new barracks.

a. Built-in equipment. Built-in furniture, including wardrobe, drawers, desks and shelves.

b. Air-conditioning should be installed during construction.

c. Drinking fountains.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-061	EM BARRACKS, 2D INCR (FRENCH CREEK)

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Item	FSN	Qty	Unit Cost	Total Cost
Room Area:	— —			
Bunks with Springs	7105-801-1692	1620	$30.90	$50,058.00
Mattress, pillow & linen	7210-263-8582			
	7210-268-8765			
	7210-171-1099	1620	18.80	30,456.00
Chair with arms	7110-273-8793	600	19.20	11,520.00
Chair, Desk	7110-273-8795	912	18.00	16,416.00
Waste Basket	7520-281-5911	260	.95	370.50
				108,820.50
Lounge Area:				
Davenport		30	240.00	7,200.00
Chair, Occasional	— —	144	30.00	4,320.00
Smoking stand	7105-285-6414	96	3.70	355.00
Bookcase		36	72.00	2,592.00
Wastebasket		48	.95	45.60
Lamp, Table		48	24.00	1,152.00
Table, library		18	69.00	1,256.00
Table, end		48	24.00	1,152.00
				$18,072.20
General:	— —			
Floor Polisher, Electric	791-281-3680	48	104.00	2,496.00
Admin Area:	— —			
Desk, executive	7110-270-9840	48	74.00	3,552.00
Desk, typewriter	7110-782-3149	24	81.00	1,944.00
Files, steel	7110-286-3798	48	52.80	2,532.40
Chair, swivel	7110-273-8793	48	19.20	921.60
Chair, side	7110-273-8782	96	14.00	1,344.00

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-061	EM BARRACKS, 2D INCR (FRENCH CREEK)

Item	FSN	Qty	Unit Cost	Total Cost
Chair, steno	7110-273-8802	24	$17.00	$408.00
Wastebasket	7520-281-5911	72	.95	68.40
Typewriter, manual	7430-286-9024	24	218.00	5,232.00
Adding machine	7420-205-1849	12	180.00	2,160.00
				$18,162.40
			TOTAL	$147,551.10

8. Justification for the New Facility. Force Troops at the present time is scattered throughout the Camp Lejeune activity, and in most cases is superimposed on facilities assigned other commands, adding to already unacceptable billeting conditions, and creating insurmountable morale and command problems.

9. Effects if the New Facility is Not Provided. If the new barracks are not provided, the enlisted men assigned to this activity will continue to be billeted in the existing overcrowded and unsanitary barracks.

10. Justification for the Size and Scope of the New Facility. In order to standardize the barracks in the new Force Troops Complex the 2d increment of barracks must be of the same design and similar construction as the first increment.

11. Justification for the Type of Construction Planned. Construction plans for the first increment show reinforced concrete frame, slab on-grade 1st floor, pre-cast concrete on 2d floor and roof, brick veneer with concrete masonry unit backup and pre-cast concrete trim.

12. Alternate Solutions. None

13. Plans for Facilities Being Replaced. On completion of the new Force Troops Complex the barracks being utilized by Force Troops, with the exception of the substandard ones will be returned to Marine Corps Base to alleviate their overcrowded conditions.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER	6. LINE ITEM TITLE			
P-061	EM BARRACKS, 2D INCR			(FRENCH CREEK)

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air and water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-061	EM BARRACKS, 2D INCR (FRENCH CREEK)



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 941,000	P.L. ——	723-10 (724-30)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 941,000		P-062	MESSHALL (FRENCH CREEK)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
b. SEMI-PERMANENT		e. DESIGN CAPACITY 1,706 MN		f. GROSS AREA 24,181	
c. TEMPORARY		g. COOLING "AIR COND"	CAP. 60 TN	COST ($ 60,000)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY	X	Construct a Messhall building with reinforced concrete foundation, masonry walls, architectural motif compatible with existing building; concrete floor with quarry tile surface in kitchen, service and work areas; ceramic tile in locker and toilet areas; plaster inside walls; built-up roof over insulation; provide all equipment necessary to make facility operative; steam heat from central plant, air condition dining areas. Officers Mess is included in this line item.			
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
BUILDING	SF	24,181	$ 36.90	$ 893
a. MESSHALL	SF	(20,491)	26.64	(548)
b. OFFICERS MESS	SF	(3,690)	36.60	(135)
c. BUILT-IN GALLEY EQUIPMENT	LS	( )		(150)
d. FALLOUT PROTECTION AREA	MN	(1,500)	40.00	(60)
21. SUPPORTING FACILITIES				$ 48
a.				(48)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 941

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)		
a. TOTAL REQUIREMENT FRENCH CREEK BFRL	64,806 *	
b. EXISTING SUBSTANDARD	(0)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	17,315	
e. ADEQUATE ASSETS (c + d)	17,315	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	20,491	
h. DEFICIENCY (a-e-f-g)	27,000	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

The Marine Corps Base, Camp Lejeune, was built to accommodate the Marine Corps Base Organization and one Marine Division, and existing facilities are sufficient only for that purpose. Force Troops elements formerly occupied temporary facilities at Camp Geiger. The facilities were beyond their economy; the Force Troops units were moved to Hadnot Point and superimposed on the 2nd Marine Division and Marine Corps Base facilities. The old facilities were demolished. This situation has resulted in overloaded troop housing and dining facilities, and dispersion of Force Troops elements throughout the Hadnot Point area. A complete, new Force Troops Complex is planned which will accommodate all Force Troops functions except for 2nd Amtrac, which are located at Mile Hammock Bay. This line item, along with the dining facility completed and in operation, will provide adequate dining facilities for the whole Force Troops Complex. If this line item is not provided, there will be no dining facilities for the troops to be billeted in the 2nd Increment of barracks. This building will not cause additional air or water pollution. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-062	MESSHALL (FRENCH CREEK)

1. Function to be Performed. The function to be performed is to provide adequate dining facilities to personnel billeted in the new Force Troops Complex.

2. Necessity for Performing This Function. It is Marine Corps policy that enlisted men at a Marine Corps activity be subsisted in adequate dining facilities.

3. List of existing facilities similar to the requested facility.

a. The first increment of Messhalls, Line Item P-034, is included in FY-66 program and provides dining facilities for 1500 men.

4. Current and Planned Future Workload With Regard to This Function. The requirement for dining facilities are supported by the fact that there are planned barracks for 5,332 men in the new complex and there must be dining facilities for an equal number of men. Dining facilities requirements data is as follows:

Total Force Troops	8211
Less 2d FSR	2572
Less 2d Amtrac Bn	876
Force Troops Complex (Planned Strength)	4766
Barracks Planned (1st & 2nd Incr)	3120
Less Dining Facility (1st Incr)	1500
2d Increment Requirement	1620

5. Description of Construction Being Requested. The requested facility should be constructed on reinforced concrete foundation, masonry walls, concrete floors with quarry tile surface in kitchen, service and work areas, ceramic tile locker and toilet areas; plaster inside walls; built-up roof over insulation. This building should have galley facilities and layout similar to a nominal 1500 man subsistence building. Estimated duration of need is indefinite.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-062		MESSHALL		(FRENCH CREEK)

6. List of Collateral Equipment to Be Included in the Line Item.

a. Built in Equipment

(1) Air Condition dining area.

(2) Steam heat from Central Plant.

b. Installed Equipment. Provide all installed type equipment necessary to make facility operative.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Dining Room:	Qty	Unit Cost	Total Cost
Table, 4 men, 4'-7" x 3'-0"	104	$ 100.00	$ 10,400.00
Dining room chair	416	22.00	9,152.00
Service Area:			
Dispenser, tray	9	150.00	1,350.00
Dispenser, dinner plate	9	200.00	1,800.00
Dispenser, soup bowl	9	200.00	1,800.00
Dispenser, cup	9	150.00	1,350.00
Dispenser, glass	8	150.00	1,200.00
Griddle, elec., grid area 36" x 24"	6	400.00	2,400.00
Table, 3'-0" X 2'-6" X 34" high	2	250.00	500.00
Table, 4'-0" X 2'-6" X 36" high	2	300.00	600.00
Table, 4'-6" X 2'-6" X 34" high	4	300.00	1,200.00
Toaster, electric	4	200.00	800.00
Ice cream dispensing freezer cabinet	2	1,000.00	2,000.00
Pastry cabinet	4	200.00	800.00

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-062	MESSHALL	(FRENCH CREEK)

(continued)

Designation	Qty	Unit Cost	Total Cost
Service Area:			
Hot Cabinet	4	$ 800.00	$ 3,200.00
Frigid Cabinet	6	910.00	5,460.00
Cold drink dispenser w/dual serv. faucets	4	200.00	800.00
Dispenser stand for cold drinks	4	50.00	200.00
Bulk Milk dispenser	4	400.00	1,600.00
Napkin dispenser	6	25.00	150.00
Cutlery truck	3	260.00	780.00
Dispenser, bread	2	120.00	240.00
Kitchen:			
Mixing machine, food	1	2,400.00	2,400.00
Fry kettle	8	400.00	3,200.00
Table, 3'-0" X 3'-0" X 36" high	4	250.00	1,000.00
Table, 6'-0" X 2'-6" X 36" high	3	400.00	1,200.00
Table, 6'-0" X 2'-6" X 28" high	2	300.00	600.00
Table, 8'-0" X 2'-6" X 36" high	1	350.00	350.00
Table, w/utensil rack	1	400.00	400.00
Ingredient bin	4	140.00	560.00
Cutting board	3	20.00	60.00
Cutting board guide	3	35.00	105.00
Food cart, 2/3 shelves	5	250.00	1,250.00
Refrigerator, 45 CT	1	600.00	600.00
Proof cabinet	3	495.00	1,485.00
Baker's table 10'-0" X 2'-6" X 36" high	1	500.00	500.00
Table, 8'-0" X 4'-0" X 36" high	1	460.00	460.00
Cabinet	1	190.00	190.00
Utility rack	3	300.00	900.00
Bread storage truck	4	120.00	480.00
Roll divider and rounder, automatic	1	200.00	200.00
Ingredient bin	4	140.00	560.00
Steep Tub	2	310.00	620.00

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-062	MESSHALL	(FRENCH CREEK)

(continued)

	Qty	Unit Cost	Total Cost
Dishwashing Room:			
Roller conveyor	2	$ 300.00	$ 600.00
Dish cart 33" X 26" X 31" high	6	50.00	300.00
Cutlery baskets, for soaking cutlery	14	5.00	70.00
Cutlery baskets, for washing cutlery	36	5.00	180.00
Utensil Washing:			
Pan Rack, 48" X 24" X 70" high	5	450.00	2,250.00
Meat Preparation:			
Meat Saw, electric	1	525.00	525.00
Slicing machine meat	2	400.00	800.00
Grinding machine, meat	1	300.00	300.00
Tenderizing machine, meat	1	360.00	360.00
Moulding machine, meat, cap 2400-3½" patties per hour	1	400.00	400.00
Table, 8'-0" X 2'-6" X 36" high	1	450.00	450.00
Steep tub	2	310.00	620.00
Cutting Board	4	20.00	80.00
Cutting Board guide	4	35.00	140.00
Vegetable Preparation:			
Table, 6'-0" X 2'-6" X 36" high	1	300.00	300.00
Table, 8'-0" X 2'-6" X 36" high	1	450.00	450.00
Table, 9'-0" X 2'-6" X 36" high	1	475.00	475.00
Steep Tub	2	310.00	620.00
Vegetable cutting and slicing machine	2	1,100.00	2,000.00
Cutting board	3	20.00	60.00
Cutting board guide	3	35.00	105.00
Deep table, 5'-0" X 2'-6" X 2'-3½" high	1	300.00	300.00
Storage:			
Refrigerator and freezer shelves	24	495.00	11,880.00
Shelf unit	9	300.00	2,700.00
Pallet, 48" X 42" X 8" high	20	66.00	1,320.00

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-062	MESSHALL (FRENCH CREEK)

(continued)

Description:	QTY	Unit Cost	Total Cost
Ice Making:			
Ice Cart	3	$ 300.00	$ 900.00
Commisary Office:			
Desk	5	78.65	393.00
Chair, Office	8	24.82	199.00
File Cabinet, legal size	6	58.85	353.00
Locker, wardrobe and storage	1	43.99	44.00
Cash register	2	1,600.00	3,200.00
Table, 3'-0" x 3'-0" x 30" high	2	29.15	58.00
Miscellaneous:			
Can rack	2	220.00	440.00
		Total Cost	$97,374.00

8. Justification for the New Facility.

a. In order to permit maximum effectiveness it is necessary to consolidate all units of Force Troops in one area equipped with suitable facilities.

b. Provision of dining facilities is required in the development of the consolidated areas.

c. The new Complex will contain facilities to support all Force Troops units with the exception of 2d FSR and 2d AmTrac Bn.

d. Messhalls now being utilized by Force Troops Units, are widely scattered throughout the Camp Lejeune Complex and in many cases are buildings assigned to other commands.

9. Effects if the New Facility is Not Provided.

a. The purpose for consolidation of Force Troops would be defeated.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-062	MESSHALL (FRENCH CREEK)

(continued)

b. Due to the distance from the location of the new Complex to existing facilities, it would require an enormous transportation effort, resulting in unnecessary expense, and considerable lost man hours.

10. Justification for the Size and Scope of the New Facility.

a. The new Complex will contain facilities to support all Force Troops units with the exception of 2d FSR and 2d AmTrac Bn. The 1st and 2nd increment of barracks will billet 3,120 men.

b. Summation of the "workload" personnel data to justify the size and scope of this building is:

Total Force Troops	8211
Less 2d FSR	2572
Less 2d AmTrac Bn	876
	4766
Barracks Planned (1st & 2d Incr.)	3120
Less Dining Facility (1st Incr.)	1500
2d Increment Requirement	1620

11. Justification for the Type of Construction Planned. This Line Item P-062 should be constructed using the same design and materials as that used in the construction of Line Item P-034 in order to make it compatible with adjacent buildings.

12. Alternate Solutions. None

13. Plans for Facilities Being Replaced. The Messhalls, Buildings #307 and #314 now being utilized by Force Troops, will be returned to Marine Corps Base upon completion of the new Complex.

14. Status of Preliminary Engineering. Preliminary Engineering Report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1)

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-062	MESSHALL (FRENCH CREEK)

(continued)

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		**6. LINE ITEM TITLE**		
P-062		MESSHALL		



DD FORM 1 JUL 62 1391c

BOOK NO. _____ PAGE NO. _____

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 598,000	P.L. —	540-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 598,000		P-200	DENTAL CLINIC (FRENCH CREEK)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	

16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH IRREG	d. WIDTH IRREG
e. DESIGN CAPACITY 29 CHAIR		f. GROSS AREA 14,220 SF	
g. COOLING "AIR COND"	CAP. 30 TN	COST ($ 45,000)	

19. DESCRIPTION OF WORK TO BE DONE

Construction will be structural concrete floor and foundation with crawl space, masonry walls and partitions with brick veneer on exterior to conform to existing design of surrounding buildings.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
DENTAL CLINIC	SF	14,220	$ 37.30	$ 532
a. BUILDING	SF	(14,220)	36.70	(522)
b.		( )		( )
c.		( )		( )
d. FALLOUT PROTECTION AREA	MN	(259)	40.00	(10)
21. SUPPORTING FACILITIES				$ 66
a. BUILT-IN DENTAL EQUIP	LS	-	-	(16)
b. ACCESS AND PARKING	SY	5,000	5.00	(25)
c. SITE PREPARATION AND UTILITIES	LS	-	-	(25)
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 598

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT FRENCH CREEK BFRL	14,220 *	
b. EXISTING SUBSTANDARD	(0)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	14,220	
h. DEFICIENCY (a-e-f-g)	0	

24. RELATED LINE ITEMS

* BFRL as adjusted: see 11000-3

25. REQUIREMENT FOR LINE ITEM

The Marine Corps Base, Camp LeJeune, was built to accommodate one Marine Division, and existing facilities are sufficient only for that purpose. Force Troops elements formerly occupied temporary facilities at Camp Geiger. These facilities were beyond their economic life and in the interest of economy, Force Troops units were moved to Hadnot Point and superimposed on the Second Marine Division facilities, and the old facilities at Camp Geiger were demolished. This situation has resulted in overloaded troop housing, messing and support facilities and dispersion of Force Troops elements throughout the Division area. Subsequently a new Force Troops Complex has been planned and partially completed in the French Creek Area, which will accommodate over 5,669 Troops (Planning Strength). 907 men of the 2D Amphibian Tractor Bn will be located at Mile Hammock Bay. This consolidation of all the elements of Force Troops will relieve the congestion in the Division area. One of the most important considerations for the construction of a Dental Facility within the Force Troops Complex is the fact that nearly all Force Troops personnel will be concentrated in one area. It would be extremely impractical

(Cont'd)

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-200	DENTAL CLINIC

(FRENCH CREEK)

(Cont'd)

and result in too much loss of man-hours and transportation cost to have the Dental Clinic remain in the same overcrowded "make-do" facilities in the Division area. A new Dental Clinic constructed would eliminate those serious discrepancies of the presently occupied spaces, and the increased efficiency would result in more Force Troops personnel receiving better treatment on a broader scope with less loss of time, energy and funds. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-200	DENTAL CLINIC (FRENCH CREEK)

1. Functional to be Performed. The function is to provide the highest standard of Dental Health for the personnel of Force Troops in the most efficient manner that is possible.

2. Necessity for Performing This Function. In order for this Dental Facility to provide Dental treatment for the personnel of Force Troops, a Dental Clinic with adequate space to effectively perform all phases of Dentistry will be needed.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function: At the present time 4th Dental Company is utilizing space assigned us by the Base Dispensary, Bldg. 15, Marine Corps Base. It is considered inadequate to accomplish our mission. The Base Dental Department, located in the Hadnot Point area is a like facility but due to the number of Force Troops personnel involved who are dependent upon 4th Dental Company for Dental support, utilization of their facility would be impossible. All Dental equipment currently used by the 4th Dental Company is garrison type "on loan" to us by the Base Dental Department. Utilization of this equipment in a new facility is not probable. A permanent type facility of 29 dental operating rooms within an area of 14,220 square feet is required.

4. Current and Planned Future Workload With Regard to This Function.

a. Emergency and routine Dental support to all units of Force Troops (including 2d FSR) is rendered to a T/O strength of 10,059 personnel (USMC & USN).

b. The workload accomplished for Force Troops personnel during CY 1966 was 90,252 dental procedures for a total of 35, 156 patient sittings.

c. All phases or types of Dental treatment would be accomplished in the new clinic, including prosthodontics, anti-caries treatments and preventive periodontics.

d. The clinic would be utilized nearly full time. The 4th Dental Company is seldom deployed.

5. Description of Construction Being Requested. A permanent type structure constructed of brick similar to the surrounding buildings within the Force Troops Complex, to enclose a 29 chair Dental Facility within a gross area of 14,220 square feet is required. The details are not yet firm and will require engineering work. Following is a list of requirements as foreseen by non-engineering type personnel:

a. Central air conditioning and heating.
b. 110 and 220 Volt electricity.
c. Compressed air system throughout the operatories and prosthetic laboratory facilities.
d. Natural gas system throughout the operatories and prosthetic laboratory facilities.
e. Water and steam fittings for Central Sterilization Room and generalized plumbing requirements.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-200		DENTAL CLINIC		(FRENCH CREEK)

f. Central oral evacuating system (suction).

Duration of need indefinite.

6. List of Collateral Equipment to Be Included in the Line Item.

Item Designation	FSN	Qty	Unit Cost	Total Cost
Venetian Blinds				
Autoclave, Steam and electric operated 220V (CSP & Surgery)		2		
Deep Sink, single compartment		2		
Deep Sink, double compartment		1		
Sink, Handwashing		36		
Commodes		8		
Urinals		3		
Mirrors, wall mounted		35		
Bulletin Boards		6		
Water Dispenser, wall mounted		3		
Public address system and wiring		1		
Wiring setup for background music		1		
Speakers, 5 inch		36		

Cost of these items to be supplied by Base Public Works.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Item Designation	FSN	Qty	Unit Cost	Total Cost
16MM Motion Picture Projector	6730-285-4428	1	$ 539.00	$ 539.00
35MM Kodak Carousel Projector	6730-C00-0049	1	149.50	149.50
Stand, Smoking	7105-285-6414	20	3.70	74.00
Desk, Conference	7110-543-7233	1	121.00	121.00
Bookcase Section	7110-262-6649	21	4.70	98.00
Stand, Office Machine Typewriter	7110-262-6654	3	13.25	39.75

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-200	DENTAL CLINIC (FRENCH CREEK)

Item Designation	FSN - -	Qty	Unit Cost	Total Cost
File Cabinet w/o lock	7110-286-3797	7	52.45	367.15
Base, Bookcase Section	7110-262-6673	7	$ 4.70	$ 32.90
Top, Bookcase Section	7110-262-6681	7	3.50	24.50
Chair, Posture Clerical	7110-262-6690	5	44.00	220.00
Desk, Double Pedestal	7110-270-9840	3	74.00	222.00
Chair, Side or clerical w/arms	7110-273-8782	78	14.00	1092.00
Chair, Posture typist	7110-273-8789	2	25.00	50.00
Desk, Typewriter, right pedestal	7110-274-4914	2	83.00	166.00
Stand, Dictionary	7110-275-6219	1	28.60	28.60
File Cabinet w/lock	7110-286-3796	3	55.00	165.00
Chair, Executive type, swivel w/arms	7110-753-5551	1	68.00	68.00
Stand, Office Machine, table	7110-852-3420	2	16.50	33.00
Cabinet, Storage	7125-269-8534	2	42.00	84.00
Locker, Clothing, double compartment	7125-543-7125	18	40.25	724.50
Customer, Wearing Apparel	7195-262-6647	5	10.25	51.25
Rack, Wearing apparel	7195-275-5825	3	18.80	56.40
Waste Receptacle	7240-685-5518	8	5.30	42.40
Typewriter, Electric	7430-C00-0026	3	450.00	1350.00
Turntable, Phonograph	OPEN PURCHASE	1	69.95	69.95
AM/FM Receiver	OPEN PURCHASE	1	194.95	194.95
Plug-in Tape Player	OPEN PURCHASE	1	67.95	67.95
Carpeting	OPEN PURCHASE	89	14.00 sq yd	1276.00
Draperies	OPEN PURCHASE	4	35.00 pair	140.00
Podium, Lecturam w/reading lamp portable	OPEN PURCHASE	1	98.00	98.00
Electric Pointer	OPEN PURCHASE	1	20.00	20.00
Floor Polishers	OPEN PURCHASE	2	231.00	462.00
Vacuum Cleaner	OPEN PURCHASE	1	72.00	72.00
			Grand Total	$ 8,199.80

Technical Dental Equipment - Requirements (Category C - Loose and Portable) will be furnished by the Bureau of Medicine and Surgery when approval of construction is granted. BUMED estimated cost of equipment is $5000.00 per each Dental operating room.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-200		DENTAL CLINIC		(FRENCH CREEK)

8. Justification for the New Facility. The size of a Dental Clinic has been determined by the Department of Defense by assignment of a specific number of operating rooms for the military strength served, (DODINST 6015.7). Using this criteria, 29 dental operating rooms are required within an area of 14,220 square feet by approved Navy design to support Force Troops. The present dental facilities are located in a wing of the Base Medical Dispensary originally designed as a medical patient ward with an area of 4500 square feet. The facility is not properly designed for a Dental Clinic and is seriously inadequate for spaces. There are only 8 operating rooms, making it necessary to keep at least two Dental officers and two Dental technicians in other spaces on the base, with loss of efficiency. All of our Dental officers are restricted to one operatory which is not efficient and productive. The average number of patients examined and treated by the 4th Dental Company during CY 1966 was 142 patients each working day. There are no waiting rooms. Patients are forced to stand and wait in the passage-ways making it difficult for both the Dental personnel and patients to proceed to their assigned spaces.

One of the most significant developments in recent years in the Naval Dental Corps is the Preventive Dentistry Program, which is helping to combat the enormous work load that resulted from lowering the Dental standards of recruits. This program has proven to be effective in the reduction of new Dental disease and to retard decay process already present. The goal is to treat each individual one time annually within Force Troops. Although every effort is being made to implement this program, we are lagging behind most activities because of lack of space to provide the proper facilities for a modern Preventive Dentistry Program. The preventive program will soon encompass prevention of periodontal disease (Dental disease of the gums and bones) and additional treatment, lecture and demonstration rooms will be needed.

Present spaces do not allow development of a central sterilization area to supply all operatories. This is a more efficient and effective operation than our present system of separate sterilization for each treatment room.

The Company Office is located in the basement of Bldg. 15. This has the disadvantage of being hot in the summer and cold and damp in the winter. It floods during heavy rains making it uncomfortable for personnel and difficult to preserve office and personnel records. The separation from the remainder of the Dental spaces is inconvenient, inefficient and a definite loss of communication exists.

The operating rooms of the present spaces have an open space with beams, plumbing and electrical lines exposed. This results not only in an unsightly overhead but is difficult to clean, produces poor lighting conditions and a high noise level. All of these discrepancies lessen the efficiency of a Dental Clinic. There is, also, a lack of privacy because the partitions do not extend to the ceiling.

The Dental officers' professional and the enlisted personnels' inservice training programs are carried on under extremely poor conditions because there is no space for lecture rooms, visual aids equipment or library.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-200	DENTAL CLINIC (FRENCH CREEK)

One of the most important considerations for the new construction of a Dental Facility within the Force Troops Complex is the fact that nearly all Force Troops personnel will be concentrated in one area. Therefore it would be extremely impractical and result in too much loss of man-hours and transportation costs to have the Dental Clinic anywhere else but in the same area.

A new Dental Clinic constructed according to approved Navy designs would eliminate these serious discrepancies of the presently occupied spaces. The increased efficiency would result in more Force Troops personnel receiving better treatment on a broader scope with less loss of time, energy, and funds. The Preventive Dentistry Program could truly be effected. It is therefore recommended that a new Dental Clinic within the Force Troops Complex be programmed. We would hope to occupy at the time the remainder of Force Troops personnel are moved into the complex.

It can be ascertained that if the new facility is programmed and approved, an increase in our T/O will be submitted to adequately man this facility, thus providing more efficient and effective dentistry to Force Troops. An increase in authorized Dental personnel within the Marine Dental companies has been needed for some time.

9. Effects if the New Facility is Not Provided.

a. Tremendous expense and loss of man-hours for transportation for the Force Troops Complex to the present Dental Clinic for Dental support would be involved if the new clinic is not provided.

b. The present amount of dental support would continue to be rendered rather than the possible increase of quality and quantity that the new facility would provide.

c. Present inadequate spaces have no room for further expansion, if this is used as an alternate solution.

d. Our lagging efforts to implement an effective Dentistry Program would continue.

e. Force Troops medical and Dental facilities would be separated. Close proximity and cooperation is necessary in the proper treatment, physical examining and training of Force Troops personnel.

f. Loss of central sterilization of all Dental instruments, which is the more modern and most effective sterilization method to date, would be difficult.

g. The inconvenience and time loss in trying to maintain a close liaison between the Company Office and the main Administrative Spaces will still exist.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER: P-200		6. LINE ITEM TITLE: DENTAL CLINIC		(FRENCH CREEK)

h. The problems of privacy in the Dental officer/patient relationship will continue. Our never-ending struggle to keep the Dental Clinic clean, which due to the exposed overhead requires added effort will still be present. The lighting conditions which by Navy standards is far below the minimum requirements will still exist.

i. The lack of lecture, library and conference room will continually require us to reserve and conduct our professional officer and enlisted service training programs in different areas.

10. Justification for the Size and Scope of the New Facility. The Department of Defense, in DOD INSTRUCTION 6015.7, has laid down the following criteria for determining the total number of Dental operating rooms to be required in Dental projects included in the annual Military Construction Progress:

STRENGTH SERVED	NUMBER OF DOR'S
8,000	20
10,000	24

Present Force Troops T/O is 10,000 plus so a 24 chair Dental Clinic is justified. This facility would allow double operatories for the specialties of Dentistry to be more productive, preventive treatment and lecture rooms and adequate administrative spaces. The collateral equipment listed in items 6 and 7 are obviously needed to furnish and make the facility operable.

11. Justification for the Type of Construction Planned. This building should be constructed using materials and design compatible with the surrounding buildings within the Force Troops Complex.

12. Alternate Solutions. There is no alternate solution to the new facility requested.

13. Plans for Facilities Being Replaced. The present spaces will be returned to the Base Medical Department for their use, as they were originally designed.

14. Status of Preliminary Engineering. No preliminary engineering report has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air and water pollution.

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
FRENCH CREEK													
214-10	GP-1	2-5220	S	R	16,615	COMBAT VEHICLE MAINT FACILITY	SF	4,000	4,000	25	REMOVE (1)		
	GP-5	2-5224	T	T	2,979	MULTIPLE USE BUILDING	SF	960	960	25	REMOVE (1)		
610-10	* A					ADMINISTRATION OFFICE	SF	511	511				
214-10	* B					COMBAT VEHICLE MAINT FACILITY	SF	449	449				
422-10	SHE-10	2-2578	P	U	30,775	HIGH EXPLOSIVE/MAGAZINE/RI	SF	3,321	3,321	29	RETAIN		
422-10	SHE-11	2-2579	P	U	30,775	HIGH EXPLOSIVE/MAGAZINE/RI	SF	3,321	3,321	29	RETAIN		
422-10	SHE-12	2-5402	P	U	36,366	HIGH EXPLOSIVE/MAGAZINE/RI	SF	2,000	2,000	29	RETAIN		
422-30	SSH-1	2-2528	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		
422-30	SSH-2	2-2529	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		
422-30	SSH-3	2-2530	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		
422-30	SSH-4	2-2531	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		
422-30	SSH-5	2-2558	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		
422-30	SSH-6	2-2559	P	R	589	SMALL ARMS/PYRO MAGAZINE	SF	320	320	29	RETAIN		

NOTE: (1) = REMOVE DUE TO NEW CONSTRUCTION

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (MEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	GP-2	2-5221	T	T	2,979	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-3	2-5222	T	T	2,979	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-4	2-5223	T	T	2,979	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-6	2-5225	T	T	2,979	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-7	2-5372	T	T	2,700	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-8	2-5373	T	T	2,700	GENERAL WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	GP-9	2-5254	T	T	1,944	GENERAL WAREHOUSE/RI	SF	512	512	25	REMOVE		
442-30	SH-9	2-5968	P	U	988	FLAMMABLE STOREHOUSE/RI	SF	64	64	29	RETAIN		
442-90	GP-10	2-5374	T	T	4,523	ST COV ORG/OTH	SF	960	960	25	REMOVE		
442-90	GP-11	2-5375	T	T	4,245	ST COV ORG/OTH	SF	960	960	25	REMOVE		
442-90	GP-12	2-5376	T	T	3,776	ST COV ORG/OTH	SF	960	960	25	REMOVE		
442-90	GP-13	2-5377	T	T	4,219	ST COV ORG/OTH	SF	960	960	25	REMOVE		
723-20	GP-14	2-5982	P	R	3,526	TOILET	SF	224	224	25	REMOVE		

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	MONTFORD POINT						
111-81	HELICOPTER LANDING PAD	1,112		SY			
123-10	FILLING STATION	2		OL			
131-10	TELEPHONE CABLE HOUSE	100		SF			
131-40	TELEPHONE EXCHANGE BUILDING	700		SF			
132-50	PUBLIC ADDRESS SYSTEM-OUTDOOR	1		EA			
171-10	ACADEMIC & GEN. INSTRUCTION BLDG.	63,995		SF			
171-20	APPLIED INSTRUCTION BUILDING	122,670		SF			
171-90	COMBAT TRAINING TANK/INDOOR	1		EA			
171-90	TRAINING MESS	22,500		SF			
171-90	TRAINING BUILDING/OTHER	0		SF			
214-20	AUTO VEHICLE MAINT FAC	15,845		SF			
214-90	VEHICLE WASH APRON	800		SF			
214-90	GREASE RACK	3,000		SF			
217-10	ELECTRONICS & COMM. MAINT SHOP	0		SF			
219-10	BASE MAINTENANCE SHOP	2,000		SF			
442-10	GENERAL WAREHOUSE RI	9,000		SF			
442-70	PUBLIC WORKS MAINT STORAGE	1,700		SF			
442-90	COVERED STORAGE/OTHER	4,990		SF			
452-XX	OPEN STORAGE	0		SY			
540-10	DENTAL CLINIC	2,200		SF			
550-20	DISPENSARY W/O BEDS	3,640		SF			
610-10	ADMINISTRATION OFFICE	44,060		SF			
690-10	FLAGPOLE	2		EA			
722-10	EM BARRACKS W/O MESS	1,090		MN			
723-10	MESSHALL	14,636		SF			
723-20	LATRINE	8,064		SF			
724-15	BOQ W/O MESS	170		MN			
724-30	OFFICERS' MESS (CLOSED)	4,930		SF			
730-10	FIRE STATION	3,000		SF			
730-25	GATE/SENTRY HOUSE	200		SF			
730-65	AIR RAID/FALLOUT SHELTER	12,370		SF			

ACTIVITY AND LOCATION: Marine Corps Base, Camp LeJeune, North Carolina
NO OR AREA: 5ND
SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____
PREPARATION DATE: 26 September 1968

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
730-90	CEMETERY	9.12		AC			
740-10	CHAPEL	150		SE			
740-14	EXCHANGE	6,285		SF			
740-30	SERVICE STATION	1,380		SF			
740-33	POST OFFICE	1,120		SF			
740-36	HOBBY SHOP	1,600		SF			
740-37	SPECIAL SERVICES CENTER	600		SF			
740-40	BOWLING ALLEY	2		LA			
740-43	GYMNASIUM	10,200		SF			
740-56	THEATER	150		SE			
740-60	OFFICERS' CLUB (OPEN)	3,980		SF			
740-63	EM SERVICE CLUB	5,250		SF			
740-66	NCO CLUB	5,450		SF			
740-70	STAFF NCO CLUB	2,800		SF			
740-76	LIBRARY	2,000		SF			
740-83	BUS STATION & SHELTERS	150		SF			
740-86	RETAIL WAREHOUSE	2,600		SF			
740-88	EDUCATION CENTER	3,600		SF			
740-90	COMPANY RECREATION BUILDING	12,480		SF			
750-10	PLAYING COURTS	11		EA			
750-20	PLAYING FIELDS	3		EA			
750-50	OUTDOOR THEATER	0		SF			

ACTIVITY AND LOCATION
Marine Corps Base, Camp LeJeune, North Carolina

ND OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
26 SEPTEMBER 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	3270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ0001	2- 6365	C/HLCP LDG PAD	SAME	31	P	R	SY	69.		0.	17/ 0/ 0
									69.		0.	
124-50	SM0191	2- 6770	FUEL STORAGE	SAME	24	P	R	GA	1100.		1100.	8/ 0/ 0
									1100.		1100.	
131-10	M0172	2- 3769	CABLE HOUSE	SAME	30	P	U	SF	100.		0.	0/ 0/ 0
									100.		0.	
131-40	M0167	2- 3786	COMMS BUILDINGS	SAME	30	P	U	SF	1024.		0.	0/ 0/ 0
									1024.		0.	
171-10	M0102	2- 3845	ACD/GEN INS BLD	SAME	24	S	T	SF	3072.		3072.	4/ 0/ 0
171-10	M0104	2- 3847	ACD/GEN INS BLD	ADMINISTR OFFIC	9	S	T	SF	12180.		12180.	4/ 0/ 0
171-10	M0124	2- 3714	ACD/GEN INS BLD	SAME	24	P	R	SF	3240.		3240.	2/16/ 0
171-10	M0126	2- 3716	ACD/GEN INS BLD	SAME	24	P	R	SF	3240.		3240.	2/16/ 0
171-10	M0214	2- 3731	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	T	SF	3240.		3240.	4/ 0/ 0

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	171-10	M0307	2- 3759	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	R	SF	4410.		4410.	14/ 2/ 0
P	171-10	M0321	2- 3623	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	R	SF	8568.* 4284.		4284.	14/ 2/ 0
	171-10	M0405	2- 3725	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	R	SF	3240.		3240.	1/ 2/ 0
	171-10	M0406	2- 3726	ACD/GEN INS BLD	SAME	24	P	R	SF	3240.		3240.	14/ 2/ 0
	171-10	M0409	2- 3834	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	R	SF	8568.		8568.	14/ 2/ 0
	171-10	M0413	2- 3807	ACD/GEN INS BLD	TRHSG/EM/WO MESS	24	P	R	SF	4410.		4410.	14/ 2/ 0
S	171-10	M0522	2- 3639	ACD/GEN INS BLD	TRHSG/EM/WO MESS	91	P	R	SF	8568.* 3161.		3161.	2/ 0/ 0
	171-10	M0603	2- 3812	ACD/GEN INS BLD	SAME	24	P	R	SF	3240.		3240.	2/16/ 0
										59525.		59532.	
	171-20	M0101	2- 3842	APPL INSTR BLDG	TRHSG/DET FAC	24	T	T	SF	12480.		12480.	4/ 0/ 0
	171-20	M0119	2- 3840	APPL INSTR BLDG	SAME	24	T	T	SF	6118.		6118.	4/ 0/ 0
P	171-20	M0121	2- 3718	APPL INSTR BLDG	SAME	24	T	T	SF	0.* 6118.		6118.	4/ 0/ 0
	171-20	M0122	2- 3717	APPL INSTR BLDG	SAME	24	T	T	SF	6118.		6118.	4/ 0/ 0
	171-20	M0123	2- 3682	APPL INSTR BLDG	SAME	24	P	R	SF	3240.		3240.	2/15/ 0
	171-20	M0125	2- 3715	APPL INSTR BLDG	SAME	24	P	R	SF	3240.		3240.	2/15/ 0
	171-20	M0127	2- 3713	APPL INSTR BLDG	SAME	24	P	R	SF	3240.		3240.	2/15/ 0
T	171-20	M0130	2- 3783	APPL INSTR BLDG	COMMUNITY/INTER	32	P	U	SF	11103.* 3205.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1		2	3	4	5	6	7	8	9	10	11	12	13
	171-20	M0151	2- 3790	TRNG BLDG/OTHER	TRAINING/BLDGS	9	S	R	SF	800.		800.	2/ 8/ 0
	171-20	M0203	2- 3681	APPL INSTR BLDG	TRHSG/EM/WO MESS	80	P	R	SF	9333.		9333.	18/ 0/ 0
S	171-20	M0231	2- 3829	APPL INSTR BLDG	TRHSG/BOQ	32	P	U	SF	22280.* 5934.		0.	0/ 0/ 0
	171-20	M0255	2- 3814	APPL INSTR BLDG	COV STOR/INST	90	P	R	SF	9333.		9333.	18/ 0/ 0
	171-20	M0323	2- 3830	APPL INSTR BLDG	MNT/INS REP OPN	24	P	R	SF	3240.		3240.	2/ 0/ 0
	171-20	M0324	2- 3848	APPL INSTR BLDG	TRHSG/DET FAC	24	P	R	SF	22490.* 18850.		18850.	2/ 0/ 0
	171-20	M0326	2- 3694	APPL INSTR BLDG	COV STOR/INST	24	P	U	SF	9394.		0.	2/ 0/ 0
	171-20	M0327	2- 3837	APPL INSTR BLDG	COV STOR/INST	24	P	R	SF	9394.		9394.	0/ 0/ 0
	171-20	M0402	2- 3723	TRNG BLDG/OTHER	SAME	24	P	R	SF	2000.		2000.	1/ 0/ 0
	171-20	M0403	2- 3723	TRNG BLDG/OTHER	TRHSG/EM/WO MESS	24	P	R	SF	8568.		8568.	8/ 0/ 0
	171-20	M0407	2- 3803	APPL INSTR BLDG	TRHSG/EM/WO MESS	24	P	R	SF	4410.		4410.	2/ 5/12
	171-20	M0411	2- 3805	APPL INSTR BLDG	TRHSG/EM/WO MESS	24	P	R	SF	3240.		3240.	12/ 0/ 0
	171-20	M0412	2- 3806	APPL INSTR BLDG	TRHSG/EM/WO MESS	24	P	R	SF	3240.		3240.	1/12/ 0
	171-20	M0420	2- 3808	APPL INSTR BLDG	TRHSG/EM/WO MESS	24	P	R	SF	8568.		8568.	8/ 0/ 0
	171-20	M0422	2- 3810	APPL INSTR BLDG	TRHSG/EM/WO MESS	24	P	R	SF	8568.		8568.	8/ 0/ 0
	171-20	M0514	2- 3663	APPL INSTR BLDG	TRHSG/EM/WO MESS	91	P	P	SF	8568.		8568.	10/ 0/ 0
P	171-20	M0516	2- 3635	APPL INSTR BLDG	TRHSG/EM/WO MESS	91	P	U	SF	8568.* 4284.		0.	0/ 0/ 0
	171-20	M0520	2- 3701	APPL INSTR BLDG	TRHSG/DET FAC	91	P	R	SF	2000.		2000.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
171-20	M0522	2- 3639	APPL INSTR BLDG	SAME	91	P	R	SF	3000.		3000.	8/ 0/ 0
									166483.		143666.	
171-90	M0139	2- 3827	SWIMMING POOL	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
214-20	M0113	2- 3684	AUTO VEH MNTFAC	COV STOR/INST	18	P	R	SF	9333.		9333.	8/ 0/ 0
214-20	M0120	2- 3841	AUTO VEH MNTFAC	SAME	24	T	T	SF	6118.		6118.	4/ 0/ 0
									15451.		15451.	
214-90	SM0176	2- 3523	GREASE RACK	SAME	24	S	U	SF	603.		0.	0/ 0/ 0
214-90	SM0177	2- 3522	GREASE RACK	SAME	24	S	U	SF	603.		0.	0/ 0/ 0
214-90	SM0187	2- 6361	WASH APRON	SAME	24	P	U	SF	960.		0.	0/ 0/ 0
214-90	SM0192	2- 6789	VEHICLE WASH	SAME	24	P	U	SF	1080.		0.	0/ 0/ 0
214-90	SM0258	2- 6618	GREASE RACK	SAME	90	S	U	SF	396.		0.	0/ 0/ 0
									3642.		0.	
219-10	M0103	2- 3774	PW/MAINT SHOP	HEAT/STM/SOURCE	30	S	R	SF	924.		924.	8/ 0/ 0
									924.		924.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	M0112	2- 3683	GEN WHSE/RI	COV STOR/INST	24	S	R	SF	9333.		9333.	8/ 0/ 0
442-10	M0133	2- 3854	GEN WHSE/RI	COMMUNITY/INTER	9	S	R	SF	192.		192.	8/ 0/ 0
442-10	M0259	2- 6630	GEN WHSE/RI	COV STOR/INST	24	S	U	SF	150.		0.	0/ 0/ 0
442-10	M0308	2- 3661	GEN WHSE/RI	TRHSG/DET FAC	9	P	R	SF	2000.		2000.	8/ 0/ 0
442-10	M0314	2- 3662	GEN WHSE/RI	SAME	9	P	R	SF	2000.		2000.	8/ 0/ 0
442-10	M0330	2- 6631	GEN WHSE/RI	SAME	24	S	U	SF	150.		0.	0/ 0/ 0
442-10	M0408	2- 3667	GEN WHSE/RI	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-10	M0512	2- 3699	GEN WHSE/RI	TRHSG/DET FAC	91	P	U	SF	2000.		0.	0/ 0/ 0
442-10	M0601	2- 3702	GEN WHSE/RI	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-10	M0611	2- 3672	GEN WHSE/RI	TRHSG/EM/WO MESS	90	P	U	SF	2248.		0.	0/ 0/ 0
442-10	M0619	2- 3705	GEN WHSE/RI	COV STOR/INST	90	P	R	SF	2000.		2000.	8/ 0/ 0
S 442-10	M0620	2- 3706	GEN WHSE/RI	TRHSG/DET FAC	90	P	U	SF	2000.* 426.		0.	0/ 0/ 0
									24499.		19951.	
442-70	M0136	2- 3779	ST COV ORG/OTH	SAME	30	P	R	SF	500.		500.	8/ 0/ 0
442-70	M0158	2- 3791	ST COV ORG/OTH	SAME	30	S	R	SF	168.		168.	8/ 0/ 0
									668.		668.	
442-90	M0184	2- 6556	ST COV ORG/OTH	TRHSG/DET FAC	9	S	R	SF	64.		64.	8/ 0/ 0

Marine Corps Base, Camp Lejuene, North Carolina | 8270-175 | OR AREA 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-90	M0301	2- 3660	ST COV ORG/OTH	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-90	M0506	2- 3698	ST COV ORG/OTH	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-90	M0604	2- 3641	ST COV ORG/OTH	SAME	24	P	U	SF	3240.		0.	0/ 0/ 0
442-90	M0606	2- 3703	ST COV ORG/OTH	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-90	M0612	2- 3704	ST COV ORG/OTH	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
442-90	M0613	2- 3680	STORAGE	TRHSG/DET FAC	24	P	U	SF	2000.		0.	0/ 0/ 0
									13304.		64.	
T 540-10	M0128	2- 3843	DENTAL CLINIC	SAME	24	P	R	SF	23568.* 1756.		1756.	8/ 0/ 0
									1756.		1756.	
S 550-20	M0128	2- 3843	DISPENSARY	SAME	24	P	R	SF	23568.* 3042.		3042.	8/ 0/ 0
S 550-20	M0621	2- 3677	DISPENSARY	TRHSG/EM/WO MESS	90	P	R	SF	4410.* 200.		200.	8/ 0/ 0
									3242.		3242.	
610-10	M0105	2- 3773	ADMIN BLDG	COMMUNITY/INTER	9	S	T	SF	3200.		3200.	4/ 0/ 0
T 610-10	M0129	2- 3844	ADMIN BLDG	COMMUNITY/INTER	24	P	R	SF	16372.* 1728.		1728.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Caroline	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	M0131	2- 3871	ADMIN BLDG	SAME	24	P	R	SF	6369.		6369.	2/ 0/ 0
610-10	M0132	2- 3851	ADMIN BLDG	COMMUNITY/INTER	14	P	R	SF	12043.		12043.	1/ 2/ 0
610-10	M0144	2- 3770	DISPATCHERSO/OT	TRHSG/DET FAC	24	S	R	SF	728.		728.	1/ 0/ 0
610-10	M0200	2- 3831	ADMIN BLDG	SAME	24	P	R	SF	2052.		2052.	2/ 8/ 0
610-10	M0201	2- 3767	ADMIN BLDG	TRHSG/BOQ	24	P	R	SF	4440.		4440.	2/ 8/ 0
S 610-10	M0305	2- 3760	ADMIN BLDG	TRHSG/EM/WO MESS	24	P	R	SF	8568.* 864.		864.	8/ 0/ 0
S 610-10	M0324	2- 3848	ADMIN BLDG	TRHSG/DET FAC	24	P	U	SF	22490.* 3640.		0.	0/ 0/ 0
610-10	M0401	2- 3665	ADMIN BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	8/ 0/ 0
610-10	M0414	2- 3668	REC BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	8/ 0/ 0
610-10	M0416	2- 3835	ADMIN BLDG	TRHSG/EM/WO MESS	24	P	R	SF	8568.		8568.	1/ 2/12
610-10	M0418	2- 3836	AD BLDG/OTHER	TRHSG/EM/WO MESS	24	P	R	SF	4410.		4410.	1/ 2/15
S 610-10	M0518	2- 3637	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	U	SF	8568.* 977.		0.	0/ 0/ 0
610-10	M0521	2- 3833	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	4410.		4410.	2/ 0/ 0
O 610-10	M0522	2- 3639	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	U	SF	8563.* 1000.		0.	0/ 0/ 0
S 610-10	M0611	2- 3672	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	U	SF	8578.* 2875.		0.	0/ 0/ 0
P 610-10	M0620	2- 3706	AD BLDG/OTHER	TRHSG/DET FAC	90	P	R	SF	2000.* 1574.		1574.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

8270-175

OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P 610-10	M0621	2- 3677	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	4410.* 4210.		4210.	2/ 8/ 0
S 610-10	M0622	2- 3678	ADMIN BLDG	TRHSG/EM/WO MESS	90	P	R	SF	8568.* 832.		832.	2/ 8/ 0
									67920.		59428.	
690-10	SM0188	2- 6666	FLAGPOLE	SAME	14	P	U	EA	1.		0.	0/ 0/ 0
690-10	SM131A	2- 6277	FLAGPOLE	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
									2.		0.	
P 722-10	M0128	2- 3843	SNCO QUARTERS	SAME	24	P	R	MN	150.		150.	2/ 8/ 0
S 722-10	M0130	2- 3783	SNCO QUARTERS	COMMUNITY/INTER	32	P	R	MN	32.		32.	2/25/ 0
722-10	M0211	2- 3728	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0212	2- 3729	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0215	2- 3732	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0216	2- 3855	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0217	2- 3733	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0218	2- 3734	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0219	2- 3735	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	M0220	2- 3736	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0221	2- 3737	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0222	2- 3738	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0223	2- 3739	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0224	2- 3740	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0225	2- 3741	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0226	2- 3742	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0227	2- 3743	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0228	2- 3744	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0229	2- 3745	EM BKS W/O MESS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0234	2- 3754	SNCO QUARTERS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0235	2- 3755	SNCO QUARTERS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
722-10	M0236	2- 3756	SNCO QUARTERS	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
P 722-10	M0303	2- 3756	GUARD HOUSE	SAME	24	P	R	MN	26.		26.	25/ 0/ 0
P 722-10	M0305	2- 3760	EM BKS W/O MESS	SAME	24	P	R	MN	61.		61.	25/ 0/ 0
722-10	M0309	2- 3591	EM BKS W/O MESS	SAME	9	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0311	2- 3593	EM BKS W/O MESS	SAME	9	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0313	2- 3594	EM BKS W/O MESS	SAME	9	P	R	MN	35.		35.	25/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	M0316	2- 3595	EM BKS W/O MESS	SAME	9	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0318	2- 3622	EM BKS W/O MESS	SAME	9	P	R	MN	35.		35.	25/ 0/ 0
722-10	M0503	2- 3625	EM BKS W/O MESS	SAME	24	P	R	MN	35.		35.	25/ 0/ 0
722-10	M0504	2- 3626	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0507	2- 3628	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0509	2- 3630	EM BKS W/O MESS	SAME	91	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0511	2- 3632	EM BKS W/O MESS	SAME	24	P	R	MN	35.		35.	25/ 0/ 0
P 722-10	M0516	2- 3635	EM BKS W/O MESS	SAME	91	P	R	MN	34.		34.	25/ 0/ 0
P 722-10	M0518	2- 3637	EM BKS W/O MESS	SAME	91	P	R	MN	56.		56.	25/ 0/ 0
P 722-10	M0604	2- 3641	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0607	2- 3643	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0609	2- 3645	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
P 722-10	M0611	2- 3672	SNCO QUARTERS	SAME	90	P	R	MN	28.		28.	25/ 0/ 0
722-10	M0614	2- 3778	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
722-10	M0616	2- 3674	EM BKS W/O MESS	SAME	24	P	R	MN	69.		69.	25/ 0/ 0
P 722-10	M0622	2- 3678	EM BKS W/O MESS	SAME	90	P	R	MN	57.		57.	25/ 0/ 0
									1863.		1863.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	723-10	M0202	2- 3766	SUBSTNCE BLDG	SAME	24	P	R	SF	12472.		12472.	2/ 8/ 0
	723-10	M0424	2- 3846	SUBSTNCE BLDG	SAME	24	P	R	SF	22490.		22490.	2/ 8/ 0
										34962.		34962.	
	723-20	M0109	2- 3710	TOILET	SAME	24	S	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0205	2- 3688	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
P	723-20	M0206	2- 3689	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.* 1575.		2000.	8/ 0/ 0
	723-20	M0207	2- 3690	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0208	2- 3691	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0209	2- 3692	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0210	2- 3693	T/H DET FAC/OTH	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0319	2- 3664	TOILET	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0415	2- 3669	TOILET	SAME	24	P	R	SF	2000.		2000.	8/ 0/ 0
	723-20	M0513	2- 3700	T/H DET FAC/OTH	SAME	91	P	R	SF	2000.		2000.	8/ 0/ 0
										19575.		20000.	
S	723-30	M0206	2- 3689	LAUNDRAMAT	TRHSG/DET FAC	24	P	R	SF	2000.* 425.		425.	8/ 0/ 0
	723-30	M0315	2- 3663	LAUNDRY	TRHSG/DET FAC	81	P	R	SF	2000.		2000.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									2425.		2425.	
									11103.*			
P 724-15	M0130	2- 3783	BCHLR OFF QTRS	COMMUNITY/INTER	32	P	R	MN	22.		22.	25/ 0/ 0
									22280.*			
P 724-15	M0231	2- 3829	BCHLR OFF QTRS	PERS SUPP/SVC	32	P	R	MN	40.		40.	25/ 0/ 0
724-15	M0232	2- 3752	BCHLR OFF QTRS	TRHSG/EM/WO MESS	32	P	R	MN	8.		8.	25/ 0/ 0
724-15	M0233	2- 3753	BCHLR OFF QTRS	TRHSG/EM/WO MESS	32	P	R	MN	8.		8.	25/ 0/ 0
									78.		78.	
730-25	M0169	2- 3787	GATE HOUSE	SAME	24	S	R	SF	48.		48.	8/ 0/ 0
730-25	M0325	2- 3853	GATE HOUSE	SAME	24	S	R	SF	36.		36.	8/ 0/ 0
									84.		84.	
P 730-90	UNUM	2- 3462	CEMETERY	SAME	30	P	U	AC	9.		0.	0/ 0/ 0
									9.		0.	
740-10	M0100	2- 3775	CHAPEL	ADMINISTR OFFIC	24	S	T	SE	75.		75.	8/ 0/ 0
740-10	M0116	2- 3772	CHAPEL	SAME	24	S	R	SE	150.		150.	2/ 0/ 0
									225.		225.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 740-14	M0129	2- 3844	EXCHANGE	SAME	24	P	R	SF	16372.* 1934.		1934.	1/ 0/ 0
P 740-14	M0320	2- 3751	EXCHANGE	TRHSG/EM/WO MESS	81	P	U	SF	3392.* 3240.		0.	0/ 0/ 0
740-14	M0602	2- 3832	ADMINISTRATION	TRHSG/EM/WO MESS	81	P	U	SF	3240.		0.	0/ 0/ 0
									8414.		1934.	
740-30	M0171	2- 3789	FILLING STATION	TRHSG/EM/WO MESS	81	P	U	SF	924.		0.	0/ 0/ 0
									924.		0.	
O 740-33	M0129	2- 3844	POST OFFICE	SAME	24	P	R	SF	16372.* 722.		722.	1/ 0/ 0
									722.		722.	
P 740-43	M0129	2- 3844	GYMNASIUM	COMMUNITY/INTER	24	P	R	SF	16372.* 11988.		11988.	1/ 7/ 0
									11988.		11988.	
P 740-90	M0522	2- 3639	REC BLDG	TRHSG/EM/WO MESS	91	P	U	SF	8568.* 1407.		0.	0/ 0/ 0
									1407.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

REAL PROPERTY AREA OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 740-60	M0231	2- 3829	OFFICERS CLUB	TRHSG/BOQ	32	P	U	SF	22280.* 1835.		0.	0/ 0/ 0
									1835.		0.	
740-63	M0134	2- 3776	EM SERVICE CLUB	COMMUNITY/INTER	81	S	T	SF	5550.		5550.	8/ 0/ 0
									5550.		5550.	
740-70	M0240	2- 3852	STAFF NCO CLUB	TRHSG/DET FAC	80	P	R	SF	11744.		11744.	12/ 0/ 0
									11744.		11744.	
S 740-76	M0321	2- 3623	LIBRARY	TRHSG/EM/WO MESS	24	P	R	SF	8568.* 4284.		4284.	2/ 8/ 0
									4284.		4284.	
740-86	M0238	2- 3685	RETAIL WAREHSE	TRHSG/DET FAC	80	P	R	SF	2000.		2000.	8/ 0/ 0
740-86	M0239	2- 3686	RETAIL WAREHSE	TRHSG/DET FAC	80	P	R	SF	2000.		2000.	8/ 0/ 0
									4000.		4000.	
740-87	M0185	2- 6557	BOAT HOUSE	SAME	24	S	R	SF	220.		220.	8/ 0/ 0
									220.		220.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-90	M0213	2- 3730	RECREATION BLDG	TRHSG/EM/WO MESS	24	P	R	SF	3240.		3240.	2/ 0/ 0
740-90	M0302	2- 3761	REC BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	8/ 0/ 0
									3392.*			
S 740-90	M0320	2- 3751	BUS SHELTER	TRHSG/EM/WO MESS	81	P	R	SF	152.		152.	8/ 0/ 0
740-90	M0419	2- 3670	REC BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	1/ 7/ 0
740-90	M0501	2- 3696	REC BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	1/ 7/ 0
740-90	M0502	2- 3697	REC BLDG	TRHSG/DET FAC	24	P	R	SF	2000.		2000.	1/ 7/ 0
740-90	SM0183	2- 6363	CONCESSION/STND	SAME	81	S	R	SF	165.		165.	8/ 0/ 0
									11557.		11557.	
750-10	SM0189	2- 6679	HANDBALL CTS-2	SAME	24	P	R	EA	2.		2.	12/ 0/ 0
750-10	SM0245	2- 3529	TENNIS COURT	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-10	SM0246	2- 3526	HANDBALL CT	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-10	SM0247	2- 3528	TENNIS COURT	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-10	SM0248	2- 3527	HANDBALL CT	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
									6.		2.	
750-20	SM0163	2- 3525	SOFTBALL FIELD	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-20	SM0164	2- 3524	SOFTBALL FIELD	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-20	SM0165	2- 3611	BASEBALL FIELD	SAME	24	P	U	EA	1.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

☐ REVISED CHANGE NO. (FROM STATUS IF OTHER THAN INITIAL ISSUE)

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
750-20	SM0186	2- 6558	SOFTBALL FIELD	SAME	24	P	U	EA	1.		0.	0/ 0/ 0
750-20	SM0260	2- 6671	SOFTBALL FIELD	SAME	90	P	U	EA	1.		0.	0/ 0/ 0
									5.		0.	
750-50	SM0175	2- 3521	OUTDOOR THEATRE	SAME	24	S	R	SF	97200.		97200.	8/ 0/ 0
									97200.		97200.	
750-60	SM0190	2- 6707	PIER	SAME	18	S	R	SF	484.		484.	8/ 0/ 0
									484.		484.	
750-90	SM0263	2- 6813	COVERED PATIO	SAME	24	S	U	EA	1.		0.	0/ 0/ 0
									1.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col. 6 - Using Activity Codes are as follows:

Code	Activity	Code	Activity
00	2D FORCE SERVICE REGIMENT	31	ASSISTANT CHIEF OF STAFF, G-3
09	FIELD MEDICAL SERVICE SCHOOL	32	DIRECTOR, HOUSING
10	BASE MATERIAL BATTALION	50	BASE MOTOR TRANSPORT
13	RESERVE LIAISON	60	BASE SUPPLY
14	DEPENDENTS SCHOOL	70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
16	BASE MEDICAL	80	STAFF NCO CLUB, E-6 THROUGH E-9
17	BASE COMMUNICATIONS	81	MARINE CORPS EXCHANGE
18	SPECIAL SERVICES	82	COMMISSIONED OFFICERS MESS
21	RIFLE RANGE	83	NURSERY
22	1ST INFANTRY TRAINING REGIMENT	84	KINDERGARTEN
23	MARINE CORPS ENGINEER SCHOOL	85	USO
24	MARINE CORPS SUPPLY SCHOOL	87	SCOUTING ACTIVITIES
25	HEADQUARTERS AND SERVICE BATTALION	89	NCO CLUB E/4, E/5
29	NAVY MEDICAL FIELD RESEARCH LAB	90	2D MARINE DIVISION
30	BASE MAINTENANCE	91	FORCE TROOLS
		92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an explanatory note following the itemized listing of facilities.

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use becuase of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls along with need for rewiring.
14. Building is inadequate becuase the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[X] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	MONTFORD POINT									
111-81	HELICOPTER LANDING PAD	SY	1,112	69	0		69		(8)	
	MARINE CORPS BASE		ASSIGN 1,112	SY TO COURTHOUSE BAY CAT CODE (111-81)						
123-10	FILLING STATION	OL	2	0	0		0		(8)	
	MARINE CORPS BASE		(2)							
124-50	VEHICLE READY FUEL STORAGE TANK	GA	0	1,100	1,100		1,100		(8)	
	MARINE CORPS BASE			(1,100)	(1,100)					
131-10	TELEPHONE CABLE HOUSE	SF	100	100			100		(8)	
	MARINE CORPS BASE		(100)	(100)						
131-40	TELEPHONE EXCHANGE BUILDING	SF	700	2,040			2,048		(8)	
	MARINE CORPS BASE		(700)	(2,040)						

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
132-50	PUBLIC ADDRESS SYSTEM OUTDOOR	EA	1	0	0		0		(8)	
	MARINE CORPS BASE									
171-10	ACADEMIC & GENERAL INST BLDG	SF	63,995	59,525	59,525		59,525		(8)	
	MARINE CORPS BASE		(63,995)	(59,525)	(59,525)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 57,470 SF TO COURTHOUSE BAY CAT CODE(171-10)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 6,525 SF TO HADNOT POINT CAT CODE(171-10)							
171-20	APPLIED INSTRUCTION BLDG	SF	122,670	166,483	143,666		166,483		(8)	
	MARINE CORPS BASE		(122,670)	(166,483)	(143,666)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 122,670 SF TO COURTHOUSE BAY CAT CODE(171-20)							
	(2) FIELD MEDICAL SERVICE SCHOOL									
171-90	COMBAT TRAINING TANK	EA	1	1	0		1		(8)	
	MARINE CORPS BASE		(1)	(1)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1 EA TO COURTHOUSE BAY CAT CODE(171-90)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-90	TRAINING MESS	SF	22,500	30,952	21,813		30,952		(8)	
	MARINE CORPS BASE		(22,500)	(30,952)	(21,813)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 22,500 SF TO COURTHOUSE BAY CAT CODE(171-90)							
171-90	TRAINING BUILDING/OTHER	SF	0	11,368	11,368		11,368		(8)	
	MARINE CORPS BASE			(11,368)	(11,368)					
	(1) SERVICE SUPPORT SCHOOL									
214-20	AUTO VEHICLE MAINT FAC	SF	15,845	15,451	15,451		15,451		(8)	
	MARINE CORPS BASE		(15,845)	(15,451)	(15,451)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 15,845 SF TO COURTHOUSE BAY CAT CODE (214-20)							
214-90	VEHICLE WASH APRON	SF	800	1,140	0		1,140		(8)	
	MARINE CORPS BASE		(800)	(1,140)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 800 SF TO COURTHOUSE BAY CAT CODE (214-90)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-90	GREASE RACK	SF	3,000	2,205	0		2,205		(8)	
	MARINE CORPS BASE		(3,000)	(2,205)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3,000 SF TO COURTHOUSE BAY CAT CODE (214-90)							
219-10	PUBLIC WORKS MAINT SHOP	SF	2,000	924	924		924		(8)	
	MARINE CORPS BASE		(2,000)	(924)	(924)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2,000 SF TO COURTHOUSE BAY CAT CODE (219-10)							
442-10	GENERAL WAREHOUSE RI	SF	9,000	24,499	19,951		24,499		(8)	
	MARINE CORPS BASE		(9,000)	(24,499)	(19,951)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 9,000 SF TO COURTHOUSE BAY CAT CODE (442-10)							
	(2) FIELD MEDICAL SERVICE SCHOOL									
442-70	PUBLIC WORKS MAINT STORAGE	SF	1,700	668	668		668		(8)	
	MARINE CORPS BASE		(1,700)	(668)	(668)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1,700 SF TO COURTHOUSE BAY CAT CODE (442-70)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-90	COVERED STORAGE/OTHER	SF	4,990	13,304	64		13,240		(8)	
	MARINE CORPS BASE		(4,990)	(13,304)	(64)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 4,990 SF TO COURTHOUSE BAY CAT CODE(442-90)							
540-10	DENTAL CLINIC	SF	2,200	1,756	1,756		1,756		(8)	
	MARINE CORPS BASE		(2,200)	(1,756)	(1,756)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2,200 SF TO COURTHOUSE BAY CAT CODE (540-10)							
550-20	DISPENSARY W/O BEDS	SF	3,640	3,242	3,242		3,242		(8)	
	MARINE CORPS BASE		(3,640)	(3,242)	(3,242)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3,640 SF TO COURTHOUSE BAY CAT CODE (550-20)							
610-10	ADMINISTRATION OFFICE	SF	44,060	67,920	59,428		67,920		(8)	
	MARINE CORPS BASE		(44,060)	(67,920)	(59,428)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 39,850 SF TO COURTHOUSE BAY CAT CODE (610-10)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 4,210 SF TO HADNOT POINT CAT CODE(610-10)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
690-10	FLAGPOLE	EA	2	2	0		2		(8)	
	MARINE CORPS BASE		(2)	(2)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1 EA TO COURTHOUSE BAY CAT CODE(690-10)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 1 EA TO HADNOT POINT CAT CODE(690-10)							
722-10	EM BARRACKS W/O MESS	MN	1,090	1,863	1,863		1,863		(8)	
	MARINE CORPS BASE		(1,090)	(1,863)	(1,863)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 944 MN TO COURTHOUSE BAY CAT CODE(722-10)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 146 MN TO HADNOT POINT CAT CODE(722-10)							
723-10	MESSHALL	SF	14,636	34,962	34,962		34,962		(8)	
	MARINE CORPS BASE		(14,636)	(34,962)	(34,962)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 14,636 SF TO COURTHOUSE BAY CAT CODE(723-10)							
723-20	LATRINE	SF	8,064	19,575	19,575		19,575		(8)	
	MARINE CORPS BASE		(8,064)	(19,575)	(19,575)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	SND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
724-15	BOQ W/O MESS	MN	170	78	78		78		(8)	
	MARINE CORPS BASE		(170)	(78)	(78)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 139 MEN TO COURTHOUSE BAY CAT CODE(724-15)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 31 MEN TO HADNOT POINT CAT CODE(724-15)							
724-30	OFFICERS MESS (CLOSED)	SF	4,930	0			0	0	(8)	
	MARINE CORPS BASE		(4,930)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 4,041 SF TO COURTHOUSE BAY CAT CODE(724-30)							
	(2) FIELD MEDICAL SERVICE SCHOOL		ASSIGN 889 SF TO HADNOT POINT CAT CODE(724-30)							
730-10	FIRE STATION	SF	3,000	0	0		0	0	(8)	
	MARINE CORPS BASE		(3,000)							
730-25	GATE/SENTRY HOUSE	SF	200	84	84		84		(8)	
	MARINE CORPS BASE		ASSIGN 200 SF TO COURTHOUSE BAY CAT CODE(730-25)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-65	AIR RAID/FALLOUT SHELTER	SF	12,370	0	0		0	0	(8)	
	MARINE CORPS BASE		(12,370)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 12,370 SF TO COURTHOUSE BAY CAT CODE(730-65)							
730-90	CEMETERY	AC	9	9	0		9		(8)	
	MARINE CORPS BASE		(9)	(9)						
740-10	CHAPEL	SE	150	225	225		225		(8)	
	MARINE CORPS BASE		(150)	(225)	(225)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 150 SF TO COURTHOUSE BAY CAT CODE (740-10)							
740-14	EXCHANGE	SF	6,285	8,414	1,934		8,414		(8)	
	MARINE CORPS BASE		(6,285)	(8,414)	(1,934)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 6,285 SF TO COURTHOUSE BAY CAT CODE(740-14)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-30	SERVICE STATION	SF	1,380	924	0		924		(8)	
	MARINE CORPS BASE		(1,380)	(924)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1,380 SF TO COURTHOUSE BAY CAT CODE(740-30)							
740-33	POST OFFICE	SF	1,120	722	722		722		(8)	
	MARINE CORPS BASE		(1,120)	(722)	(722)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1,120 SF TO COURTHOUSE BAY CAT CODE(740-33)							
740-36	HOBBY SHOP	SF	1,600	0	0		0	0	(8)	
	MARINE CORPS BASE		(1,600)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 1,600 SF TO COURTHOUSE BAY CAT CODE(740-36)							
740-37	SPECIAL SERVICE CENTER	SF	600	0	0		0	0	(8)	
	MARINE CORPS BASE		(600)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 600 SF TO COURTHOUSE BAY CAT CODE(740-37)							
	(2) FIELD MEDICAL SERVICE SCHOOL									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-40	BOWLING ALLEY	LA	2	0	0		0	0	(8)	
	MARINE CORPS BASE		(2)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2 LA TO COURTHOUSE BAY CAT CODE (740-40)							
740-43	GYMNASIUM	SF	10,200	11,988	11,988		11,988		(8)	
	MARINE CORPS BASE		(10,200)	(11,988)	(11,988)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 10,200 SF TO COURTHOUSE BAY CAT CODE(740-43)							
740-56	THEATER	SE	150	0	0		0	0	(8)	
	MARINE CORPS BASE		(150)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 150 SE TO COURTHOUSE BAY CAT CODE(740-56)							
	(2) FIELD MEDICAL SERVICE SCHOOL									
740-60	OFFICERS CLUB (OPEN)	SF	3,980	1,835	0		1,835		(8)	
	MARINE CORPS BASE		(3,980)	(1,835)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3,980 TO COURTHOUSE BAY CAT CODE(740-60)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-63	E M SERVICE CLUB	SF	5,250	5,550	5,550		5,550		(8)	
	MARINE CORPS BASE		(5,250)	(5,550)	(5,550)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 5,250 SF TO COURTHOUSE BAY CAT CODE (740-63)							
740-66	N C O CLUB	SF	5,450	0	0		0	0	(8)	
	MARINE CORPS BASE		(5,450)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 5,450 SF TO COURTHOUSE BAY CAT CODE (740-66)							
740-70	STAFF N C O CLUB	SF	2,800	11,744	11,744		11,744		(8)	
	MARINE CORPS BASE		(2,800)	(11,744)	(11,744)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2,800 SF TO COURTHOUSE BAY CAT CODE (740-70)							
740-76	LIBRARY	SF	2,000	4,284	4,284		4,284		(8)	
	MARINE CORPS BASE		(2,000)	(4,284)	(4,284)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2,000 SF TO COURTHOUSE BAY CAT CODE (740-76)							
	(2) FIELD MEDICAL SERVICE SCHOOL									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [x] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-83	BUS STATION & SHELTER	SF	150	0	0		0	0	(8)	
	MARINE CORPS BASE		(150)							
740-86	RETAIL WAREHOUSE	SF	2,600	4,000	4,000		4,000		(8)	
	MARINE CORPS BASE		(2,600)	(4,000)	(4,000)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 2,600	SF TO COURTHOUSE BAY CAT CODE(740-86)						
740-87	BOAT HOUSE	SF	0	220	220		220		(8)	
	MARINE CORPS BASE			(220)	(220)					
740-88	EDUCATION CENTER	SF	3,600	0	0		0	0	(8)	
	MARINE CORPS BASE		(3,600)							
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3,600	SF TO COURTHOUSE BAY CAT CODE(740-88)						
740-90	COMPANY RECREATION BLDG	SF	12,480	12,964	11,557		12,964		(8)	
	MARINE CORPS BASE		(12,480)	(12,964)	(11,557)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 12,480 TO COURTHOUSE BAY CAT CODE(740-90							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-10	PLAYING COURTS	EA	11	6	2		6		(8)	
	MARINE CORPS BASE		(11)	(6)	(2)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 11 EA TO COURTHOUSE BAY CAT CODE (750-10)							
750-20	PLAYING FIELDS	EA	3	5			5		(8)	
	MARINE CORPS BASE		(3)	(5)						
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3 EA TO COURTHOUSE BAY CAT CODE(750-20)							
750-50	OUTDOOR THEATER	SF	0	97,200	97,200		97,200		(8)	
	MARINE CORPS BASE			(97,200)	(97,200)					
750-60	PIER	SF	0	484	484		484		(8)	
	MARINE CORPS BASE			(484)	(484)					
750-90	COVERED PATIO	EA	0	1	0		1		(8)	
	MARINE CORPS BASE			(1)						

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O.'s TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	MONTFORD POINT												
111-81	SLZ 1	2-6365	P	R	250	HELICOPTER LANDING PAD	SY	69	69	29	RETAIN		
124-50	SM 191	2-6770	P	R	421	VEH READY FUEL STOR TANK	GA	1,100	1,100	29	RETAIN		
131-10	M 172	2-3769	P	U	3,209	TELEPHONE CABLE HOUSE	SF	100	100	29	RETAIN		
131-40	M 167	2-3786	P	U	15,836	COMMS BUILDINGS	SF	1,024	1,024	29	RETAIN		
171-10	M 102	2-3845	S	T	21,549	ACD/GEN INSTR BLDG	SF	3,072	3,072	29	RETAIN		
171-10	M 104	2-3847	S	T	91,218	ACD/GEN INSTR BLDG	SF	12,180	12,180	29	RETAIN		
171-10	M 124	2-3714	P	R	10,658	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-10	M 126	2-3716	P	R	10,658	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-10	M 214	2-3731	P	T	6,462	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-10	M 307	2-3759	P	R	32,266	ACD/GEN INSTR BLDG	SF	4,410	4,410	29	RETAIN		

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 321	2-3623	P	R	56,832	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
171-10	* A					ACD/GEN INSTR BLDG	SF	4,284	4,284				
740-76	* B					LIBRARY	SF	4,284	4,284				
171-10	M 405	2-3725	P	R	15,882	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-10	M 406	2-3726	P	R	9,631	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-10	M 409	2-3834	P	R	64,511	ACD/GEN INSTR BLDG	SF	8,568	8,568	29	RETAIN		
171-10	M 413	2-3807	P	R	34,100.	ACD/GEN INSTR BLDG	SF	4,410	4,410	29	RETAIN		
	M 522	2-3639	P	R	56,209	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
171-10	* A					ACD/GEN INSTR BLDG	SF	3,161	3,161				
171-20	* B					APPL INSTR BLDG	SF	3,000	3,000				
610-10	* C					ADMIN BLDG	SF	1,000	1,000				
740-90	* D					REC BLDG	SF	1,407	1,407				
171-10	M 603	2-3812	P	R	8,229	ACD/GEN INSTR BLDG	SF	3,240	3,240	29	RETAIN		

CLASSIFICATION STAMP

A-2078

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-20	M 101	2-3842	T	T	118,122	APPL INSTR BLDG	SF	12,480	12,480	25	REMOVE		
171-20	M 119	2-3840	T	T	10,949	APPL INSTR BLDG	SF	6,118	6,118	25	REMOVE		
171-20	M 121	2-3718	T	T	9,778	APPL INSTR BLDG	SF	6,118	6,118	25	REMOVE		
171-20	M 122	2-3717	T	T	8,858	APPL INSTR BLDG	SF	6,118	6,118	25	REMOVE		
171-20	M 123	2-3682	P	R	8,171	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-20	M 125	2-3715	P	R	10,870	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-20	M 127	2-3713	P	R	10,658	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
	M 130	2-3783	P	U	115,644	MULTI-USE BLDG	SF	11,103	11,103	29	RETAIN		
171-20	* A					APPLIED INSTR BLDG	SF	3,205	3,205	29	RETAIN		
722-10	* B					SNCO QUARTERS	SF	3,948	3,948				
724-15	* C					BCHLR OFF QTRS	SF	3,950	3,950				
171-20	M 151	2-3790	S	R	880	TRNG BLDG/OTHER	SF	800	800	29	RETAIN		
171-20	M 203	2-3681	P	R	26,362	APPL INSTR BLDG	SF	9,333	9,333	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 231	2-3829	P	U	135,575	MULTI-USE BLDG	SF	22,280	22,280	29	RETAIN		
171-20	* A					APPL INSTR BLDG	SF	5,934	5,934				
724-15	* B					BCHLR OFF QTRS	SF	14,511	14,511				
740-60	* C					OFFICERS CLUB	SF	1,835	1,835				
171-20	M 255	2-3814	P	R	27,500	APPL INSTR BLDG	SF	9,333	9,333	29	RETAIN		
171-20	M 323	2-3830	P	R	12,033	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-20	M 326	2-3694	P	U	66,694	APPL INSTR BLDG	SF	9,394	9,394	29	RETAIN		
171-20	M 327	2-3837	P	R	49,685	APPL INSTR BLDG	SF	9,394	9,394	29	RETAIN		
171-20	M 402	2-3723	P	R	16,879	TRNG BLDG/OTHER	SF	2,000	2,000	29	RETAIN		
171-20	M 403	2-3723	P	R	55,802	TRNG BLDG/OTHER	SF	8,568	8,568	29	RETAIN		
171-20	M 407	2-3803	P	R	31,305	APPL INSTR BLDG	SF	4,410	4,410	29	RETAIN		
171-20	M 411	2-3805	P	R	13,626	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-20	M 412	2-3806	P	R	13,903	APPL INSTR BLDG	SF	3,240	3,240	29	RETAIN		
171-20	M 420	2-3808	P	R	53,900	APPL INSTR BLDG	SF	8,568	8,568	29	RETAIN		
171-20	M 422	2-3810	P	R	51,867	APPL INSTR BLDG	SF	8,568	8,568	29	RETAIN		
171-20	M 514	2-3663	P	P	57,582	APPL INSTR BLDG	SF	8,568	8,568	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 516	2-3635	P	U	56,239	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
171-20	* A					APPL INSTR BLDG	SF	4,284	4,284				
722-10	* B					EM BKS W/O MESS	SF	4,284	4,284	29	RETAIN		
171-20	M 522	2-3639	P	R	56,209	APPL INSTR BLDG	SF	3,000	3,000	29	RETAIN		
171-90	M 139	2-3827	P	U	220,115	COMBAT TRAINING TANK	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
214-20	M 113	2-3684	P	R	21,536	AUTO VEH MAINT FAC	SF	9,333	9,333	29	RETAIN		
214-20	M 120	2-3841	T	T	11,160	AUTO VEH MAINT FAC	SF	6,118	6,118	25	REMOVE		
214-90	SM 176	2-3523	S	U	1,287	GREASE RACK	SF	603	603	29	RETAIN		
214-90	SM 177	2-3522	S	U	1,287	GREASE RACK	SF	603	603	29	RETAIN		
214-90	SM 187	2-6361	P	U	3,050	WASH APRON	SF	960	960	29	RETAIN		
214-90	SM 192	2-6789	P	U	8,912	VEHICLE WASH	SF	1,080	1,080	29	RETAIN		
214-90	SM 258	2-6618	S	U	642	GREASE RACK	SF	396	396	29	RETAIN		
219-10	M 103	2-3774	S	R	3,653	PUBLIC WORKS MAINT SHOP	SF	924	924	29	RETAIN		
442-10	M 112	2-3683	S	R	20,561	GEN WHSE/RI	SF	9,333	9,333	29	RETAIN		
442-10	M 133	2-3854	S	R	547	GEN WHSE/RI	SF	192	192	29	RETAIN		
442-10	M 259	2-6630	S	U	750	GEN WHSE/RI	SF	150	150	29	RETAIN		
442-10	M 308	2-3661	P	R	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		
442-10	M 314	2-3662	P	R	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	M 330	2-6631	S	U	750	GEN WHSE/RI	SF	150	150	29	RETAIN		
442-10	M 408	2-3667	P	U	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		
442-10	M 512	2-3699	P	U	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		
442-10	601	2-3702	P	U	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		
442-10	611	2-3672	P	U	57,141	GEN WHSE/RI	SF	2,248	2,248	29	RETAIN		
442-10	619	2-3705	P	R	15,633	GEN WHSE/RI	SF	2,000	2,000	29	RETAIN		
	M 620	2-3706	P	U	15,633	MULTI-USE BLDG	SF	2,000	2,000	29	RETAIN		
442-10	* A		P	U		GEN WHSE/RI	SF	426	426				
610-10	* B					ADMIN BLDG/OTHER	SF	1,574	1,574				
442-70	M 136	2-3779	P	R	1,674	PUBLIC WORKS MAINT STOR	SF	500	500	29	RETAIN		
442-70	M 158	2-3791	S	R	200	PUBLIC WORKS MAINT STOR	SF	168	168	29	RETAIN		
442-90	M 184	2-6556	S	R	320	COVERED STORAGE/OTHER	SF	64	64	29	RETAIN		
442-90	M 301	2-3660	P	U	15,633	COVERED STORAGE/OTHER	SF	2,000	2,000	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME: ARINE CORPS BASE, CAMP LEJEUNE, N. C. | CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5ND | CODE: 05 | SPONSOR: CMC | CODE: 32 | REPORT STATUS: ☐ REVISION ☐ CHANGE _____ | SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-90	M 506	2-3698	P	U	15,633	COVERED STORAGE/OTHER	SF	2,000	2,000	29	RETAIN		
442-90	M 606	2-3703	P	U	15,633	COVERED STORAGE/OTHER	SF	2,000	2,000	29	RETAIN		
442-90	M 612	2-3704	P	U	15,633	COVERED STORAGE/OTHER	SF	2,000	2,000	29	RETAIN		
442-90	M 613	2-3680	P	U	15,633	STORAGE	SF	2,000	2,000	29	RETAIN		
	M 128	2-3843	P	R	259,631	MULTI-USE BLDG	SF	23,568	23,568	29	RETAIN		
540-10	* A					DENTAL CLINIC	SF	1,756	1,756				
550-20	* B					DISPENSARY	SF	3,042	3,042				
722-10	* C					SNCO QUARTERS	SF	18,770	18,770				
	M 621	2-3677	P	R	30,650	MULTI-USE BLDG	SF	4,410	4,410	29	RETAIN		
550-20	* A					DISPENSARY	SF	200	200				
610-10	* B					ADMIN BLDG	SF	4,210	4,210				
610-10	M 105	2-3773	S	T	22,606	ADMIN BLDG	SF	3,200	3,200	25	REMOVE		

CLASSIFICATION STAMP

A-1078

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 129	2-3844	P	R	181,733	MULTI-USE BLDG	SF	16,372	16,372	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	1,728	1,728				
740-14	* B					EXCHANGE	SF	1,934	1,934				
740-33	* C					POST OFFICE	SF	722	722				
740-43	* D					GYMNASIUM	SF	11,988	11,988				
610-10	M 131	2-3871	P	R	40,106	ADMIN BLDG	SF	6,369	6,369	29	RETAIN		
610-10	M 132	2-3851	P	R	57,031	ADMIN BLDG	SF	12,043	12,043	29	RETAIN		
610-10	M 144	2-3770	S	R	884	DISPATCHER/OTHER	SF	728	728	29	RETAIN		
610-10	M 200	2-3831	P	R	11,281	ADMIN BLDG	SF	2,052	2,052	29	RETAIN		
610-10	M 201	2-3767	P	R	23,298	ADMIN BLDG	SF	4,440	4,440	29	RETAIN		
	M 305	2-3760	P	R	53,795	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	864	864				
722-10	* B					EM BKS W/O MESS	SF	7,704	7,704				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 324	2-3848	P	U	151,411	MULTI-USE BLDG	SF	22,490	22,490	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	3,640	3,640				
171-20	* B					APPL INSTR BLDG	SF	18,850	18,850				
610-10	M 401	2-3665	P	R	17,831	ADMIN BLDG	SF	2,000	2,000	29	RETAIN		
610-10	M 414	2-3668	P	R	16,809	REC BLDG	SF	2,000	2,000	29	RETAIN		
610-10	M 416	2-3835	P	R	53,202	ADMIN BLDG	SF	8,568	8,568	29	RETAIN		
610-10	M 418	2-3836	P	R	28,894	ADMIN BLDG/OTHER	SF	4,410	4,410	29	RETAIN		
	M 518	2-3637	P	U	54,884	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	977	977				
722-10	* B					EM BKS W/O MESS	SF	7,591	7,591				
610-10	M 521	2-3833	P	R	32,359	ADMIN BLDG	SF	4,410	4,410	29	RETAIN		

CLASSIFICATION STAMP

A-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 611	2-3672	P	U	57,141	MULTI-USE BLDG	SF	8,578	8,578	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	2,875	2,875				
722-10	* B					SNCO QUARTERS	SF	5,703	5,703				
	M 622	2-3678	P	R	54,884	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
610-10	* A					ADMIN BLDG	SF	832	832				
722-10	* B					EM BKS W/O MESS	SF	7,736	7,736				
690-10	SM 188	2-6666	P	U	60	FLAGPOLE	EA	1	1	29	RETAIN		
690-10	SM 131A	2-6277	P	U	350	FLAGPOLE	EA	1	1	29	RETAIN		
722-10	M 211	2-3728	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 212	2-3729	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 215	2-3732	P	R	7,559	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 216	2-3855	P	R	6,472	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 217	2-3733	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	M 218	2-3734	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 219	2-3735	P	R	6,762	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 220	2-3736	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 221	2-3737	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 222	2-3738	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 223	2-3739	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 224	2-3740	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 225	2-3741	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 226	2-3742	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 227	2-3743	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 228	2-3744	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M 229	2-3745	P	R	6,462	EM BKS W/O MESS	SF	3,240	3,240	29	RETAIN		
722-10	M-234	2-3754	P	R	22,688	SNCO QUARTERS	SF	3,240	3,240	29	RETAIN		
722-10	M 235	2-3755	P	R	22,688	SNCO QUARTERS	SF	3,240	3,240	29	RETAIN		
722-10	M 236	2-3756	P	R	22,688	SNCO QUARTERS	SF	3,240	3,240	29	RETAIN		

CLASSIFICATION STAMP

A-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (REV 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N. C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 303	2-3756	P	R	51,867	MULTI-USE BLDG	SF	5,568	5,568	29	RETAIN		
722-10	* A					GUARD HOUSE	SF	5,568	5,568				
722-10	M 309	2-3591	P	R	51,867	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 311	2-3593	P	R	51,867	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 313	2-3594	P	R	28,895	EM BKS W/O MESS	SF	4,410	4,410	29	RETAIN		
722-10	M 316	2-3595	P	R	54,884	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 318	2-3622	P	R	30,651	EM BKS W/O MESS	SF	4,410	4,410	29	RETAIN		
722-10	M 503	2-3625	P	R	30,650	EM BKS W/O MESS	SF	4,410	4,410	29	RETAIN		
722-10	M 504	2-3626	P	R	54,884	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 507	2-3628	P	R	54,119	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 509	2-3630	P	R	55,490	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 511	2-3632	P	R	30,650	EM BKS W/O MESS	SF	4,410	4,410	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 604	2-3641	P	R	54,884	MULTI-USE BLDG	SF	8,568	8,568	29	RETAIN		
722-10	*A					EM BKS W/O MESS	SF	5,328	5,328				
442-90	*B					COVERED STOR/OTHER	SF	3,240	3,240				
722-10	M 607	2-3643	P	R	54,884	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 609	2-3645	P	R	54,884	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 614	2-3778	P	R	55,208	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
722-10	M 616	2-3674	P	R	54,884	EM BKS W/O MESS	SF	8,568	8,568	29	RETAIN		
723-10	M 202	2-3766	P	R	101,767	MESSHALL	SF	12,472	12,472	29	RETAIN		
723-10	M 424	2-3846	P	R	134,852	MESSHALL	SF	22,490	22,490	29	RETAIN		
723-20	M 109	2-3710	S	R	12,807	LATRINE	SF	2,000	2,000	29	RETAIN		
723-20	M 205	2-3688	P	R	12,480	LATRINE/OTHER	SF	2,000	2,000	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	M 206	2-3689	P	R	12,480	MULTI-USE BLDG	SF	2,000	2,000	29	RETAIN		
723-20	* A					LATRINE	SF	1,575	1,575				
723-30	* B					LAUNDRAMAT	SF	425	425				
723-20	M 208	2-3691	P	R	12,481	LATRINE/OTHER	SF	2,000	2,000	29	RETAIN		
723-20	M 209	2-3692	P	R	12,481	LATRINE/OTHER	SF	2,000	2,000	29	RETAIN		
723-20	M 210	2-3693	P	R	12,837	LATRINE/OTHER	SF	2,000	2,000	29	RETAIN		
723-20	M 319	2-3664	P	R	15,633	LATRINE	SF	2,000	2,000	29	RETAIN		
723-20	M 415	2-3669	P	R	15,633	LATRINE	SF	2,000	2,000	29	RETAIN		
723-20	M 513	2-3700	P	R	15,633	LATRINE/OTHER	SF	2,000	2,000	29	RETAIN		
724-15	M 232	2-3752	P	R	22,688	BOQ W/O MESS	SF	3,240	3,240	29	RETAIN		
724-15	M 233	2-3752	P	R	22,688	BOQ W/O MESS	SF	3,240	3,240	29	RETAIN		
730-25	M 169	2-3787	S	R	1,485	GATE HOUSE	SF	48	48	29	RETAIN		
730-25	M 325	2-3853	S	R	343	GATE HOUSE	SF	36	36	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ. COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-90	UNUM	2-3462	P	U		CEMETARY	AC	9	9	29	RETAIN		
740-10	M 100	2-3775	S	T	18,172	CHAPEL	SE	75	75	29	RETAIN		
740-10	M 116	2-3772	S	R	51,507	CHAPEL	SE	150	150	29	RETAIN		
	M 320	2-3751	P	U	16,133	MULTI-USE BLDG	SF	3,392	3,392	29	RETAIN		
740-14	* A					EXCHANGE	SF	3,240	3,240	29	RETAIN		
740-90	* B					BUS SHELTER		152	152	29	RETAIN		
740-14	M 602	2-3832	P	U	9,366	ADMINISTRATION	SF	3,240	3,240	29	RETAIN		
740-30	M 171	2-3789	P	U	26,7272	FILLING STATION	SF	924	924	29	RETAIN		
740-70	M 240	2-3852	P	R	130,789	STAFF NCO CLUB	SF	11,744	11,744	29	RETAIN		
740-86	M 238	2-3685	P	R	12,986	RETAIL WAREHOUSE	SF	2,000	2,000	29	RETAIN		
740-86	M 239	2-3686	P	R	12,986	RETAIL WAREHOUSE	SF	2,000	2,000	29	RETAIN		

CLASSIFICATION STAMP

6-1975

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-87	M 185	2-6557	S	R	1,200	BOAT HOUSE	SF	220	220	29	RETAIN		
740-90	M 213	2-3730	P	R	6,462	REC BLDG	SF	3,240	3,240	29	RETAIN		
740-90	M 302	2-3761	P	R	15,633	REC BLDG	SF	2,000	2,000	29	RETAIN		
740-90	M 419	2-3670	P	R	15,633	REC BLDG	SF	2,000	2,000	29	RETAIN		
740-90	M 501	2-3698	P	R	15,633	REC BLDG	SF	2,000	2,000	29	RETAIN		
740-90	M 502	2-3697	P	R	15,633	REC BLDG	SF	2,000	2,000	29	RETAIN		
740-90	SM 183	2-6363	S	R	410	CONCESSION/STND	SF	165	165	29	RETAIN		
750-10	SM 189	2-6679	P	R	8,862	HANDBALL CTS	EA	2	2	29	RETAIN		
750-10	SM 245	2-3529	P	U	6,000	TENNIS COURT	EA	1	1	29	RETAIN		
750-10	SM 246	2-3526	P	U	1,400	HANDBALL COURT	EA	1	1	29	RETAIN		
750-10	SM 247	2-3528	P	U	2,500	TENNIS COURT	EA	1	1	29	RETAIN		
750-10	SM 248	2-3527	P	U	700	HANDBALL CT	EA	1	1	29	RETAIN		
750-20	SM 163	2-3525	P	U	600	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	SM 164	2-3524	P	U	600	SOFTBALL FIELD	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-20	SM 165	2-3611	P	U	1,200	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	SM 186	2-6558	P	U	500	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	SM 260	2-6671	P	U	900	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-50	SM 175	2-3521	S	R	14,660	OUTDOOR THEATER	SF	97,200	97,200	29	RETAIN		
750-60	SM 190	2-6707	S	R	350	PIER	SF	484	484	29	RETAIN		
750-90	SM 263	2-6813	S	U	780	COVERED PATIO	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	CAMP GEIGER												
123-10	TC 364	2-3404	S	U	211	FILLING STATION	OL	2	2	29	RETAIN		
131-40	TC 755	2-3261	P	R	24,295	TELEPHONE EXCH BLDG	SF	1,504	1,504	25	REMOVE (1)		
	TC 1041	2-2907	S	R	13,579	MULTIPLY USE BLDG	SF	2,000	2,000	29	RETAIN		
141-60	* A					PHOTO BUILDING	SF	1,589	1,589				
723-20	* B					TOILET	SF	411	411				
171-10	TC 341	2-2886	T	T	22,941	ACD/GEN INSTR BLDG	SF	9,120	9,120	25	REMOVE (1)		
171-10	TC 725	2-2965	T	T	6,051	ACD/GEN INSTR BLDG	SF	2,592	2,592	25	REMOVE (1)		
171-10	TC 830	2-2974	T	T	6,051	ACD/GEN INSTR BLDG	SF	2,592	2,592	25	REMOVE (1)		
171-10	TC 940	2-3241	T	R	31,748	ACD/GEN INSTR BLDG	SF	9,120	9,120	29	RETAIN		
171-10	TC 942	2-3248	T	R	33,483	ACD/GEN INSTR BLDG	SF	9,120	9,120	29	RETAIN		
171-10	TC 1039	2-2870	P	R	15,581	ACD/GEN INSTR BLDG	SF	4,321	4,321	29	RETAIN		
171-10	TC 1059	2-2826	P	R	34,727	ACD/GEN INSTR BLDG	SF	4,321	4,321	29	RETAIN		

NOTE: (1) = REMOVE DUE TO NEW CONSTRUCTION

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-10	TC 1142	2-3151	P	R	15,467	ACD/GEN INSTR BLDG	SF	1,131	1,131	29	RETAIN		
171-10	TC 1143	2-3152	P	R	16,137	ACD/GEN INSTR BLDG	SF	4,321	4,321	29	RETAIN		
	TC 824	2-3341	T	T	6,051	MULTIPLY USE BLDG	SF	2,592	2,592	29	REMOVE (1)		
171-10	* A					APPLIED INST BLDG	SF	1,815	1,815				
218-19	* B					PARACHUTE SHOP	SF	777	777				
171-20	TC 627	2-6541	S	R	560	APPLIED INSTR BLDG	SF	256	256	29	RETAIN		
171-20	TC 734	2-2969	T	R	6,051	APPLIED INSTR BLDG	SF	2,592	2,592	25	REMOVE (1)		
171-20	TC 1141	2-2911	S	R	13,379	APPLIED INSTR BLDG	SF	800	800	29	RETAIN		
	TC 1060	2-3148	P	R	15,467	MULTIPLY USE BLDG	SF	4,321	4,321	29	RETAIN		
722-10	* A					EM BARRACKS		2,795	2,795				
171-20	* B					APPLIED INSTR BLDG	SF	1,526	1,526				
171-30	TC 720	2-3316	T	T	6,051	ARMORY	SF	2,592	2,592	25	REMOVE (1)		
171-30	TC 721	2-2961	T	T	6,051	ARMORY	SF	2,592	2,592	25	REMOVE (1)		

CLASSIFICATION STAMP

A-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-30	TC 722	2-2962	T	T	7,078	ARMORY	SF	2,592	2,592	25	REMOVE (1)		
171-30	TC 723	2-2963	T	T	7,462	ARMORY	SF	2,592	2,592	25	REMOVE (1)		
213-58	TC 495	2-3395	S	T	954	BOAT SHOP	SF	800	800	25	REMOVE		
214-10	TC 864	2-3156	S	R	24,083	COMBAT VEH MAINT FAC	SF	8,000	8,000	29	RETAIN		
214-10	TC 952	2-3254	S	R	13,121	COMBAT VEH MAINT FAC	SF	8,000	8,000	29	RETAIN		
214-90	STC 620	2 3571	P	N	820	VEH WASH RACK	SF	340	340	25	REMOVE		
	TC 569	2-3243	S	R	12,372	MULTIPLE USE BLDG	SF	8,000	8,000	29	RETAIN		
422-90	* A					ST COV ORG/OTH	SF	6,000	6,000				
214-20	* B					AUTO VEH MAINT FAC	SF	2,000	2,000				
214-20	TC 773	2-3260	S	R	26,470	AUTO VEH MAINT FAC	SF	8,000	4,570	29	RETAIN		
217-10	TC 1022	2-3337	T	R	6,051	ELNICS/ELEC MAINT	SF	2,592	2,592	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 910	2-3154	S	R	161,032	MULTIPLE USE BLDG	SF	15,205	15,205	29	RETAIN		
218-10	* A					PARACHUTE SHOP	SF	7,685	7,685				
740-60	* B					OFFICERS CLUB	SF	5,544	5,544				
442-90	* C					ST COV ORG/OTH	SF	1,976	1,976				
218-90	TC 610	2-2795	T	T	15,560	MAINT FAC/OTHER	SF	474	474	25	REMOVE		
219-90	TC 609	2-3153	S	R	29,149	MAINT REP/OTH	SF	8,000	8,000	29	RETAIN		
219-10	TC 771	2-3856	T	T	8,300	P W/MAINT SHOP	SF	4,480	4,480	29	RETAIN		
						(BLDG TC 771 (219-10) CHANGES	TO	(217-10)					
219-10	TC 832	2-2975	T	T	9,389	P W /MAINT SHOP	SF	2,592	2,592	25	REMOVE (1)		
	TC 824	2-3341	T	R	6,051	MULTIPLE USE BLDG	SF	2,592	2,592	25	REMOVE (1)		
171-10	* A					ACD/GEN INSTR SHOP	SF	1,815	1,815				
218-10	* B					PARACHUTE SHOP	SF	777	777				

CLASSIFICATION STAMP

A-3873

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	TC 342	2-2887	T	R	23,485	GEN WAREHOUSE/RI	SF	9,120	9,120	25	REMOVE (1)		
442-10	TC 724	2-2964	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 731	2-2966	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 732	2-2967	T	R	7,853	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 733	2-2968	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 820	2-2971	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 823	2-3340	S	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 825	2-2973	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 831	2-3339	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 833	2-2976	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 835	2-3004	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	25	REMOVE (1)		
442-10	TC 320	2-2844	T	R	5,340	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 322	2-2845	T	R	5,340	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC-470	2-3397	T	R	8,228	GEN WAREHOUSE/RI	SF	4,480	4,480	29	RETAIN		
442-10	TC 471	2-3398	T	R	8,228	GEN WAREHOUSE/RI	SF	4,480	4,480	29	RETAIN		
442-10	TC 473	2-3238	S	R	10,497	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	TC 474	2-3396	S	R	26,313	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
442-10	TC 572	2-3239	S	R	10,497	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
						(CHANGE BLDG TC 572 (442-10) TO (442-XX)							
442-10	TC 608	2-2956	S	R	10,497	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
442-10	611	2-2957	S	R	10,864	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
442-10	775	2-3242	S	R	24,295	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
	TC 774	2-3259	S	R	26,313	MULTIPLE USE BLDG	SF	8,000	8,000	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	6,932	6,932				
610-10	* B					ADMINISTRATION BLDG	SF	1,068	1,068				
442-10	TC 861	2-2835	S	R	11,367	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		
442-10	TC 863	2-2895	S	R	10,267	GEN WAREHOUSE/RI	SF	8,000	8,000	29	RETAIN		

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 862	2 3255	S	R	24,204	MULTIPLE USE BLDG	SF	8,000	8,000	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	2,400	2,400				
214-20	* B					AUTO VEH MAINT FAC	SF	4,800	4,800				
442-10	* C					GEN WAREHOUSE/RI	SF	800	800				
	TC 1020	2-3005	T	R	6,051	MULTIPLE USE BLDG	SF	2,592	2,592	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,879	1,879				
610-10	* B					ADMINISTRATION BLDG	SF	713	713				
	TC 1021	2-3338	T	R	6,051	MULTIPLE USE BLDG	SF	2,592	2,592	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	1,728	1,728				
610-10	* B					ADMINISTRATION BLDG	SF	864	864				
442-10	TC 1023	2-3336	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 1025	2-3007	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 1030	2-3008	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		

CLASSIFICATION STAMP

A-1378

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	TC 1031	2-3009	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 1032	2-3010	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 1033	2-3011	T	R	6,051	GEN WAREHOUSE/RI	SF	2,592	2,592	29	RETAIN		
442-10	TC 1034	2-3012	S	R	6,334	GEN WAREHOUSE/RI	SF	1,672	1,672	29	RETAIN		
442-10	TC 1035	2-3013	T	R	6,051	GEN WAREHOUSE/RI	SF	3,592	2,592	29	RETAIN		
442-30	TC 628	2-6547	S	R	360	FLAM STORAGE/RI	SF	144	144	29	RETAIN		
442-30	TC 630	2-6548	S	R	494	FLAM STORAGE/RI	SF	144	144	29	RETAIN		
442-70	TC 365	2-6385	S	T	500	ST COV ORG/OTH	SF	462	462	25	REMOVE (1)		
						(REHAB BLDG TC 470 FROM (442-10) TO (442-70)							
442-90	STC 346	2-6766	S	R	211	COV STOR/INST	SF	702	702	25	REMOVE (1)		
442-90	TC 730	2-3263	T	R	6,266	COV STOR/INST	SF	2,592	2,592	25	REMOVE (1)		
442-90	TC 821	2-2972	T	R	6,655	COV STOR/INST	SF	2,592	2,592	25	REMOVE (1)		
442-90	TC 834	2-2977	T	R	6,051	COV STOR/INST	SF	2,592	2,592	25	REMOVE (1)		

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 846	2-3257	P	U	44,056	MULTIPLE USE BLDG	SF	9,393	9,393	25	REMOVE (1)		
550-20	* A					DISPENSARY	SF	7,738	7,738				
540-10	* B					DENTAL CLINIC	SF	1,655	1,655				
550-20	CG 492	2-1295	S	R	2,224	DISPENSARY	SF	200	200	29	RETAIN		
550-20	CG 512	2-1311	S	R	2,224	DISPENSARY	SF	200	200	29	RETAIN		
550-20	CG 945	2-2138	S	U	2,790	DISPENSARY	SF	256	256	29	RETAIN		
550-20	CG 959	2-2142	S	U	2,790	DISPENSARY	SF	256	256	29	RETAIN		
550-20	TC 1040	2-2906	S	R	12,779	DISPENSARY	SF	2,000	2,000	29	RETAIN		
610-10	TC 704	2-2929	P	R	16,610	ADMINISTRATION BLDG	SF	4,321	4,321	25	REMOVE (1)		
610-10	TC 706	2-2991	P	R	15,467	ADMINISTRATION BLDG	SF	1,017	1,017	25	REMOVE (1)		
610-10	TC 754	2-2930	P	R	15,601	ADMINISTRATION BLDG	SF	4,321	4,321	25	REMOVE (1)		
610-10	TC 808	2-3065	P	R	15,669	ADMINISTRATION BLDG	SF	4,321	4,321	25	REMOVE (1)		
610-10	TC 809	2-2868	P	R	15,917	ADMINISTRATION BLDG	SF	4,321	4,321	25	REMOVE (1)		

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC		☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 716	2-3323	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,457	3,457				
610-10	* B					ADMINISTRATION	SF	864	864				
	TC 726	2-2997	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,588	3,588				
610-10	* B					ADMINISTRATION	SF	733	733				
	TC 736	2-3001	P	R	15,703	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,587	3,587				
610-10	* B					ADMINISTRATION	SF	734	734				
	TC 745	2-3003	P	R	15,482	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,566	3,566				
610-10	* B					ADMINISTRATION BLDG	SF	755	755				

CLASSIFICATION STAMP

1-1972

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 753	2-3061	P	R	15,617	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,362	3,362				
610-10	* B					ADMINISTRATION BLDG	SF	959	959				
	TC 805	2-3063	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,505	3,505				
610-10	* B					ADMINISTRATION BLDG	SF	816	816				
	TC 818	2-3068	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,512	3,512				
610-10	* B					ADMINISTRATION BLDG	SF	809	809				
	TC 819	2-3069	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,687	3,687				
610-10	* B					ADMINISTRATION BLDG	SF	634	634				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 828	2-3072	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,573	3,573				
610-10	* B					ADMINISTRATION BLDG	SF	748	748				
	TC 839	2-3077	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	3,321	3,321				
610-10	* B					ADMINISTRATION BLDG	SF	1,000	1,000				
	TC 849	2-3825	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS		3,284	3,284				
610-10	* B					ADMINISTRATION BLDG		1,037	1,037				
	TC 854	2-2932	P	R	15,467	MULTIPLE USE BLDG	SF	4,321	4,321	25	REMOVE (1)		
610-10	* A					ADMINISTRATION BLDG	SF	2,170	2,170				
722-10	* B					EM BARRACKS	SF	1,997	1,997				
442-90	* C					COV STORAGE/OTHER	SF	154	154				

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 750	2-3058	P	R	15,467	MULTIPLE USE BUILDING	SF	4,321	4,321	25	REMOVE (1)		
722-10	* A					EM BARRACKS	SF	2,895	2,895				
610-90	* B					ADMIN BLDG/OTHER	SF	1,426	1,426				
	TC 1017	2-2858	P	R	15,467	MULTIPLE USE BUILDING	SF	4,321	4,321	29	RETAIN		
722-10	* A					EM BARRACKS	SF	2,895	2,895				
610-90	* B					ADMIN BLDG/OTHER	SF	1,426	1,426				
690-90	STC 776	2-6382	P	U	250	ADMIN STRUCTURE/OTH	SF	256	256	29	RETAIN		
722-10	TC 706	2-2991	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 705	2-3324	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 707	2-2992	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 708	2-2993	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 709	2-2994	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 717	2-2995	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	TC 718	2-2996	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 719	2-5122	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 727	2-2998	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 728	2-2999	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 729	2-3000	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 737	2-3002	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 738	2-3262	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 739	2-2867	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 748	2-3056	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 749	2-3057	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 751	2-3059	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 752	2-3060	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 804	2-3062	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 806	2-3064	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 807	2-2827	P	R	15,694	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 816	2-3066	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		

CLASSIFICATION STAMP

A-1473

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	TC 817	2-2827	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 826	2-3070	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 827	2-3071	P	R	15,635	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 829	2-3073	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 836	2-3074	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 837	2-3075	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 838	2-3076	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 848	2-3256	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 852	2-3079	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC 853	2-2931	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
722-10	TC-855	2-3080	P	R	15,467	EM BARRACKS	SF	4,321	4,321	25	REMOVE (1)		
						NOTE: 1498 MN ARE NOW HOUSED IN EXISTING BARRACKS THAT ARE TO BE REMOVED							
722-10	TC 307	2-3211	P	R	19,213	EM BARRACKS	SF	912	912	29	RETAIN		
722-10	TC 1004	2-2869	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		

CLASSIFICATION STAMP

5-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	TC 1005	2-2857	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1006	2-3135	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1007	2-3136	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1009	2-3138	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1018	2-3139	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1019	2-2828	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1026	2-3140	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1027	2-3141	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1028	2-2859	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1029	2-2958	P	R	15,785	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1036	2-3142	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1037	2-3143	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1046	2-3145	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1047	2-3146	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1048	2-2829	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1049	2-2830	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		

CLASSIFICATION STAMP

A-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC		☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	TC 1055	2-2831	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1058	2-2147	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1060	2-3148	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1061	2-2959	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1062	2-3149	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1064	2-2953	P	R	49,520	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1065	2-2954	P	R	49,520	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1110	2-3258	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1119	2-3252	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1131	2-2860	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		
722-10	TC 1132	2-3150	P	R	15,467	EM BARRACKS	SF	4,321	4,321	29	RETAIN		

NOTE: 1161 MN ARE NOW HOUSED IN EXISTING BARRACKS THAT ARE TO BE RETAINED.

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-10	TC 920	2-2951	S	R	237,765	MESSHALL	SF	35,296	35,296	29	RETAIN		
	TC 930	2-2978	S	R	254,402	MULTIPLE USE BLDG	SF	35,296	35,296	29	RETAIN		
740-14	* A					EXCHANGE	SF	22,538	22,538				
723-10	* B					MESSHALL	SF	11,692	11,692				
740-18	* C					BANK	SF	650	650				
740-90	* D					TICKET/OFFICE	SF	416	416				
723-20	TC 710	2-3427	S	R	12,765	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 711	2-3428	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 712	2-3429	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 714	2-3430	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 740	2-3432	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 741	2-3433	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 742	2-3434	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 743	2-3435	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 744	2-3436	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		

CLASSIFICATION STAMP

4-1973

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-20	TC 810	2-3437	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 811	2-2912	S	R	12,379	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 812	2-3438	S	R	12,399	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 814	2-3439	S	R	12,649	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 815	2-3440	S	R	12,649	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 840	2-2896	S	R	14,874	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 841	2-2897	S	R	13,379	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 842	2-2898	S	R	13,379	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 844	2-2899	S	R	12,779	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 845	2-2900	S	R	13,379	TOILET	SF	2,000	2,000	25	REMOVE (1)		
723-20	TC 850	2-2913	S	R	6,537	TOILET	SF	682	682	25	REMOVE (1)		
723-20	TC 851	2-2914	S	R	6,537	TOILET	SF	682	682	25	REMOVE (1)		
	TC 610	2-2795	T	R	15,560	MULTIPLE USE BLDG	SF	720	720	29	RETAIN		
218-90	* A					MAINT FAC/OTH		474	474				
723-20	* B					TOILET		246	246				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TC 715	2-3431	S	R	13,152	MULTIPLE USE BLDG	SF	2,000	2,000	25	REMOVE (1)		
723-20	* A					TOILET	SF	1,600	1,600				
442-10	* B					GEN WAREHOUSE RI	SF	400	400				
723-20	TC 865	2-3796	T	R	15,632	TOILET	SF	720	720	29	RETAIN		
723-20	TC 950	2-2915	S	R	6,537	TOILET	SF	682	682	29	RETAIN		
723-20	TC 1010	2-2901	S	R	13,629	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1012	2-2902	S	R	13,629	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1013	2-2903	S	R	13,629	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1015	2-2904	S	R	13,629	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1016	2-3905	S	R	13,379	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1042	2-2908	S	R	13,979	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1044	2-2909	S	R	13,379	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1045	2-3253	S	R	13,622	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	TC 1050	2-2916	S	R	6,537	TOILET	SF	682	682	29	RETAIN		
723-20	TC 1051	2-2917	S	R	6,537	TOILET	SF	682	682	29	RETAIN		

CLASSIFICATION STAMP

4-1078

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-20	TC 1052	2-2918	S	R	6,787	TOILET	SF	682	682	29	RETAIN		
723-20	TC 1054	2-2920	S	R	6,537	TOILET	SF	682	682	29	RETAIN		
723-20	TC 1141	2-2911	S	R	13,379	TOILET	SF	1,200	1,200	29	RETAIN		
	TC 1140	2-2910	S	R	12,779	MULTIPLE USE BLDG	SF	2,000	2,000	29	RETAIN		
723-20	* A					TOILET	SF	1,358	1,358				
723-30	* B					LAUNDRY	SF	642	642				
724-15	TC 1066	2-2955	P	R	49,520	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1067	2-2921	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1068	2-2922	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1069	2-2923	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1160	2-2924	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1161	2-2925	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		
724-15	TC 1162	2-2952	P	R	32,069	BOQ W/O MESS	SF	4,321	4,321	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-10	TC 701	2-3317	P	U	110,133	FIRE STATION	SF	9,538	6,538	29	RETAIN		
730-90	CG 2	2-1784	P	U	2,979	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 3	2-1785	P	U	2,979	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 4	2-1786	P	U	2,979	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 5	2-1787	P	U	2,979	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 6	2-1788	P	U	2,979	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 7	2-1789	P	U	2,700	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 8	2-1790	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 9	2-1791	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 10	2-1792	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 11	2-1793	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 12	2-1794	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 13	2-1795	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 14	2-1796	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 15	2-1797	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-90	CG 16	2-1798	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 17	2-1799	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 18	2-1800	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 19	2-1826	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 20	2-1827	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
730-90	CG 21	2-1828	P	U	7,433	LAUNDRY	SF	432	432	29	RETAIN		
	TC 900	2-2942	S	R	91,573	MULTIPLE USE BLDG	SF	13,620	13,620	29	RETAIN		
740-56	* A					THEATER	SF	9,031	9,031				
740-33	* B					POST OFFICE	SF	2,138	2,138				
740-14	* C					EXCHANGE		1,451	1,451				
	CG 1	2-1829	P	U	106,995	MULTIPLE USE BLDG	SF	9,247	9,247	29	RETAIN		
740-90	* A					REC BLDG	SF	4,803	4,803				
	* B					P/W MAINT SHOP	SF	2,816	2,816				
	* C					LAUNDRY	SF	1,551	1,551				

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-36	TC 618	2-3320	P	U	24,475	HOBBY SHOP	SF	4,391	4,391	25	REMOVE (1)		
740-40	TC 735	2-2970	T	R	8,228	BOWLING ALLEY	LA	4	4	25	REMOVE (1)		
740-43	TC 301	2-2836	S	N	89,698	GYMNASIUM (INACTIVE)	SF	12,620	12,620	25	REMOVE (1)		
740-43	TC 822	2-3394	T	R	8,142	GYMNASIUM	SF	2,592	2,592	25	REMOVE (1)		
740-63	TC 614	2-3322	T	R	30,142	EM SERVICE CLUB	SF	4,448	4,448	25	REMOVE (1)		
740-63	TC 1130	2-2833	T	R	7,694	EM SERVICE CLUB	SF	2,592	2,592	29	RETAIN		
740-66	TC 200	2-3249	S	R	80,214	NCO CLUB	SF	13,345	10,425	29	RETAIN		
740-86	TC 343	2-2944	P	U	23,485	RETAIN WAREHOUSE	SF	1,500	1,500	25	REMOVE (1)		
740-90	TC 330	2-2949	P	N	263,627	RECREATION BLDG	SF	35,296	35,296	25	REMOVE		
740-90	TC 1024	2-3006	T	R	6,051	RECREATION BLDG	SF	5,592	2,592	29	RETAIN		

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-50	STC 615	2-3580	S	N	34,448	OUTDOOR THEATER	SF	263,835	263,835	25	REMOVE (1)		
750-90	STC 804A	2-3580	S	U	3,429	COVERED WALKWAY	SF	5,700	5,700	29	RETAIN		

CLASSIFICATION STAMP

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	CAMP GEIGER														
	FISCAL YEAR 1972														
131-40	TELEPHONE EXCHANGE BUILDING	1,800	SF	53				2	71		1		1		P-929
	FISCAL YEAR 1972 TOTAL			53											
	FISCAL YEAR 1973														
722-10	EM BARRACKS	1,245	MN	3,900				2	72		1		1		P-095
	FISCAL YEAR 1973 TOTAL			3,900											
	FISCAL YEAR 1974														
722-10	EM BARRACKS	552	MN	1,735				2	73		1		1		P-130
	FISCAL YEAR 1974 TOTAL			1,735											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1975														
171-10	ACAD GEN INSTRUC BLDG	17,100	SF	510				2	74		1		1		P-093
610-10	REGT HDQ BLDG	22,000	SF	701				2	74		1		2		P-097
740-63	EM CLUB	20,450	SF	645				2	74		1		3		P-128
	FISCAL YEAR 1975 TOTAL			1,856											
	FISCAL YEAR 1976														
171-10	ACAD GEN INSTRUC BLDG	17,100	SF	510				6	75		1		1		P-111
171-30	ARMORY	10,000	SF	304				6	75		1		2		P-094
610-10	ADMINISTRATION OFFICE	12,200	SF	395				6	75		1		4		P-098
740-14	EXCHANGE	11,535	SF	284				6	75		1		3		P-126
	FISCAL YEAR 1976 TOTAL			1,493											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CAMP GEIGER

A-8231

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title)

CODE 3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS														
124-65	HEATING FUEL OIL STORAGE TANK	45,000	GA	36											P-930
171-50	SMALL ARMS RANGE - INDOOR	12	FP	120											P-931
171-90	COMBAT TRAINING TANK	1	EA	1,057											P-166
215-XX	SMALL ARMS SHOP	4,000	SF	80											P-941
724-15	BOQ	(13,908) 15	SF MN	204											P-921
740-30	SERVICE STATION	2,470	SF	80											P-928
740-33	POST OFFICE	4,700	SF	80											P-923
740-40	BOWLING ALLEY	10	LA	250											P-924
740-43	GYMNASIUM	21,420	SF	425											P-127
740-56	THEATER	1,000	SE	675											P-120
740-70	STAFF NCO CLUB	1,000	SF	30											P-917
740-76	LIBRARY	6,190	SF	140											P-936
740-90	COMPANY RECREATION BUILDING	35,296	SF	193											P-935
	UNPROGRAMMED YEARS - TOTAL			3,370											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-929		TELEPHONE EXCHANGE BUILDING		



DD FORM 1 JUL 62 1391c

BOOK NO. PAGE NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-929	TELEPHONE EXCHANGE BUILDING (CAMP GEIGER)



BOOK NO. _____ PAGE NO. _____

DD FORM 1 JUL 62 1391c

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 53,000	P.L. ____	131-40		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 53,000		P-929	TELEPHONE EXCHANGE BUILDING (CAMP GEIGER)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	
15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 1 | b. NO. OF STORES 1 | c. LENGTH IRREG | d. WIDTH IRREG

e. DESIGN CAPACITY - | f. GROSS AREA 1,800 SF

g. COOLING "AIR COND" CAP. 5 TN COST ($ 4,000)

19. DESCRIPTION OF WORK TO BE DONE

Build a one-story masonry building with a steel frame structure, slab on-grade concrete floor and a built-up insulated roof for the telephone exchange facility. Central heating and air conditioning to be provided.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
TELEPHONE EXCHANGE BUILDING	SF	1,800	$ 23.85	$ 43
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 10
a. SITE PREPARATION AND UTILITIES	LS			(10)
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 53

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE FEET)

a. TOTAL REQUIREMENT CAMP GEIGER	1,800*	
b. EXISTING SUBSTANDARD	(1,504)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	1,800	
h. DEFICIENCY (a-e-f-g)	0	

24. RELATED LINE ITEMS

*Includes Rifle Range

25. REQUIREMENT FOR LINE ITEM

The existing telephone exchange facility in building 755 will have to be relocated in order to build the 2nd Increment of the ITR Complex. This line item will provide the necessary space for the installation of new Centrex Telephone equipment. Construction of this facility must be completed before Line Item P-095 can be started. The existing telephone system is overloaded to the extent that official telephone service to most areas is often seriously delayed. Centrex Telephone service is to be provided throughout Camp LeJeune.

DD FORM 1 JUL 62 1391

BOOK NO. _____ PAGE NO. ___

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		NAVY	Marine Corps Base, Camp Lejeune, North Carolina

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-929	CENTREX SYSTEM FOR TELEPHONES (CAMP GEIGER)

1. Function to be Performed. The function to be performed is to provide modern, fast and efficient CENTREX Telephone Service to Camp Lejeune and the Marine Corps Air Facility, New River, North Carolina.

2. Necessity for Performing this Function. In order for this installation to provide modern CENTREX Telephone Service, it must have tele-communication facilities which are capable of meeting the service requirements and demands of the more sophisticated systems such as the Defense Communications System, World-wide AUTOVON and Commercial Direct Distance Dialing.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be used for Performing This Function. The present telephone switching system consists of two main and six satellite permanently installed automatic dial exchanges. These exchanges have a total Central Office switching capacity of 5,000 line terminals, of which 1400 are capable of two-party service. Seven of the exchanges are Government owned and one is leased from the Carolina Telephone and Telegraph Company. Operation of two of these exchanges will be discontinued upon transfer of quarters telephone service to the Commercial telephone company. Exchange equipment for 1600 main lines will become available for rehabilitation and use in the request facility. The requested facility will replace the 800 line leased exchange at the New River Air Facility and one Government owned 200 line facility at the U. S. Naval Hospital. The Outside Plant facility is composed of 187 miles of cable and 105 miles of open wire lines. All of the Outside Plant is of permanent construction.

4. Current and Planned Future Workload With Regard to This Function. The Telephone System is operated on a twenty-four hour basis to provide telephone service to 2,804 official and 2,292 unofficial subscribers by means of 5,096 main stations and 3,476 extension stations. The past and current workload is based on the average number of subscribers serviced by the Telephone System during the period from April 1966 to March 1967. During this same period 35,812,345 attempted calls were recorded by the automatic switching equipment and an average of 14,250 calls per day were handled manually by the switchboard operators. In January 1968, the 1,990 unofficial station telephones located in quarters and family housing areas are scheduled for transfer to the local commercial telephone company. At that time, the number of calls handled by the system will be reduced considerably. The reduction will be partially offset by the increased service requirements generated by completion of the first increment of the Force Troops Complex at Camp Lejeune in Fiscal Year 1968 and from new service that will be installed upon completion of the requested facility. Service requirements will be further increased with completion of the second increment of the Force Troops Complex in Fiscal Year 1970.

5. Description of Construction Being Requested. The estimated duration of need for these requested facilities is indefinite. Due to the nature and location of the work requested, this item is described as it pertains to three separate geographical areas. This Line item, however, is for a new facility in the Camp Geiger Area only.

In the Hadnot Point area, provide new air conditioned building to house existing and planned equipment, switchboard operators and sufficient administrative space for administering the telephone system. Rehabilitate and transfer existing equipment into the new building and provide sufficient new equipment for 1600 additional lines. This will provide this area with a capacity of 3400 main lines. Building and equipment to be arranged and constructed so that additional Central Office equipment can be installed

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		NAVY	Marine Corps Base, Camp Lejeune, North Carolina

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-929	CENTREX SYSTEM FOR TELEPHONES (CAMP GEIGER)

at some future date as required without building and equipment rearrangement. Reterminate the Outside Cable Plant into the new building. Provide a new 300 pair distribution cable to the U. S. Naval Hospital area and 900 additional distribution pairs to the Hadnot Point Exchange area.

In the Courthouse Bay area, rehabilitate the existing exchange equipment and provide sufficient equipment for 200 additional exchange lines. This will give this exchange a total capacity of 400 main lines. The present building has adequate floor space for the installation of this additional equipment. Provide and install sufficient distribution cable to provide 200 additional cable pairs in the Courthouse Bay Exchange area.

In the Camp Geiger and New River Air Facility area, provide new air conditioned building to house existing and planned equipment. Rehabilitate and transfer existing equipment located in the present Camp Geiger and Montford Point exchanges into the new building. Provide and install sufficient new equipment for 600 additional exchange lines. This will provide this combined area with a capacity of 1200 main lines. Reterminate the existing Outside Cable Plant in the new building. Provide 600 distribution cable pairs from the new building location to the New River Facility area, 200 distribution pairs to the Montford Point area and 200 additional distribution pairs to the immediate Camp Geiger area.

The new system to be designed to provide complete modern CENTREX Service. In order to accomplish this, the existing equipment will require extensive modifications. The present five-digit dialing system must be changed to four-digit numbers. All telephones within the Camp Lejeune System must be able to place and receive calls from other Camp Lejeune telephones by dialing the four-digit number.

Provide direct inward dialing so that calls from any location equipped for direct distance dialing outside Camp Lejeune, including AUTOVON calls, can be dialed directly to Main Camp Lejeune CENTREX Stations. A seven-digit number will be assigned to each main telephone. Callers outside of Camp Lejeune must dial these numbers to reach main telephone stations.

Provide direct outward dialing so that local, long distance and AUTOVON calls can be dialed directly from designated unrestricted telephones without operator assistance. Calls to other Camp Lejeune telephones will be completed by dialing four-digits. All dialed long distance calls will be automatically recorded on punched tape. This service will be provided with new automatic identification equipment (ANI) to be installed in the main exchange at Hadnot Point.

Replace the present ten-position switchboard with a four-position new modern universal switchboard. The switchboard will be equipped with push buttom (Touch Call) dialing, automatic disconnect, automatic ringing and with cord operation for magneto line connections.

Existing equipment to be modified and new equipment designed so that all incoming calls, local, long distance and AUTOVON can be transferred from one main CENTREX Station to another main CENTREX with the aid of the switchboard attendants. New equipment to be designed so that individual station can be non-restricted, partially restricted or fully restricted.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		Navy	Marine Corps Base, Camp Lejeune, North Carolina

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-929	CENTREX SYSTEM FOR TELEPHONES (CAMP GEIGER)

Incoming calls to disconnected and unassigned CENTREX numbers to be answered by recording equipment. The caller will be told that the number is not in service and will be given a number to dial for assistance in obtaining the desired party.

Rearrange the existing Cable Plant to provide sufficient trunking pairs between the three exchanges and the local commercial Telephone Company.

6. List of Collateral Equipment to Be Included in the Line Item. Duration of need for the new facility is indefinite. A detailed list of technical equipment to be included as collateral equipment cannot be provided until such time as the system engineering has been completed.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. Office equipment for this facility is not included in this Line Item.

8. Justificatin for the New Facility. It is extremely important that the present overloaded telephone system be improved and expanded as proposed in order to modernize and bring to acceptable standards of service both the internal and off-Base communications.

The existing telephone system at the Marine Corps Base, Camp Lejeune is quite complex and consists of a main exchange and six large satellite exchanges. The system is set up on a five-digit numbering system. The system as it presently exists cannot be used for CENTREX, direct in and out dialing without extensive modification. The five-digit numbering system is not compatible with and cannot be used for CENTREX which is limited to four digit numbers for dialing within the system. In order to reduce the system to four-digit numbers, extensive alterations to the existing Cable Plant and both on-Base and on-off-Base trunking would be required. Much of the existing exchange equipment is not suitable for CENTREX useage without extensive modification and additional new equipment would be required.

Due to the constant demand for increased telephone service, the Base Telephone System has become seriously overloaded. This load placed on the existing operators, switching equipment and trunking facilities greatly exceeds normal telephone system practices and results in inadequate service to both official and unofficial subscribers. Requests for new service, both official and unofficial, in the Hadnot Point and Courthouse Bay Exchange areas are being denied, many requests for new service have been filled by the installation of additional extensions on already overloaded main stations. In recent months, official and unofficial telephone users have generated a much greater demand for both personal and official, local and long distance traffic than the present on and off-Base trunking system is able to service. The time delays which are currently experienced in receiving incoming and in accomplishing outgoing off-Base telephone calls interfere significantly with the operation of the Base's official business. The Base Telephone System at peak traffic hours is presently handling an average of 296 calls per hour by each inward operator. The Telephone Industry standards are 125 calls per hour for each operator.

The main exchange at Hadnot Point is located on the second floor of the Base Headquarters building, this is a most undesirable

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		Navy	Marine Corps Base, Camp Lejeune, North Carolina

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-929	CENTREX SYSTEM FOR TELEPHONES	(CAMP GEIGER)

location for such a facility. The space alloted to the telephone exchange is crowded and floor space for expansion is limited. There is insufficient room for the planned additional equipment, a new building is therefore mandatory to provide the necessary space for the proposed facility.

The present Camp Geiger exchange building has sufficient floor space for the proposed expansion, however, future planning for the Military Construction Program calls for major new construction in this area. The present exchange building must be relocated to clear this location for planned barracks construction.

Under this proposed project only the official telephones will be served by the system. The unofficial telephones in the quarters and family housing areas would be transferred to the local commercial telephone company.

9. Effects if the New Facility is Not Provided. Failure to provide the requested facility will result in a progressive worsening of the existing unsatisfactory service provided by the Base Telephone System. The present demand for services and equipment continues to exceed the capability and capacity of the existing facilities. As the Base population and plant is expanded additional requirements will be placed on the system. These additional requirements will hopelessly overload the already loaded telephone system and a chaotic condition will develop. As the grade of telephone service rendered becomes less adequate to meet the day to day requirements, a point will be reached when the operational and training functions of Camp Lejeune and the Marine Corps Air Facility will be seriously hampered.

10. Justification for the New Facility. The detailed arrangements of the size and scope of the proposed facility have not been developed, this will require extensive engineering analysis. At this time, such an analysis has not been made because funds for its accomplishment are not available. A detailed description of the improvements to the system including size and scope cannot be secured until the study has been completed. The information on size and scope provided is based on limited studies conducted by the Telephone Division of the Base Maintenance Department. The estimates cost has been based on a rough estimate by telephone engineers. It is believed that estimates as to costs and size and scope of the proposed facilities are reasonably adequate for programming purposes until such time as a more detailed study has been made.

11. Justification for the Type of Construction Planned. The type of construction planned will conform to that of the other buildings in the area and for an indefinite duration.

12. Alternate Solutions. None.

13. Plans for Facilities Being Replaced. Construction of a new exchange building in the Hadnot Point area will free approximately 3,000 square feet of floor space in Building #1, that can be used for much needed administrative office space. Relocation of the Camp Geiger Exchange will clear this location for new barracks construction that is planned for this area.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
30 DEC 1968	1972		Navy	Marine Corps Base, Camp Lejeune, North Carolina

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-929	CENTREX SYSTEM FOR TELEPHONES (CAMP GEIGER)

14. Status of Preliminary Engineering. The development of the technical aspects of this proposed project will require extensive engineering analysis. Such an analysis has not been made because funds for its accomplishment are not available. No detailed description of the proposed improvements to the system can be secured until the study has been completed.

15. Sketch Showing Planned Location of the New Facility. None.

16. Other Graphic Presentations, Including Photographs. Enclosure (1).

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air and water pollution.

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ0015	2- 6377	C/HLCP LDG PAD	SAME	31	P	R	SY	69.		0.	17/ 0/ 0
									69.		0.	
123-10	TC0362	2- 3405	FILLING STATION	SAME	10	T	U	OL	2.		0.	0/ 0/ 0
123-10	TC0364	2- 3404	FILLING STATION	SAME	10	S	U	OL	2.		0.	0/ 0/ 0
									4.		0.	
124-65	UNUM	2- 3862	LIQ FUEL ST/OTH	SAME	91	P	U	GA	75000.		0.	0/ 0/ 0
									75000.		0.	
131-40	TC0755	2- 3261	TELE EX BLDG	SAME	30	P	R	SF	1504.		1504.	1/10/ 0
									1504.		1504.	
P 141-60	TC1041	2- 2907	PHOTO BUILDING	TRHSG/DET FAC	91	S	R	SF	2000.* 1589.		1589.	2/ 8/ 0
									1589.		1589.	
171-10	TC0341	2- 2886	ACD/GEN INS BLD	COV STOR/INST	22	T	T	SF	9120.		9120.	8/ 0/ 0
171-10	TC0725	2- 2965	ACD/GEN INS BLD	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									2592.*			
P 171-10	TC0824	2- 3341	APPL INSTR BLDG	SAME	91	T	T	SF	1815.		1815.	8/ 0/ 0
171-10	TC0830	2- 2974	ACD/GEN INS BLD	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0
171-10	TC0940	2- 3241	ACD/GEN INS BLD	COV STOR/INST	22	T	R	SF	9120.		9120.	1/ 2/ 7
171-10	TC0942	2- 3248	ACD/GEN INS BLD	COV STOR/INST	22	T	R	SF	9120.		9120.	1/ 2/ 7
171-10	TC1039	2- 2870	ACD GENINSTBLDG	SAME	91	P	R	SF	4321.		4321.	1/ 2/ 7
171-10	TC1059	2- 2826	ACD/GEN INS BLD	TRHSG/EM/WO MESS	91	P	R	SF	4321.		4321.	2/ 0/ 0
171-10	TC1142	2- 3151	ACD/GEN INS BLD	TRHSG/EM/WO MESS	91	P	R	SF	1131.		1131.	1/ 2/ 0
171-10	TC1143	2- 3152	ACD/GEN INS BLD	TRHSG/EM/WO MESS	91	P	R	SF	4321.		4321.	1/ 2/ 0
									48453.		48453.	
171-20	TC0627	2- 6541	ADDL INST BLDG	SAME	91	S	R	SF	256.		256.	8/ 0/ 0
171-20	TC0734	2- 2969	TRNG BLDG/OTHER	COV STOR/INST	22	T	R	SF	2592.		2592.	8/ 0/ 0
									4321.*			
S 171-20	TC1060	2- 3148	TRNG BLDG/OTHER	TRAINING/BLDGS	91	P	R	SF	1526.		1526.	8/ 0/ 0
171-20	TC1141	2- 2911	APPL INST BLDG	SAME	91	S	R	SF	800.		800.	8/ 0/ 0
									5174.		5174.	
171-30	TC0720	2- 3316	ARMORY	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0
171-30	TC0721	2- 2961	ARMORY	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS (IF OTHER THAN INITIAL ISSUE)	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
171-30	TC0722	2- 2962	ARMORY	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0
171-30	TC0723	2- 2963	ARMORY	COV STOR/INST	22	T	T	SF	2592.		2592.	8/ 0/ 0
									10368.		10368.	
213-58	TC0495	2- 3395	BOAT REPAIRSHOP	SAME	91	S	T	SF	800.		800.	4/ 0/ 0
									800.		800.	
214-10	TC0864	2- 3156	CMBT VE MNT FAC	COV STOR/INST	91	S	R	SF	8000.		8000.	8/ 0/ 0
214-10	TC0952	2- 3254	CMBT VE MNT FAC	COV STOR/INST	91	S	R	SF	8000.		8000.	8/ 0/ 0
									16000.		16000.	
S 214-20	TC0569	2- 3243	AUTO VE MNT FAC	COV STOR/INST	91	S	R	SF	8000.* 2000.		2000.	8/ 0/ 0
214-20	TC0773	2- 3260	AUTO VE MNT FAC	COV STOR/INST	50	S	R	SF	8000.		8000.	8/ 0/ 0
214-20	TC0862	2- 3255	AUTO VE MNT FAC	COV STOR/INST	91	S	R	SF	4800.		4800.	8/ 0/ 0
									14800.		14800.	
214-90	STC0099	2- 3828	GREASE RACK	SAME	22	P	R	SF	340.		340.	8/ 0/ 0
214-90	STC0620	2- 3571	AUTO VE MNT FAC	SAME	91	P	N	SF	340.		340.	4/ 0/ 0
214-90	STC0777	2- 6615	GREASE RACK	SAME	22	S	R	SF	368.		368.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

8270-175 | OR AREA 5 ND | ☐ INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
214-90	STC0868	2- 6381	GREASE RACK	SAME	91	P	R	SF	384.		384.	8/ 0/ 0
214-90	STC1150	2- 3541	GREASE RACK	SAME	22	P	R	SF	420.		420.	8/ 0/ 0
									1852.		1852.	
217-10	TC1022	2- 3337	ELNICS/ELEC MNT	COV STOR/INST	91	T	R	SF	2592.		2592.	18/ 0/ 0
									2592.		2592.	
									2592.*			
S 218-10	TC0824	2- 3341	PARACHUTE SHOP	COV STOR/INST	91	T	R	SF	777.		777.	8/ 0/ 0
									15205.*			
P 218-10	TC0910	2- 3154	PARACHUTE SHOP	TRHSG/BOQ	91	S	R	SF	7685.		7685.	8/ 0/ 0
									8462.		8462.	
									720.*			
P 218-90	TC0610	2- 2795	MAINT FAC/OTHER	TRHSG/DET FAC	91	T	T	SF	474.		474.	4/ 0/ 0
									474.		474.	
									11680.*			
S 219-10	CG0001	2- 1829	PW/MAINT SHOP	SAME	18	P	U	SF	2816.		2816.	0/ 0/ 0
									4480.*			
T 219-10	TC0771	2- 3856	PW/MAINT SHOP	OPEN STOR/INST	22	T	T	SF	4480.		4480.	8/ 0/ 0
219-10	TC0832	2- 2975	PW/MAINT SHOP	SAME	30	T	T	SF	2592.		2592.	8/ 0/ 0
									9888.		9888.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
219-90	TC0609	2- 3153	MNT REP/OTHER	COV STOR/INST	18	S	R	SF	8000.		8000.	8/ 0/ 0
									8000.		8000.	
422-90	STC0130	2- 2837	AMO SI RI/OTHER	SAME	22	T	U	SF	2592.		0.	0/ 0/ 0
									2592.		0.	
442-10	CG0023	2- 1830	GEN WHSE/RI	SAME	32	S	R	SF	288.		288.	8/ 0/ 0
442-10	CG0505	2- 1783	GEN WHSE/RI	SAME	18	S	R	SF	200.		200.	8/ 0/ 0
442-10	TC0320	2- 2844	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0322	2- 2845	GEN WHSE/RI	COLD STOR/INST	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0342	2- 2887	GEN WHSE/RI	COLD STOR/INST	91	T	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0462	2- 2889	GEN WHSE/RI	COLD STOR/INST	92	T	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0470	2- 3397	GEN WHSE/RI	SAME	18	T	R	SF	4480.		4480.	8/ 0/ 0
442-10	TC0471	2- 3398	GEN WHSE/RI	SAME	91	T	R	SF	4480.		4480.	8/ 0/ 0
442-10	TC0473	2- 3238	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	8/ 0/ 0
442-10	TC0474	2- 3396	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	8/ 0/ 0
442-10	TC0560	2- 2890	GEN WHSE/RI	SAME	91	T	R	SF	9120.		9120.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	TC0562	2- 2891	GEN WHSE/RI	SAME	92	T	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0572	2- 3239	GEN WHSE/RI	SAME	92	S	R	SF	8000.		8000.	8/ 0/ 0
442-10	TC0608	2- 2956	GEN WHSE/RI	SAME	22	S	R	SF	8000.		8000.	8/ 0/ 0
442-10	TC0611	2- 2957	GEN WHSE/RI	SAME	81	S	R	SF	8000.		8000.	8/ 0/ 0
P 442-10	TC0715	2- 3431	GEN WHSE/RI	SAME	22	S	R	SF	2000.* 400.		400.	8/ 0/ 0
442-10	TC0724	2- 2964	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0731	2- 2966	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0732	2- 2967	GEN WHSE/RI	SAME	10	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0733	2- 2968	GEN WHSE/RI	SAME	10	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0760	2- 3244	GEN WHSE/RI	SAME	92	P	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0761	2- 3245	GEN WHSE/RI	SAME	92	P	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0762	2- 3246	GEN WHSE/RI	SAME	91	P	R	SF	9120.		9120.	8/ 0/ 0
P 442-10	TC0774	2- 3259	GEN WHSE/RI	SAME	22	S	R	SF	8000.* 6932.		6932.	8/ 0/ 0
442-10	TC0775	2- 3242	GEN WHSE/RI	SAME	22	S	R	SF	8000.		8000.	8/ 0/ 0
442-10	TC0820	2- 2971	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0823	2- 3340	GEN WHSE/RI	SAME	22	S	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0825	2- 2973	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0831	2- 3339	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	TC0833	2- 2976	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0835	2- 3004	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC0860	2- 3247	GEN WHSE/RI	SAME	91	T	R	SF	9120.		9120.	8/ 0/ 0
442-10	TC0861	2- 2835	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	8/ 0/ 0
P 442-10	TC0862	2- 3255	GEN WHSE/RI	SAME	91	S	R	SF	8000.* 800.		800.	8/ 0/ 0
442-10	TC0863	2- 2895	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	8/ 0/ 0
P 442-10	TC1020	2- 3005	GEN WHSE/RI	SAME	91	T	R	SF	2592.* 1879.		1879.	1/ 7/ 0
P 442-10	TC1021	2- 3338	GEN WHSE/RI	SAME	91	T	R	SF	2592.* 1728.		1728.	8/ 0/ 0
442-10	TC1023	2- 3336	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	1/ 7/ 0
442-10	TC1025	2- 3007	GEN WHSE/RI	SAME	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC1030	2- 3008	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	1/ 7/ 0
442-10	TC1031	2- 3009	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	1/ 7/ 0
442-10	TC1032	2- 3010	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC1033	2- 3011	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
442-10	TC1034	2- 3012	GEN WHSE/RI	SAME	91	S	R	SF	1672.		1672.	8/ 0/ 0
442-10	TC1035	2- 3013	GEN WHSE/RI	SAME	91	T	R	SF	2592.		2592.	8/ 0/ 0
P 442-10	TC1037	2- 3143	GEN WHSE/RI	SAME	91	P	R	SF	4321.* 514.		514.	8/ 0/ 0

CAMP OFFICER

Supersedes OPNAV Form 11000-2 which may be used.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	TC1053	2- 2919	GEN WHSE/RI	SAME	91	S	R	SF	682.		682.	8/ 0/ 0
									210263.		210263.	
442-30	TC0628	2- 6547	FLAM STHSE RI	SAME	91	S	R	SF	144.		144.	8/ 0/ 0
442-30	TC0630	2- 6548	FLAM STHE RI	SAME	91	S	R	SF	144.		144.	8/ 0/ 0
									288.		288.	
442-70	CG0024	2- 6533	ST COV ORG/OTH	SAME	30	S	R	SF	184.		184.	8/ 0/ 0
442-70	CG0025	2- 6534	ST COV ORG/OTH	SAME	30	S	R	SF	184.		184.	8/ 0/ 0
442-70	CG0026	2- 6535	ST COV ORG/OTH	SAME	30	S	R	SF	184.		184.	8/ 0/ 0
442-70	TC0365	2- 6385	ST COV ORG/OTH	COMMUNITY/INTER	30	S	T	SF	462.		462.	4/ 0/ 0
442-70	TC0568	2- 3327	ST COV ORG/OTH	SAME	30	S	R	SF	81.		81.	8/ 0/ 0
									1095.		1095.	
442-90	TC0098	2- 2861	STORAGE	COV STOR/INST	22	T	R	SF	256.		256.	8/ 0/ 0
442-90	TC0309	2- 6811	ST COV ORG/OTH	COV STOR/INST	22	S	R	SF	108.		108.	8/ 0/ 0
442-90	TC0460	2- 2888	ST COV ORG/OTH	SAME	92	T	R	SF	9120.		9120.	8/ 0/ 0
P 442-90	TC0569	2- 3243	ST COV ORG/OTH	COV STOR/INST	91	S	R	SF	8000.* 6000.		6000.	8/ 0/ 0
442-90	TC0730	2- 3263	ST COV ORG/OTH	COV STOR/INST	22	T	R	SF	2592.		2592.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-90	TC0821	2- 2972	ST COV ORG/OTH	COV STOR/INST	22	T	R	SF	2592.		2592.	8/ 0/ 0
442-90	TC0834	2- 2977	ST COV ORG/OTH	COV STOR/INST	10	T	R	SF	2592.		2592.	8/ 0/ 0
T 442-90	TC0854	2- 2932	ST COV ORG/OTH	TRHSG/EM/WO MESS	25	P	U	SF	4321.* 154.		0.	0/ 0/ 0
T 442-90	TC0910	2- 3154	ST COV ORG/OTH	TRHSG/BOQ	91	S	R	SF	15205.* 1976.		1976.	8/ 0/ 0
442-90	STC0346	2- 6766	ST COV ORG/OTH	COV STOR/INST	22	S	R	SF	702.		702.	8/ 0/ 0
442-90	STC0629	2- 6549	ST COV ORG/OTH	SAME	91	P	R	SF	26.		26.	8/ 0/ 0
									26118.		25964.	
S 540-10	TC0846	2- 3257	DENTAL CLINIC	TRHSG/EM/WO MESS	16	P	U	SF	9393.* 1655.		0.	0/ 0/ 0
									1655.		0.	
550-20	CG0492	2- 1295	DISPENSARY	SAME	22	S	R	SF	200.		200.	8/ 0/ 0
550-20	CG0512	2- 1311	DISP/OTHER	SAME	22	S	R	SF	200.		200.	8/ 0/ 0
550-20	CG0945	2- 2138	DISP/OTHER	SAME	90	S	U	SF	256.		0.	0/ 0/ 0
550-20	CG0959	2- 2142	DISP/OTHER	SAME	90	S	U	SF	256.		0.	0/ 0/ 0
550-20	TC0846	2- 3257	DISPENSARY	TRHSG/EM/WO MESS	16	P	R	SF	7738.		7738.	2/ 0/ 0
550-20	TC1040	2- 2906	DISPENSARY	ADMINISTR OFFIC	91	S	R	SF	2000.		2000.	8/ 0/ 0
									10650.		10138.	

Supersedes OPNAV FORM 11000- for Marine Corps [illegible]

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	TC0704	2- 2929	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.		4321.	2/ 8/ 0
610-10	TC0706	2- 2991	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	1017.		1017.	8/ 0/ 0
S 610-10	TC0716	2- 3323	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 864.		864.	8/ 0/ 0
S 610-10	TC0726	2- 2997	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 733.		733.	8/ 0/ 0
S 610-10	TC0736	2- 3001	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 734.		734.	8/ 0/ 0
S 610-10	TC0745	2- 3003	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 755.		755.	8/ 0/ 0
S 610-10	TC0753	2- 3061	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 959.		959.	8/ 0/ 0
610-10	TC0754	2- 2930	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.		4321.	2/ 8/ 0
S 610-10	TC0774	2- 3259	ADMIN BLDG	COV STOR/INST	22	S	R	SF	8000.* 1068.		1068.	2/ 8/ 0
S 610-10	TC0805	2- 3063	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 816.		816.	8/ 0/ 0
610-10	TC0808	2- 3065	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.		4321.	2/ 8/ 0
610-10	TC0809	2- 2868	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.		4321.	2/ 8/ 0
S 610-10	TC0818	2- 3068	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 809.		809.	8/ 0/ 0
S 610-10	TC0819	2- 3069	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 634.		634.	8/ 0/ 0
S 610-10	TC0828	2- 3072	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 748.		748.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
S 610-10	TC0839	2- 3077	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 1000.		1000.	8/ 0/ 0
S 610-10	TC0849	2- 3825	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 1037.		1037.	8/ 0/ 0
P 610-10	TC0854	2- 2932	ADMIN BLDG	TRHSG/EM/WO MESS	25	P	R	SF	4321.* 2170.		2170.	2/ 8/ 0
S 610-10	TC0862	2- 3255	ADMIN BLDG	COV STOR/INST	91	S	R	SF	8000.* 2400.		2400.	8/ 0/ 0
S 610-10	TC0951	2- 3081	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 311.		311.	1/ 7/ 0
S 610-10	TC1003	2- 3134	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 479.		479.	1/ 7/ 0
S 610-10	TC1008	2- 3137	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	2592.* 597.		597.	1/ 7/ 0
610-10	TC1020	2- 3005	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	713.		713.	8/ 0/ 0
S 610-10	TC1021	2- 3381	ADMIN BLDG	TRHSG/EM/WO MESS	91	S	R	SF	2592.* 864.		864.	8/ 0/ 0
S 610-10	TC1034	2- 3012	ADMIN BLDG	TRHSG/EM/WO MESS	91	T	R	SF	2592.* 920.		920.	8/ 0/ 0
610-10	TC1038	2- 3144	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	4321.		4321.	1/ 2/ 7
610-10	TC1056	2- 2933	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	4321.		4321.	1/ 2/ 0
S 610-10	TC1057	2- 2832	ADMIN BLDG	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 783.		783.	8/ 0/ 0
610-10	TC1063	2- 2960	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	4321.		4321.	2/ 8/ 0

Supersedes OPNAV FORM 11000 [illegible]

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS [illegible] INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	TC1120	2- 3251	ADMIN BLDG	COV STOR/INST	22	S	R	SF	2592.		2592.	2/ 8/ 0
									53250.		53250.	
S 610-90	TC0750	2- 3058	AD BLDG/OTHER	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 1426.		1426.	8/ 0/ 0
S 610-90	TC1017	2- 2858	AD BLDG/OTHER	TRHSG/EM/WO MESS	22	P	R	SF	4321.* 1426.		1426.	1/ 7/ 0
									2852.		2852.	
690-10	STC307A	2- 5977	AFLAGPOLE	SAME	22	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
690-90	STC0776	2- 6382	MISC AD STRUC	SAME	50	P	U	SF	256.		0.	0/ 0/ 0
									256.		0.	
722-10	TC0307	2- 3211	EM BKS W/O MESS	SAME	22	P	R	MN	3.		3.	25/ 0/ 0
722-10	TC0705	2- 3324	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0706	2- 2991	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0707	2- 2992	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0708	2- 2993	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	TC0709	2- 2994	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
P 722-10	TC0716	2- 3323	EM BKS W/O MESS	SAME	22	P	R	MN	3457.* 28.		28.	25/ 0/ 0
722-10	TC0717	2- 2995	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0718	2- 2996	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0719	2- 5122	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0726	2- 2997	EM BKS W/O MESS	SAME	22	P	R	MN	29.		29.	25/ 0/ 0
722-10	TC0727	2- 2998	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0728	2- 2999	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0729	2- 3000	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
P 722-10	TC0736	2- 3001	EM BKS W/O MESS	SAME	22	P	R	MN	3587.* 29.		29.	25/ 0/ 0
722-10	TC0737	2- 3002	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0738	2- 3262	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0739	2- 2867	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
P 722-10	TC0745	2- 3003	EM BKS W/O MESS	SAME	22	P	R	MN	3566.* 29.		29.	25/ 0/ 0
722-10	TC0748	2- 3056	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0749	2- 3057	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0750	2- 3058	EM BKS W/O MESS	SAME	22	P	R	MN	24.		24.	25/ 0/ 0
722-10	TC0751	2- 3059	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	TC0752	2- 3060	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									3362.*			
P 722-10	TC0753	2- 3061	EM BKS W/O MESS	SAME	22	P	R	MN	27.		27.	25/ 0/ 0
722-10	TC0804	2- 3062	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									3505.*			
P 722-10	TC0805	2- 3063	EM BKS W/O MESS	SAME	22	P	R	MN	28.		28.	25/ 0/ 0
722-10	TC0806	2- 3064	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0807	2- 2827	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0816	2- 3066	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0817	2- 3067	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									3512.*			
P 722-10	TC0818	2- 3068	EM BKS W/O MESS	SAME	22	P	R	MN	28.		28.	25/ 0/ 0
									3687.*			
P 722-10	TC0819	2- 3069	EM BKS W/O MESS	SAME	22	P	R	MN	29.		29.	25/ 0/ 0
722-10	TC0826	2- 3070	EM BKS W/O MESS	SAME	22	P	R	MN	29.		29.	25/ 0/ 0
722-10	TC0827	2- 3071	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									3573.*			
P 722-10	TC0828	2- 3072	EM BKS W/O MESS	SAME	22	P	R	MN	29.		29.	25/ 0/ 0
722-10	TC0829	2- 3073	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0836	2- 3074	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0837	2- 3075	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0838	2- 3076	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									1000.*			
P 722-10	TC0839	2- 3077	EM BKS W/O MESS	SAME	22	P	R	MN	27.		27.	25/ 0/ 0
722-10	TC0848	2- 3256	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									3284.*			
P 722-10	TC0849	2- 2825	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	TC0852	2- 3079	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC0853	2- 2931	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									1997.*			
S 722-10	TC0854	2- 2932	EM BKS W/O MESS	SAME	25	P	R	MN	16.		16.	25/ 0/ 0
722-10	TC0855	2- 3080	EM BKS W/O MESS	SAME	50	P	R	MN	35.		35.	25/ 0/ 0
									4010.*			
P 722-10	TC0951	2- 3081	EM BKS W/O MESS	SAME	22	P	R	MN	32.		32.	25/ 0/ 0
									3842.*			
P 722-10	TC1003	2- 3134	EM BKS W/O MESS	SAME	22	P	R	MN	31.		31.	25/ 0/ 0
722-10	TC1004	2- 2869	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1005	2- 2857	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1006	2- 3135	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1007	2- 3136	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
									4321.*			
P 722-10	TC1008	2- 3137	EM BKS W/O MESS	SAME	22	P	R	MN	31.		31.	25/ 0/ 0
722-10	TC1009	2- 3138	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1017	2- 2858	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0

Marine Corps Base, Camp Lejuene, North Carolina

8270-175 | 5 ND | ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	TC1018	2- 3139	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1019	2- 2828	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1026	2- 3140	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1027	2- 3141	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1028	2- 2859	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1029	2- 2958	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1036	2- 3142	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1037	2- 3143	EM BKS W/O MESS	SAME	91	P	R	MN	30.		30.	25/ 0/ 0
722-10	TC1046	2- 3145	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1047	2- 3146	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1048	2- 2829	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1049	2- 2830	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1055	2- 2831	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
									3538.*			
P 722-10	TC1057	2- 2832	EM BKS W/O MESS	SAME	22	P	R	MN	28.		28.	25/ 0/ 0
722-10	TC1058	2- 3147	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1060	2- 3148	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1061	2- 2959	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1062	2- 3149	EM BKS W/O MESS	SAME	91	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1064	2- 2953	EM BKS W/O MESS	TRHSG/BOQ	32	P	R	MN	35.		35.	25/ 0/ 0

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	TC1065	2- 2954	EM BKS W/O MESS	TRHSG/BOQ	32	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1110	2- 3258	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1119	2- 3252	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1131	2- 2860	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
722-10	TC1132	2- 3150	EM BKS W/O MESS	SAME	22	P	R	MN	35.		35.	25/ 0/ 0
P 722-10	TC1142	2- 3151	EM BKS W/O MESS	SAME	91	P	R	MN	3190.* 26.		26.	25/ 0/ 0
									2659.		2659.	
723-10	TC0920	2- 2951	SUBSTNCE BLDG	SAME	22	S	R	SF	35296.		35296.	8/ 0/ 0
S 723-10	TC0930	2- 2978	SUBSTNCE BLDG	SAME	81	S	R	SF	35296.* 11692.		11692.	8/ 0/ 0
									46988.		46988.	
P 723-20	TC0610	2- 2795	TOILET	SAME	91	T	R	SF	720.* 246.		246.	8/ 0/ 0
723-20	TC0710	2- 3427	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0711	2- 3428	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0712	2- 3429	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0714	2- 3430	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
P 723-20	TC0715	2- 3431	TOILET	SAME	22	S	R	SF	2000.* 1600.		1600.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
723-20	TC0740	2- 3432	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0741	2- 3433	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0742	2- 3434	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0743	2- 3435	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0744	2- 3436	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0810	2- 3437	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0811	2- 2912	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0812	2- 3438	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0814	2- 3439	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0815	2- 3440	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0840	2- 2896	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0841	2- 2897	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0842	2- 2898	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0844	2- 2899	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0845	2- 2900	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC0850	2- 2913	TOILET	SAME	25	S	R	SF	682.		682.	8/ 0/ 0
723-20	TC0851	2- 2914	TOILET	SAME	50	S	R	SF	682.		682.	8/ 0/ 0
723-20	TC0865	2- 3796	TOILET	SAME	91	T	R	SF	720.		720.	8/ 0/ 0
723-20	TC0950	2- 2913	TOILET	SAME	22	S	R	SF	682.		682.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
723-20	TC1010	2- 2901	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1012	2- 2902	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1013	2- 2903	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1015	2- 2904	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1016	2- 3905	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
S 723-20	TC1041	2- 2907	TOILET	SAME	91	S	R	SF	2000.* 411.		411.	8/ 0/ 0
723-20	TC1042	2- 2908	TOILET	SAME	91	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1044	2- 2909	TOILET	SAME	91	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1045	2- 3253	TOILET	SAME	22	S	R	SF	2000.		2000.	8/ 0/ 0
723-20	TC1050	2- 2916	TOILET	SAME	91	S	R	SF	682.		682.	8/ 0/ 0
723-20	TC1051	2- 2917	TOILET	SAME	91	S	R	SF	682.		682.	8/ 0/ 0
723-20	TC1052	2- 2918	TOILET	SAME	91	S	R	SF	682.		682.	8/ 0/ 0
723-20	TC1054	2- 2920	TOILET	SAME	91	S	R	SF	682.		682.	8/ 0/ 0
P 723-20	TC1140	2- 2910	TOILET	SAME	91	S	R	SF	2000.* 1358.		1358.	8/ 0/ 0
723-20	TC1141	2- 2911	TOILET	SAME	91	S	R	SF	1200.		1200.	8/ 0/ 0
									64309.		64309.	
S 723-30	TC1140	2- 2910	LAUNDRY	TRHSG/DET FAC	91	S	R	SF	2000.* 642.		642.	8/ 0/ 0

Supersedes OPNAV Form 1000

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
724-15	TC1066	2- 2955	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1067	2- 2921	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1068	2- 2922	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1069	2- 2923	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1160	2- 2924	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1161	2- 2925	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
724-15	TC1162	2- 2952	BCHLR OFF QTRS	SAME	32	P	R	MN	13.		13.	25/ 0/ 0
									91.		91.	
730-10	TC0701	2- 3317	FIRE STATION	SAME	25	P	U	SF	9538.		0.	0/ 0/ 0
									9538.		0.	
730-25	TC0306	2- 3210	GATE HOUSE	SAME	22	P	R	SF	126.		126.	8/ 0/ 0
730-25	TC0307	2- 3211	GATE HOUSE	SAME	22	P	R	SF	552.		552.	1/15/ 0
730-25	TC1300	2- 6455	GATE HOUSE	SAME	22	P	R	SF	30.		30.	8/ 0/ 0
									708.		708.	

Supersedes OPNAV FORM 11000- for Marine Corps Use; *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
P. 730-90	CG0001	2- 1829	LAUNDRY	SAME	18	P	U	SF	11680.* 1551.		0.	0/ 0/ 0
730-90	CG0002	2- 1784	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0003	2- 1785	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0004	2- 1786	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0005	2- 1787	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0006	2- 1788	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0007	2- 1789	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0008	2- 1790	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0009	2- 1791	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0010	2- 1792	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0011	2- 1793	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0012	2- 1794	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0013	2- 1795	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0014	2- 1796	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0015	2- 1797	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0016	2- 1798	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0017	2- 1799	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0018	2- 1800	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0019	2- 1826	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0

Superseded DD Form 1354

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
730-90	CG0020	2- 1827	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
730-90	CG0021	2- 1828	LAUNDRY	SAME	18	P	U	SF	432.		0.	0/ 0/ 0
									10191.		0.	
740-10	TC0601	2- 3326	CHAPEL	SAME	22	S	R	SF	600.		600.	2/ 0/ 0
									600.		600.	
T 740-14	TC0900	2- 2942	EXCHANGE	SAME	81	S	R	SF	3589.* 1451.		1451.	8/ 0/ 0
P 740-14	TC0930	2- 2978	EXCHANGE	TRHSG/DET FAC	81	S	R	SF	35296.* 22538.		22538.	2/ 8/ 0
									23989.		23989.	
740-18	TC0930	2- 2978	BANK	TRHSG/DET FAC	81	S	R	SF	650.		650.	8/ 0/ 0
									650.		650.	
740-30	TC0912	2- 6456	FILLING STATION	SAME	81	P	R	SF	870.		870.	2/ 0/ 0
									870.		870.	
S 740-33	TC0900	2- 2942	POST OFFICE	SAME	81	S	R	SF	3589.* 2138.		2138.	8/ 0/ 0
									2138.		2138.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-36	TC0618	2- 3320	HOBBY SHOP	SAME	18	P	U	SF	4396.		0.	0/ 0/ 0
									4396.		0.	
740-40	TC0735	2- 2970	BOWLING ALLEY	COV STOR/INST	18	T	R	LA	4.		4.	2/ 8/ 0
									4.		4.	
740-43	TC0301	2- 2836	INACTIVE	COMMUNITY/INTER	22	S	N	SF	12620.		12620.	4/26/20
740-43	TC0822	2- 3394	GYMNASIUM	SAME	18	T	R	SF	2592.		2592.	8/ 0/ 0
									15212.		15212.	
P 740-56	TC0900	2- 2942	THEATRE	SAME	81	S	R	SE	9031.* 400.		400.	2/ 8/ 0
									400.		400.	
S 740-60	TC0910	2- 3154	OFFICERS CLUB	TRHSG/BOQ	91	S	R	SF	15205.* 5544.		5544.	8/ 0/ 0
									5544.		5544.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED:

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-63	TC0614	2- 3322	EM SERVICE CLUB	SAME	81	T	R	SF	4448.		4448.	2/ 8/ 0
740-63	TC1130	2- 2833	EM SERVICE CLUB	COV STOR/INST	81	T	R	SF	2592.		2592.	2/ 8/ 0
									7040.		7040.	
740-66	TC0200	2- 3249	STAFF NCO CLUB	COMMUNITY/INTER	80	S	R	SF	13345.		13345.	2/ 8/ 0
									13345.		13345.	
740-86	TC0343	2- 2944	EXCHANGE/STHSE	SAME	81	P	U	SF	1500.		0.	0/ 0/ 0
									1500.		0.	
									11680.*			
P 740-90	CG0001	2- 1829	REC BLDG	SAME	18	P	U	SF	4803.		0.	0/ 0/ 0
740-90	TC0330	2- 2949	REC BLDG	TRHSG/DET FAC	22	P	N	SF	35296.		35296.	4/ 0/ 0
									35296.*			
O 740-90	TC0930	2- 2978	TICKET OFFICE	TRHSG/DET FAC	81	S	N	SF	416.		416.	4/ 0/ 0
740-90	TC1024	2- 3006	RECREATION BLDG	COV STOR/INST	22	T	R	SF	2592.		2592.	8/ 0/ 0
									43107.		38304.	
750-10	STC0305	2- 3534	BASKETBALL CT	SAME	22	P	N	EA	1.		1.	4/ 0/ 0
750-10	STC0612	2- 3544	TENNIS COURT	SAME	22	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-10	STC0856	2- 6680	HANDBALL CTS-2	SAME	22	P	U	EA	2.		0.	0/ 0/ 0
750-10	STC0866	2- 3535	BASKETBALL CT	SAME	22	P	U	EA	1.		0.	0/ 0/ 0
									5.		1.	
750-20	SCG0027	2- 6708	SOFTBALL FIELD	SAME	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STC0303	2- 3545	SOFTBALL FIELD	SAME	22	P	U	EA	1.		0.	0/ 0/ 0
750-20	STC0304	2- 3531	BASEBALL FIELD	SAME	22	P	U	EA	1.		0.	0/ 0/ 0
750-20	STC0308	2- 3533	BASEBALL FIELD	SAME	22	P	U	EA	1.		0.	0/ 0/ 0
									4.		0.	
750-50	STC0615	2- 3580	OUTDOOR THEATRE	SAME	22	S	N	SF	263835.		263835.	4/ 0/ 0
									263835.		263835.	
750-90	STC804A	2- 6720	COVERED WALKWAY	SAME	22	S	U	SF	5700.		0.	0/ 0/ 0
									5700.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: [X] REVISED CHANGE NO. | DATE PREPARED: 1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col. 6 - Using Activity Codes are as follows:

Code	Activity
00	2D FORCE SERVICE REGIMENT
09	FIELD MEDICAL SERVICE SCHOOL
10	BASE MATERIAL BATTALION
13	RESERVE LIAISON
14	DEPENDENTS SCHOOL
16	BASE MEDICAL
17	BASE COMMUNICATIONS
18	SPECIAL SERVICES
21	RIFLE RANGE
22	1ST INFANTRY TRAINING REGIMENT
23	MARINE CORPS ENGINEER SCHOOL
24	MARINE CORPS SUPPLY SCHOOL
25	HEADQUARTERS AND SERVICE BATTALION
29	NAVY MEDICAL FIELD RESEARCH LAB
30	BASE MAINTENANCE

Code	Activity
31	ASSISTANT CHIEF OF STAFF, G-3
32	DIRECTOR, HOUSING
50	BASE MOTOR TRANSPORT
60	BASE SUPPLY
70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
80	STAFF NCO CLUB, E-6 THROUGH E-9
81	MARINE CORPS EXCHANGE
82	COMMISSIONED OFFICERS MESS
83	NURSERY
84	KINDERGARTEN
85	USO
87	SCOUTING ACTIVITIES
89	NCO CLUB E/4, E/5
90	2D MARINE DIVISION
91	FORCE TROOPS
92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an explanatory note following the itemized listing of facilities.

Supersedes NAVFAC Form 11000 for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☒ REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls along with need for rewiring.
14. Building is inadequate becuase the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: [x] REVISED CHANGE NO.

1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

19. Inadequate due to the conversion of the present system to a Centrex system.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	CAMP GEIGER						
111-81	HELICOPTER LANDING PAD	1,112		SY			
123-10	FILLING STATION	2		OL			
124-65	HEATING FUEL OIL STORAGE TANK	120,000		GA			
131-40	TELEPHONE EXCHANGE BUILDING	1,800		SF			(Includes Rifle Range)
132-50	PUBLIC ADDRESS SYSTEM-OUTDOOR	1		EA			
141-60	PHOTOGRAPHIC BUILDING	0		SF			
171-10	ACADEMIC & GEN. INSTRUCTION BLDG	34,200		SF			
171-30	ARMORY	10,000		SF			
171-50	SMALL ARMS RANGE/INDOOR	12		FP			
171-90	COMBAT TRAINING TANK/INDOOR	1		EA			
171-90	TRAINING BUILDING/OTHER	0		SF			
214-20	AUTO VEHICLE MAINT FAC	4,570		SF			
214-90	VEHICLE WASH APRON	1,600		SF			
214-90	GREASE RACK	2,000		SF			
215-XX	SMALL ARMS SHOP	4,000		SF			
217-10	ELECTRONICS & COMM. MAINT SHOP	3,240		SF			
219-10	BASE MAINTENANCE SHOP	2,000		SF			
422-XX	MAGAZINES	8,500		SF			
442-10	GENERAL WAREHOUSE RI	71,000		SF			
442-70	PUBLIC WORKS MAINT STORAGE	1,700		SF			
442-90	COVERED STORAGE/OTHER	27,620		SF			
452-XX	OPEN STORAGE	450		SY			
540-10	DENTAL CLINIC	7,400		SF			
550-20	DISPENSARY W/O BEDS	13,500		SF			
550-90	DISPENSARY/OTHER	912		SF			
610-10	ADMINISTRATION OFFICE	34,180		SF			
690-10	FLAGPOLE	2		EA			
722-10	EM BARRACKS W/O MESS	4,075		MN			
723-10	MESSHALL	41,866		SF			
723-20	LATRINE	23,592		SF			
724-15	BOQ W/O MESS	15		MN			
724-30	OFFICERS' MESS (CLOSED)	705		SF			
730-10	FIRE STATION	3,000		SF			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

ND OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
26 September 1968

SHEET 1 OF 2 SHEETS

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
730-25	GATE/SENTRY HOUSE	740		SF			
730-65	AIR RAID/FALLOUT SHELTER	48,320		SF			
740-10	CHAPEL	600		SE			
740-14	EXCHANGE	11,535		SF			
740-30	SERVICE STATION	2,470		SF			
740-33	POST OFFICE	4,700		SF			
740-36	HOBBY SHOP	4,430		SF			
740-37	SPECIAL SERVICES CENTER	920		SF			
740-40	BOWLING ALLEY	10		LA			
740-43	GYMNASIUM	20,500		SF			
740-56	THEATER	1,000		SE			
740-60	OFFICERS' CLUB (OPEN)	1,950		SF			
740-63	EM SERVICE CLUB	20,450		SF			
740-66	NCO CLUB	2,920		SF			
740-70	STAFF NCO CLUB	1,000		SF			
740-76	LIBRARY	6,190		SF			
740-83	BUS STATION & SHELTERS	2,100		SF			
740-86	RETAIL WAREHOUSE	2,840		SF			
740-88	EDUCATION CENTER	11,610		SF			
740-90	COMPANY RECREATION BUILDING	61,125		SF			
750-10	PLAYING COURTS	45		EA			
750-20	PLAYING FIELDS	13		EA			
750-50	OUTDOOR THEATER	0		SF			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

NO OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
26 September 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

P C R

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CAMP GEIGER									
111-81	HELICOPTER LANDING PAD	SY	1,112	69	0			1,043	(7A)	
	MARINE CORPS BASE		(1,112)	(69)				(1,043)		
123-10	FILLING STATION	OL	2	4	0		2		(5)	
	MARINE CORPS BASE		(2)	(4)						
124-65	LIQ.FUEL ST/OTHER	GA	120,000	75,000	0			45,000	MILCON	45,000
	MARINE CORPS BASE		(120,000)	(75,000)				(45,000)	3B(UP) P-930	45,000
131-40	TELEPHONE EXCHANGE BLDG	SF	1,800	1,504	1,504		(1,504)	1,800	MILCON	
	MARINE CORPS BASE		(1,800)	(1,504)	(1,504)			(1,800)	3B(FY 72) P 929	1,800
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	EA	1	0	0			1	O & M (C)	1
	MARINE CORPS BASE		(1)	(0)				(1)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
141-60	PHOTOGRAPHIC BLDG	SF	0	1,589	1,589		1,589	0	(5)	
	FORCE TROOPS		0	(1,589)	(1,589)					
171-10	ACD/GEN INSTR BLDG	SF	34,200	48,453	48,453		48,453 (16,119)	34,200	MILCON	34,200
	MARINE CORPS BASE		(34,200)	(32,544)	(32,544)		EXCESS DUE TO NEW CONST		3B(FY 75) P-093 3B(FY 76) P-111	17,100 17,100
	FORCE TROOPS			(15,909)	(15,909)					
171-20	APPLIED INST BLDG	SF	0	5,174	5,174		5,174 (2,592)	0	(5)	
	MARINE CORPS BASE		0	(2,592)	(2,592)					
	FORCE TROOPS		0	(2,592)	(2,592)					
171-30	ARMORY	SF	10,000	10,368	10,368		(10,368)	10,000	MILCON	10,000
	MARINE CORPS BASE		(10,000)	(10,368)	(10,368)		EXCESS DUE TO NEW CONST		3B(FY 76) P-094	10,000
171-50	SMALL ARMS RANGE - INDOOR	FP	12	0	0			12	MILCON	12
	MARINE CORPS BASE		(12)	0	0			(12)	3B(UP) P-931	12

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO. OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-90	COMBAT TRAINING TANK	EA	1	0	0			1	MILCON	1
	MARINE CORPS BASE		(1)	0	0				3B(UP) P-166	1
213-58	BOAT SHOP	SF	0	800	800		(800)	0	(4)	
	FORCE TROOPS		0	(800)	(800)					
214-10	COMBAT VEHICLE MAINT FAC	SF	0	16,000	16,000		16,000	0	(5)	
	FORCE TROOPS		0	(16,000)	(16,000)					
214-20	AUTO VEH MAINT FAC	SF	4,570	14,800	14,800		10,230	4,570	O & M (R)	8,000
	MARINE CORPS BASE		(4,570)	(8,000)	(8,000)			(4,570)		
	FORCE TROOPS		0	(6,800)	(6,800)			REHAB BLDG 773 FOR(214-20)= 8,000 SF		
214-90	GREASE RACK	SF	2,000	1,512	1,512			2,000	O & M (R)	2,000
	MARINE CORPS BASE		(2,000)	(1,128)	(1,128)			(2,000)	RELOCATE S-99 S-1150,S-868,S-777	
	FORCE TROOPS		0	(384)	(384)				TO VICINITY BLDG 773	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-90	VEH WASH APRON	SF	1,600	340	340		(340)	1,600	O & M (C)	1,600
	MARINE CORPS BASE		(1,600)	(340)	(340)			(1,600)		
215-XX	SMALL ARMS SHOP	SF	4,000	0	0			4,000	MILCON	4,000
	MARINE CORPS BASE		(4,000)	0	0			(4,000)	3B (UP) P-941	4,000
217-10	ELECTRONICS & COMM MAINT SHOP	SF	3,240	2,592	2,592		2,592	3,240	O & M (R)	4,480
	MARINE CORPS BASE		(3,240)	0	0				REHAB BLDG TC 771 FOR (217-10)	
	FORCE TROOPS		0	(2,592)	(2,592)					
218-10	PARACHUTE SHOP	SF	0	8,462	8,462		8,462	0	(5)	
	FORCE TROOPS		0	(8,462)	(8,462)		(777)			
218-90	MAINT FAC/OTHER	SF	0	474	474		(474)	0	(4)	
	FORCE TROOPS		0	(474)	(474)					
219-10	BASE MAINT SHOP	SF	2,000	9,888	7,072		7,888	REHAB	BLDG TC 771 TO 4,480 SF	(217-10)
	MARINE CORPS BASE		(2,000)	(9,888)	(7,072)		(2,592)		O & M (R)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] T-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ------	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
219-90	SPC SVS MAINT SHOP	SF	0	8,000	8,000		8,000	0	(5)	
	MARINE CORPS BASE		0	(8,000)	(8,000)					
422-XX	AMMO SI RI/OTHER	SF	8,500	0	0			8,500	REHAB BLDG TC 572 FROM (442-10) TO (442-XX)	
	MARINE CORPS BASE		(8,500)	0	0			(8,500)	O & M (R)	8,000
442-90	AMMO SI RI/OTHER	SF	0	2,592	0		2,592		(5)	
	MARINE CORPS BASE		0	(2,592)	0					
442-10	GEN WHSE/RI	SF	71,000	210,263	210,263		139,263	71,000	O & M (R)	
	MARINE CORPS BASE		(71,000)	(104,108)	(104,108)		(35,040)	(71,000)	REHAB BLDGS TC 460, TC 462, TC 560, TC 562, TC 760, TC 761, TC 762, & TC 860 = 72,960 SF	
	FORCE TROOPS		0	(106,155)	(106,155)					
442-30	FLAM STOR/RI	SF	0	288	288		288	0	(5)	
	FORCE TROOPS		0	(288)	(288)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	IND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-70	BASE MAINT STOR	SF	1,700	1,095	1,095		(462)	1,700	O & M (R) REHAB BLDG TC	4,480
	MARINE CORPS BASE		(1,700)	(1,095)	(1,095)			(1,700)	470 FOR (442-70) TOTAL OF 4,480 SF	
442-90	ST COV STORG/OTHER	SF	27,620	26,118	25,964		(8,474)	27,466	O & M (R) REHAB BLDGS TC	32,000
	MARINE CORPS BASE		(27,620)	(18,116)	(17,962)			(27,466)	861, TC 862, TC 863, TC 864	
	FORCE TROOPS			(8,002)	(8,002)					
452-XX	OPEN STOR/INST	SY	450	0	0			450	O & M (C)	450
	MARINE CORPS BASE		(450)	0	0			(450)		
540-10	DENTAL CLINIC	SF	7,400	1,655	0	1,483	(1,655)	5,917	INCLUDED IN P-110	
	MARINE CORPS BASE		(7,400)	(1,655)	0		EXCESS DUE TO NEW CONS'T		(1)	
550-20	DISPENSARIES	SF	13,500	10,650	10,138	13,514	10,650 (7,738)		MILCON	
	MARINE CORPS BASE		(13,500)	(8,138)	(8,138)		EXCESS DUE TO NEW CONS'T		P-110	13,514
	FORCE TROOPS		0	(2,000)	(2,000)					
	2ND MARINE DIVISION		0	512	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY NAME AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
610-10	ADMINISTRATION OFFICE	SF	34,180	53,250	53,250	0	19,070	34,180	MILCON	34,200
	MARINE CORPS BASE		(34,180)	(35,390)	(35,390)		(29,560)	(34,180)	3B(FY 75)P-097	22,000
									3B(FY 76)P-098	12,200
	FORCE TROOPS		0	(17,860)	(17,860)					
610-90	ADMINISTRATION/OTHER	SF	0	2,852	2,852		2,852	0	(5)	
	MARINE CORPS BASE		0	(2,852)	(2,852)		(1,426)			
690-10	FLAGPOLE	EA	2	1	0			1	O & M (C)	1
	MARINE CORPS BASE		2	(1)	0			(1)		
690-90	ADMIN STRUCTURE/OTHER	SF	0	256	0		256		(5)	
	MARINE CORPS BASE		0	(256)	0					
722-10	EM BARRACKS W/O MESS	MN	4,075	2,659	2,659	2,208	792	1,867		
	MARINE CORPS BASE		(4,075)	(2,323)	(2,323)		(1,498)	(1,867)	3B(FY 73)P-095	1,245
									3B(FY 74)P-130	552
	FORCE TROOPS		0	(336)	(336)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

INSTALLATION AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
723-10	MESSHALL	SF	41,866	46,988	46,988	41,866	46,988	0		
	MARINE CORPS BASE		(41,866)	(46,988)	(46,966)	(41,866)				
723-20	LATRINE	SF	23,592	64,309	64,309		40,717	23,592	(6)	
	MARINE CORPS BASE		(23,592)	(53,004)	(53,004)		(40,964)	(23,592)		
	FORCE TROOPS			(11,305)	(11,305)					
723-30	LAUNDRY	SF	0	642	642		642	0	(5)	
	FORCE TROOPS		0	(642)	(642)					
724-15	BACHELOR OFF QUARTERS W/O MESS	MN	15	91	91		76	15	MILCON	15
	MARINE CORPS BASE		(15)	(91)	(91)			(15)	3B(UP) P-921	15
724-30	OFFICERS MESS	SF	705	0	0			705	MILCON	705
	MARINE CORPS BASE		(705)	0	0			(705)	INCLUDED IN P-921	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACT. OR INST. LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-10	FIRE STATION	SF	3,000	9,538	0		6,538		(5)	
	MARINE CORPS BASE		(3,000)	(9,538)	0					
730-25	GATE HOUSE	SF	740	708	708			740	O & M (R)	740
	MARINE CORPS BASE		(740)	(708)	(708)			(740)		
730-65	AIR RAID/FALLOUT SHELTER	SF	48,320	0	0			48,320	(7K)	
	MARINE CORPS BASE		(48,320)	0	0			(48,320)		
730-90	LAUNDRY	SF	0	10,191	0		10,191		(5)	
	MARINE CORPS BASE		0	(10,191)	0					
740-10	CHAPEL	SE	600	600	600			600	(7G)	600
	MARINE CORPS BASE		(600)	(600)	(600)			(600)		
740-14	EXCHANGE	SF	11,535	23,989	23,989		12,454	11,535	MILCON	11,535
	MARINE CORPS BASE		(11,535)	(23,989)	(23,989)			(11,535)	3B(FY 76)P-126	11,535

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-18	BANK	SF	0	650	650		650	0	(5)	
	MARINE CORPS BASE		0	(650)	(650)					
740-30	SERVICE STATION	SF	2,470	870	870			2,470	MILCON	2,470
	MARINE CORPS BASE	SF	(2,470)	(870)	(870)			(2,470)	3B(UP) P-928	2,470
740-33	POST OFFICE	SF	4,700	2,138	2,138		2,138	4,700	MILCON	4,700
	MARINE CORPS BASE		(4,700)	(2,138)	(2,138)		EXCESS DUE TO NEW CONST		3B(UP) P-923	4,700
740-36	HOBBY SHOP	SF	4,430	4,396	0		(4,396)	O & M (R) REHAB BLDG TC 774 FROM		
	MARINE CORPS BASE		(4,430)	(4,396)	0		DUE TO NEW CONST	(442-10)TO (740-36)		
740-37	SPECIAL SERVICE CENTER	SF	920	0	0			920	MILCON	92
	MARINE CORPS BASE		(920)	0	0			(920)	(INCLUDED IN P-127)	
740-40	BOWLING ALLEY	LA	10	4	4		(4)	10	MILCON	10
	MARINE CORPS BASE		(10)	(4)	(4)			(10)	3B(UP) P-924	10

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-43	GYMNASIUM	SF	20,500	15,212	15,212		(15,212)	20,500	MILCON	
	MARINE CORPS BASE		(20,500)	(15,212)	(15,212)			(20,500)	3B(UP) P-127	20,500
740-56	THEATER	SE	1,000	400	400		400	1,000	MILCON	1,000
	MARINE CORPS BASE		(1,000)	(400)	(400)		EXCESS DUE TO NEW CONST		3B(UP) P-120	1,000
740-60	OFFICERS CLUB (OPEN)	SF	1,950	5,544	5,544		5,544	1,950	MILCON	
	FORCE TROOPS		(1,950)	(5,544)	(5,544)		EXCESS DUE TO NEW CONST	(1,950)	(INCLUDED IN P-921)	
740-63	EM SERVICE CLUB	SF	20,450	7,040	7,040		7,040	20,450	MILCON	20,450
	MARINE CORPS BASE		(20,450)	(7,040)	(7,040)		(4,448) EXCESS DUE TO NEW CONST	(20,450)	3B(FY 75) P-128	20,450
740-66	NCO. CLUB	SF	2,920	13,345	13,345		10,425	2,920	O & M (R)	
	MARINE CORPS BASE		(2,920)	(13,345)	(13,345)			(2,920)	REHAB 3,000 SF OF TC 910 FOR (740-66)	
740-70	STAFF NCO CLUB	SF	1,000	0	0			1,000	MILCON	1,000
	MARINE CORPS BASE		(1,000)	0	0			(1,000)	3B(UP) P-917	1,000

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-76	LIBRARY	SF	6,190	0	0			6,190	MILCON	6,190
	MARINE CORPS BASE		(6,190)	0	0			(6,190)	3B (UP) P-936	6,190
740-83	BUS STATION & SHELTER	SF	2,100	0	0			2,100	O & M (C)	2,100
	MARINE CORPS BASE		(2,100)	0	0			(2,100)		
740-86	RETAIL WAREHOUSE	SF	2,840	1,500	0			1,340	MILCON	2,840
	MARINE CORPS BASE		(2,840)	(1,500)	0			(1,340)	INCLUDED IN P-126) (7L)	
740-88	EDUCATION CENTER	SF	11,610	0	0			11,610	(6)	
	MARINE CORPS BASE		(11,610)	0	0			(11,610)		
740-90	RECREATION BUILDING	SF	61,125	43,107	38,304			56,322	(1)	
	MARINE CORPS BASE		(61,125)	(43,107)	(38,304)			(56,322)	3B(UP) P-935	35,296
750-10	PLAYING COURTS	EA	45	5	1			41	(6)	
	MARINE CORPS BASE		(45)	(5)	(1)			(41)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-20	PLAYING FIELDS	EA	13	4	0			9	(6)	
	MARINE CORPS BASE		(13)	(4)	0			(9)		
750-50	OUTDOOR THEATER	SF	0	263,835	263,835		(263,835)	0	(4)	
	MARINE CORPS BASE		0	(263,835)	(263,835)					
750-90	COVERED HALLWAY	SF	0	5,700	0		5,700		(5)	
	MARINE CORPS BASE		0	(5,700)	0					

OP 441E

CLASSIFICATION STAMP

CAMP GEIGER

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O.'S TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R) RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NOW CONSTRUCTION.									
(8)	NO NEW REHAB WORK TO BE PERFORMED IN THIS AREA.									

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	RIFLE RANGE						
111-81	HELICOPTER LANDING PAD	4,448		SY			
123-10	FILLING STATION	1		OL			
124-50	VEHICLE READY FUEL STORAGE TANK	20,000		GA			
132-50	PUBLIC ADDRESS SYSTEM-OUTDOOR	1		EA			
151-90	PIERS - OTHER	3,767		SY			
171-10	ACADEMIC & GEN. INSTRUCTION BLDG.	12,300		SF			
171-30	ARMORY	2,500		SF			
171-50	SMALL ARMS RANGE/INDOOR	5		FP			
214-20	AUTO VEHICLE MAINT FAC	2,520		SF			
214-90	VEHICLE WASH APRON	800		SF			
214-90	GREASE RACK	1,000		SF			
215-XX	SMALL ARMS SHOP	2,355		SF			
219-10	BASE MAINTENANCE SHOP	1,000		SF			
422-XX	MAGAZINES	4,000		SF			
442-10	GENERAL WAREHOUSE RI	20,000		SF			
442-70	PUBLIC WORKS MAINT STORAGE	850		SF			
442-90	COVERED STORAGE/OTHER	550		SF			
452-XX	OPEN STORAGE	0		SY			
540-10	DENTAL CLINIC	338		SF			
550-20	DISPENSARY W/O BEDS	2,590		SF			
610-10	ADMINISTRATION OFFICE	0		SF			
690-10	FLAGPOLE	1		EA			
722-10	EM BARRACKS W/O MESS	869		MN			
723-10	MESSHALL	14,636		SF			
723-20	LATRINE	6,468		SF			
724-15	BOQ W/O MESS	41		MN			
724-30	OFFICERS' MESS (CLOSED)	1,435		SF			
730-10	FIRE STATION	3,000		SF			
730-25	GATE/SENTRY HOUSE	100		SF			
730-65	AIR RAID/FALLOUT SHELTER	2,670		SF			
740-10	CHAPEL	0		SF			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina
ND OR AREA: 5ND
SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____
PREPARATION DATE: 26 September 1968

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
740-14	EXCHANGE	5,985		SF			
740-30	SERVICE STATION	100		SF			
740-33	POST OFFICE	920		SF			
740-36	HOBBY SHOP	500		SF			
740-37	SPECIAL SERVICES CENTER	570		SF			
740-40	BOWLING ALLEY	0		LA			
740-43	GYMNASIUM	0		SF			
740-56	THEATER	0	(Multi-Purpose) (Facilities)			3,500 SF	
740-60	OFFICERS' CLUB (OPEN)	2,220		SF			
740-63	EM SERVICE CLUB	5,290		SF			
740-66	NCO CLUB	5,450		SF			
740-70	STAFF NCO CLUB	2,950		SF			
740-76	LIBRARY	1,950		SF			
740-83	BUS STATION & SHELTERS	150		SF			
740-86	RETAIL WAREHOUSE	1,535		SF			
740-88	EDUCATION CENTER	0	(Included in) (Courthouse Bay)				
740-90	COMPANY RECREATION BUILDING	13,035		SF			
750-10	PLAYING COURTS	10		EA			
750-20	PLAYING FIELDS	3		EA			
750-50	OUTDOOR THEATER	0		SF			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

ND OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
26 September 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

Supersedes ONAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ0009	2- 6371	C/HLCP LDG PAD	SAME	31	P	R	SY	69.		0.	17/ 0/ 0
111-81	SLZ0014	2- 6376	C/HLCP LDG PAD	SAME	31	P	R	SY	69.		0.	17/ 0/ 0
111-81	SLZ0019	2- 6761	C/HLCP LDG PAD	SAME	31	P	U	SY	1600.		0.	0/ 0/ 0
									1738.		0.	
124-50	SRR0084	2- 6428	VE R/FUEL TK	SAME	21	P	U	GA	10000.		0.	0/ 0/ 0
124-50	UNUM	2- 4742	VE R/FUEL TK	SAME	21	P	U	GA	10000.		0.	0/ 0/ 0
									20000.		0.	
151-90	SRR0082	2- 6426	PIERS/OTHER	SAME	21	P	R	SY	3767.		3767.	8/ 0/ 0
									3767.		3767.	
S 171-10	RR0011	2- 2657	ACD/GEN INS BLD	TRAINING/BLDGS	21	P	U	SF	18714.* 3851.		0.	0/ 0/ 0
P 171-10	RR0214	2- 2669	ACD/GEN INS BLD	TRHSG/DET FAC	22	P	R	SF	12732.* 6368.		6368.	1/ 2/ 0
									10219.		6368.	
171-50	RR0053	2- 2718	TRNG BLDG/OTHER	COMMUNITY/INTER	21	S	N	FP	5.		5.	4/ 0/ 0
									5.		5.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
T 214-20	RR0014	2- 2786	MAINT SHOP	COV STOR/INST	21	P	R	SF	3729.* 1047.		1047.	7/ 9/ 0
									1047.		1047.	
214-90	SRR0080	2- 6424	GREASE RACK	SAME	21	P	U	SF	400.		0.	0/ 0/ 0
214-90	SRR0081	2- 6425	WASH APRON	SAME	21	P	U	SF	288.		0.	0/ 0/ 0
									688.		0.	
T 215-XX	RR0011	2- 2657	SMALL ARMS SHOP	TRAINING/BLDGS	21	P	R	SF	18714.* 2329.		2329.	6/ 0/ 0
									2329.		2329.	
219-10	RR0013	2- 2681	PW/MAINT SHOP	COV STOR/INST	30	P	R	SF	3729.		3729.	16/ 0/ 0
									3729.		3729.	
422-30	SRR0018	2- 2671	SM/ARM/PYRO MAG	SAME	21	P	U	SF	440.		0.	0/ 0/ 0
422-30	SRR0021	2- 2672	SM/ARM/PYRO MAG	SAME	21	P	U	SF	440.		0.	0/ 0/ 0
422-30	SRR0023	2- 2670	SM/ARM/PYRO MAG	SAME	21	P	U	SF	1683.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
422-30	SRR0025	2- 2673	SM/ARM/PYRO MAG	SAME	21	P	U	SF	440.		0.	0/ 0/ 0
									3003.		0.	
									3729.*			
P 442-10	RR0006	2- 2680	GEN WHSE/RI	SAME	25	P	U	SF	1642.		0.	0/ 0/ 0
442-10	RR0007	2- 2785	GEN WHSE/RI	SAME	21	P	U	SF	3729.		0.	0/ 0/ 0
442-10	RR0016	2- 2738	GEN WHSE/RI	SAME	21	S	U	SF	450.		0.	0/ 0/ 0
442-10	RR0019	2- 2739	GEN WHSE/RI	SAME	21	S	R	SF	450.		450.	12/ 0/ 0
442-10	RR0030	2- 2682	GEN WHSE/RI	SAME	21	P	U	SF	1260.		0.	0/ 0/ 0
442-10	RR0033	2- 2674	GEN WHSE/RI	SAME	21	P	U	SF	1260.		0.	0/ 0/ 0
442-10	RR0036	2- 2675	GEN WHSE/RI	SAME	21	P	U	SF	1260.		0.	0/ 0/ 0
442-10	RR0048	2- 2686	GEN WHSE/RI	TRAINING/BLDGS	21	P	U	SF	3240.		0.	0/ 0/ 0
442-10	RR0050	2- 2687	GEN WHSE/RI	SAME	21	P	R	SF	3240.		3240.	1/ 7/ 0
442-10	RR0056	2- 2719	GEN WHSE/RI	SAME	21	P	U	SF	192.		0.	0/ 0/ 0
442-10	RR0062	2- 2720	GEN WHSE/RI	SAME	21	T	U	SF	357.		0.	0/ 0/ 0
442-10	RR0063	2- 2684	GEN WHSE/RI	SAME	21	S	N	SF	800.		800.	4/ 0/ 0
442-10	RR0200	2- 2690	GEN WHSE/RI	SAME	81	P	U	SF	3240.		0.	0/ 0/ 0
442-10	RR0238	2- 2689	GEN WHSE/RI	SAME	21	S	U	SF	4000.		0.	0/ 0/ 0
442-10	RR0239	2- 2688	GEN WHSE/RI	SAME	21	S	R	SF	4000.		4000.	8/ 0/ 0
442-10	RR0246	2- 6756	GEN WHSE/RI	SAME	21	S	R	SF	80.		80.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | OR AREA: 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									0.*			
S 442-10	RR0247	2- 6793	COV STOR/INST	SAME	21	S	R	SF	100.		100.	0/ 0/ 0
442-10	RR0248	2- 6792	GEN WHSE/RI	SAME	21	S	R	SF	600.		600.	0/ 0/ 0
									29900.		8570.	
									3729.*			
P 442-90	RR0014	2- 2786	ST COV ORG/OTH	COV STOR/INST	21	P	U	SF	1438.		0.	0/ 0/ 0
442-90	RR0240	2- 2685	ST COV ORG/OTH	COV STOR/INST	22	S	R	SF	4000.		4000.	8/ 0/ 0
									5438.		4000.	
									3663.*			
P 540-10	RR0012	2- 2660	DENTAL CLINIC	DISPENSARIES	21	P	R	SF	338.		338.	2/ 0/ 0
									338.		338.	
									3663.*			
P 550-20	RR0012	2- 2660	DISPENSARY	SAME	21	P	R	SF	2245.		2245.	1/ 2/ 0
									2245.		2245.	
									18714.*			
P 610-10	RR0011	2- 2657	ADMIN BLD	SAME	21	P	R	SF	7879.		7879.	2/ 0/ 0
									3729.*			
S 610-10	RR0014	2- 2786	AD BLDG/OTHER	SAME	21	P	R	SF	1244.		1244.	1/ 2/ 7

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
610-10	RR0017	2- 2734	ADMIN BLD	SAME	21	P	R	SF	1230.		1230.	2/ 0/ 0
610-10	RR0020	2- 2735	ADMIN BLD	SAME	21	P	R	SF	1230.		1230.	2/ 0/ 0
610-10	RR0022	2- 2736	ADMIN BLD	SAME	21	P	R	SF	1230.		1230.	2/ 0/ 0
610-10	RR0024	2- 2737	ADMIN BLD	SAME	21	P	R	SF	1230.		1230.	2/ 0/ 0
610-10	RR0205	2- 2679	ADMIN BLD	SAME	22	P	U	SF	3240.		0.	0/ 0/ 0
610-10	RR0249	2- 6791	ADMIN BLD	SAME	90	S	U	SF	600.		600.	0/ 0/ 0
									17883.		14043.	
690-10	SRR011A	2- 5976	AFLAGPOLE	SAME	21	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
722-10	RR0001	2- 2648	EM BKS W/O MESS	SAME	21	P	R	MN	213.		213.	25/ 0/ 0
722-10	RR0002	2- 2649	EM BKS W/O MESS	SAME	21	P	R	MN	213.		213.	25/ 0/ 0
722-10	RR0004	2- 2650	EM BKS W/O MESS	SAME	21	P	R	MN	213.		213.	25/ 0/ 0
722-10	RR0005	2- 2651	EM BKS W/O MESS	SAME	21	P	R	MN	213.		213.	25/ 0/ 0
S 722-10	RR0012	2- 2660	BARRACKS	DISPENSARIES	16	P	R	MN	3663.* 8.		8.	25/ 0/ 0
722-10	RR0201	2- 2772	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0202	2- 2773	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0

RIFLE RANGE

ACTIVITY AND LOCATION

Marine Corps Base, Camp Lejuene, North Carolina | 8270-175 | 5 ND | ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	RR0203	2- 2774	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0204	2- 2775	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0206	2- 2676	EM BKS W/O MESS	ADMINISTR OFFIC	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0207	2- 2776	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0208	2- 2777	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0209	2- 2778	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0210	2- 2779	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0218	2- 2780	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0219	2- 2781	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0220	2- 2782	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0221	2- 2783	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0223	2- 2677	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0224	2- 2678	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
722-10	RR0225	2- 2784	EM BKS W/O MESS	SAME	22	P	R	MN	26.		26.	25/ 0/ 0
									1276.		1276.	
723-10	RR0003	2- 2652	SUBSTNCE BLDG	SAME	21	P	R	SF	23073.		23073.	1/ 2/12
									23073.		23073.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
723-20	RR0026	2- 2725	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0027	2- 2726	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0028	2- 2727	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0029	2- 2728	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0031	2- 2729	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0032	2- 2730	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0034	2- 2731	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0035	2- 2732	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0037	2- 2733	TOILET	SAME	21	P	R	SF	168.		168.	8/ 0/ 0
723-20	RR0211	2- 2740	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
723-20	RR0212	2- 2741	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
723-20	RR0213	2- 2742	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
723-20	RR0215	2- 2743	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
723-20	RR0216	2- 2770	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
723-20	RR0217	2- 2771	TOILET	SAME	22	P	R	SF	2000.		2000.	8/ 0/ 0
									13512.		13512.	
724-15	RR0009	2- 2654	BCHLR OFF QTRS	SAME	32	P	R	MN	39.		39.	25/ 0/ 0
									39.		39.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 730-10	RR0006	2- 2680	FIRE STATION	COV STOR/INST	25	P	R	SF	3729.* 2087.		2087.	9/ 0/ 0
									2087.		2087.	
730-25	RR0078	2- 6422	GATE HOUSE	SAME	21	P	R	SF	144.		144.	2/ 0/ 0
									144.		144.	
740-14	RR0010	2- 2655	EXCHANGE	SAME	81	P	R	SF	3333.		3333.	2/ 0/ 0
									3333.		3333.	
740-30	RR0072	2- 2668	FILLING STATION	SAME	81	P	R	SF	448.		448.	7/ 0/ 0
									448.		448.	
740-56	RR0008	2- 2653	THEATRE	SAME	21	P	R	SE	500.		500.	2/16/ 0
									500.		500.	
740-63	RR0049	2- 2722	EM SERVICE CLUB	TRAINING/BLDGS	21	P	R	SF	3240.		3240.	2/ 0/ 0
									3240.		3240.	
740-86	RR010A	2- 2656	EXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
									192.		0.	

RIFLE RANGE 8 10

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-90	RR0051	2- 2691	REC BLDG	TRAINING/BLDGS	21	P	R	SF	3240.		3240.	2/16/ 0
740-90	RR0214	2- 2669	REC BLDG	TRHSG/DET FAC	22	P	R	SF	2208.		2208.	1/ 2/ 0
									5448.		5448.	
750-10	SRR0057	2- 2485	VOLLEYBALL CT	SAME	21	P	U	EA	1.		0.	0/ 0/ 0
750-10	SRR0058	2- 2484	TENNIS COURT	SAME	21	P	U	EA	1.		0.	0/ 0/ 0
750-10	SRR0059	2- 2483	BADMTN/HNBL/CT	SAME	21	P	U	EA	1.		0.	0/ 0/ 0
750-10	SRR0091	2- 6814	VOLLEYBALL CT	SAME	21	S	U	EA	1.		0.	0/ 0/ 0
									4.		0.	
750-20	SRR0071	2- 2447	SOFTBALL FIELD	SAME	21	P	R	EA	1.		1.	8/ 0/ 0
									1.		1.	
750-56	SRR0079	2- 6423	PERS SUP FAC/OT	SAME	21	P	U	SF	40.		0.	0/ 0/ 0
									40.		0.	
750-90	SRR0083	2- 6396	MOVIE/SCREEN	SAME	21	P	R	EA	1.		1.	8/ 0/ 0

RIFLE RANGE 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
750-90	SRR0090	2- 6763	PIER	SAME	90	P	U	SF	2600.		0.	0/ 0/ 0
									2600 ..		.	
									18714.*			
899-90	RR0011	2- 2657	MULTIPLE USE	TRAINING/BLDGS	21	P	U	SF	4655.		0.	0/ 0/ 0
899-90	RR0214	2- 2669	MULTIPLE USE	TRHSG/DET FAC	22	P	R	SF	4156.		4156.	1/ 2/ 0
									8811.		4156.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col. 6 - Using Activity Codes are as follows:

Code	Activity	Code	Activity
00	2D FORCE SERVICE REGIMENT	31	ASSISTANT CHIEF OF STAFF, G-3
09	FIELD MEDICAL SERVICE SCHOOL	32	DIRECTOR, HOUSING
10	BASE MATERIAL BATTALION	50	BASE MOTOR TRANSPORT
13	RESERVE LIAISON	60	BASE SUPPLY
14	DEPENDENTS SCHOOL	70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
16	BASE MEDICAL	80	STAFF NCO CLUB, E-6 THROUGH E-9
17	BASE COMMUNICATIONS	81	MARINE CORPS EXCHANGE
18	SPECIAL SERVICES	82	COMMISSIONED OFFICERS MESS
21	RIFLE RANGE	83	NURSERY
22	1ST INFANTRY TRAINING REGIMENT	84	KINDERGARTEN
23	MARINE CORPS ENGINEER SCHOOL	85	USO
24	MARINE CORPS SUPPLY SCHOOL	87	SCOUTING ACTIVITIES
25	HEADQUARTERS AND SERVICE BATTALION	89	NCO CLUB E/4, E/5
29	NAVY MEDICAL FIELD RESEARCH LAB	90	2D MARINE DIVISION
30	BASE MAINTENANCE	91	FORCE TROOPS
		92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an expanatory note following the itemized listing of facilities.

Marine Corps Base, Camp Lejuene, North Carolina | 8270-175 | 5 ND | REVISED CHANGE NO. | 1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air condtioning requires increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls along with need for rewiring.
14. Building is inadequate because the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

19. Inadequate due to the conversion of the present system to a Centrex system.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	RIFLE RANGE									
111-81	HELICOPTER LANDING PAD	SY	4,448	1,738	0			2,710	(8)	
	MARINE CORPS BASE		(4,448)	(1,738)						
123-10	FILLING STATION	OL	1	0	0			1	(8)	
	MARINE CORPS BASE		(1)	0						
124-50	VEH READY FUEL STORAGE TANK	GA	20,000	20,000	0			0	(8)	
	MARINE CORPS BASE		(20,000)	(20,000)						
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	EA	1	0	0			1	(8)	
	MARINE CORPS BASE		(1)	0						
151-90	PIERS/ OTHER	SY	3,767	3,767	3,767			3,767	(8)	
	MARINE CORPS BASE		(3,767)	(3,767)	(3,767)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [x] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-10	ACADEMIC/GENERAL INSTRUCTION BLDG	SF	12,300	10,219	6,368			8,449	(8)	
	MARINE CORPS BASE		(12,300)	(10,219)	(6,368)			(8,449)		
171-30	ARMORY	SF	2,500	0	0			2,500	(8)	
	MARINE CORPS BASE		(2,500)	0				(2,500)		
171-50	SMALL ARMS RANGE / INDOOR	FP	5	5	5		(5)		(4)	
	MARINE CORPS BASE		(5)	(5)	(5)					
214-20	AUTO VEHICLE MAINTENANCE FACILITY	SF	2,520	1,047	1,047			2,520	(8)	
	MARINE CORPS BASE		(2,520)	(1,047)	(1,047)			(2,520)		
214-90	GREASE RACK	SF	1,000	400	0			600	(8)	
	MARINE CORPS BASE		(1,000)	(400)				(600)		
214-90	WASH APRON	SF	800	288	0			512	(8)	
	MARINE CORPS BASE		(800)	(288)				(512)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
215-XX	SMALL ARMS SHOP	SF	2,355	2,329	2,329			2,355	(8)	
	MARINE CORPS BASE		(2,355)	(2,329)	(2,329)			(2,355)		
219-10	BASE MAINTENANCE SHOP	SF	1,000	3,729	3,729		2,729	1,000	(8)	
	MARINE CORPS BASE		(1,000)	(3,729)	(3,729)			(1,000)		
422-XX	MAGAZINES	SF	4,000	3,003	0			997	(8)	
	MARINE CORPS BASE		(4,000)	(3,003)				(997)		
442-10	GENERAL WAREHOUSE RI	SF	20,000	29,000	8,570		9,000 (800)		(8)	
	MARINE CORPS BASE		(20,000)	(29,000)	(8,570)					
442-70	PUBLIC WORKS MAINTENANCE SHOP	SF	850	0	0			850	(8)	
	MARINE CORPS BASE		(850)	0				(850)		
442-90	COVERED STORAGE / OTHER	SF	550	5,438	4,000		4,888		(8)	
	MARINE CORPS BASE		(550)	(5,438)	(4,000)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
540-10	DENTAL CLINIC	SF	338	338	338			338	(8)	
	MARINE CORPS BASE		(338)	(338)	(338)			(338)		
550-20	DISPENSARIES	SF	2,590	2,245	2,245			2,590	(8)	
	MARINE CORPS BASE		(2,590)	(2,245)	(2,245)			(2,590)		
610-10	ADMINISTRATION OFFICE	SF	0	17,883	14,043		17,883		(8)	
	MARINE CORPS BASE			(17,283)	(13,443)					
	2ND MARINE DIVISION			(600)	(600)					
690-10	FLAGPOLE	EA	1	1	0			0	(8)	
	MARINE CORPS BASE		(1)	1						
722-10	EM BARRACKS W/O MESS	MN	869	1,276	1,276		407	869	(8)	
	MARINE CORPS BASE		(869)	(1,276)	(1,276)			(869)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
723-10	MESSHALL	SF	14,636	23,073	23,073		8,437	14,636	(8)	
	MARINE CORPS BASE		(14,636)	(23,073)	(23,073)			(14,636)		
723-20	LATRINE	SF	6,468	13,512	13,512		7,044	6,468	(8)	
	MARINE CORPS BASE		(6,468)	(13,512)	(13,512)			(6,468)		
724-15	BOQ W/O MESS	MN	41	39	39			41	(8)	
	MARINE CORPS BASE		(41)	(39)	(39)			(41)		
724-30	OFFICERS MESS	SF	1,435	0	0			1,435	(8)	
	MARINE CORPS BASE		(1,435)	0				(1,435)		
730-10	FIRE STATION	SF	3,000	2,087	2,087			3,000	(8)	
	MARINE CORPS BASE		(3,000)	(2,087)	(2,087)			(3,000)		
730-25	GATE HOUSE / SENTRY HOUSE	SF	100	144	144		44	100	(8)	
	MARINE CORPS BASE		(100)	(144)	(144)			(100)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-65	AIR RAID / FALLOUT SHELTER	SF	2,670	0				2,670	(8)	
	MARINE CORPS BASE		(2,670)					(2,670)		
740-14	EXCHANGE	SF	5,985	3,333	3,333			5,985	(8)	
	MARINE CORPS BASE		(5,985)	(3,333)	(3,333)			(5,985)		
740-30	SERVICE STATION	SF	100	448	448		348	100	(8)	
	MARINE CORPS BASE		(100)	(448)	(448)			(100)		
740-33	POST OFFICE	SF	920	0				920	(8)	
	MARINE CORPS BASE		(920)					(920)		
740-36	HOBBY SHOP	SF	500	0				500	(8)	
	MARINE CORPS BASE		(500)					(500)		
740-37	SPECIAL SERVICES CENTER	SF	570	0				570	(8)	
	MARINE CORPS BASE		(570)					(570)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-56	THEATER	SE	0	500	500		500	0	(8)	
	MARINE CORPS BASE			(500)	(500)					
740-60	OFFICERS CLUB (OPEN)	SF	2,220	0	0			2,220	(8)	
	MARINE CORPS BASE		(2,220)	0				(2,220)		
740-63	EM SERVICE CLUB	SF	5,290	3,240	3,240		1,950	5,290	(8)	
	MARINE CORPS BASE		(5,290)	(3,240)	(3,240)			(5,290)		
740-66	NCO CLUB	SF	5,450	0	0			5,450	(8)	
	MARINE CORPS BASE		(5,450)	0				(5,450)		
740-70	STAFF NCO CLUB	SF	2,950	0	0			2,950	(8)	
	MARINE CORPS BASE		(2,950)	0				(2,950)		
740-76	LIBRARY	SF	1,950	0	0			1,950	(8)	
	MARINE CORPS BASE		(1,950)	0				(1,950)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-83	BUS STATION & SHELTER	SF	150	0	0			150	(8)	
	MARINE CORPS BASE		(150)	0				(150)		
740-86	RETAIL WAREHOUSE	SF	1,535	192	0			1,343	(8)	
	MARINE CORPS BASE		(1,535)	(192)				(1,343)		
740-90	COMPANY RECREATION BUILDING	SF	13,035	5,448	5,448			13,035	(8)	
	MARINE CORPS BASE		(13,035)	(5,448)	(5,448)			(13,035)		
750-10	PLAYING COURTS	EA	10	4	0			6	(8)	
	MARINE CORPS BASE		(10)	(4)				(6)		
750-20	PLAYING FIELDS	EA	3	1	1			3	(8)	
	MARINE CORPS BASE		(3)	(1)	(1)			(3)		
750-56	BUS SHELTER	SF	0	40	0		40		(8)	
	MARINE CORPS BASE			(40)						

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-90	PIER	SF	0	2,600	0		2,600		(8)	
	MARINE CORPS BASE			(2,600)						
750-90	MOVIE/SCREEN	EA	0	1	0		1		(8)	
	MARINE CORPS BASE			(1)						

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT BE BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BERL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O. 'S TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW REHAB WORK TO BE PERFORMED IN THIS AREA.									

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	RIFLE RANGE												
171-50	RR 53	2-2718	S	N	407	SMALL ARMS RANGE/INDOOR	FP	5	5	25	REMOVE		
219-10	RR 13	2-2681	P	R	19,979	BASE MAINT SHOP	SF	3,729	2,729	29	RETAIN		
442-10	RR 63	2-2684	S	N	852	GEN WAREHOUSE/RI	SF	800	800	25	REMOVE		
442-10	RR 50	2-2687	P	R	11,464	GEN WAREHOUSE/RI	SF	3,240	3,240	29	RETAIN		
442-10	RR 239	2-2688	S	R	11,609	GEN WAREHOUSE/RI	SF	4,000	4,000	29	RETAIN		
442-90	RR 240	2-2685	S	R	8,568	ST COV ORG/OTHER	SF	4,000	550	29	RETAIN		
	RR 14	2-2786	P	U	20,352	MULTIPLE USE BLDG	SF	3,729	3,729	29	RETAIN		
442-90	* A					ST COV ORG / OTHER	SF	1,438	1,438				
610-10	* B					ADMINISTRATION BLDG	SF	1,244	1,244				

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	RR 11	2-2657	P	R	98,939	MULTIPLE USE BLDG	SF	18,714	12,534	29	RETAIN		
610-10	* A					ADMINISTRATION BLDG	SF	7,879	7,879				
171-10	* B					ACD/GEN INS BLDG	SF	3,851					
215-XX	* C					SMALL ARMS SHOP	SF	2,329					
899-90	* D					MULTIPLE USE BLDG	SF	4,655	4,655				
610-10	RR 17	2-2734	P	R	9,404	ADMINISTRATION BLDG	SF	1,230	1,230	29	RETAIN		
610-10	RR 20	2-2735	P	R	9,404	ADMINISTRATION BLDG	SF	1,230	1,230	29	RETAIN		
610-10	RR 22	2-2736	P	R	9,404	ADMINISTRATION BLDG	SF	1,230	1,230	29	RETAIN		
610-10	RR 24	2-2737	P	R	9,404	ADMINISTRATION BLDG	SF	1,230	1,230	29	RETAIN		
610-10	RR 205	2-2679	P	U	8,417	ADMINISTRATION BLDG	SF	3,240	3,240	29	RETAIN		
610-10	RR 249	2-6791	S	R	3,968	ADMINISTRATION BLDG	SF	600	600	29	RETAIN		
722-10	RR 201	2-2772	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 202	2-2773	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 203	2-2774	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		

CLASSIFICATION STAMP

RIFLE RANGE

A-1071

• EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	18 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
722-10	RR 204	2-2775	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 206	2-2676	P	R	7,029	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 207	2-2776	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 208	2-2777	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 209	2-2778	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 210	2-2779	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 218	2-2780	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 219	2-2781	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 220	2-2782	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 221	2-2783	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 223	2-2677	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 224	2-2678	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
722-10	RR 225	2-2784	P	R	5,983	EM BARRACKS W/O MESS	SF	26	26	29	RETAIN		
723-10	RR 3	2-2652	P	R	134,520	MESSHALL	SF	23,073	8,437	29	RETAIN		

CLASSIFICATION STAMP

RIFLE RANGE

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	18 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-20	RR 213	2-2742	P	R	14,970	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	RR 215	2-2743	P	R	14,970	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	RR 216	2-2770	P	R	14,970	TOILET	SF	2,000	2,000	29	RETAIN		
723-20	RR 217	2-2771	P	R	14,969	TOILET	SF	2,000	854	29	RETAIN		
730-25	RR 78	2-6422	P	R	550	GATEHOUSE	SF	144	44	29	RETAIN		
740-30	RR 72	2-2668	P	R	11,175	SERVICE STATION	SF	448	348	29	RETAIN		
740-56	RR 8	2-2653	P	R	105,289	THEATER	SE	500	500	29	RETAIN		
740-63	RR 49	2-2722	P	R	15,683	EM SERVICE CLUB	SF	3,240	1,950	29	RETAIN		
750-56	SRR 79	2-6423	P	U	25	BUS SHELTER	SF	40	40	29	RETAIN		
750-90	SRR 90	2-6763	P	U	2,000	PIER	SF	2,600	2,600	29	RETAIN		
750-90	SRR 83	2-6396	P	R	100	MOVIE/SCREEN	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

RIFLE RANGE

A-1971

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	COURTHOUSE BAY						
111-81	HELICOPTER LANDING PAD	1,112		SY			
122-20	SMALL CRAFT FUELING STATION	1		OL			
122-90	AMPHIBIOUS TRACTOR FUELING STA.	4		OL			
123-10	FILLING STATION	4		OL			
131-40	TELEPHONE EXCHANGE BUILDING	1,000		SF			
132-50	PUBLIC ADDRESS SYSTEM-OUTDOOR	2		EA			
152-20	BERTHING WHARF (LST'S)	1,860		FB			
159-60	SMALL CRAFT BERTHING	100		LF			
171-10	ACADEMIC & GEN. INSTRUCTION BLDG.	20,550		SF			
171-20	APPLIED INSTRUCTION BUILDING	67,360		SF			
171-90	TRAINING BUILDING/OTHER	0		SF			
213-90	AMPHIB TRACTOR MAINT FAC	30,550		SF			
214-10	COMBAT VEHICLE MAINT FAC	3,000		SF			
214-20	AUTO VEHICLE MAINT FAC	10,830		SF			
214-90	VEHICLE WASH APRON	6,400		SF			
214-90	GREASE RACK	3,600		SF			
217-10	ELECTRONICS & COMM. MAINT SHOP	0		SF			
219-10	BASE MAINTENANCE SHOP	1,000		SF			
422-XX	MAGAZINES	300		SF			
442-10	GENERAL WAREHOUSE RI	25,000		SF			
442-70	PUBLIC WORKS MAINT STORAGE	850		SF			
442-90	COVERED STORAGE/OTHER	6,110		SF			
452-XX	OPEN STORAGE	0		SY			
540-10	DENTAL CLINIC	3,300		SF			
550-20	DISPENSARY W/O BEDS	3,890		SF			
610-10	ADMINISTRATION OFFICE	23,330		SF			
690-10	FLAGPOLE	6		EA			
722-10	EM BARRACKS W/O MESS	955		MN			
723-10	MESSHALL	14,636		SF			
723-20	LATRINE	5,628		SF			
724-15	BOQ W/O MESS	34		MN			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

ND OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 26 September 1968

SHEET 1 OF 2 SHEETS

CLASSIFICATION STAMP

OPNAV FORM 11000-1 (NEW 4-60)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
724-30	OFFICERS' MESS (CLOSED)	850		SF			
730-10	FIRE STATION	3,000		SF			
730-25	GATE/SENTRY HOUSE	100		SF			
730-65	AIR RAID/FALLOUT SHELTER	15,230		SF			
740-10	CHAPEL	300		SE			
740-14	EXCHANGE	6,485		SF			
740-30	SERVICE STATION	1,800		SF			
740-33	POST OFFICE	1,200		SF			
740-36	HOBBY SHOP	2,420		SF			
740-37	SPECIAL SERVICES CENTER	640		SF			
740-40	BOWLING ALLEY	4		LA			
740-43	GYMNASIUM	10,200		SF			
740-56	THEATER	350		SE			
740-60	OFFICERS' CLUB (OPEN)	2,975		SF			
740-63	EM SERVICE CLUB	8,130		SF			
740-66	NCO CLUB	6,870		SF			
740-70	STAFF NCO CLUB	3,070		SF			
740-76	LIBRARY	2,360		SF			
740-83	BUS STATION & SHELTERS	300		SF			
740-86	RETAIL WAREHOUSE	1,862		SF			
740-88	EDUCATION CENTER	4,520		SF			
740-90	COMPANY RECREATION BUILDING	14,325		SF			
750-10	PLAYING COURTS	15		EA			
750-20	PLAYING FIELDS	4		EA			
750-30	OUTDOOR SWIMMING POOL	1		EA			
750-50	OUTDOOR THEATER	0		SF			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

ND OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 26 September 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

COURTHOUSE BAY

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ0008	2- 6370	C/HLCP LDG PAD	FUEL DISP/MARIN	31	P	U	SY	69.		0.	17/ 0/ 0
									69.		0.	
122-90	SA0021	2- 5203	MAR FUEL/OTH	SAME	91	P	U	OL	4.		0.	0/ 0/ 0
									4.		0.	
123-10	SBB0070	2- 2503	FILLING STATION	SAME	23	S	U	OL	2.		0.	0/ 0/ 0
123-10	SBB0099	2- 5399	FILLING STATION	SAME	23	S	U	OL	2.		0.	0/ 0/ 0
									4.		0.	
131-40	BB0069	2- 2628	TELE EX BLDG	SAME	30	P	R	SF	1024.		1024.	19/ 0/ 0
									1024.		1024.	
152-20	UNUM	2- 3909	BERTHING WHARF	SAME	30	P	R	FB	1860.		1860.	33/ 0/ 0
									1860.		1860.	
161-30	A0022	2- 5214	WINCH HOUSE	SAME	30	S	U	SF	238.		0.	0/ 0/ 0
									238.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									13685.*			
P 171-10	A0001	2- 2602	ACD/GEN INS BLD	MNT/TANK AUTMV	91	P	R	SF	1200.		1200.	1/ 2/ 7
171-10	BB0006	2- 2536	ACD/GEN INS BLD	SAME	91	P	R	SF	1155.		1155.	1/ 2/ 8
									3729.*			
P 171-10	BB0015	2- 2541	ACD/GEN INS BLD	COV STOR/INST	23	P	R	SF	700.		700.	2/16/ 0
171-10	BB0030	2- 2544	ACD/GEN INS BLD	SAME	23	T	T	SF	4800.		4800.	4/ 0/ 0
171-10	BB0032	2- 2546	ACD/GEN INS BLD	SAME	23	T	T	SF	1600.		1600.	4/ 0/ 0
									0.*			
P 171-10	BB0048	2- 5306	ACD/GEN INS BLD	SAME	23	P	R	SF	2400.		2400.	2/ 0/ 0
									0.*			
P 171-10	BB0049	2- 5307	ACD/GEN INS BLD	SAME	23	P	R	SF	2400.		2400.	2/ 0/ 0
									11180.*			
P 171-10	BB0050	2- 5308	ACD/GEN INS BLD	TRAINING/BLDGS	23	P	R	SF	2400.		2400.	2/ 0/ 0
									7992.*			
P 171-10	BB0052	2- 2623	ACD/GEN INS BLD	TRAINING/BLDGS	23	P	R	SF	992.		992.	2/ 0/ 0
171-10	BB0068	2- 2627	TRAINING BLDG	SAME	23	T	R	SF	960.		960.	4/ 0/ 0
✓ 171-10	BB0080	2- 2487	ACD/GEN INS BLD	SAME	23	T	T	SF	1200.		1200.	4/ 0/ 0
171-10	BB0083	2- 5208	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0084	2- 5209	ACD/GEN INS BLD	SAME	23	T	T	SF	1920.		1920.	4/ 0/ 0
									960.*			
T ✓ 171-10	BB0089	2- 5364	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
✓ 171-10	BB0090	2- 5265	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
✓ 171-10	BB0091	2- 5266	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
171-10	BB0092	2- 5267	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0093	2- 5268	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0095	2- 5409	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0100	2- 5412	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0108	2- 2700	ACD/GEN INS BLD	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0109	2- 2701	ACD/GEN INS BLD	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0138	2- 5416	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0139	2- 5417	ACD/GEN INS BLD	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
171-10	BB0174	2- 6710	ACD/GEN INS BLD	SAME	23	S	T	SF	800.		800.	4/ 0/ 0
171-10	BB0175	2- 6711	ACD/GEN INS BLD	SAME	23	S	T	SF	800.		800.	4/ 0/ 0
171-10	BB0176	2- 6712	ACD/GEN INS BLD	SAME	23	S	T	SF	800.		800.	4/ 0/ 0
									35647.		34687.	
171-20	BB0031	2- 2545	APPL INSTR BLDG	SAME	23	T	T	SF	2400.		2400.	8/ 0/ 0
171-20	BB0034	2- 2548	TRAINING BLDG	PERS SUPP/SVC	23	P	U	SF	4840.		0.	0/ 0/ 0
171-20	BB0048	2- 5306	APPL INSTR BLDG	SAME	23	P	U	SF	9000.		0.	0/ 0/ 0
171-20	BB0049	2- 5307	APPL INSTR BLDG	SAME	23	P	U	SF	9000.		0.	0/ 0/ 0
171-20	BB0050	2- 5308	APPL INSTR BLDG	SAME	23	P	U	SF	8780.		0.	0/ 0/ 0
171-20	BB0052	2- 2623	APPL INSTR BLDG	SAME	23	P	U	SF	7000.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

REAL PROPERTY DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
171-20	BB0071	2- 2692	APPL INSTR BLDG	SAME	23	S	R	SF	8000.		8000.	18/ 0/ 0
171-20	BB0073	2- 2630	APPL INSTR BLDG	MNT/INS REP OPN	23	S	R	SF	8000.		8000.	18/ 0/ 0
									1200.*			
S 171-20	BB0082	2- 5212	TRNG BLDG/OTH	SAME	23	S	R	SF	1200.		1200.	2/ 8/ 0
171-20	BB0142	2- 6405	APPL INSTR BLDG	SAME	23	P	R	SF	2025.		2025.	18/ 0/ 0
									60245.		26465.	
213-40	SA0023	2- 5215	FIX CRANE STRCT	SAME	30	P	T	TC	30.		30.	4/ 0/ 0
									30.		30.	
									13685.*			
P 213-90	A0002	2- 2603	AMPHTRACT	SAME	91	P	R	SF	9265.		9265.	7/ 0/ 0
213-90	A0003	2- 2604	AMPHIB TRAC SHO	SAME	91	P	R	SF	42240.		42240.	16/18/ 0
213-90	SA0029	2- 6668	LVT WASH RACK	SAME	91	P	U	SF	675.		0.	0/ 0/ 0
									52180.		51505.	
214-10	A0001	2- 2602	AUTO VEH MNTFAC	SAME	91	P	R	SF	10485.		10485.	7/ 0/ 0
									10485.		10485.	
214-20	A0011	2- 2609	AUTO VE MNT FAC	COV STOR/INST	91	S	R	SF	8000.		8000.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
P 214-20	BB0051	2- 2622	AUTO VE MNT FAC	SAME	23	P	U	SF	8369.* 2098.		0.	0/ 0/ 0
									10098.		8000.	
214-90	SA0026	2- 6497	GREASE RACK	SAME	91	P	U	SF	416.		0.	0/ 0/ 0
214-90	SA0027	2- 6483	WASH APRON	SAME	90	P	U	SF	900.		0.	0/ 0/ 0
214-90	SBB0169	2- 6616	DBLE WASH APRON	SAME	23	P	U	SF	1800.		0.	0/ 0/ 0
									3116.		0.	
P 217-10	A0002	2- 2603	ELNICS ELEC MNT	SAME	91	P	R	SF	13685.* 4420.		4420.	1/ 7/16
217-10	BB0107	2- 2699	ELNICS/ELEC MNT	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
									5380.		5380.	
218-10	A0010	2- 2608	PARACHUTE SHOP	COV STOR/INST	91	S	R	SF	2400.		2400.	1/ 7/ 0
									2400.		2400.	
P 218-20	BB0051	2- 2622	CONST EQ M/SHOP	MNT/TANK AUTMV	23	P	U	SF	8369.* 6271.		0.	0/ 0/ 0
									6271.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | OR AREA: 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
218-90	A0013	2- 2606	MAINT FAC/OTHER	SAME	91	T	T	SF	357.		357.	4/ 0/ 0
									357.		357.	
									960.*			
P 219-10	BB0114	2- 2706	PW/ INT SHOP	COV STOR/INST	91	T	R	SF	650.		650.	8/ 0/ 0
									650.		650.	
									0.*			
P 422-10	SBB0155	2- 5432	HI EXPL/MAG/RI	SAME	23	P	U	SF	64.		0.	0/ 0/ 0
422-10	SBB0159	2- 6436	HI EXPL/MAG/RI	SAME	23	P	U	SF	121.		0.	0/ 0/ 0
422-10	SBB0160	2- 6437	HI EXPL/MAG/RI	SAME	23	P	U	SF	16.		0.	0/ 0/ 0
									201.		0.	
422-15	SBB0157	2- 6434	FUSE DET MAG/RI	SAME	23	P	U	SF	20.		0.	0/ 0/ 0
									20.		0.	
422-30	SBB0156	2- 6433	SM/ARM/PYRO MAG	SAME	23	S	U	SF	36.		0.	0/ 0/ 0
422-30	SBB0158	2- 6435	SM/ARM/PYRO MAG	SAME	23	S	U	SF	60.		0.	0/ 0/ 0
									96.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	A0007	2- 2641	GEN WHSE/RI	SAME	91	S	T	SF	480.		480.	4/ 0/ 0
442-10	A0008	2- 2610	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	7/ 8/ 0
442-10	A0009	2- 2611	GEN WHSE/RI	SAME	91	S	R	SF	8000.		8000.	7/11/ 0
P 442-10	A0010	2- 2608	GEN WHSE/RI	SAME	91	S	R	SF	8000.* 5600.		5600.	1/ 7/ 0
442-10	A0012	2- 2607	GEN WHSE/RI	SAME	91	T	T	SF	357.		357.	4/ 0/ 0
442-10	A0014	2- 2605	GEN WHSE/RI	SAME	91	T	T	SF	357.		357.	4/ 0/ 0
P 442-10	BB0006	2- 2536	GEN WHSE/RI	SAME	91	P	R	SF	3663.* 2007.		2007.	8/ 0/ 0
P 442-10	BB0031	2- 2545	GEN WHSE/RI	SAME	23	T	R	SF	20400.* 14610.		14610.	8/ 0/ 0
442-10	BB0036	2- 2549	POLICE SHED	SAME	23	P	R	SF	192.		192.	1/ 7/ 0
442-10	BB0047	2- 2621	GEN WHSE/RI	SAME	23	S	T	SF	800.		800.	4/ 0/ 0
442-10	BB0088	2- 5256	GEN WHSE/RI	SAME	23	S	R	SF	400.		400.	7/ 0/ 0
P 442-10	BB0104	2- 2696	GEN WHSE/RI	SAME	91	T	N	SF	960.* 500.		500.	4/ 0/ 0
442-10	BB0105	2- 2697	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	BB0106	2- 2698	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	BB0110	2- 2702	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	BB0111	2- 2703	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	BB0112	2- 2704	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	BB0113	2- 2705	GEN WHSE/RI	SAME	91	T	N	SF	960.		960.	4/ 0/ 0
442-10	BB0143	2- 6406	GEN WHSE/RI	SAME	23	P	N	SF	140.		140.	4/ 0/ 0
442-10	BB0145	2- 6408	GEN WHSE/RI	SAME	23	P	N	SF	420.		420.	4/ 0/ 0
442-10	BB0148	2- 6411	GEN WHSE/RI	SAME	23	P	N	SF	408.		408.	4/ 0/ 0
442-10	BB0150	2- 6413	GEN WHSE/RI	SAME	23	N	N	SF	504.		504.	4/ 0/ 0
442-10	BB0165	2- 6560	GEN WHSE/RI	SAME	23	S	N	SF	400.		400.	4/ 0/ 0
442-10	BB0166	2- 6561	GEN WHSE/RI	SAME	23	S	R	SF	150.		150.	8/ 0/ 0
442-10	BB0171	2- 6626	GEN WHSE/RI	SAME	23	S	N	SF	96.		96.	4/ 0/ 0
442-10	BB0187	2- 6783	GEN WHSE/RI	SAME	23	T	U	SF	100.		0.	0/ 0/ 0
P 442-10	BB0188	2- 6784	GEN WHSE/RI	SAME	23	T	R	SF	0.* 100.		100.	8/ 0/ 0
									49381.		49281.	
442-90	A0003	2- 2604	ST COV ORG/OTH	SAME	23	P	R	SF	19200.		19200.	1/ 7/ 0
442-90	BB0141	2- 6404	ST COV ORG/OTH	SAME	23	S	R	SF	48.		48.	0/ 0/ 0
442-90	BB0172	2- 6677	ST COV ORG/OTH	SAME	18	P	U	SF	64.		0.	0/ 0/ 0
442-90	BB0189	2- 6804	STORAGE	SAME	23	S	R	SF	192.		192.	8/ 0/ 0
442-90	SBB0094	2- 5291	STORAGE	SAME	23	P	R	SF	500.		500.	8/ 0/ 0
442-90	SBB0140	2- 6427	ST COV ORG/OTH	SAME	23	P	R	SF	1200.		1200.	8/ 0/ 0
442-90	SBB0170	2- 6627	ST COV ORG/OTH	SAME	23	S	R	SF	900.		900.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									22104.		22040.	
452-12	SBB0173	2- 6717	SAND GRAVEL STR	SAME	23	P	U	SY	32.		0.	0/ 0/ 0
									32.		0.	
P 540-10	BB0010	2- 2540	DENTAL CLINIC	DISPENSARIES	23	P	R	SF	3663.* 216.		216.	1/10/ 0
									216.		216.	
550-20	BB0010	2- 2540	DISPENSARY	SAME	23	P	R	SF	3447.		3447.	1/10/ 0
									3447.		3447.	
P 610-10	S0001	2- 2602	ADMIN BLDG	MNT/TANK AUTMV	91	P	R	SF	13685.* 1200.		1200.	1/ 2/ 0
610-10	BB0005	2- 2535	ADMIN BLDG	SAME	91	P	R	SF	5181.		5181.	1/ 2/ 0
P 610-10	BB0011	2- 2615	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26502.* 2337.		2337.	2/ 0/ 0
P 610-10	BB0012	2- 2616	ADMIN BLDG	TRHSG/EM/WO MESS	91	P	R	SF	26602.* 2590.		2590.	2/ 0/ 0
P 610-10	BB0015	2- 2541	ADMIN BLDG	COV STOR/INST	23	P	R	SF	0.* 3729.		3729.	8/ 0/ 0
610-10	BB0028	2- 2556	ADMIN BLDG	TRAINING/BLDGS	23	P	R	SF	6156.		6156.	2/ 0/ 0

COURT HOUSE BAY

Supersedes OPNAV FORM 11000 of Marine Corps Base

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
									20400.*			
P 610-10	BB0031	2- 2545	ADMIN BLDG	SAME	23	T	R	SF	2340.		2340.	8/ 0/ 0
610-10	BB0037	2- 2550	ADMIN BLDG	SAME	23	P	R	SF	3254.		3254.	2/ 8/ 0
610-10	BB0038	2- 2551	ADMIN BLDG	SAME	23	P	R	SF	1851.		1851.	2/ 8/ 0
610-10	BB0086	2- 5211	ADMIN BLDG	SAME	23	S	R	SF	1260.		1260.	1/ 2/ 7
610-10	BB0100	2- 5412	ADMIN BLDG	SAME	23	T	T	SF	960.		960.	4/ 0/ 0
610-10	BB0101	2- 2634	ADMIN BLDG	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
610-10	BB0102	2- 2694	ADMIN BLDG	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
									0.*			
P 610-10	BB0103	2- 2695	ADMIN BLDG	SAME	91	T	T	SF	960.		960.	4/ 0/ 0
610-10	BB0104	2- 2996	ADMIN BLDG	SAME	91	T	T	SF	460.		460.	4/ 0/ 0
610-10	BB0114	2- 2706	AD BLDG/OTHER	SAME	91	T	T	SF	310.		310.	4/ 0/ 0
									34508.		34508.	
690-10	SBB002A	2- 5952	FLAGPOLE	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
690-10	SBB010A	2- 5953	FLAGPOLE	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
690-10	SBB010B	2- 5954	FLAGPOLE	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
690-10	SBB028A	2- 5951	FLAGPOLE	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
690-10	SWF0001	2- 6403	FLAGPOLE	SAME	31	P	U	EA	1.		0.	0/ 0/ 0
690-10	SWF0004	2- 6400	FLAGPOLE	SAME	31	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									6.		0.	
722-10	BB0011	2- 2615	EM BKS W/O MESS	SAME	91	P	R	MN	194.		194.	25/ 0/ 0
722-10	BB0012	2- 2616	EM BKS W/O MESS	SAME	91	P	R	MN	193.		193.	25/ 0/ 0
722-10	BB0013	2- 2617	EM BKS W/O MESS	SAME	23	P	R	MN	200.		200.	25/ 0/ 0
722-10	BB0014	2- 2618	EM BKS W/O MESS	SAME	23	P	R	MN	206.		206.	25/ 0/ 0
									793.		793.	
723-10	BB0007	2- 2537	SUBSTNCE BLDG	SAME	23	P	R	SF	23073.		23073.	2/12/ 0
									23073.		23073.	
723-20	BB0072	2- 2629	TOILET	SAME	23	T	R	SF	960.		960.	8/ 0/ 0
723-20	BB0096	2- 5395	TOILET	SAME	23	S	R	SF	168.		168.	8/ 0/ 0
723-20	BB0098	2- 5397	TOILET	SAME	23	S	R	SF	100.		100.	8/ 0/ 0
723-20	BB0115	2- 2637	TOILET	SAME	23	T	R	SF	1440.		1440.	8/ 0/ 0
723-20	BB0116	2- 2638	TOILET	SAME	91	T	R	SF	1440.		1440.	8/ 0/ 0
723-20	BB0151	2- 6414	TOILET	SAME	23	S	U	SF	99.		0.	0/ 0/ 0
									4207.		4108.	

COURT HOUSE BAY

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
724-15	BB0045	2- 2486	BCHLR OFF QTRS	SAME	32	P	R	MN	40.		40.	25/ 0/ 0
									40.		40.	
725-10	BB0117	2- 2707	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0118	2- 2708	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0119	2- 2709	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0120	2- 2710	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0121	2- 2711	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0122	2- 2712	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0123	2- 2713	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0124	2- 2714	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0125	2- 2715	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0126	2- 2716	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0127	2- 2717	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0128	2- 2744	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0129	2- 2745	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
725-10	BB0130	2- 2746	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0
T 725-10	BB0131	2- 3754	EM BKS W/O MESS	SAME	23	T	T	SF	960.* 960.		960.	25/ 0/ 0
725-10	BB0132	2- 2635	EM BKS W/O MESS	SAME	23	T	T	SF	960.		960.	25/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
T 725-10	BB0136	2- 5414	EM BKS W/O MESS	SAME	23	T	T	SF	960.* 960.		960.	25/ 0/ 0
T 725-10	BB0137	2- 5415	EM BKS W/O MESS	SAME	23	T	T	SF	960.* 960.		960.	25/ 0/ 0
									17280.		17280.	
725-90	BB0133	2- 2636	BARRACKS	SAME	23	T	R	SF	960.		960.	25/ 0/ 0
									960.		960.	
P 730-10	BB0008	2- 2538	FIRE STATION	COV STOR/INST	25	P	R	SF	3729.* 2409.		2409.	2/ 8/ 0
									2409.		2409.	
730-25	A0015	2- 2642	GUARD HOUSE	SAME	25	P	R	SF	806.		806.	8/ 0/ 0
730-25	A0020	2- 2643	GATE HOUSE	SAME	25	P	R	SF	130.		130.	8/ 0/ 0
									936.		936.	
P 740-10	BB0045	2- 2486	CHAPEL	SAME	32	P	R	SE	22280.* 81.		81.	2/ 0/ 0
									81.		81.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-14	BB0003	2- 2532	EXCHANGE	SAME	81	P	U	SF	3333.		0.	0/ 0/ 0
740-14	BB0016	2- 2542	DRY CLEANERS	SAME	91	P	R	SF	1758.		1758.	9/ 0/ 0
									5091.		1758.	
740-30	BB0177	2- 6727	SERVICE STATION	SAME	81	P	U	SF	922.		0.	0/ 0/ 0
									922.		0.	
740-33	BB0006	2- 2536	POST OFFICE	COV STOR/INST	91	P	R	SF	567.		567.	1/ 2/ 8
									567.		567.	
740-43	BB0029	2- 2555	PHYSICAL FT CTR	SAME	23	P	R	SF	11355.		11355.	8/ 0/ 0
									11355.		11355.	
740-56	BB0002	2- 2619	THEATRE	SAME	23	P	R	SE	500.		500.	2/ 7/12
									500.		500.	
740-60	BB0035	2- 2693	OFFICERS CLUB	SAME	82	S	R	SF	5046.		5046.	4/ 0/ 0
									5046.		5046.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
740-63	BB0054	2- 2624	EM SERVICE CLUB	LD OP/BLDG STRC	23	P	U	SF	6596.		0.	0/ 0/ 0
									6596.		0.	
740-70	BB0027	2- 2543	STAFF NCO CLUB	ADMINISTR OFFIC	80	P	R	SF	3626.		3626.	8/ 0/ 0
									3626.		3626.	
740-76	BB0008	2- 2538	LIBRARY	COV STOR/INST	25	P	R	SF	1320.		1320.	2/ 8/ 0
									1320.		1320.	
740-86	BB003A	2- 2533	AEXCHANGE/STHSE	SAME	81	P	U	SF	192.		0.	0/ 0/ 0
									192.		0.	
740-87	BB0046	2- 2620	BOAT HOUSE	SAME	23	S	R	SF	1944.		1944.	8/ 0/ 0
									1944.		1944.	
750-10	SBB0057	2- 2495	VOLLEYBALL CT	SAME	23	P	R	EA	1.		1.	8/ 0/ 0
750-10	SBB0058	2- 2496	TENNIS COURT	SAME	23	P	R	EA	1.		1.	8/ 0/ 0
750-10	SBB0059	2- 2494	BADMTN/HNDBL/CT	SAME	23	P	R	EA	1.		1.	8/ 0/ 0
750-10	SBB0060	2- 2493	TENNIS COURT	SAME	23	P	R	EA	1.		1.	8/ 0/ 0

COURT HOUSE BAY

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | OR AREA: 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 NOVEMBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									4.		4.	
750-20	SBB0055	2- 2492	BASEBALL FIELD	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
750-20	SBB0061	2- 2497	SOFTBALL FIELD	SAME	23	P	U	EA	1.		0.	0/ 0/ 0
750-20	SBB0134	2- 2531	SOFTBALL FIELD	SAME	23	P	R	EA	1.		1.	8/ 0/ 0
750-20	SBB0135	2- 2501	BASEBALL FIELD	SAME	23	P	R	EA	1.		1.	8/ 0/ 0
									4.		2.	
750-50	SBB0075	2- 2502	OUTDOOR THEATRE	SAME	23	S	R	SF	25200.		25200.	8/ 0/ 0
									25200.		25200.	
750-56	SBB0184	2- 6778	BUS STOP SHELT	SAME	23	S	U	SF	200.		0.	0/ 0/ 0
750-56	SBB0185	2- 6779	BUS STOP SHELT	SAME	23	S	U	SF	200.		0.	0/ 0/ 0
750-56	SBB0186	2- 6780	BUS STOP SHELT	SAME	23	S	U	SF	300.		0.	0/ 0/ 0
									700.		0.	

Supersedes NAVY FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[X] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Ref. Col. 6 - Using Activity Codes are as follows:

Code	Activity	Code	Activity
00	2D FORCE SERVICE REGIMENT	31	ASSISTANT CHIEF OF STAFF, G-3
09	FIELD MEDICAL SERVICE SCHOOL	32	DIRECTOR, HOUSING
10	BASE MATERIAL BATTALION	50	BASE MOTOR TRANSPORT
13	RESERVE LIAISON	60	BASE SUPPLY
14	DEPENDENTS SCHOOL	70	ASSISTANT CHIEF OF STAFF, COMPTROLLER
16	BASE MEDICAL	80	STAFF NCO CLUB, E-6 THROUGH E-9
17	BASE COMMUNICATIONS	81	MARINE CORPS EXCHANGE
18	SPECIAL SERVICES	82	COMMISSIONED OFFICERS MESS
21	RIFLE RANGE	83	NURSERY
22	1ST INFANTRY STRAINING REGIMENT	84	KINDERGARTEN
23	MARINE CORPS ENGINEER SCHOOL	85	USO
24	MARINE CORPS SUPPLY SCHOOL	87	SCOUTING ACTIVITIES
25	HEADQUARTERS AND SERVICE BATTALION	89	NCO CLUB E/4, E/5
29	NAVY MEDICAL FIELD RESEARCH LAB	90	2D MARINE DIVISION
30	BASE MAINTENANCE	91	FORCE TROOPS
		92	MARINE CORPS AIR FACILITY/NEW RIVER

2. Ref. Col. 13 - xx/ is the number of an explanatory note following the itemized listing of facilities.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☒ REVISED CHANGE NO.

1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls, along with need for rewiring.
14. Building is inadequate because the layout of the building, as well as the existing facilities, are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.
17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	[x] REVISED CHANGE NO.	1 OCTOBER 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

19. Inadequate dut to the conversion of the present system to a Centrex system.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

33. Existing berthing wharf was constructed in 1955 and is in usable condition. It cannot be used for its intended purpose becuase of the shallow, treacherous channel. With dredging for the channel completed, the existing facility will be adequate. (LST's can use the area between the wharves for beaching in lieu of docking.) See MCON Projects P-025 and P-147 (Code 164/165 on OPNAV 11000-4).

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	COURTHOUSE BAY									
111-81	HELICOPTER LANDING PAD	SY	1,112	69	0			1,043	(7A)	
	MARINE CORPS BASE		(1,112)	(69)	0			(1,043)		
			ASSIGN 1,112 SY TO MILE HAMMOCK BAY CAT CODE (111-81)							
			ASSIGN 1,112 SY FROM MONTFORD POINT CAT CODE (111-81)							
122-20	SMALL CRAFT FUELING STATION	OL	1	0	0			1	O & M (C)	
	MARINE CORPS BASE		(1)	0	0			(1)		
122-90	AMPHIBIOUS TRACTOR FUELING STATION	OL	4	4	0		4	0	(5)	
	FORCE TROOPS		(4)	(4)	0					
	(1) 2ND AMTRAC BN		ASSIGN 4 OL TO MILE HAMMOCK BAY CAT CODE (122-90)							
123-10	FUELING STATION	OL	4	4	0			0	O & M (C)	
	MARINE CORPS BASE		(4)	(4)	0	RELOCATE SBB-99 AT HOBBY SHOP BLDG BB 47				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
131-40	TELEPHONE EXCHANGE BLDG,	SF	1,000	1,024	1,024		24	1,000	O & M	1,024
	MARINE CORPS BASE		(1,000)	(1,024)	(1,024)			(1,000)		
							PRESENT CENTREX SYSTEM BEING CONVERTED			
132-50	PUBLIC ADDRESS SYSTEM -OUTDOOR	EA	2	0	0			2	O & M	2
	MARINE CORPS BASE		(2)	0	0			(2)		
152-20	BERTHING WHARF (LST'S)	FB	1,860	1,860	1,860			1,860	O & M (R)	1,860
	MARINE CORPS BASE		(1,860)	(1,860)	(1,860)			(1,860)		
159-60	SMALL CRAFT BERTHING	LF	100	0	0			100	O & M (C)	100
	MARINE CORPS BASE		(100)	0	0			(100)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-10	ACAD & GENERAL INSTRUCTION BUILDING	SF	20,550	35,647	34,687		15,097	19,590	MILCON	77,060
	MARINE CORPS BASE		(20,550)	(31,372)	(30,412)		(24,400)	(19,590)		
	(1) COMBAT SERVICE SUPPORT SCHOOL		((20,550))	((31,372))	((30,412))			((19,590))	INCLUDED IN P-951	5,250
									INCLUDED IN P-949	16,240
	(2) SERVICE SUPPORT SCHOOL		ASSIGNED 57,470 SF FROM MONTFORD POINT CAT CODE (171-10)					57,470	3B(FY 74)P-936	23,200
									3B(FY 75)P-953	32,370
	FORCE TROOPS		(0)	(4,275)	(4,275)					
	(1) 2ND AMTRAC BN			((4,275))	((4,275))					
171-20	APPLIED INSTRUCTION BUILDING	SF	67,360	60,245	26,462		(26,465)	(33,577)	MILCON	
	MARINE CORPS BASE		(67,360)	(60,245)	(26,462)	BLDGS BB-50 & BB-52 CHANGE TO (214-20)				
	(1) COMBAT SERVICE SUPPORT SCHOOL		((67,360))	((60,245))	((26,462))			((33,580))	3B(FY 75)P-951	32,720
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 122,670 SF FROM MONTFORD POINT CAT CODE (171-20)					122,670	3B(FY 75)P-949	51,360
						REHAB BLDGS A-1 & A-2, BB-48, BB-49 to (171-20) =				50,170 SF
						MOTOR TRANSPORT TO OCCUPY THESE BLDGS O & M (R) IN FY 1974				
171-90	COMBAT TRAINING TANK	EA	0	0	0			0	MILCON	
	MARINE CORPS BASE		0	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		0	(0)	(0)					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1 EA FROM MONTFORD POINT CAT CODE (171-90)					1	3B(UP) P-978	1

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-90	TRAINING MESS	SF	0	0	0			0	MILCON	
	MARINE CORPS BASE		0	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		0	(0)	(0)					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 22,500	SF FROM MONTFORD POINT CAT CODE (171-90)				22,500	3B(UP) P-1085	15,000
									3B(FY 76) P-955	7,500
213-90	AMPHIB TRACTOR MAINT FAC	SF	30,550	52,180	51,505		52,180	0	(2B)	
	FORCE TROOPS		(30,550)	(52,180)	(51,505)	REHAB BLDG A-2 TO (171-20)				
	(1) 2ND AMTRAC BN		ASSIGN 30,550	SF TO MILE HAMMOCK BAY CAT CODE (213-90)						
214-10	COMBAT VEHICLE MAINT FAC	SF	3,000	10,485	10,485		7,485	3,000	(2B)	
	FORCE TROOPS		(3,000)	(10,485)	(10,485)	REHAB BLDG A-1 TO (171-20) = 13,685				

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-20	AUTO VEHICLE MAINT FAC	SF	10,830	10,098	8,000			8,732	O & M (R) (1)	
	MARINE CORPS BASE		(10,830)	(2,098)	0	REASSIGN FROM (171-20) BLDGS BB-50 & BB-52 TO		BE REHAB	FOR (214-20) = 19,172 SF	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((10,830))	((2,098))	(0)			(8,732)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 15,845 SF FROM MONTFORD POINT CAT CODE (214-20)					15,845		
	FORCE TROOPS		0	(8,000)	(8,000)					
	(1) 2ND AMTRAC BN		0	((8,000)	((8,000)					
214-90	VEHICLE WASH APRON	SF	6,400	2,700	0			3,700	O & M (C)	4,500
	MARINE CORPS BASE		(6,400)	(1,800)	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		0	((1,800))	(0)			(3,700)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 800 SF FROM MONTFORD POINT CAT CODE (214-90)					800		
	2ND MARINE DIVISION		0	(900)	0					

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-90	GREASE RACK	SF	3,600	416	0			3,184	O & M (C)	6,184
	MARINE CORPS BASE		(3,600)	0				(3,184)		
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 3,000	SF FROM MONTFORD POINT		CAT CODE (214-90)		3,000		
	FORCE TROOPS		(0)	(416)	0					
	(1) 2ND AMTRAC BN			((416))	0				(2B)	
217-10	ELECTRONICS & COMM MAINT SHOP	SF	0	5,380	5,380		5,380	0	(5)	
	FORCE TROOPS		0	(5,380)	(5,380)		(960)			
218-10	PARACHUTE LOFT	SF	0	2,400	2,400		2,400	0	(2B)(7J)	
	FORCE TROOPS		0	(2,400)	(2,400)					
	(1) 2ND ANGLCO			((2,400))	((2,400))					
218-20	CONSTRUCTION EQUIP MAINT SHOP	SF	0	6,271	0		6,271		(5)	
	MARINE CORPS BASE		0	(6,271)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
218-90	MAINT FAC/OTHER	SF	0	357	357		(357)		(4)	
	FORCE TROOPS		(0)	(357)	(357)					
219-10	BASE MAINTENANCE SHOP	SF	1,000	650	650		(650)	1,000	O & M (R)(1)	2,098
	MARINE CORPS BASE		(1,000)	0	0		REHAB BB-51 (218-20) = 2,098 SF & REASSIGN 6,271 SF TO (219-10)			
	(1) COMBAT SERVICE SUPPORT SCHOOL		((1,000))	0	0			(1,000)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2,000	SF FROM MONTFORD POINT CAT CODE (219-10)				2,000		
	FORCE TROOPS			0						
	(1) 2ND AMTRAC BN			(650)	(650)			(0)		
422-XX	MAGAZINES	SF	300	317	0		17		(5)	
	MARINE CORPS BASE		(300)	(317)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-10	GENERAL WAREHOUSE/RI	SF	25,000	49,381	49,281		(24,582)	25,000	MILCON & O&M(R)	27,608
	MARINE CORPS BASE		(11,150)	(18,320)	(18,220)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((11,150))	((18,320))	((18,220))			(11,150)	3B(FY-UP) P-1086	20,150
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 9,000 SF FROM MONTFORD POINT CAT CODE (442-10)					9,000		
	FORCE TROOPS		(13,850)	31,061	31,061		REHAB BLDG BB-6 = 3,729 SF & CONVERT BB-8 FROM (730-10) TO (442-10) = 3,729 SF		O & M (R	
	(1) 2ND AMTRAC BN		ASSIGN 13,850 SF TO MILE HAMMOCK BAY CAT CODE (442-10)							
442-70	PUBLIC WORKS MAINT STORAGE	SF	850	0	0			850	O & M (C)	2,550
	MARINE CORPS BASE		(850)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((850))	0	0			(850)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1,700 SF FROM MONTFORD POINT CAT CODE (442-70)					1,700		
442-90	COVERED STORAGE/OTHER	SF	6,110	22,104	22,040		15,994	6,046	O & M (C)	11,000
	MARINE CORPS BASE		(6,110)	(22,104)	(22,040)		(48)			
	(1) COMBAT SERVICE SUPPORT SCHOOL		((6,110))	((22,104))	((22,040))			(6,046)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 4,990 SF FROM MONTFORD POINT CAT CODE (442-90)					4,990		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJeune, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
540-10	DENTAL CLINIC	SF	3,300	216	216			3,300	3B(FY 76)P-968	3,663
	MARINE CORPS BASE		(3,300)	(216)	(216)			(3,300)	(1)	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((3,300))	((216))	((216))					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2,200	SF FROM MONTFORD POINT		CAT CODE (540-10)		2,200		
550-20	DISPENSARY W/O BEDS	SF	3,890	3,447	3,447			3,890	3B(FY 76)P-967	5,181
	MARINE CORPS BASE		(3,890)	(3,447)	(3,447)				(1)	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((3,890))	((3,447))	((3,447))			(3,890)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 3,640	SF FROM MONTFORD POINT		CAT CODE (550-20)		3,640		
610-10	ADMINISTRATION OFFICE	SF	23,330	34,508	34,508		13,468	23,330	MILCON	49,500
	MARINE CORPS BASE		(6,482)	(19,550)	(19,550)		(12,055)			
	(1) COMBAT SERVICE SUPPORT SCHOOL		((6,482))	((19,550))	((19,550))			6,482)	3B(FY 74)P-938 3B(FY 75)P-952	18,000 15,000
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 39,850	SF FROM MONTFORD POINT		CAT CODE (610-10)		39,850	3B(FY 75)P-950 3B(FY 76)P-948	10,000 6,500
	FORCE TROOPS		(16,848)	14,958	14,958					
	(1) 2ND AMTRAC BN		ASSIGN 16,848	SF TO MILE HAMMOCK BAY		CAT CODE (610-10)				

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

CLASSIFICATION STAMP

Reference: Current edition of OPNAVINST 11010.1

INSTALLATION/LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
690-10	FLAGPOLE	EA	6	6	0			0		
	MARINE CORPS BASE		(6)	(6)	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((6))	((6))	0					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1 EA FROM MONTFORD POINT CAT CODE (690-10)					1	0 & M (C)	1
722-10	EM BARRACKS W/O MESS	MN	955	793	793			955	MILCON	1,450
	MARINE CORPS BASE		(344)	(406)	(406)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((344))	((406))	((406))			(344)	3B(FY 75)P-942	503
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 944 MN FROM MONTFORD POINT CAT CODE (722-10)					944	3B(FY 74)P-939	465
	FORCE TROOPS		(611)	387	387				3B(FY 75)P-954	310
	(1) 2ND AMTRAC BN		ASSIGN 611 MN TO MILE HAMMOCK BAY CAT CODE (722-10)						3B(FY UP)P-943	92
									3B(FY UP)P-944	80
723-10	MESSHALL	SF	14,636	23,073	23,073		8,437	14,636	MILCON	
	MARINE CORPS BASE		(14,636)	(23,073)	(23,073)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((14,636))	((23,073))	((23,073))			(3,326)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 14,636 SF FROM MONTFORD POINT CAT CODE (723-10)					14,636	3B(UP) P-941	23,073
	FORCE TROOPS		ASSIGN 11,310 SF TO MILE HAMMOCK BAY CAT CODE (723-10)							

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

INSTALLATION LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
723-20	LATRINE	SF	5,628	4,207	4,108		(3,840)	5,529	(1)	
	MARINE CORPS BASE		(5,628)	(2,767)	(2,668)			(5,529)		
	FORCE TROOPS		(0)	(1,440)	(1,440)					
724-15	BOQ W/O MESS	MN	34	40	40		40	34	MILCON	173
	MARINE CORPS BASE		(34)	(40)	(40)	REHAB BLDG BB-45 (724-15) TO(722-10)				
	(1) COMBAT SERVICE SUPPORT SCHOOL		((34))	((40))	((40))			(34)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 139 MN FROM MONTFORD POINT CAT CODE(724-15)					139	3B(FY 76)P-945 3B(UP) P-1087	87 86
724-30	OFFICERS MESS (CLOSED)	SF	850	0	0			850	MILCON	4,891
	MARINE CORPS BASE		(850)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((850))	(0)	0			(850)	INCLUDED in P-955	
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 4,041 SF FROM MONTFORD POINT CAT CODE (724-30)					4,041		
725-10	EM BARRACKS W/O MESS	SF	0	17,280	17,280		(17,280)		(4)	
	MARINE CORPS BASE		0	(17,280)	(17,280)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-10	FIRE STATION	SF	3,000	2,409	2,409			3,000	MILCON	3,000
	MARINE CORPS BASE		(3,000)	(2,409)	(2,409)	FROM (730-10) CONVERT BB-8 TO (442-10)				
	(1) COMBAT SERVICE SUPPORT SCHOOL		((3,000))	((2,409))	((2,409))			(3,000)	3B(UP) P-895	3,000
730-25	GATE/SENTRY HOUSE	SF	100	936	936		836	100	O & M (C)	200
	MARINE CORPS BASE		(100)	(936)	(936)					
	(1) SERVICE SUPPORT SCHOOL		ASSIGN 200 SF FROM MONTFORD POINT CAT CODE (730-25)					200		
	FORCE TROOPS		ASSIGN 100 SF TO MILE HAMMOCK BAY CAT CODE (730-25)							
730-65	AIR RAID/FALLOUT SHELTER	SF	15,230	0	0			15,230	NEW CONSTRUCTION WILL SATISFY THIS REQUIREMENT	
	MARINE CORPS BASE		(15,230)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((15,230))	(0)	0			(15,230)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 12,370 SF FROM MONTFORD POINT CAT CODE (730-65)					12,370		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

BASE OR STATION LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-10	CHAPEL	SE	300	81	81		81 EXCESS DUE TO NEW CONST	300	MILCON	
	MARINE CORPS BASE		(300)	(81)	(81)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((300))	((81))	((81))			(300)	3B(UP) P-125(1)	300
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 150 SF FROM MONTFORD POINT CAT CODE (740-10)					150		
740-14	EXCHANGE	SF	6,485	5,091	1,758			3,152	MILCON	9,437
	MARINE CORPS BASE		(6,485)	(3,333)	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((6,485))	((3,333))	0			(3,152)	3B(UP) P-1088	9,437
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 6,285 SF FROM MONTFORD POINT CAT CODE (740-14)					6,285		
	FORCE TROOPS		(0)	1,758	1,758					
	(1) 2ND AMTRAC BN		ASSIGN 6,485 SF TO MILE HAMMOCK BAY CAT CODE (740-14)							
740-30	SERVICE STATION	SF	1,800	922	0			878	O & M (C)	2,180
	MARINE CORPS BASE		(1,800)	(922)	0	RELOCATE BB 177 (740-30) NEAR BB 47 (740-36)				
	(1) COMBAT SERVICE SUPPORT SCHOOL		((1,800))	((922))	0			(878)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1,380 SF FROM MONTFORD POINT CAT CODE (740-80)					1,380		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-33	POST OFFICE	SF	1,200	567	567			1,200	MILCON	1,800
	MARINE CORPS BASE		(1,200)	0	0	CONVERT BB-6 FROM (740-43) TO (442-10)				
	(1) COMBAT SERVICE SUPPORT SCHOOL		((1,200))	(0)	0			600	INCLUDED IN P-1088	1,800
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1,120 SF FROM MONTFORD POINT CAT CODE (740-33)					1,120		
	FORCE TROOPS		0	567	567					
	(1) 2ND AMTRAC BN		ASSIGN 600 SF TO MILE HAMMOCK BAY CAT CODE (740-33)							
740-36	HOBBY SHOP	SF	2,420	0	0			2,420	O & M (R)	3,663
	MARINE CORPS BASE		(2,420)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		(2,420)	(0)	0			(2,420)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 1,600 SF FROM MONTFORD POINT CAT CODE (740-36)					1,600	REHAB BB 47 FROM (442-10) TO (740-36)	
740-37	SPECIAL SERVICE CENTER	SF	640	0	0			640	MILCON	1,240
	MARINE CORPS BASE		(640)	0	0				INCL IN P-962	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((640))	(0)	0			(640)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 600 SF FROM MONTFORD POINT CAT CODE (740-37)					600		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

EST. TOTAL ON LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-40	BOWLING ALLEY	LA	4	0	0			4	MILCON	6
	MARINE CORPS BASE		(4)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((4))	(0)	0			(4)	3B(UP)P-963	6
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2 LA FROM MONTFORD POINT CAT CODE (740-40)					2		
740-43	GYMNASIUM	SF	10,200	11,355	11,355		(11,355)	10,200	MILCON	
	MARINE CORPS BASE		(10,200)	(11,355)	(11,355)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((10,200))	((11,355))	((11,355))			(10,200)	3B(UP)P-962 (1)	10,200
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 10,200 SF FROM MONTFORD POINT CAT CODE (740-43)					10,200		
740-56	THEATER	SE	350	500	500		150	350	O & M (R)	500
	MARINE CORPS BASE		(350)	(500)	(500)				AIR COND REQ'D FOR EXIST BLDG BB-2	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((350))	((500))	((500))			(350)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 150 SF FROM MONTFORD POINT CAT CODE (740-56)					150		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY (NAME AND LOCATION): MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-60	OFFICERS' CLUB (OPEN)	SF	2,975	5,046	5,046		(5,046)	2,975	MILCON	6,955
	MARINE CORPS BASE		(2,975)	(5,046)	(5,046)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((2,975))	((5,046))	((5,046))			(2,975)	INCLUDED IN P-955	6,955
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 3,980	SF FROM MONTFORD POINT		CAT CODE (740-60)		3,980		
740-63	EM SERVICE CLUB	SF	8,130	6,596	6,596			8,130	MILCON	
	MARINE CORPS BASE		(8,130)	(6,596)	(6,596)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((8,130))	((6,596))	((6,596))			(8,130)	3B(UP) P-959	6,784
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 5,250	SF FROM MONTFORD POINT		CAT CODE (740-63)		5,250	6,784 SF ADDN TO EXISTING BLDG BB-54	
740-66	NCO CLUB	SF	6,870	0	0			6,870	MILCON	11,320
	MARINE CORPS BASE		(6,870)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((6,870))	(0)	0			(6,870)	3B(UP) P-960	11,320
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 5,450	SF FROM MONTFORD POINT		CAT CODE (740-66)		5,450		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY (INSTALLATION) AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-70	STAFF N C O CLUB	SF	3,070	3,626	3,626		556	3,070	MILCON	5,870
	MARINE CORPS BASE		(3,070)	(3,626)	(3,626)		CONVERT BB-27 FROM (740-70) TO (740-76)			
	(1) COMBAT SERVICE SUPPORT SCHOOL		((3,070))	((3,626))	((3,626))			(3,070)	3B(UP) P-961	5,870
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2,800 SF FROM MONTFORD POINT CAT CODE (740-70)					2,800		
740-76	LIBRARY	SF	2,360	1,320	1,320			2,360	O & M (R)	
	MARINE CORPS BASE		(2,370)	(1,320)	(1,320)				REHAB BLDG BB-27 FROM (740-70) TO (740-76)	
	(1) COMBAT SERVICE SUPPORT SCHOOL		((2,370))	((1,320))	((1,320))			(2,360)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2,000 SF FROM MONTFORD POINT CAT CODE (740-76)					2,000		
740-83	BUS STATION & SHELTERS	SF	300	0	0			300	O & M (C)	300
	MARINE CORPS BASE		(300)	0	0			(300)		
740-86	RETAIL WAREHOUSE	SF	1,862	192	0		(192)	1,670	INCL IN P-1088	4,462
	MARINE CORPS BASE		(1,862)	(192)	0		EXCESS DUE TO NEW CONST			
	(1) COMBAT SERVICE SUPPORT SCHOOL		((1,862))	((192))	0					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 2,600 SF FROM MONTFORD POINT CAT CODE (740-86)					2,600		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-87	BOAT SHOP	SF	0	1,944	1,944		1,944	0	(5)	
	MARINE CORPS BASE		0	(1,944)	(1,944)					
740-88	EDUCATION CENTER	SF	4,520	0	0			4,520	MILCON	8,120
	MARINE CORPS BASE		(4,520)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((4,520))	(0)	0					
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 3,600 SF FROM MONTFORD POINT CAT CODE(740-88)					3,600	INCLUDED IN P-981	8,120
740-90	COMPANY RECREATION BUILDING	SF	14,325	0	0			14,325	MILCON	14,325
	MARINE CORPS BASE		(14,325)	0	0					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((14,325))	(0)	0			(14,325)	3B(UP) P-981	14,325
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 12,480 SF FROM MONTFORD POINT CAT CODE(740-90)					12,480	(1)	
750-10	PLAYING COURTS	EA	15	4	4			15	O & M (C)	26
	MARINE CORPS BASE		(15)	(4)	(4)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((15))	((4))	((4))			(15)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 11 EA FROM MONTFORD POINT CAT CODE(750-10)					11		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

INSTALLATION LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-20	PLAYING FIELDS	EA	4	4	2			2	0 & M (C)	5
	MARINE CORPS BASE		(4)	(4)	(2)					
	(1) COMBAT SERVICE SUPPORT SCHOOL		((4))	((2))	((2))			(2)		
	(2) SERVICE SUPPORT SCHOOL		ASSIGN 3 EA FROM MONTFORD POINT CAT CODE (750-20)					3		
750-30	OUTDOOR SWIMMING POOL	EA	1	0	0			1	MILCON	1
	MARINE CORPS BASE		(1)	0	(0)			(1)	3B(UP) P-977	1
750-50	OUTDOOR THEATER	SF	0	25,200	25,200		25,200	0	(5)	
	MARINE CORPS BASE			(25,200)	(25,200)					
750-56	BUS STOP SHELTER	SF	0	700	0		700		(5)	
	MARINE CORPS BASE			(700)	(0)					

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE(5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N. C. O.'S TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title) MILCON — CODE 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C. — ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original) [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	COURTHOUSE BAY														
	FISCAL YEAR - 1974														
171-10	ACD/GEN INSTR BLDG (MOTOR TRANSPORT)	23,200	SF	690				6	75		1		2		P-936
610-10	ADMINISTRATION OFFICE (MOTOR TRANSPORT)	18,000	SF	450				6	75		1		3		P-938
722-10	EM BARRACKS (MOTOR TRANSPORT)	465	MN	1,370				6	75		1		1		P-939
	FISCAL YEAR - 1974 TOTAL			2,510											
	FISCAL YEAR - 1975														
171-10	ACAD/GEN INSTR BLDG (SUPPLY SCH)	32,370	SF	914				6	76		1		5		P-953
171-20	APPLIED INSTR BLDG (ENG SCH)	67,600	SF	1,846				6	76		1		4		P-949
171-20	APPLIED INSTR BLDG (FOOD SERVICE SCH)	37,970	SF	930				6	76		1		3		P-951
610-10	ADMIN BLDG (SUPPLY SCH)	15,000	SF	370				6	76		1		6		P-952
610-10	ADMIN BLDG (FOOD SERVICE SCH)	10,000	SF	256				6	76		1		7		P-950
722-10	NEW BARRACKS (SUPPLY SCH)	310	MN	920				6	76		1		1		P-954
722-10	REHAB EXISTING BARRACKS (ENG SCH)	503	MN	614				6	76		1		2		P-942
	FISCAL YEAR - 1975 TOTAL			5,776											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 8270-175

5. MD OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	COURTHOUSE BAY														
	FISCAL YEAR - 1976														
171-90	TRAINING MESS	19,346	SF	593				6	77		1		1		P-955
540-10	DENTAL CLINIC	3,663	SF	40				6	77		1		3		P-968
550-20	DISP W/O BEDS	5,181	SF	62				6	77		1		4		P-967
610-10	ADMIN BLDG	6,500	SF	179				6	77		1		5		P-948
724-15	BOQ	87	MN	927				6	77		1		2		P-945
	FISCAL YEAR - 1976 TOTAL			2,801											
	UNPROGRAMMED YEARS														
171-90	COMBAT TRNG TANK	1	EA	100									5		P-978
171-90	TRAINING MESS	15,000	SF	450									4		P-1085
442-10	GENERAL WAREHOUSE RI	20,150	SF	400									10		P-1086
722-10	STAFF NCO BRKS	92	MN	552									3		P-943
722-10	REHAB BOQ FOR STAFF NCO	80	MN	160									7		P-944
723-10	REHAB MESSHALL	23,073	SF	60									1		P-941

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS *					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	COURTHOUSE BAY														
	UNPROGRAMMED YEARS (CONT'D)														
724-15	BOQ W/O MESS	86	MN	877									8		P-1087
730-10	FIRE STATION	3,000	SF	75									9		P-895
740-10	CHAPEL	300	SE	279									7		P-125
740-14	EXCHANGE	15,699	SF	384									6		P-1088
740-40	BOWLING ALLEY	6	LA	90									14		P-963
740-43	GYMNASIUM	10,200	SF	200									13		P-962
740-63	EM CLUB	6,784	SF	130									11		P-959
740-66	NCO CLUB	11,320	SF	350									12		P-960
740-70	STAFF NCO CLUB	5,870	SF	150									15		P-961
740-90	COMPANY REC BLDG	22,445	SF	320									16		P-981
750-30	OUTDOOR SWIM POOL	1	EA	60									17		P-977
	UNPROGRAMMED YEARS - TOTAL			4,640											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

- EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	COURTHOUSE BAY												
122-90	SA 21	2-5203	P	U	22,323	AMPHIBIOUS TRACTOR FUEL STA	OL	4	4	29	RETAIN		
									EXCESS DUE TO 2ND AMTRAC BN MOVING TO MILE HAMMOCK BAY				
131-40	BB 69	2-2628	P	R	15,857	TELE EXCH BLDG	SF	1,024	24	29	RETAIN		
171-10	BB 30	2-2544	T	T	22,503	ACD/GEN INSTR BLDG	SF	4,800	4,800	25	REMOVE (1)		
171-10	BB 32	2-2546	T	T	6,893	ACD/GEN INSTR BLDG	SF	1,600	1,600	25	REMOVE		
171-10	BB 68	2-2627	T	R	3,071	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 80	2-2487	T	T	3,404	ACD/GEN INSTR BLDG	SF	1,200	1,200	25	REMOVE		
171-10	BB 83	2-5208	T	T	2,860	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 84	2-5209	T	T	4,556	ACD/GEN INSTR BLDG	SF	1,920	1,920	25	REMOVE		
171-10	BB 89	2-5364	T	T	3,598	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 90	2-5365	T	T	3,598	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 91	2-5266	T	T	3,598	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		

NOTE: (1) = REMOVE DUE TO NEW CONSTRUCTION

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-10	BB 92	2-5267	T	T	3,598	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 93	2-5268	T	T	3,598	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 95	2-5409	T	T	2,962	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 100	2-5412	T	T	2,963	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 108	2-2700	T	T	3,071	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 109	2-2701	T	T	3,071	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 138	2-5416	T	T	2,962	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 139	2-5417	T	T	2,962	ACD/GEN INSTR BLDG	SF	960	960	25	REMOVE		
171-10	BB 174	2-6710	S	T	3,418	ACD/GEN INSTR BLDG	SF	800	800	25	REMOVE		
171-10	BB 175	2-6711	S	T	3,417	ACD/GEN INSTR BLDG	SF	800	800	25	REMOVE		
171-10	BB 176	2-6712	S	T	3,417	ACD/GEN INSTR BLDG	SF	800	800	25	REMOVE		
171-20	BB 34	2-2548	T	T	31,116	APPLIED INSTR BLDG	SF	4,840	4,840	25	REMOVE (1)		
171-20	BB 142	2-6405	P	R	750	APPLIED INSTR BLDG	SF	2,025	2,025	25	REMOVE (1)		
171-20	BB 82	2-5212	S	R	2,400	TRNG BLDG/OTH	SF	1,200	1,200	25	REMOVE (1)		
171-20	BB 73	2-2630	S	R	21,786	APPLIED INSTR BLDG	SF	8,000	8,000	25	REMOVE (1)		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-20	BB 71	2-2692	S	R	26,716	APPLIED INSTR BLDG	SF	8,000	8,000	25	REMOVE (1)		
	A-2	2-2603	P	R	141,038	MULTIPLE USE BLDG	SF	13,685	13,685	29	RETAIN		
213-90	* A					AMPHIB TRACTOR MAINT	SF	9,265	9,265				
217-10	* B					ELNICS/ELEC MAINT	SF	4,420	4,420				
213-90	A-3	2-2604	P	R	186,249	AMPHIB TRACTOR MAINT	SF	42,240	42,240	29	RETAIN		
213-90	SA 29	2-6668	P	U	16,866	LVT WASH RACK	SF	675	675	29	RETAIN		
	A-1	2-2602	P	R	142,987	MULTIPLE USE BLDG	SF	13,685	13,685	29	RETAIN		
214-10	* A					COMBAT VEH MAINT FAC	SF	10,485	7,485				
610-10	* B					ADMINISTRATION BLDG	SF	1,200	1,200				
171-10	* C					ACD/GEN INSTR BLDG	SF	2,000	2,000				
217-10	BB 107	2-2699	T	T	3,657	ELNICS/ELEC MAINT	SF	960	960	25	REMOVE		

CLASSIFICATION STAMP

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
218-10	A 10	2-2608	S	R	10,643	PARACHUTE SHOP	SF	2,400	2,400	29	RETAIN		
	BB 51	2-2622	P	U	71,337	MULTIPLE USE BLDG	SF	8,369	6,271	29	RETAIN		
218-20	* A					CONST EQUIP MAINT	SF	6,271	6,271				
214-20	* B					AUTO VEH MAINT FAC	SF	2,098					
218-90	A 13	2-2606	T	T	589	MAINT FAC/OTH	SF	357	357	25	REMOVE		
422-XX	S BB 157	2-6434	P	U	100	FUSE DET MAG/RI	SF	20	20	29	RETAIN		
442-10	A 7	2-2641	S	T	606	GEN WAREHOUSE/RI	SF	480	480	25	REMOVE		
442-10	A 12	2-2607	T	T	589	GEN WAREHOUSE/RI	SF	357	357	25	REMOVE		
442-10	A 14	2-2605	T	T	589	GEN WAREHOUSE/RI	SF	357	357	25	REMOVE		
442-10	BB 47	2-2621	S	T	422	GEN WAREHOUSE/RI	SF	800	800	25	REMOVE		
442-10	BB 105	2-2697	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	BB 106	2-2698	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	BB 188	2-6784	T	R	97	GEN WAREHOUSE/RI	SF	100	100	25	REMOVE (1)		
442-10	BB 110	2-2702	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	BB 111	2-2703	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	BB 112	2-2704	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	BB 113	2-2705	T	N	3,071	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
442-10	BB 143	2-6406	P	N	500	GEN WAREHOUSE/RI	SF	140	140	25	REMOVE		
442-10	BB 145	2-6408	P	N	600	GEN WAREHOUSE/RI	SF	420	420	25	REMOVE		
442-10	BB 148	2-6411	P	N	600	GEN WAREHOUSE/RI	SF	408	408	25	REMOVE		
442-10	BB 150	2-6413	T	N	650	GEN WAREHOUSE/RI	SF	504	504	25	REMOVE		
442-10	BB 165	2-6560	S	N	500	GEN WAREHOUSE/RI	SF	400	400	25	REMOVE		
442-10	BB 166	2-6561	S	R	175	GEN WAREHOUSE/RI	SF	150	150	25	REMOVE (1)		
442-10	BB 171	2-6626	S	N	100	GEN WAREHOUSE/RI	SF	96	96	25	REMOVE		
442-90	BB 141	2-6404	S	R	100	ST COV ORG/OTH	SF	48	48	25	REMOVE (1)		
442-90	A 3	2-2604	P	R	186,249	ST COV ORG/OTH	SF	19,200	15,946	29	RETAIN		
	BB 114	2-2706	T	T	3,071	MULTIPLE USE BLDG	SF	960	960	25	REMOVE		
219-10	* A					P/W MAINT SHOP	SF	650	650				
610-10	* B					ADMINISTRATION BLDG	SF	310	310				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
610-10	BB 101	2-2634	T	T	3,071	ADMINISTRATION BLDG	SF	960	960	25	REMOVE		
610-10	BB 102	2-2694	T	T	3,071	ADMINISTRATION BLDG	SF	960	960	25	REMOVE		
610-10	BB 103	2-2695	T	T	3,071	ADMINISTRATION BLDG	SF	960	960	25	REMOVE		
610-10	BB 104	2-2996	T	T	3,071	ADMINISTRATION BLDG	SF	460	460	25	REMOVE		
610-10	BB 37	2-2550	P	R	27,485	ADMINISTRATION BLDG	SF	3,254	3,254	25	REMOVE (1)		
610-10	BB 38	2-2551	P	R	15,773	ADMINISTRATION BLDG	SF	1,851	1,851	25	REMOVE (1)		
610-10	BB 15	2-2541	P	R	17,991	ADMINISTRATION BLDG	SF	3,729	2,316		RETAIN		
711-42	BB 17	2-322	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 18	2-323	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 19	2-324	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 20	2-325	S	R	10,675	P/Q/CDR/LDCR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 21	2-351	S	R	10,675	P/Q/CDR/LDCR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 22	2-352	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 23	2-353	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		
711-42	BB 24	2-354	S	R	10,675	P/Q/CDR/LCDR	SF	2,516	2,516	25	REMOVE (1)		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-10	BB 7	2-2537	P	R	134,734	MESSHALL	SF	23,073	8,437	29	RETAIN		
723-20	BB 72	2-2629	T	R	2,590	TOILET	SF	960	960	25	REMOVE (1)		
723-20	BB 115	2-2639	T	R	5,195	TOILET	SF	1,440	1,440	25	REMOVE (1)		
723-20	BB 116	2-2638	T	R	5,195	TOILET	SF	1,440	1,440	25	REMOVE (1)		
	BB 45	2-2486	P	R	2-2486	MULTIPLE USE BLDG	SF	22,280	22,280	29	RETAIN		
724-15	* A					B O Q	SF	19,033	19,033				
740-10	* B					CHAPEL	SF	3,247	3,247				
					NOTE: BLDG BB 45 724-15 & 740-10 TO CHANGE TO 722-10 (STAFF NCO BARRACKS)								
725-10	BB 117	2-2707	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 118	2-2708	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 119	2-2709	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 120	2-2710	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 121	2-2711	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		

CLASSIFICATION STAMP

A-1078

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
725-10	BB 122	2-2712	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 123	2-2713	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 124	2-2714	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 125	2-2715	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 126	2-2716	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 127	2-2717	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 128	2-2744	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 129	2-2745	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 130	2-2746	T	T	3,071	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 131	2-3754	T	T	2,590	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 132	2-2635	T	T	2,590	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 136	2-5414	T	T	2,963	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
725-10	BB 137	2-5415	T	T	2,963	EM BARRACKS W/O MESS	SF	960	960	29	REMOVE		
730-25	A 15	2-2642	P	R	3,335	GUARD HOUSE	SF	806	806	29	RETAIN		
730-25	A 20	2-2643	P	R	2,582	GATE HOUSE	SF	130	30	29	RETAIN		

CLASSIFICATION STAMP

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME: MARINE CORPS BASE, CAMP LEJEUNE, N.C. | CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5ND | CODE: 05 | SPONSOR: CMC | CODE: 32 | REPORT STATUS: ☐ REVISION ☐ CHANGE ____ | SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-43	BB 29	2-2555	P	R	6,010	GYMNASIUM	SF	11,355	11,355	25	REMOVE (1)		
750-50	SBB 75	2-2502	S	R	3,667	OUTDOOR THEATER	SF	25,200	25,200	29	RETAIN		
750-56	SBB 184	2-6778	S	U	786	BUS STOP SHELTER	SF	200	200	29	RETAIN		
750-56	SBB 185	2-6779	S	U	786	BUS STOP SHELTER	SF	200	200	29	RETAIN		
750-56	SBB 186	2-6780	S	U	1,196	BUS STOP SHELTER	SF	300	300	29	RETAIN		
740-60	BB 35	2-2693	S	R	9,396	OFFICERS CLUB	SF	5,046	5,046	25	REMOVE (1)		
740-70	BB 27	2-2693	P	R	21,461	STAFF NCO CLUB	SF	3,626	556	29	RETAIN		
740-86	BB 3A	2-2533	P	U	547	RETAIL WAREHOUSE	SF	192	192	25	REMOVE (1)		
740-30	BB 177	2-6727	P	U	18,536	SERVICE STATION	SF	922	922	25	REMOVE (1)		
740-87	BB 46	2-2620	S	R	167	BOAT HOUSE	SF	1,944	1,944	29	RETAIN		
	BB 31	2-2545	T	T	119,909	MULTIPLE USE BLDG	SF	19,350	19,350	25	REMOVE (1)		
442-10	* A					GEN WAREHOUSE/RI	SF	14,610	14,610				
610-10	* B					ADMIN BLDG	SF	3,340	3,340				
171-20	* C					APPLIED INSTR BLDG	SF	2,400	2,400				

CLASSIFICATION STAMP

OPNAV FORM 11000-1 (REV 4-66)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
	BASEWIDE/MISC						
111-81	HELICOPTER LANDING PAD	5,560		SY			
122-20	SMALL CRAFT FUELING STATION	2		OL			
124-65	HEATING FUEL OIL STORAGE TANK	309,666		GA			
126-90	LPG DISTRIBUTION BUILDING	320		SF			
131-40	TELEPHONE EXCHANGE BUILDING	800		SF			
131-90	COMMUNICATIONS BUILDING/OTHER	2,608		SF			
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	3		EA			
135-10	COMMUNICATION LINES	286		MI			
151-90	PIERS/OTHER	218		SY			
159-60	SMALL CRAFT BERTHING	150		LF			
159-64	EMBARKATION FACILITY	960		SF			
164-20	JETTIES	6,200		LF			
171-20	APPLIED INSTRUCTION BUILDING	0					
171-90	TRAINING BUILDING/OTHER	7,118		SF			
179-20	BOMB/ROCKET RANGE	2		EA			
179-30	PROJECTILE RANGE	12		EA			
179-40	SMALL ARMS RANGE - OUTDOOR	30		EA			
179-45	TRAINING MOCK-UP	30		EA			
179-50	TRAINING COURSE	55		EA			
179-60	PARADE & DRILL FIELD	275		AC			
179-90	AIR/GROUND TRAINING FACILITY	20		EA			
179-90	OBSERVATION & CONTROL TOWER	32		EA			
179-90	COMBAT TRAINING RANGE	37		EA			
179-90	STUDENT DRIVER COURSE	40		MI			
179-90	ENGINEER TRAINING AREA	40		AC			
179-90	OPEN CLASSROOMS	348,480 8		(SF) AC			
179-90	TRAINING TOWER - FIRE DEPT	1		EA			
179-90	TRAINING TOWER - RAPPEL	1		EA			
213-20	MARINE RAILWAY	30		TC			
214-90	GREASE RACK	0					
219-10	BASE MAINT SHOP	3,200		SF			

ACTIVITY AND LOCATION
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

NO OR AREA: 5ND
SPONSOR: MARCOR

REPORT STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____
PREPARATION DATE: 18 NOVEMBER 1968
SHEET 1 OF 4 SHEETS
CLASSIFICATION STAMP

DRAW FORM 11000-1 (REV 4-66)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
442-10	GENERAL WAREHOUSE/RI	0	(INCLUDED IN HADNOT POINT)				
442-30	FLAMMABLE STOREHOUSE	13,000		SF			
442-70	PUBLIC WORKS MAINT SHORAGE	2,700		SF			
442-90	COVERED STORAGE/OTHER	0	(INCLUDED IN HADNOT POINT)				
452-XX	OPEN STORAGE	0		SY			
550-20	DISPENSARY W/O BEDS	9,900		SF			
610-10	ADMINISTRATION OFFICE	0	(INCLUDED IN HADNOT POINT)				
690-10	FLAGPOLE	4		EA			
690-20	MONUMENT/MEMORIAL	6		EA			
722-10	EM BARRACKS W/O MESS	0	(INCLUDED IN HADNOT POINT)				
723-10	MESSHALL	690		SF			
723-20	LATRINE	1,440		SF			
724-15	BOQ W/O MESS	0	(INCLUDED IN HADNOT POINT)				
730-10	FIRE STATION	7,600		SF			
730-25	GATE/SENTRY HOUSE	1,340		SF			
730-65	AIR RAID/FALLOUT SHELTER	387,560		SF			
730-75	PUBLIC TOILET	400		SF			
730-90	CEMETERY	2.6		AC			
740-14	EXCHANGE	0		SF			
740-20	GUESTHOUSE	0	(INCLUDED IN HADNOT POINT)				
740-23	COMMISSARY	0	(INCLUDED IN HADNOT POINT)				
740-33	POST OFFICE	3,000		SF			
740-55	YOUTH CENTER	49,000		SF			
740-66	NCO CLUB	0		SF	(INCLUDED IN HADNOT POINT)		
740-74	CHILD CARE CENTER	38,114		SF			
740-80	GOLF CLUB HOUSE	9,584		SF			
750-10	PLAYING COURTS	0		EA	(INCLUDED IN HADNOT POINT)		
750-20	PLAYING FIELDS	0		EA	(INCLUDED IN HADNOT POINT)		
750-30	OUTDOOR SWIMMING POOL	0		EA	(INCLUDED IN HADNOT POINT)		
750-31	OUTDOOR SWIMMING POOL - OFFICER	0		EA			
750-40	GOLF COURSE	36		HO			
750-50	OUTDOOR THEATER	0		SF			
750-52	SKEET RANGE	1		EA			

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ND OR AREA: 5ND

SPONSOR: MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 18 NOVEMBER 1968

CLASSIFICATION STAMP

BASEWIDE/MISC

OPNAV FORM 11000-1 (REV 4-68)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED PRE-M-DAY	QUANTITY REQUIRED POST-M-DAY	UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
1	2	3	4	5	6	7	8
750-56	BUS STOP SHELTER	900		SF			
750-90	MASTER TV ANTENNA	8		EA			
750-90	RIDING STABLE	15,863		SF			
811-XX	ELECTRIC POWER SOURCE	0	(PURCHASED FROM C.P.& L. COMPANY)				
812-12	TRANSFORMER STATION	225		KV			
812-20	STREET LIGHTING	310,690		LF			
812-30	DISTRIBUTION LINE	1,689,600		LF			
812-50	FLOOD LIGHTING	63,260		LF			
821-10	HEATING PLANT - COAL FIRED	18,208		HP			
821-10	HEATING PLANT - COAL FIRED	49,449		SF			
821-20	HEATING PLANT - OIL FIRED	5,455		HP			
821-20	HEATING PLANT - OIL FIRED	17,900		SF			
821-50	STEAM PLT-POWER/OTHER RELATED FAC	0		SF			
822-10	STEAM & CONDENSATE LINES	352,030		LF			
824-10	GAS PIPE LINE	121,155		LF			
831-10	SEWAGE TREATMENT PLANT	10		MG			
831-10	SEWAGE TREATMENT PLANT	5,597		SF			
831-20	OUTFALL SEWER LINE	11,633		LF			
831-30	SEPTIC TANK & DRAIN FIELD	12,000		GA			
832-10	SANITARY SEWER	1,267,200		LF			
832-30	SEWAGE PUMPING STATION	25,000		GM			
832-30	SEWAGE PUMPING STATION	0		SF			
833-10	INCINERATOR	248		TN			
833-30	GARBAGE STAND	0		SF			
833-90	REFUSE DISTRIBUTION/OTHER	0		SF			
841-10	WATER TREATMENT FACILITY	0		MG			
841-20	SUPPLY MAINS & PUMPING FACILITY	145,000		LF			
841-20	SUPPLY MAINS & PUMPING FACILITY	141,403		SF			
841-30	STORAGE TANK - ELEVATED	2,506,000		GA			
841-40	WATER TREATMENT FACILITY	25		MG			
841-50	RESERVOIRS	5,311,035		GA			
841-50	WELLS	17,000		GM			
842-10	WATER DISTRIBUTION LINE	890,200		LF			

CTIVITY AND LOCATION
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ND OR AREA: 5ND

SPONSOR: MARCOR

RM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 18 NOVEMBER 1968

SHEET 3 OF 4 SHEETS

CLASSIFICATION STAMP

BASEWIDE/MISC

DD FORM 1390-1 (REV 4-66)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED PRE-M-DAY	QUANTITY REQUIRED POST-M-DAY	UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
1	2	3	4	5	6	7	8
842-15	WATER DISTRIBUTION LINE FACILITY	0		SF			
851-XX	ROADS	7,356,800		SY	(570	MI)	
851-XX	BRIDGES - VEHICLE	6,991		SY			
851-XX	OTHER	0		SY			
852-XX	PARKING AREAS	1,159,050		SY			
852-XX	SIDEWALKS	410,000		SY			
852-XX	PEDESTRIAN BRIDGES	59		SY			
860-10	RAILROAD TRACKAGE	50		MI			
860-30	RAILROAD BRIDGE & TRESTLE	0.16		MI			
871-10	STORM SEWER	183,000		LF			
871-20	DRAINAGE DITCH	810,000		LF			
872-10	SECURITY FENCE	225,000		LF			
872-20	GUARD & WATCH TOWERS	2		EA			
880-10	FIRE ALARM SYSTEM	289		BX			
880-90	FIRE OBSERVATION TOWER	0		EA			
890-50	COOLING TOWER	0		EA			
890-56	WEIGHING FACILITY	0		SF			
890-90	OTHER	0		SF			
911-10	LAND PURCHASE	83,045		AC			

ACTIVITY AND LOCATION
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

IND OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
18 NOVEMBER 1968

SHEET 4 OF 4 SHEETS

CLASSIFICATION STAMP

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	SLZ 7	2- 6773	Helicopter LDG Pad	Same	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ 10	2- 6372	Helicopter LDG Pad	Same	31	P	U	SY	69.		0.	17/ 0/ 0
111-81	SLZ 12	2- 6374	Helicopter LDG Pad	Same	31	P	U	SY	69.		0.	17/ 0/ 0
									207.		0.	
123-10	SBA 154	2- 6800	Filling Station	Same	90	P	U	OL	1.		0.	0/ 0/ 0
									1.		0.	
124-65	SLCH4024	2-5154	Heating Fuel Stor	Same	30	P	U	GA	44840.		0.	0/ 0/ 0
									44840.		0.	
126-90	TT 46	2- 5216	LPG Distribution Bldg	Same	30	P	U	SF	64.		0.	0/ 0/ 0
126-90	TT 47	2- 5217	LPG Distribution Bldg	Same	30	P	U	SF	256.		0.	0/ 0/ 0
									320.		0.	
S 131-40	2615	2- 366	Tele Ex Bldg	Community/ Inter	82	P	R	SF	46,794* 1156.		1156.	19/ 0/ 0
131-40	TP 450	2- 5127	Tele Ex Bldg	Same	30	T	T	SF	357.		357.	19/ 0/ 0
131-40	LCH4014	2- 1044	Tele Ex Bldg	Same	32	P	T	SF	800.		800.	19/ 0/ 0
									2313.		2313.	

Supersedes OPNAV Form ...

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
131-90	ES 122	2- 2820	Comm Bldg/Other	Same	91	S	R	SF	1728.		1728.	8/ 0/ 0
131-90	VL 124	2- 6488	Comm Bldg/Other	Same	22	P	R	SF	320.		320.	8/ 0/ 0
131-90	VL 127	2- 6585	Comm Bldg/Other	Same	22	S	R	SF	560.		560.	8/ 0/ 0
									2608.		2608.	
135-10	UNUM	2-15188	Comms Lines	Same	30	P	U	MI	286.		57.	28/ 0/ 0
									286.		57.	
151-90	UNUM	2- 3863	Piers/Other	Same	30	S	R	SY	218.		218.	8/ 0/ 0
									218.		218.	
159-62	1918	2- 447	Boathouse	Same	30	P	R	SF	1786.		1786.	8/ 0/ 0
									1786.		1786.	
159-64	MH 2	2- 3910	Embarkation Fac	Same	90	T	N	SF	960.		960.	4/ 0/ 0
									960.		960.	

NAVMC 10051 (2-67)

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
171-10	ES 222	2- 5408	ACD/Gen Ins Bld	Cov Stor/Inst	91	S	N	SF	600.		600.	4/ 0/ 0
									600.		600.	
171-20	TC 174	2- 3502	Applied Instr Bldg	Same	90	T	N	SF	960.		960.	4/ 0/ 0
171-20	TC 179	2- 3506	Applied Instr Bldg	Same	90	T	N	SF	960.		960.	4/ 0/ 0
									1920.		1920.	
171-90	743	2-4816	Training Bldg/Oth	Same	31	S	U	SF	560.		0.	0/ 0/ 0
171-90	744	2- 4815	Target Car Stor	Same	31	S	U	SF	1122.		0.	0/ 0/ 0
171-90	814	2- 5199	Range House	Same	31	P	U	SF	800.		0.	0/ 0/ 0
171-90	820	2- 5219	Training Bldg/oth	Same	31	P	U	SF	144.		0.	0/ 0/ 0
171-90	828	2- 5981	Range House	Same	31	P	U	SF	144.		0.	0/ 0/ 0
171-90	856	2- 6482	Range House	Same	31	S	R	SF	144.		144.	8/ 0/ 0
171-90	874	2- 6636	Target Car Stor	Same	31	S	U	SF	924.		0.	0/ 0/ 0
171-90	CR 106	2- 5147	Trng Bldg/Oth	Same	31	S	U	SF	576.		0.	0/ 0/ 0
171-90	RR 70	2- 2665	Range House	Same	31	S	R	SF	800.		800.	8/ 0/ 0
171-90	VL 111	2- 6320	Trng Bldg/Oth	Same	31	P	U	SF	360.		0.	0/ 0/ 0
171-90	VL 125	2- 6481	Trng Bldg/Oth	Same	31	S	U	SF	144.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
171-90	VL 129	2- 6640	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 133	2- 6619	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 134	2- 6642	Trng Bldg/Oth	Same	31	S	R	SF	64.		64.	8/ 0/ 0
171-90	VL 135	2- 6643	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 136	2- 6644	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 137	2- 6645	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 138	2- 6646	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 140	2- 6647	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL. 141	2- 6648	Trng Bldg/Oth	Same	31	S	R	SF	80.		80.	8/ 0/ 0
171-90	VL 144	2- 6649	Trng Bldg/Oth	Same	31	S	U	SF	80.		0.	0/ 0/ 0
171-90	VL 145	2- 6650	Trng Bldg/Oth	Same	31	S	U	SF	64.		0.	0/ 0/ 0
171-90	VL 146	2- 6651	Trng Bldg/Oth	Same	31	S	U	SF	80.		0.	0/ 0/ 0
171-90	VL 147	2- 6652	Trng Bldg/Oth	Same	31	S	U	SF	80.		0.	0/ 0/ 0
171-90	VL 148	2- 6653	Trng Bldg/Oth	Same	31	S	U	SF	80.		0.	0/ 0/ 0
171-90	VL 149	2- 6654	Trng Bldg/Oth	Same	31	S	R	SF	400.		400.	8/ 0/ 0
171-90	VL 150	2- 6655	Trng Bldg/Oth	Same	31	S	U	SF	80.		0.	0/ 0/ 0
171-90	VL 151	2- 6656	Trng Bldg/Oth	Same	31	S	R	SF	64.		64.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
171-90	VL 152	2- 6657	Trng Bldg/Oth	Same	31	S	U	SF	64.		0.	0/ 0/ (
171-90	VL 153	2- 6658	Trng Bldg/Oth	Same	31	S	U	SF	64.		0.	0/ 0/ (
									7478.		2112.	
179-20	RNGK 2	2- 6573	Bomb/Rocket Range	Same	31	P	U	EA	1.		0.	0/ 0/ (
179-20	RNGN 1	2- 6574	Bomb/Rocket Range	Same	31	P	U	EA	1.		0.	0/ 0/ (
									2.		0.	
179-30	RNGG 5	2- 4743	RNG/Anti-Tank	Same	31	P	U	EA	1.		0.	0/ 0/ (
179-30	RNGG 7	2- 5359	RNG/Field Fire	Same	31	S	U	EA	1.		0.	0/ 0/ (
179-30	RNGG10	2- 6307	Impact Area	Same	31	P	U	EA	1.		0.	0/ 0/ (
179-30	RNGK206	2- 5313	RNG/Rifle Gren	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-30	RNGK301	2- 5316	RNG/3-5 RCKT	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-30	RNGK306	2- 5319	RNG/3-5 RCKT	Same	31	S	U	EA	1.		0.	0/ 0/ (
									6.		0.	
179-40	S 850	2- 6305	Observation/MND	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGA 1	2- 5344	RNG/50 Ft	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGB 12	2- 5345	RNG/50 Ft	Same	31	S	U	EA	1.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-40	RNGD 29	2- 5010	RNG/50 Ft.	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGD 30	2- 5009	RNG/50 Ft.	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 2	2- 5351	RNG/SQD/Defense	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 3	2- 5352	RNG/Field/Fire	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 4	2- 5980	RNG/Combat/Trn	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 5	2- 5353	RNG/MCH/Gun/Trn	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 9	2- 6496	RNG/Small Arms	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 11	2- 5251	RNG/Pistol	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGF 18	2- 5978	RNG/Night Fire	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGI 1	2- 5361	RNG/50 Ft.	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGJ 2	2- 5363	RNG/50 Ft.	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGK211	2- 5314	RNG/MCH Gun/Trn	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGK212	2- 5315	RNG/Night/Defse	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGK303	2- 5317	RNG/75 Meter	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGK315	2- 5323	RNG/Combat	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-40	RNGK322	2- 6678	RNG/Realistic Tgt	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-40	RNGL 3	2- 4737	RNG/Pistol/EL	Same	21	P	R	EA	1.		1.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-40	RNGL 6	2- 4741	Rifle Range 1	Same	21	P	R	EA	1.		1.	8/ 0/
179-40	RNGL 7	2- 4740	Rifle Range 2	Same	21	P	R	EA	1.		1.	8/ 0/
179-40	RNGL 8	2- 4739	Rifle Range 3	Same	21	P	R	EA	1.		1.	8/ 0/
179-40	RNGM113	2- 5338	RNG/75 Meter	Same	31	S	U	EA	1.		0.	0/ 0/
179-40	RNGM207	2- 6335	RNG/Night/Fire	Same	31	P	U	EA	1.		0.	0/ 0/
									25.		4.	
179-45	S 755	2- 4926	Ship Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 760	2- 4879	Ship Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 761	2- 4880	Ship Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 771	2- 4979	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 772	2- 4980	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 773	2- 4981	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 774	2- 4982	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/
179-45	S 805	2- 5008	LSU Mock-Up	Same	31	P	U	EA	1.		0.	0/ 0/
179-45	S 806	2- 5007	LST Mock-Up	Same	31	P	U	EA	1.		0.	0/ 0/
179-45	SM 180	2- 3468	Dry Net Mock-Up	Same	9	S	R	EA	1.		1.	8/ 0/
179-45	SBB179	2- 6733	Elec. Mock-Up	Same	23	S	U	EA	1.		0.	0/ 0/

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-45	SBB 180	2- 6734	Rigging Mock-Up	Same	23	S	U	EA	1.		0.	0/ 0/ 0
179-45	SBB 181	2- 6735	Bridge Mock-Up	Same	23	S	U	EA	1.		0.	0/ 0/ 0
179-45	SBB 182	2- 6736	Water Tower	Same	23	S	U	EA	1.		0.	0/ 0/ 0
179-45	SRR 250	2- 6794	Viet Nam Village	Same	90	T	U	EA	1.		0.	0/ 0/ 0
179-45	STC1200	2- 3820	Dry Net Mock-Up	Same	31	S	R	EA	1.		1.	8/ 0/ 0
179-45	STC1201	2- 3821	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-45	STC1202	2- 3822	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-45	STC1203	2- 3823	Dry Net Mock-Up	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-45	STC1204	2- 3825	LSU Mock-Up	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-45	STC1205	2- 3826	LSU Mock-Up	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-45	STC1206	2- 3824	LST Mock-Up	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-45	STC1212	2- 6718	Traing Mock-Up	Same	22	P	U	EA	1.		0.	0/ 0/ 0
179-45	STC1223	2- 6812	Traing Mock-Up	Same	22	S	U	EA	1.		0.	0/ 0/ 0
									24.		2.	
179-50	S 91	2- 6531	Rope Climb Fac	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	S 147	2- 6475	Obstacle Course	Same	90	P	U	EA	1.		0.	0/ 0/ 0
179-50	S 148	2- 6476	Obstacle Course	Same	90	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-50	S 149	2- 6477	Obstacle Course	Same	90	P	U	EA	1.		0.	0/ 0/
179-50	S 150	2- 6491	Bayonet Course	Same	90	P	U	EA	1.		0.	0/ 0/
179-50	S 151	2- 5348	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 152	2- 6528	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 153	2- 5349	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 246	2- 6529	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 348	2- 5356	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 349	2- 6530	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 453	2- 5365	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 454	2- 5366	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 553	2- 5367	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	S 554	2- 5368	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	SM 261	2- 6675	Rope Climb Fac	Same	24	S	U	EA	1.		0.	0/ 0/
179-50	SM 427	2- 5371	Rope Climb Fac	Same	24	S	U	EA	1.		0.	0/ 0/
179-50	SM 524	2- 6614	Rope Climb Fac	Same	24	S	U	EA	1.		0.	0/ 0/
179-50	SBA156	2- 6802	Rope Climb Fac	Same	90	S	U	EA	1.		0.	0/ 0/
179-50	SBA158	2- 5370	Horizontal Ladder	Same	90	S	U	EA	1.		0.	0/ 0/

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-50	SBB 162	2- 5370	Rope Climb	Same	23	S	U	EA	1.		0.	0/ 0/ 0
179-50	SBB 163	2- 5369	Rope Climb	Same	23	S	U	EA	1.		0.	0/ 0/ 0
179-50	STC1221	2- 6807	Rope Climb	Same	22	S	U	EA	1.		0.	0/ 0/ 0
179-50	STC1222	2- 6808	Rope Climb	Same	22	S	U	EA	1.		0.	0/ 0/ 0
179-50	TFK 312	2- 6318	Rng/Chem WF	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFK 403	2- 6322	Rng/Assault	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 107	2- 6489	Dummy Hand Gren/Crse	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 112	2- 5384	Combat Village	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 118	2- 6327	Rng/Ind MVEMNT	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 201	2- 6328	Rng/Patrol/OP	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 202	2- 5329	Rng/Guer War Tactic	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 203	2- 6332	Rng/Guer War Tactic	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	TFM 206	2- 6334	Obstacle Course	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	RNGG 2	2- 6306	Infiltration Course	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	RNGK310	2- 6317	Rng/CVR CNCL CM	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	RNGK317	2- 5324	Rng/Close CBT	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	RNGK325	2- 5327	Rng/3-5 Rocket	Same	31	S	U	EA	1.		0.	0/ 0/ 0

* *Supersedes OPNAV FORM 11000- for Marine Corps Use.* *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-50	RNGK406	2- 5331	Rng/Infil-Nite	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	RNGK408	2- 5332	Rng/Close CBT	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	RNGL 5	2- 5334	Rng/Sqd Offense	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-50	RNGM13	2- 6323	Rng/Sqd Tactics	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	RNGM103	2- 6325	Rng/Mine Prac	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-50	RNGM110	2- 5337	Rng/Demo-B/Trap	Same	31	S	U	EA	1.		0.	0/ 0/ 0
									44.		0.	
179-60	S 1727	2- 6300	Parade/Drl Fld	Same	31	P	U	AC	21		0.	0/ 0/ 0
179-60	SM 428	2- 6559	Parade/Drl Fld	Same	24	P	U	AC	6.		0.	0/ 0/ 0
									27.		0.	
179-90	S 154	2- 6579	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0
179-90	S 155	2- 6580	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0
179-90	S 156	2- 6581	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0
179-90	S 157	2- 6582	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0

Supersedes OPNAV Form 11000

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	S 158	2- 6583	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0
179-90	S 159	2- 6584	Open Class Rm	Same	90	T	U	SF	1296.		0.	0/ 0/ 0
179-90	S 247	2- 6610	Open Class Rm	Same	90	P	U	SF	962.		0.	0/ 0/ 0
179-90	S 350	2- 6611	Open Class Rm	Same	90	P	U	SF	1026.		0.	0/ 0/ 0
179-90	S 351	2- 6612	Open Class Rm	Same	90	P	U	SF	1026.		0.	0/ 0/ 0
179-90	S 352	2- 6762	Outdoor Class Rm	Same	90	S	U	SF	1200.		0.	0/ 0/ 0
179-90	S 876	2- 6637	Open Class Rm	Same	31	S	R	SF	1500.		1500.	8/ 0/ 0
179-90	SM 329	2- 5973	Fld Trng Bakery	Same	24	S	T	SF	4989.		4989.	4/ 0/ 0
179-90	SBB 178	2- 6732	Tran Fac/Other	Same	23	P	U	SF	33280.		0.	0/ 0/ 0
179-90	SOC 1C	2- 5275	Open Class Rm	Same	31	S	U	SF	1200.		0.	0/ 0/ 0
179-90	SOC 2C	2- 5276	Open Class Rm	Same	31	S	R	SF	1200.		1200.	8/ 0/ 0
179-90	SOC 4C	2- 5277	Open Class Rm	Same	31	S	R	SF	1200.		1200.	8/ 0/ 0
179-90	SOC 6C	2- 5278	Open Class Rm	Same	31	S	U	SF	1200.		0.	0/ 0/ 0
179-90	SOC 15C	2- 5280	Open Class Rm	Same	31	S	U	SF	1200.		0.	0/ 0/ 0
179-90	SOC 21C	2- 5281	Open Class Rm	Same	31	S	R	SF	1200.		1200.	8/ 0/ 0
179-90	SOC 26C	2- 5282	Open Class Rm	Same	31	S	U	SF	1200.		0.	0/ 0/ 0
179-90	SRR 64	2- 2480	Lecture Shed	Same	21	S	R	SF	720.		720.	8/ 0/ 0
179-90	SRR 65	2- 2452	Lecture Shed	Same	21	S	R	SF	720.		720.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	SRR 66	2- 2479	Lecture Shed	Same	21	S	R	SF	720.		720.	8/ 0/ 0
179-90	SRR 19A	2- 2724	Firing Line Shed	Same	21	S	R	SF	3795.		3795.	8/ 0/ 0
179-90	SRR 243	2- 6795	Open Class Rm	Same	90	S	U	SF	1320.		0.	0/ 0/ 0
179-90	STC1213	2- 6721	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1214	2- 6722	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1215	2- 6723	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1216	2- 6724	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1217	2- 6725	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1218	2- 6726	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	STC1219	2- 6751	Outdoor Class Rm	Same	22	S	U	SF	1200.		0.	0/ 0/ 0
179-90	SVL 112	2- 6321	Open Class Rm	Same	31	P	R	SF	1500.		1500.	8/ 0/ 0
179-90	SVL 113	2- 6324	Open Class Rm	Same	31	P	R	SF	1000.		1000.	8/ 0/ 0
179-90	SVL 114	2- 6330	Open Class Rm	Same	31	P	U	SF	1500.		0.	0/ 0/ 0
179-90	SVL 115	2- 6331	Open Class Rm	Same	31	P	R	SF	1250.		1250.	8/ 0/ 0
179-90	SVL 128	2- 6659	Open Class Rm	Same	31	S	U	SF	1864.		0.	0/ 0/ 0
179-90	SVL 130	2- 6660	Open Class Rm	Same	31	S	R	SF	1152.		1152.	8/ 0/ 0
179-90	SVL 131	2- 6661	Open Class Rm	Same	31	S	R	SF	350.		350.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	SVL 142	2- 6664	Open Class Rm	Same	31	S	U	SF	448.		0.	0/ 0/ 0
179-90	SVL 143	2- 6665	Open Class Rm	Same	31	S	U	SF	448.		0.	0/ 0/ 0
									85346.		15341.	
179-90	S 160	2- 6628	Fire Dept Trn Twr	Same	90	S	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
179-90	S 249	2- 6745	Control Tower	Same	90	S	U	EA	1.		0.	0/ 0/ 0
179-90	S 250	2- 6746	Observation Tower	Same	90	S	U	EA	1.		0.	0/ 0/ 0
179-90	S 556	2- 6747	Observation Tower	Same	90	S	U	EA	1.		0.	0/ 0/ 0
179-90	S 557	2- 6748	Control Tower	Same	90	S	U	EA	1.		0.	0/ 0/ 0
179-90	S 873	2- 6635	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	S 877	2- 6719	Observation/Mnd	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	SF 18A	2- 5979	Control Tower	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	SK 4A	2- 5283	Observation/Twr	Same	31	S	R	EA	1.		1.	8/ 0/ 0
179-90	SK 5A	2- 5284	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0

...Marine Corps Base. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	SK 6A	2- 5285	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	SK 7A	2- 5286	Control Tower	Same	31	S	R	EA	1.		1.	8/ 0/ 0
179-90	SK 11A	2- 5287	Observation/Twr	Same	31	S	R	EA	1.		1.	8/ 0/ 0
179-90	SK 25A	2- 5288	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	SM 6A	2- 5289	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	ST 1	2- 3585	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 2	2- 3584	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 3	2- 3585	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 5	2- 3586	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 6	2- 3587	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 10	2- 3572	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 11	2- 3573	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 12	2- 3574	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 13	2- 6309	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	ST 14	2- 6311	Observation/Twr	Same	31	P	U	EA	1.		1.	8/ 0/ 0
179-90	ST 15	2- 6312	Observation/Twr	Same	31	P	U	EA	1.		1.	8/ 0/ 0
179-90	ST 17	2- 6395	Observation/Twr	Same	31	P	U	EA	1.		1.	8/ 0/ 0
179-90	ST 5	2- 3586	Observation/Twr	Same	31	P	U	EA	1.		0.	0/ 0/ 0

* Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	ST 18	2- 6449	Observation/Twr	Same	31	P	U	EA	1.		1.	8/ 0/ 0
179-90	SES 136	2- 6749	Observation/Twr	Same	90	S	U	EA	1.		0.	0/ 0/ 0
179-90	SFC 700	2- 6638	Control Tower	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	SRR 244	2- 6753	Control Tower	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	SRR 245	2- 6754	Control Tower	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	SVL 165	2- 6755	Control Tower	Same	22	S	U	EA	1.		0.	0/ 0/ 0
									32.		7.	
179-90	S 851	2- 6310	O/Runway	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	S 1320	2- 6759	Covered Range	Same	91	S	U	EA	1.		0.	0/ 0/ 0
179-90	SM 173	2- 3470	Trng Fac/Oth	Same	24	P	U	EA	1.		0.	0/ 0/ 0
179-90	SBB 146	2- 6409	Trng Fac/Oth	Same	91	T	T	EA	1.		1.	4/ 0/ 0
179-90	SBB 161	2- 6466	Util Trng Bldg	Same	23	S	R	EA	1.		1.	8/ 0/ 0
179-90	SRR 89	2- 6704	Trng Fac/Other	Same	21	P	U	EA	1.		0.	0/ 0/ 0
									6.		2.	
179-90	SM 262	2- 6676	Rappel Trng Twr	Same	24	S	U	EA	1.		0.	0/ 0/ 0
									1.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	SSH 10	2- 6457	Range Shelter	Same	10	S	U	EA	1.		0.	0/ 0/ 0
179-90	TFG 1	2- 6308	Parachute Drop Zone	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGB 14	2- 6314	Range Assualt	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGD 27	2- 5347	Rng/Fort/B/Aslt	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGD11A	2- 5346	Rnge/Tnk/Flame	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGF 6	2- 5354	Rng/Hnd Grenade	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGF 10	2- 6486	Rng/Bttl Sight	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGF 12	2- 5357	Rng/Sqd Assult	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGF 13	2- 6564	Rng/ Flame Thrower	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGG 4	2- 5358	Rng/Demolition	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGG 8	2- 6458	Rng/Grenade	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGG 9	2- 6487	Rng/Rkt/Rfle/Gr	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGI 2	2- 5362	Rng/ Demolition	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK305	2- 5318	Rng/Bn/Wpns	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK309	2- 5320	Rng/Fire/Mvemt	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK319	2- 5325	Rng/Assault/Fire	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK321	2- 5326	Rng/Transition	Same	31	S	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
179-90	RNGK323	2- 6566	Grenade Range	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK326	2- 6634	EOD Range	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK402	2- 5330	Rng/Fire/Mvmt	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGK405	2- 5989	Rng/Cbt/Trans	Same	31	P	U	EA	1.		0.	0/ 0/ 0
179-90	RNGM104	2- 5335	Rng/Assualt Fire	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGM109	2- 5336	Rng/Infiltration	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGM115	2- 5339	Rng/Hnd/Grenade	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	RNGM122	2- 5364	Rng/Flame Throw	Same	31	S	U	EA	1.		0.	0/ 0/ 0
179-90	TFSH 1	2- 6633	Combat Village	Same	31	P	U	EA	1.		0.	0/ 0/ 0
									26.		0.	
213-20	UNUM	2- 4710	Marine Railway	Same	30	P	U	TC	30.		0.	0/ 0/ 0
									30.		0.	
214-10	BA 130	2- 2766	CMBT/VE MNT Fac.	Same	90	S	N	SF	4000.		4000.	4/ 0/ 0
									4000.		4000.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	214-90	SBA 153	2- 6772	Grease Rack	Same	90	S	U	SF	350.		0.	0/ 0/ 0
	214-90	SES 304	2- 6358	Grease Rack	Same	91	P	U	SF	350.		0.	0/ 0/ 0
	214-90	SES 306	2- 6570	Grease Rack	Same	91	P	U	SF	550.		0.	0/ 0/ 0
										1250.		0.	
S	S 215-XX	BA 128	2- 2765	Small Arms Shop	Same	90	S	R	SF	4000.* 390.		390.	8/ 0/ 0
										390.		390.	
	217-10	M 166	2- 3792	Elec/Comm Maint Shop	Same	90	S	U	SF	4000.		0.	0/ 0/ 0
S	S 217-10	BA 102	2- 2750	Elec/Comm Maint Shop	Same	90	P	R	SF	14,956* 2079.		2079.	1/ 0/ 0
S	S 217-10	BA 105	2- 2752	Elec/Comm Maint Shop	Same	90	P	R	SF	14,956* 309.		309.	1/ 0/ 0
	217-10	ES 105	2- 2806	Elec/Comm Maint Shop	Mnt/Ins Rep Opn	91	S	R	SF	4374.		4374.	8/ 0/ 0
										10762.		6762.	
	218-20	ES 126	2- 5302	Const Equip Maint Shop	Same	91	S	R	SF	5600.		5600.	1/ 7/ 0
										5600.		5600.	

BASEWIDE/MISC

* Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
219-10	1919	2- 409	PW/Maint Shop	Same	30	S	R	SF	946.		946.	8/ 0/ 0
219-10	2627	2- 362	PW/Maint Shop	Same	30	P	U	SF	3240.		0.	0/ 0/ 0
T 219-10	D 23	2- 2434	PW/Maint Shop	Same	30	P	R	SF	12412* 2558.		2558.	8/ 0/ 0
219-10	TT 41	2- 4722	PW/Maint Shop	Same	30	S	R	SF	2600.		2600.	1/ 0/ 0
219-10	LCH4000	2- 1038	PW/Maint Shop	Same	30	S	U	SF	6207* 384.		0.	0/ 0/ 0
219-10	LCH4023	2- 1047	PW/Maint Shop	Same	32	S	U	SF	2678.		0.	0/ 0/ 0
									12406		6104.	
219-20	1927	2-00407	Pave & Grounds Main Shed	Same	30	S	R	SF	400.		400.	8/ 0/ 0
									400.		400.	
219-90	ES 101	2- 2802	Construction Shop	Cov Stor/Inst	91	S	R	SF	4000* 3720.		3720	12/0/0
									3720.		3720.	
229-40	SES 134	2- 6731	Saw Mill Shed	Same	91	T	U	SF	1017.		0.	0/ 0/ 0
									1017.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
422-10	S 845	2- 6349	HI Expl/Mag/RI	Same	91	P	U	SF	168.		0.	0/ 0/ 0
422-10	SVL 5	2- 5995	HI Expl/Mag/RI	Same	22	S	U	SF	450.		0.	0/ 0/ 0
422-10	SVL 7	2- 5998	HI Expl/Mag/RI	Same	0	S	U	SF	464.		0.	0/ 0/ 0
422-10	SVL 9	2- 5999	HI Expl/Mag/RI	Same	22	S	U	SF	640.		0.	0/ 0/ 0
422-10	SVL 10	2- 6000	HI Expl/Mag/RI	Same	22	S	U	SF	1500.		0.	0/ 0/ 0
422-10	SVL 11	2- 6001	HI Expl/Mag/RI	Same	22	S	U	SF	1500.		0.	0/ 0/ 0
422-10	SVL 12	2- 6002	HI Expl/Mag/RI	Same	22	S	U	SF	640.		0.	0/ 0/ 0
422-10	SVL 13	2- 6003	HI Expl/Mag/RI	Same	22	S	U	SF	480.		0.	0/ 0/ 0
									5842.		0.	
422-15	SVL 3	2- 5993	Fuse Det Mag/RI	Same	22	S	U	SF	320.		0.	0/ 0/ 0
									320.		0.	
422-20	SVL 8	2- 5998	Inert St Hse/RI	Same	22	S	U	SF	640.		0.	0/ 0/ 0
									640.		0.	
422-30	SBA136	2- 2854	SM/Arm/Pyro/Mag	Same	10	P	U	SF	1377.		0.	0/ 0/ 0

Supersedes DMAF Form 6610/1

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
422-30	SBA 137	2- 2855	SM/Arm/Pyro/Mag	Same	90	P	U	SF	1377.		0.	0/ 0/ 0
422-30	SRR 241	2- 2723	SM/Arm/Pyro/Mag	Same	22	T	R	SF	357.		357.	12/0 / 0
422-30	SRR 242	2- 2721	SM/Arm/Pyro/Mag	Same	22	T	R	SF	357.		357.	12/ 0/ 0
422-30	SVL 1	2- 5991	SM/Arm/Pyro/Mag	Same	22	S	U	SF	480.		0.	0/ 0/ 0
422-30	SVL 2	2- 5992	SM/Arm/Pyro/Mag	Same	22	S	U	SF	480.		0.	0/ 0/ 0
422-30	SVL 6	2- 5996	SM/Arm/Pyro/Mag	Same	22	S	U	SF	640.		0.	0/ 0/ 0
									5068.		714.	
422-90	SVL 4	2- 5994	AMO SI RI/Oth	Same	22	S	U	SF	256.		0.	0/ 0/ 0
									256.		0.	
442-10	747	2- 4814	Gen Whse/RI	Same	31	S	U	SF	2460.		0.	0/ 0/ 0
442-10	1916	2- 448	Gen Whse/RI	Same	18	P	R	SF	5500.		5500.	1/ 0/ 0
442-10	1932	2- 405	Gen Whse/RI	Same	18	S	U	SF	120.		0.	0/ 0/ 0
442-10	1944	2- 6278	Gen Whse/RI	Same	18	T	R	SF	3000.		3000.	1/ 7/ 0
442-10	1975	2- 6769	Gen Whse/RI	Same	25	S	R	SF	169.		169.	8/ 0/ 0
442-10	2629	2- 361	Gen Whse/RI	TRHSG/Det Fac	14	P	R	SF	2000.		2000.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
										4000.*			
S	442-10	BA 128	2- 2765	Gen Whse/RI	Same	90	S	R	SF	3160.		3160.	8/ 0/ 0
	442-10	ES 100	2- 2801	Gen Whse/RI	Same	91	T	N	SF	960.		960.	4/ 0/ 0
	442-10	ES 102	2- 2803	Gen Whse/RI	Same	91	S	N	SF	5920.		5920.	4/ 0/ 0
	442-10	ES 103	2- 2804	Gen Whse/RI	Same	91	S	N	SF	2160.		2160.	4/ 0/ 0
	442-10	ES 104	2- 2805	Gen Whse/RI	Same	91	S	N	SF	3084.		3084.	4/ 0/ 0
	442-10	ES 107	2- 2807	Gen Whse/RI	Same	91	S	N	SF	7380.		7380.	4/ 0/ 0
	442-10	ES 110	2- 2810	Gen Whse/ RI	Same	91	S	N	SF	1237.		1237.	4/ 0/ 0
	442-10	ES 116	2- 2816	Gen Whse/RI	Same	91	S	N	SF	816.		816.	4/ 0/ 0
	442-10	ES 121	2- 2818	Gen Whse/ RI	Same	91	S	N	SF	1440.		1440.	4/ 0/ 0
	442-10	ES 123	2- 5299	Gen Whse/ RI	Same	91	S	N	SF	1500.		1500.	4/ 0/ 0
	442-10	ES 124	2- 5300	Gen Whse/ RI	Same	91	S	N	SF	1500.		1500.	4/ 0/ 0
	442-10	ES 125	2- 5301	Gen Whse/ RI	Same	91	S	N	SF	1500.		1500.	4/ 0/ 0
P	442-10	ES 128	2- 5304	Gen Whse/ RI	Same	91	S	N	SF	1500.* 937.		937.	4/ 0/ 0
	442-10	ES 130	2- 5406	Gen Whse/ RI	Same	91	S	N	SF	1500.		1500.	4/ 0/ 0
	442-10	ES 200	2- 2821	Gen Whse/ RI	Same	91	S	R	SF	4000.		4000.	8/ 0/ 0
P	442-10	ES 222	2- 5408	Gen Whse/ RI	Same	91	S	N	SF	1700.* 1100.		1100.	4/ 0/ 0
	442-10	ES 301	2- 6355	Gen Whse/ RI	Same	91	P	N	SF	1600.		1600.	4/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-10	ES 302	2- 6356	Gen Whse/ RI	Same	91	P	N	SF	1600.		1600.	4/ 0/ 0
442-10	SES 133	2- 6569	Gen Whse/ RI	Same	91	S	N	SF	1776.		1776.	4/ 0/ 0
442-10	SES 300	2- 6354	Gen Whse/ RI	Same	91	P	N	SF	540.		540.	4/ 0/ 0
442-10	SES 305	2- 6359	Gen Whse/ RI	Same	91	P	U	SF	2496.		0.	0/ 0/ 0
									86455.		46999.	
442-30	ES 117	2- 2817	Flam Sthse/ RI	Same	91	S	R	SF	140.		140.	8/ 0/ 0
442-30	SVL 14	2- 6815	Small Arms Mag	Same	22	S	U	SF	1500.		0.	0/ 0/ 0
									1640.		140.	
442-70	783	2- 4807	Storage	Same	30	P	U	SF	786.		0.	0/ 0/ 0
442-70	1931	2- 406	Base Maint Stor	Same	30	T	N	SF	629.		629.	4/ 0/ 0
442-70	1939	2- 5195	Base Maint Stor	Same	30	T	N	SF	629.		629.	4/ 0/ 0
442-70	1941	2- 5158	Base Maint Stor	Same	30	S	R	SF	861.		861.	8/ 0/ 0
442-70	1966	2- 6551	Base Maint Stor	Same	30	S	T	SF	320.		320.	4/ 0/ 0
442-70	D 25	2- 2436	Base Maint Stor	Same	30	P	U	SF	208.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	442-70	D 40	2- 6536	Base Maint Stor	Same	30	S	R	SF	184.		184.	8/ 0/ 0
	442-70	BA 150	2- 6606	Base Maint Stor	Same	30	S	N	SF	312.		312.	4/ 0/ 0
	442-70	TT 42	2- 4723	Base Maint Stor	Same	30	P	R	SF	515.		515.	1/ 0/ 0
										6207.*			
S	442-70	LCH4000	2- 1038	Base Maint Stor	Same	30	S	U	SF	2758.		0.	0/ 0/ 0
	442-70	LCH4027	2- 6624	Base Maint Stor	Same	30	S	R	SF	238.		238.	8/ 0/ 0
										7440.		3688.	
	442-90	S 1967	2- 6650	Cov Stor/Oth	Same	30	S	R	SF	576.		576.	8/ 0/ 0
	442-90	CG 961	2- 2144	Cov Stor/Oth	Same	18	S	R	SF	256.		256.	1/ 15/ 0
	442-90	CG 962	2- 2144	Cov Stor/Oth	Same	18	S	R	SF	256.		256.	7/ 0/ 0
	442-90	ES 101	2- 2802	Gen Whse/ RI	Same	91	S	R	SF	3000.		3000.	12/ 0/ 0
	442-90	ES 127	2- 5333	Cov Stor/ Oth	Same	91	S	N	SF	1200.		1200.	4/ 0/ 0
	442-90	ES 303	2- 6357	Cov Stor/ Oth	Same	91	P	U	SF	1600.		0.	0/ 0/ 0
	442-90	TP 418	2- 5125	Boys/Lgue/Sthse	Same	18	S	R	SF	1258.		1258.	8/ 0/ 0
	442-90	TT 49	2- 5381	Cov Stor/Oth	Same	10	P	R	SF	2600.		2600.	8/ 0/ 0
	442-90	TT 58	2- 6605	Cov Stor/ Oth	Same	18	P	R	SF	336.		336.	8/ 0/ 0
	442-90	VL 164	2- 6750	Storage Other	Same	22	S	U	SF	48.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	442-90	VL 166	2- 6752	Storage Other	Same	22	S	U	SF	120.		0.	0/ 0/ 0
	442-90	SES 138	2- 6799	Lumber Stor	Same	91	S	U	SF	1456.		0.	0/ 0/ 0
	442-90	STT 50	2- 5382	Cov Stor/ Oth	Same	30	S	U	SF	1920.		0.	0/ 0/ 0
	442-90	STT 51	2- 5383	Cov Stor/ Oth	Same	30	S	U	SF	592.		0.	0/ 0/ 0
										15218.		9482.	
	452-12	SES 137	2- 6781	O/Open Stge/ RI	Same	91	S	U	SY	360.		0.	0/ 0/ 0
	452-12	UNUM	2- 4831	O/Open Stge/ RI	Same	30	P	U	SY	395858.		0.	0/ 0/ 0
										396218.		0.	
								N					
	550.20	ES 115	2- 2815	Dispensaries	Same	91	S	T	SF	512.		512.	4/ 0/ 0
										512.		512.	
	610-10	857	2- 6484	Administr Offic	Same	31	P	U	SF	600. 14956.*		0.	0/ 0/ 0
S	610-10	BA 102	2- 2750	Administr Offic	Trhsg/EM/WO/Mess	90	P	R	SF	4556. 14956.*		4556.	1/ 2/ 0
S	610-10	BA 104	2- 2751	Administr Offic	Trhsg/EM/WO/Mess	90	P	R	SF	1216. 14956.*		1216.	8/ 0/ 0
S	610-10	BA 105	2- 3752	Administr Offic	Trhsg/EM/WO/Mess	90	P	R	SF	912 4000.*		912.	8/ 0/ 0
S	610-10	BA 128	2- 2765	Administr Offic	Cov Stor/ Inst	90	S	R	SF	450.		450.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Referenced: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
P	610-10	ES 101	2- 2802	Administr Offic	Same	91	S	R	SF	4000.* 280.		280.	12/ 0/ 0
	610-10	ES 108	2- 2808	Administr Offic	Pers Supp/ SVC	91	S	U	SF	1080.		0.	0/ 0/ 0
P	610-10	ES 128	2- 5304	Administr Offic	Same	91	S	R	SF	1500.* 563.		563.	1/ 7/ 0
	610-10	ES 129	2- 5305	Administr Offic	Same	91	S	N	SF	1500.		1500.	4/ 0/ 0
	610-10	ES 131	2- 5394	Administr Offic	Same	91	S	R	SF	840.		840.	1/ 7/ 0
	610-10	TT 43	2- 4716	Administr Offic	Same	32	P	R	SF	2978.		2978.	6/ 0/ 0
	610-10	VL 100	2- 5990	Administr Offic	Same	22	S	R	SF	1000.		1000.	13/ 0/ 0
	610-10	VL 105	2- 6389	Administr Offic	Same	22	S	R	SF	288.		288.	13/ 0/ 0
										16263.		14583.	
	610-90	BA 152	2- 6771	Dispatcher Bldg	Same	90	S	R	SF	400.		400.	2/ 7/ 0
S	610-90	TT 42	2- 4723	Admin Bldg/Oth	Same	30	P	R	SF	2472.* 1742.		1742.	1/ 0/ 0
S	610-90	LCH4000	2- 1038	Admin Bldg/Oth	Same	30	S	R	SF	6207.* 3065.		3065.	1/ 7/ 0
										5207.		5207.	
	690-10	SBA 155	2- 6801	Flagpole	Same	90	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
713-10	UNUM	2- 5034	Trailer Site	Same	32	P	U	SI	1361.		0.	0/ 0/ 0
									1361.		0.	
713-11	UNUM	2-5341	Trailer Site	Same	32	P	U	SI	312.		0.	0/ 0/ 0
									312.		0.	
722-10	1942	2- 5157	EM BKS W/O Mess	Same	31	S	R	MN	5.		5.	25/ 0/ 0
S 722-10	BA 102	2- 2750	EM BKS W/O Mess	Same	90	P	R	MN	14956.* 70.		70.	25/ 0/ 0
S 722-10	BA 104	2- 2751	EM BKS W/O Mess	Same	90	P	R	MN	14956.* 110.		110.	25/ 0/ 0
722-10	BA 105	2- 2752	EM BKS W/O Mess	Same	90	P	R	MN	14956.* 110.		110.	25/ 0/ 0
									295.		295.	
723-10	BA 103	2- 2753	Messhall	Same	90	P	R	SF	12760.		12760.	13/ 1/ 0
723-10	ES 118	2- 2819	Messhall	Same	91	S	N	SF	2288.		2288.	4/ 0/ 0
723-10	MH 6	2- 6506	Substnce Bldg	Same	90	T	T	SF	960.		960.	6/ 0/ 0
									16008.		16008.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
723-20	MH 5	2- 6505	Latrine	Same	90	T	N	SF	960.		960.	4/ 0/ 0
									960.		960.	
723-90	VL 101	2- 5985	Field Galley	Same	22	S	R	SF	2900.		2900.	8/ 0/ 0
723-90	VL 104	2- 6388	Field Galley	Same	22	S	R	SF	1496.		1496.	8/ 0/ 0
723-90	SVL 155	2- 6681	Field Mess	Same	22	S	U	SF	2190.		0.	0/ 0/ 0
723-90	SVL 156	2- 6682	Field Mess	Same	22	S	U	SF	990.		0.	0/ 0/ 0
723-90	SVL 157	2- 6683	Field Mess	Same	22	S	U	SF	190.		0.	0/ 0/ 0
723-90	SVL 158	2- 6684	Field Mess	Same	22	S	U	SF	2190.		0.	0/ 0/ 0
723-90	SVL 159	2- 6685	Field Mess	Same	22	S	U	SF	990.		0.	0/ 0/ 0
723-90	SVL 160	2- 6686	Field Mess	Same	22	S	U	SF	240.		0.	0/ 0/ 0
									11186.		4396.	
723-90	SVL 162	2- 6775	Mess Shelter	Same	22	S	U	EA	1.		0.	0/ 0/ 0
723-90	SVL 163	2- 6776	Mess Shelter	Same	22	S	U	EA	1.		0.	0/ 0/ 0
									2.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
724-15	2602	2- 367	BOQ W/O Mess	Same	32	P	R	MN	16.		16.	25/ 0/ (
724-15	2604	2- 369	BOQ W/O Mess	Same	32	P	R	MN	39.		39.	25/ 0/ (
724-15	2605	2- 370	BOQ W/O Mess	Same	32	P	R	MN	20.		20.	25/ 0/ (
724-15	2607	2- 371	BOQ W/O Mess	Same	32	P	R	MN	16.		16.	25/ 0/ (
724-15	2609	2- 372	BOQ W/O Mess	Same	32	P	R	MN	16.		16.	25/ 0/ (
724-15	2611	2- 373	BOQ W/O Mess	Same	32	P	R	MN	16.		16.	25/ 0/ (
724-15	2613	2- 374	BOQ W/O Mess	Same	32	P	R	MN	39.		39.	25/ 0/ (
724-15	2617	2- 5983	BOQ W/O Mess	Same	32	P	R	MN	52.		52.	25/ 0/ (
									214.		214.	
725-10	CR 115	2- 2645	EM BKS W/O Mess	Same	25	T	N	MN	8.		8.	4/ 0/ (
725-10	MH 3	2- 6503	EM BKS W/O Mess	Same	90	T	N	MN	8.		8.	4/ 0/ (
725-10	MH 4	2- 6504	EM BKS W/O Mess	Same	90	T	N	MN	8.		8.	4/ 0/ (
									24.		24.	
730-10	2600	2- 401	Fire Station	Same	25	P	R	SF	5151.		5151.	7/ 12/
730-10	LCH4022	2- 1046	Fire Station	Same	25	P	U	SF	6502.		0.	0/ 0/ 0
									11653.		5151.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS: TOTAL	QUANTITY OF ASSETS: VACANT	QUANTITY OF ASSETS: SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
730-25	CR 117	2- 2646	Gate House	Same	25	S	U	SF	36.		0.	0/ 0/ 0
730-25	ES 132	2- 5407	Sentry Booth	Same	91	S	R	SF	36.		36.	8/ 0/ 0
									72.		36.	
									9532.*			
S 730-50	LCH4025	2- 5295	Dependent Sch/Knder	Same	18	P	U	SF	1432.		0.	0/ 0/ 0
									1432.		0.	
									66366.*			
T 730-55	TT 2455	2- 4717	Dependent School	Same	32	P	U	SF	3133.		0.	0/ 0/ 0
									3133.		0.	
730-75	1963	2- 6575	Public Toilet	Same	18	P	U	SF	120.		0.	0/ 0/ 0
730-75	1964	2- 6576	Public Toilet	Same	18	P	U	SF	120.		0.	0/ 0/ 0
730-75	1965	2- 6532	Public Toilet	Same	18	P	U	SF	120.		0.	0/ 0/ 0
730-75	1968	2- 6539	Public Toilet	Same	18	P	R	SF	42.		42.	8/ 0/ 0
730-75	1969	2- 6540	Public Toilet	Same	18	P	R	SF	42.		42.	8/ 0/ 0
									444.		84.	

...Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
730-90	786	2- 4806	Pers Supp/ SVC	Same	14	T	N	SF	960.		960.	4/ 0/ 0
730-90	819	2- 3748	Pers Supp/ SVC	Same	14	T	R	SF	960.		960.	8/ 0/ 0
730-90	868	2- 6546	Pers Supp/ SVC	Same	14	P	U	SF	625.		0.	0/ 0/ 0
730-90	1945	2- 6429	Pers Supp/ SVC	Community/Inter	84	P	U	SF	96.		0.	0/ 0/ 0
730-90	D 31	2- 2437	Laundry	Same	32	P	U	SF	390.		0.	0/ 0/ 0
730-90	D 32	2- 2438	Laundry	Same	32	P	U	SF	1374.		0.	0/ 0/ 0
730-90	D 33	2- 2443	Laundry	Same	32	P	U	SF	1374.		0.	0/ 0/ 0
730-90	D 34	2- 2439	Laundry	Same	32	P	U	SF	390.		0.	0/ 0/ 0
730-90	D 35	2- 2440	Laundry	Same	32	P	U	SF	390.		0.	0/ 0/ 0
730-90	D 36	2- 2441	Laundry	Same	32	P	U	SF	390.		0.	0/ 0/ 0
730-90	D 37	2-2442	Laundry	Same	32	P	U	SF	390.		0.	0/ 0/ 0
730-90	CK 200	2- 2398	Laundry	Same	32	P	U	SF	518.		0.	0/ 0/ 0
730-90	CK 300	2- 2399	Laundry	Same	32	P	U	SF	518.		0.	0/ 0/ 0
730-90	CK 400	2- 2428	Laundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	CK 484	2- 2429	Laundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	CK 500	2- 2400	Laundry	Same	32	P	U	SF	518.		0.	0/ 0/ 0
730-90	CK 600	2- 2427	Laundry	Same	32	P	U	SF	518.		0.	0/ 0/ 0

BASEWIDE (MCB)

Supersedes OPNAV FORM 11000 [illegible]

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
730-90	CK 700	2- 2430	L aundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	CK 800	2- 2431	Laundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	CK 900	2- 2432	Laundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	CK 1000	2- 2433	Laundry	Same	32	P	U	SF	504.		0.	0/ 0/ 0
730-90	TT 2477	2- 4691	Pers Supp/SVC	Same	32	P	R	SF	2398.		2398.	8/ 0/ 0
730-90	LCH4021	2- 5393	Pers Supp/SVC	Same	14	P	R	SF	5664.		5664.	12/ 0/ 0
									20497.		9982.	
730-90	UNUM	2- 3463	Cemetery	Same	30	P	U	AC	2.		0.	0/ 0/ 0
									2.		0.	
									2472.*			
S 740-14	TT 42	2- 4723	Exchange	Administr Offic	30	P	R	SF	215.		215.	1/ 0/ 0
									215.		215.	
740-20	2601	2- 375	Guesthouse	Same	82	P	R	SF	3104.		3104.	16/ 0/ 0
740-20	2603	2- 368	Guesthouse	TRHSG/ BOQ	82	P	R	SF	14237.		14237.	1/ 2/ 0
									17341.		17341.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
S 740-23	D 23	2- 2434	Commissary	Same	81	P	R	SF	12412.* 5526.		5526.	1/ 2/ 0
									5526.		5526.	
740-30	TT2453	2- 4692	Service Station	Same	32	P	U	SF	2050.		0.	0/ 0/ 0
740-30	LCH4015	2- 1045	Service Station	Same	32	P	R	SF	1700.		1700.	8/ 0/ 0
									3750.		1700.	
740-33	LCH4014	2- 2044	Post Office	Same	32	P	U	SF	1087.		0.	0/ 0/ 0
									1087.		0.	
740-36	LCH4002	2- 1039	Hobby Shop	Community/Inter	32	P	R	SF	576.		576.	8/ 0/ 0
									576.		576.	
S 740-54	D 23	2- 2434	Recreation Bldg.	Same	60	P	R	SF	12412.* 1518.		1518.	1/ 2/ 0
740-54	USO	2- 5133	USO Club	Same	85	S	R	SF	11886.		11886.	8/ 0/ 0
									13404.		13404.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-55	730	2- 477	Youth Center	Same	18	P	R	SF	22088.		22088.	8/ 0/ 0
									22088.		22088.	
									46794.*			
S 740-60	2615	2- 366	Officers Club Open	Same	82	P	R	SF	44126.		44126.	2/ 6/ 13
									45326.		45326.	
740-63	BA 101	2- 2748	EM Service Club	Training/Bldgs	81	P	R	SF	3240.		3240.	8/ 0/ 0
									3240.		3240.	
740-66	BA 147	2- 5987	NCO Club	Community/Inter	89	P	U	SF	648.		0.	0/ 0/ 0
									648.		0.	
740-70	BA 113	2- 2758	Staff NCO Club	Community/Inter	80	P	R	SF	4428.		4428.	1/ 0/ 0
									4428.		4428.	
740-74	2625	2- 364	Child Care Center	Same	83	S	R	SF	1767.		1767.	8/ 0/ 0
740-74	D 38	2- 2444	Child Care Center	Same	18	S	R	SF	1040.		1040.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
									66366.*			
T 740-74	TT2455	2- 4717	Child Care Center	Community/Inter	32	P	R	SF	6646.		6646.	13/ 0/ 0
									9532.*			
S 740-74	LCH4025	2- 5295	Child Care Center	Same	18	P	R	SF	3075.		3075.	1/ 0/ 0
									12528.		12528.	
740-80	1915	2-10004	Golf Club House	Same	18	P	U	SF	8781.		0.	0/ 0/ 0
									8781.		0.	
740-86	2628	2- 0008	TRHSG/EM/WO Mess	Same	82	P	R	SF	4728.		4728.	8/ 0/ 0
									4728.		4728.	
740-87	A 25	2- 5257	Boat House	Same	90	S	R	SF	1102.		1102.	8/ 0/ 0
740-87	SA 28	2- 6617	Boat House	Same	91	S	R	SF	2000.		2000.	8/ 0/ 0
									3102.		3102.	
740-90	1903	2- 450	Golf Crse/Rng/HS	Cov Stor/Inst	18	S	U	SF	440.		0.	0/ 0/ 0
740-90	1909	2- 449	Boy Scout Hut	Same	87	S	R	SF	720.		720.	8/ 0/ 0
740-90	1938	2- 404	Rod/Gun Club	Community/Inter	82	T	U	SF	1104.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina.

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

	CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
	1	2	3	4	5	6	7	8	9	10	11	12	13
	740-90	2626	2- 363	Recn Bldg	TRHSG/EM/WO Mess	87	P	R	SF	3240. 12412.*		3240.	8/ 0/ 0
T	740-90	D 23	2- 2434	Community/Inter	Same	81	P	R	SF	1810.		1810.	1/ 2/ 0
	740-90	E 1	2- 2445	Boy Scout/Council	Same	87	P	R	SF	3360.		3360.	8/ 0/ 0
	740-90	BA 114	2- 2759	Bath House/ENL	Same	18	P	R	SF	19324.		19324.	16/ 0/ 0
	740-90	BA 115	2- 2760	Bath House/Off	Same	18	P	U	SF	6144.		0.	0/ 0/ 0
	740-90	BA 119	2- 2763	Cottage/ Gen	Same	18	S	R	SF	1596.		1596.	2/ 0/ 0
	740-90	BA 120	2- 2764	Cottage/ Gen	Same	18	S	R	SF	1232.		1232.	15/ 0/ 0
	740-90	BA 143	2- 5259	O/Beach/Cabana	Same	18	S	R	SF	1536.		1536.	7/ 0/ 0
	740-90	BA 144	2- 5260	E/Beach/Cabana	Same	18	S	R	SF	3152.		3152.	7/ 0/ 0
	740-90	BA 146	2- 5986	Cottage Officer	Same	18	P	R	SF	1232.		1232.	16/ 0/ 0
	740-90	TT 44	2- 4718	Rec Bldg	Same	18	P	R	SF	9093.		9093.	1/ 12/ 0
	740-90	TT 57	2- 6544	Concession/Stand	Same	81	P	U	SF	231.		0.	0/ 0/ 0
	740-90	TT 2451	2- 4750	Dental Office	Same	32	P	U	SF	1456. 66366.*		0.	0/ 0/ 0
	740-90	TT 2455	2- 4717	Shopping Center	Same	32	P	R	SF	56587.		56587.	12/ 0/ 0
	740-90	LCH4014	2- 1044	Shopping Center	Same	32	P	R	SF	17080. 9532.*		17080.	8/ 0/ 0
S	740-90	LCH4025	2- 5295	Recn. Bldg.	Same	18	P	R	SF	5025.		5025.	6/ 13/ 0
										134362.		124987.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
750-10	S 789	2- 4881	Tennis Court	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 790	2- 4908	Basketball Ct.	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 1922	2- 487	Badminton Ct.	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 1923	2- 488	Tennis Court	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 1924	2- 489	Tennis Court	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 1925	2- 490	Volleyball Court	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-10	S 1926	2- 491	Handball Ct.	Same	18	P	U	EA	1.		0.	0/ 0/ 0
									7.		0.	
750-20	S 818	2- 5197	Baseball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1947	2- 6448	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1949	2- 6467	Baseball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1950	2- 6468	Baseball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1951	2- 6469	Football Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1952	2- 6470	Football Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1953	2- 6471	Softball Field	Same	14	P	U	EA	1.		0	0/ 0/ 0
750-20	S 1954	2- 6472	Softball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV Form 11000 ...

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-20	S 1955	2- 6473	Softball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1956	2- 6474	Softball Field	Same	14	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1957	2- 6494	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1958	2- 6495	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1961	2- 6522	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	S 1962	2- 6523	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	SD 43	2- 6709	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	SBA 157	2- 6803	Baseball Field	Same	90	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 1	2- 3578	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 2	2- 3588	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 3	2- 3581	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 4	2- 3603	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 5	2- 3582	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 6	2- 3579	Baseball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 7	2- 3604	Football Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	STT 8	2- 5193	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
750-20	SLCH4026	2- 6623	Softball Field	Same	18	P	U	EA	1.		0.	0/ 0/ 0
									25.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-31	S 2632	2- 501	Outdr Swim Pool/O	Same	82	P	U	ME	30.		0.	0/ 0/ 0
									30.		0.	
750-40	UNUM	2- 3864	Golf Course	Same	18	P	U	HO	18.		0.	0/ 0/ 0
750-40	UNUM	2- 3865	Golf Course	Same	18	P	U	HO	18.		0.	0/ 0/ 0
									36.		0.	
750-50	S 2634	2- 503	Outdoor Theater	Same	18	S	U	SF	514 80		0.	0/ 0/ 0
									51480.		0.	
750-52	SD 9	2- 4712	Skeet Range	Same	18	S	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
750-60	S 1928	2- 492	Rec Pier	Same	30	S	U	SF	2992.		0.	0/ 0/ 0
750-60	S 1929	2- 493	Rec Pier	Same	30	S	U	SF	3600.		0.	0/ 0/ 0
750-60	S 1930	2- 494	Rec Pier	Same	30	S	U	SF	3520.		0.	0/ 0/ 0
									10112.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-90	1972	2- 6714	Stable	Same	18	S	U	SF	6828.		0.	0/ 0/ 0
750-90	1973	2- 6715	Stable	Same	18	P	U	SF	2214.		0.	0/ 0/ 0
750-90	1974	2- 6716	Stable	Same	18	S	U	SF	678.		0.	0/ 0/ 0
750-90	S1904	2- 481	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1905	2- 482	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1910	2- 483	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1911	2- 484	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1912	2 485	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1935	2- 496	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1937	2- 498	Shelter Golf	Same	18	S	U	SF	196.		0.	0/ 0/ 0
750-90	S 1940	2- 5005	Start/Hse/Golf	Same	18	S	U	SF	216.		0.	0/ 0/ 0
750-90	S 1970	2- 6542	Starter Shed	Same	18	S	U	SF	216.		0.	0/ 0/ 0
750-90	S 1971	2- 6713	Feed Hopper	Same	18	P	U	SF	113.		0.	0/ 0/ 0
750-90	S 1978	2- 6819	Concession Stand	Same	18	S	U	SF	160.		0.	0/ 0/ 0
750-90	S 2631	2- 500	Wading Pool	Same	82	P	U	SF	750.		0.	0/ 0/ 0
750-90	TT 59	2- 5972	Refreshmnt/Stand	Same	81	S	R	SF	162.		162.	8/ 0/ 0
750-90	SBA 142	2- 5255	Recreation Fac	Same	18	S	R	SF	3740.		3740.	8/ 0/ 0
									16645.		5274	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
750-90	S 1976	2- 6768	Covered Patio	Same	25	S	U	EA	1.		0.	0/ 0/ 0
750-90	S 1977	2- 6782	Rodeo Corral	Same	18	S	U	EA	1.		0.	0/ 0/ 0
750-90	S 1979	2- 6820	Patio Score Board	Same	18	S	U	EA	1.		0.	0/ 0/ 0
750-90	UNUM	2- 5202	TV/Antenna PP	Same	30	S	U	EA	1.		0.	0/ 0/ 0
750-90	UNUM	2- 5385	Fireplace Comm	Same	32	S	U	EA	1.		0.	0/ 0/ 0
750-90	UNUM	2- 6288	TV/Antenna TT	Same	30	S	U	EA	1.		0.	0/ 0/ 0
750-90	UNUM	2- 6303	TV/Antenna CPHT	Same	30	P	U	EA	1.		0.	0/ 0/ 0
									7.		0.	
812-12	UNUM	2-15189	Transformer Sta	Same	30	P	U	KV	225.		0.	0/ 0/ 0
									225.		0.	
812-14	S 831	2- 6302	Switching Sta	Same	30	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
812-20	UNUM	2- 6439	Street Lighting	Same	30	P	R	LF	248554.		124277.	8/ 0/ 0
									248554.		124277.	

Supersedes OPNAV Form ...

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
812-30	UNUM	2-15189	Distribution Line	Same	30	P	R	LF	1460233.		407555.	0/ 0/ 0
									1460233.		407555.	
812.50	UNUM	2- 5404	Flood Lighting	Same	30	P	U	LF	62403.		0.	0/ 0/ 0
									62403.		0.	0/ 0/ 0
821-10	740	2- 4823	HT/Plt-Fac/Coal	Same	30	P	U	SF	49.		0.	0/ 0/ 0
821-10	1700	2- 5150	HT/Plt-Fac/Coal	Same	30	P	U	SF	29450.		0.	0/ 0/ 0
821-10	1706	2- 5091	HT/Plt-Fac/Coal	Same	10	P	U	SF	460.		0.	0/ 0/ 0
821-10	1708	2- 5090	HT/Plt-Fac/Coal	Same	30	P	U	SF	1080.		0.	0/ 0/ 0
821-10	M 170	2- 3728	HT/Plt-Fac/Coal	Same	30	P	U	SF	108.		0.	0/ 0/ 0
821-10	BA 106	2- 2754	HT/Plt-Fac/Coal	Same	30	P	R	SF	1122.		1122.	8/ 0/ 0
821-10	PT 3	2- 5107	HT/Plt-Fac/Coal	Same	30	P	R	SF	560.		560.	8/ 0/ 0
821-10	RR 222	2- 2664	HT/Plt-Fac/Coal	Same	30	P	U	SF	1147.		0.	0/ 0/ 0
821-10	TC 941	2- 5175	HT/Plt-Fac/Coal	Same	30	S	R	SF	3826.		3826.	8/ 0/ 0
									37802.		5508.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
821-10	UNUM	2-25169	HT/Fac/Coal BA	Same	30	P	U	HP	178.		0.	0/ 0/ 0
821-10	UNUM	2-25171	HT/Fac/Coal BA	Same	30	P	U	HP	143.		0.	0/ 0/ 0
821-10	UNUM	2-25172	HT/Fac/Coal	Same	30	P	U	HP	930.		0.	0/ 0/0
821-10	UNUM	2-25173	HT/Fac/Coal HP	Same	30	P	U	HP	1200.		0.	0/ 0/ 0
821-10	UNUM	2-25176	HT/Fac/Coal RR	Same	30	P	U	HP	578.		0.	0/ 0/ 0
821-10	UNUM	2-25185	HT/Fac/Coal TC	Same	30	P	U	HP	1618.		0.	0/ 0/ 0
									4647.		0.	
									46794.*			
S 821-20	2615	2- 366	HT/Plnt-Fac/Oil	Same	82	P	R	SF	1512.		1512.	6/ 16/ 0
821-20	D 24	2- 2435	HT/Plnt-Fac/Oil	Same	30	P	U	SF	221.		0.	0/ 0/ 0
821-20	M 230	2- 2765	HT/Plnt-Fac/Oil	Same	30	P	U	SF	1147.		0.	0/ 0/ 0
821-20	M 625	2- 3849	HT/Plnt-Fac/Oil	Same	30	P	U	SF	5858.		0.	0/ 0/ 0
821-20	BB 9	2- 2539	HT/Plnt-Fac/Oil	Same	30	P	U	SF	2244.		0.	0/ 0/ 0
821-20	BB 26	2- 2614	Inactive	Heat/Stm/Source	30	P	N	SF	544.		544.	4/ 0/ 0
821-20	FC 202	2- 6593	HT/Plnt-Fac/Oil	Same	30	P	U	SF	1260.		0.	0/ 0/ 0
821-20	RR 15	2- 2659	HT/Plnt-Fac/Oil	Same	30	P	U	SF	1462.		0.	0/0/ 0
821-20	LCH4014	2- 1044	HT/Plnt-Fac/Oil	Same	32	P	U	SF	609.		0.	0/ 0/ 0
									14857.		2056.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
821-20	UNUM	2-25174	HT/Fac/Oil PP	Same	30	P	U	HP	550.		0.	0/ 0/ 0
821-20	UNUM	2-25184	HT/Fac/Oil BB	Same	30	P	U	HP	1150.		0.	0/ 0/ 0
821-20	UNUM	2-26625	HT/Fac/Oil PP	Same	30	P	U	HP	400.		0.	0/ 0/ 0
									2100.		0.	
821-50	S 86	2- 5194	Stm/Plt-Pwr/Fac	Same	30	P	U	SF	324.		0.	0/ 0/ 0
									324.		0.	
822-10	UNUM	2-15169	Stm Cond Lns Ba	Same	30	P	U	LF	2654.		0.	0/ 0/ 0
822-10	UNUM	2-15171	Stm Cond Lns PT	Same	30	P	R	LF	395.		395.	8/ 0/ 0
822-10	UNUM	2-15172	Stm Cond LNS MP	Same	30	P	U	LF	45595.		0.	0/ 0/ 0
822-10	UNUM	2-15173	Stm Cond LNS HP	Same	30	P	U	LF	186512.		0.	0/ 0/ 0
822-10	UNUM	2-15174	Stm Cond LNS PP	Same	30	P	R	LF	9178.		9178.	8/ 0/ 0
822-10	UNUM	2-15176	Stm Cond LNS RR	Same	30	P	R	LF	6706.		6706.	8/ 0/ 0
822-10	UNUM	2-15184	Stm Cond LNS BB	Same	30	P	R	LF	13648.		13648.	8/ 0/ 0
822-10	UNUM	2-15185	Stm Cond LNS TC	Same	30	P	R	LF	16900.		16900.	8/ 0/ 0
822-10	UNUM	2-16625	Stm Cond LNS FC	Same	30	P	U	LF	900.		0.	0/ 0/ 0
									282488.		46827.	

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
823-30	UNUM	2- 3464	Liq Pet Gas St	Same	30	P	U	GA	262755.		0.	0/ 0/ 0
									262755.		0.	
824-10	UNUM	2- 3908	Gas Pipe Line	Same	30	P	U	LF	107605.		0.	0/ 0/ 0
									107605.		0.	
831-10	32	2- 3816	Sewage Trmt Plnt	Same	30	P	U	SF	2200.		0.	0/ 0/ 0
831-10	M 137	2- 3781	Sewage Trmt Plnt	Same	30	P	U	SF	391.		0.	0/ 0/ 0
831-10	M 138	2- 3782	Sewage Trmt Plnt	Same	30	S	U	SF	81.		0.	0/ 0/ 0
831-10	BA 107	2- 2755	Sewage Trmt Plnt	Same	30	P	U	SF	143.		0.	0/ 0/ 0
831-10	BB 4	2- 2534	Sewage Trmt Plnt	Same	30	P	U	SF	42.		0.	0/ 0/ 0
831-10	RR 38	2- 2658	Sewage Trmt Plnt	Same	30	P	U	SF	81.		0.	0/ 0/ 0
831-10	TC 563	2- 3328	Swge/Wste/D/Oth	Same	30	S	U	SF	800.		0.	0/ 0/ 0
831-10	TT 35	2- 4705	Sewage Trmt Plnt	Same	30	P	U	SF	399.		0.	0/ 0/ 0
831-10	TT 36	2- 4706	Sewage Trmt Plnt	Same	30	P	U	SF	260.		0.	0/ 0/ 0
831-10	TT 56	2- 6283	Swge/Wste/D/Oth	Same	30	P	U	SF	171.		0.	0/ 0/ 0
									4568.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

☐ FROM STATUS IF OTHER THAN INITIAL ISSUE — ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
831-10	S 716	2- 4909	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 717	2- 4864	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 718	2- 4863	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 719	2- 4884	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 720	2- 4885	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 721	2- 4886	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 722	2- 5034	Swge/Wste/D/Oth	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 723	2- 5035	Swge/Wste/D/Oth	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 737	2- 5036	Swge/Wste/D/Oth	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 764	2- 4845	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 766	2- 4882	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	S 767	2- 4884	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SM 155	2- 3466	Sewage Trmt DSP	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SM 156	2- 3467	Sewage Trmt DSP	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SM 157	2- 3465	Sewage Trmt DSP	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SBB 66	2- 2498	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SBB 67	2- 2500	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
831-10	SBB 138	2- 6805	Sewage Trmt Plnt	Same	30	P	U	MG	.7		0.	0/ 0/ 0
831-10	SRR 69	2- 2449	Swge/Wste/D/Oth	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	SRR 87	2- 6806	Sewage Trmt Plnt	Same	30	P	U	MG	.7		0.	0/ 0/ 0
831-10	STC 567	2- 3538	Sewage Trmt Plnt	Same	30	P	U	MG	0.		0.	0/ 0/ 0
831-10	STT 37	2- 4720	Sewage Trmt Plnt	Same	30	P	U	MG	.1		0.	0/ 0/ 0
									4.08		0.	
831-20	UNUM	2- 6438	Outfall Sewr Ln	Same	30	P	U	LF	11633.		0.	0/ 0/ 0
									11633.		0.	
831-30	UNUM	2- 5204	Septic Tk/DN Fld	Same	30	P	U	GA	1000.		0.	0/ 0/ 0
831-30	UNUM	2- 5405	Septic Tk/DN Fld	Same	30	P	U	GA	1500.		0.	0/ 0/ 0
831-30	UNUM	2- 5970	Septic Tk/DN Fld	Same	30	P	U	GA	625.		0.	0/ 0/ 0
831-30	UNUM	2- 5971	Septic Tk/ DN Fld	Same	30	P	U	GA	500.		0.	0/ 0/ 0
831-30	UNUM	2- 6525	Septic Tk/ DN Fld	Same	30	P	U	GA	1000.		0.	0/ 0/ 0
831-30	UNUM	2- 6571	Septic Tk/ DN Fld	Same	30	P	U	GA	1000.		0.	0/ 0/ 0
831-30	UNUM	2- 6572	Septic Tk/ DN Fld	Same	30	P	U	GA	1000.		0.	0/ 0/ 0

* Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
831-30	UNUM	2- 6728	Septic Tk/DN Fld	Same	30	P	U	GA	1000.		0.	0/ 0/ 0
831-30	UNUM	2- 6797	Septic Tk/DN Fld	Same	18	P	U	GA	1000.		0.	0/ 0/ 0
									8625.		0.	
831-90	SBA 126	2- 2852	Swge/Wste/D/Oth	Same	30	P	U	MG			0.	0/ 0/ 0
831-90	SBA 127	2- 2853	Swge/Wste/D/Oth	Same	30	P	U	MG	0.2		0.	0/ 0/ 0
831-90	SRR 67	2- 2451	Swge/Wste/D/Oth	Same	30	P	U	MG	0.2		0.	0/ 0/ 0
831-90	SRR 68	2- 2450	Swge/Wste/D/Oth	Same	30	P	U	MG			0.	0/ 0/ 0
									0.40		0.	
832-10	UNUM	2- 5177	Sanitary Sewer	Same	30	P	U	LF	1071399.		0.	0/ 0/ 0
									1071399.		0.	
832-30	21	2- 3618	Sewage Pump Sta	Same	30	P	U	GM	9000.		0.	0/ 0/ 0
832-30	22	2- 3617	Sewage Pump Sta	Same	30	P	U	GM	817.		0.	0/ 0/ 0
832-30	34	2- 3614	Sewage Pump Sta	Same	30	P	U	GM	300.		0.	0/ 0/ 0
832-30	46	2- 4080	Sewage Pump Sta	Same	30	P	U	GM	300.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
832-30	85	2- 4786	Sewage Pump Sta	Same	30	P	U	GM	400.		0.	0/ 0/ 0
832-30	2100	2- 403	Sewage Pump Sta	Same	30	P	R	GM	100.		100.	26/ 0/ (
832-30	M 241	2- 3763	Sewage Pump Sta	Same	30	P	U	GM	300.		0.	0/ 0/ 0
832-30	S 47	2- 478	Sewage Pump Sta	Same	30	P	U	GM	2100.		0.	0/ 0/ 0
832-30	S 47A	2- 5967	Sewage Pump Sta	Same	30	P	U	GM	4900.		0.	0/ 0/ 0
832-30	S 1948	2- 6480	Sewage Pump Sta	Same	30	P	U	GM	200.		0.	0/ 0/ 0
832-30	S 2633	2- 502	Sewage Pump Sta	Same	30	P	U	GM	400.		0.	0/ 0/ 0
832-30	CG 22	2- 1831	Sewage Pump Sta	Same	30	P	U	GM	600.		0.	0/ 0/ 0
832-30	FC 203	2- 6594	Sewage Pump Sta	Same	30	P	U	GM	400.		0.	0/ 0/ 0
832-30	RR 52	2- 2666	Sewage Pump Sta	Same	30	P	U	GM	300.		0.	0/ 0/ 0
832-30	SE 23	2- 2446	Sewage Pump Sta	Same	30	P	R	GM	600.		600.	27/ 0/ (
832-30	TC 565	2- 3335	Sewage Pump Sta	Same	30	P	U	GM	2500.		0.	0/ 0/ 0
832-30	TC 566	2- 3334	Sewage Pump Sta	Same	30	P	U	GM	600.		0.	0/ 0/ 0
832-30	SBA 116	2- 2849	Sewage Pump Sta	Same	30	P	U	GM	160.		0.	0/ 0/ 0
832-30	SBA 151	2- 6743	Sewage Pump Sta	Same	30	P	U	GM	20.		0.	0/ 0/ 0
832-30	SBB 1	2- 2504	Sewage Pump Sta	Same	30	P	U	GM	700.		0.	0/ 0/ 0
832-30	STT 32	2- 4751	Sewage Pump Sta	Same	30	P	R	GM	1200.		1200.	8/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
832-30	STT 33	2- 4749	Sewage Pump Sta	Same	30	P	U	GM	800.		0.	0/ 0/ 0
832-30	STT 34	2- 4747	Sewage Pump Sta	Same	30	P	U	GM	1400.		0.	0/ 0/ 0
832-30	SLCH4005	2- 5342	Sewage Pump Sta	Same	30	P	U	GM	1200.		0.	0/ 0/ 0
									29297.		1900.	
833-10	S 88	2- 5298	Incinerator	Same	91	S	U	TN	4.		0.	0/ 0/ 0
833-10	SPT 26	2- 3898	Incinerator	Same	29	P	U	TN	4.		0.	0/ 0/ 0
									8.		0.	
833-30	UNUM	2- 5969.	Garbage Stand	Same	30	S	U	SF	3910.		0.	0/ 0/ 0
									3910.		0.	
833-90	M 182	2- 6360	Garbage Hse	Same	24	S	U	SF	63.		0.	0/ 0/ 0
833-90	M 256	2- 6362	Garbage Hse	Same	24	S	U	SF	140.		0.	0/ 0/ 0
833-90	M 426	2- 6364	Garbage Hse	Same	24	S	U	SF	140.		0.	0/ 0/ 0
833-90	M 101A	2- 6578	Garbage Hse	Same	24	S	U	SF	63.		0.	0/ 0/ 0
833-90	TC 921	2- 2981	Garbage Hse	Same	22	S	R	SF	225.		225.	8/ 0/ 0
833-90	TC 931	2- 2982	Garbage Hse	Same	22	S	R	SF	225.		225.	8/ 0/ 0
833-90	VL 106	2- 6390	Garbage Hse	Same	22	S	R	SF	120.		120.	8/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO. -	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
833-90	VL 107	2- 6391	Garbage Hse	Same	22	S	R	SF	192.		192.	8/ 0/ 0
									1168.		762.	
841-10	20	2- 3815	Wtr Trmnt Facil	Same	30	P	R	MG	5.0		0.	0/ 0/ 0
841-10	762	2- 4798	Wtr Trmnt Facil	Same	30	P	U	MG	.0		0.	0/ 0/ 0
841-10	M 178	2- 5181	Wtr Trmnt Facil	Same	30	P	U	MG	.75		0.	0/ 0/ 0
841-10	BA 138	2- 5180	Wtr Trmnt Facil	Same	30	P	U	MG	.25		0.	0/ 0/ 0
841-10	RR 85	2- 6608	Wtr Trmnt Facil	Same	30	P	U	MG	.50		0.	0/ 0/ 0
841-10	TC 508	2- 2934	Wtr Trmnt Facil	Same	30	S	R	MG	1.50		1.5	8/ 0/ 0
841-10	TT 38	2- 4719	Wtr Trmnt Facil	Same	30	P	R	MG	1.0		0.	0/ 0/ 0
841-10	SBA 140	2- 5178	Wtr Trmnt Facil	Same	30	P	U	MG	.0		0.	0/ 0/ 0
									9.0		1.5	
841-20	38	2- 3945	S/Mains/Pmp/Fac/Inactive	Same	30	P	N	SF	1714.		1714.	4/ 0/ 0
841-20	601	2- 4763	Pmp Hse/Well 1	Same	30	P	R	SF	180.		180.	21/ 0/ 0
841-20	602	2- 4762	Pmp Hse/Well 2	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	603	2- 4761	Pmp Hse/Well 3	Same	30	P	R	SF	180.		180.	21/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-20	605	2- 4765	Pmp Hse/Well 5	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	604	2- 4767	Pmp Hse/Well 4 Inactive	Same	30	P	N	SF	120.		120.	4/ 0/ 0
841-20	606	2- 4781	Pmp Hse/Well 6	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	608	2- 4766	Pmp Hse/Well 8	Same	30	P	R	SF	180.		180.	21/ 0/ 0
841-20	609	2- 4782	Pmp Hse/ Well 9	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	610	2- 4780	Pmp Hse/ Well 10	Same	30	P	R	SF	180.		180.	21/ 0/ 0
841-20	611	2- 0504	Pmp Hse/ Well 11	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	612	2- 4770	Pmp Hse/ Well 12	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	613	2- 4771	Pmp Hse/ Well 13	Same	30	P	R	SF	180.		180.	21/ 0/ 0
841-20	614	2- 4772	Pmp Hse/ Well 14	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	615	2- 4773	Pmp Hse/ Well 15	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	616	2- 4774	Pmp Hse/ Well 16	Same	30	P	R	SF	120.		120.	21/ 0/ 0
841-20	617	2- 4775	Pmp Hse/ Well 17	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	618	2- 4779	Pmp Hse/ Well 18	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	619	2- 4776	Pmp Hse/ Well 19	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	620	2- 4777	Pmp Hse/ Well 20	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	621	2- 4778	Pmp Hse/ Well 21	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	624	2- 4767	Pmp Hse/Well 24 Inactive	Same	30	P	N	SF	208.		208.	4/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
841-20	625	2- 4783	Pmp Hse/ Well 25	Same	30	P	R	SF	208.		208.	21/ 0/ 0
841-20	626	2- 4784	Pmp Hse/ Well 26	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	627	2- 4755	Pmp Hse/ Well 27	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	628	2- 4768	Pmp Hse/ Well 28 Inact	Same	30	P	N	SF	208.		208.	4/ 0/ 0
841-20	629	2- 4793	Pmp Hse/Well 29 Inactive	Same	30	P	N	SF	208.		208.	4/ 0/ 0
841-20	630	2- 4822	Pmp Hse/Well 30 Inactive	Same	30	P	N	SF	169.		169.	4/ 0/ 0
841-20	631	2- 4819	Pmp Hse/Well 31 Inactive	Same	30	P	N	SF	169.		169.	4/ 0/ 0
841-20	632	2- 5196	Pmp Hse/ Well 32	Same	30	P	R	SF	169.		169.	21/ 0/ 0
841-20	633	2- 5389	Pmp Hse/ Well 33	Same	30	P	R	SF	143.		143.	21/ 0/ 0
841-20	634	2- 5390	Pmp Hse/ Well 34	Same	30	P	R	SF	143.		143.	22/ 0/ 0
841-20	635	2- 5391	Pmp Hse/ Well 35	Same	30	P	R	SF	143.		143.	21/ 0/ 0
841-20	636	2- 5392	Pmp Hse/ Well 36	Same	30	P	R	SF	143.		143.	21/ 0/ 0
841-20	2322	2- 402	Pmp Hse/ Well R	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	A 5	2- 2612	Pmp Hse/ Well U	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	M 141	2- 3796	Pmp Hse/ Well X	Same	30	S	R	SF	154.		154.	21/ 0/ 0
841-20	M 142	2- 3797	Pmp Hse/ Well X-1	Same	30	S	U	SF	99.		0.	0/ 0/ 0
841-20	M 143	2- 3798	Pmp Hse/Well Inactive	Same	30	P	N	SF	64.		64.	4/ 0/ 0
841-20	M 168	2- 3784	Pmp Hse/ Well Z-6	Same	30	P	U	SF	180.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-20	M 243	2- 3795	Pmp Hse/ Well Z-2	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	M 244	2- 3794	Pmp Hse/Well Z-3	Same	30	P	U	SF	238.		0.	0/ 0/ 0
841-20	M 627	2- 3793	Pmp Hse/Well Z-4	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	M 628	2- 5183	Pmp Hse/Well Z-5	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	BA 109	2- 2756	Pmp Hse/Well 22	Same	30	P	R	SF	143.		143.	21/ 0/ 0
841-20	BA 110	2- 2757	Pmp Hse/Well 23	Same	30	P	R	SF	208.		208.	21/ 0/ 0
841-20	BB 43	2- 2553	Pmp Hse/Well W	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	BB 44	2- 2554	Pmp Hse/Well V	Same	30	P	U	SF	143.		0.	0/ 0/ 0
841-20	BB 97	2- 5396	Pmp Hse/Well Inactive	Same	30	P	N	SF	49.		49.	4/ 0/ 0
841-20	CR 121	2- 2647	Pmp Hse/Well Inactive	Same	30	P	N	SF	120.		120.	4/ 0/ 0
841-20	RR 45	2- 2663	Pmp Hse/Well S	Same	30	P	U	SF	180.		0.	0/ 0/ 0
841-20	RR 46	2- 2662	Pmp Hse/Well Inactive	Same	30	P	N	SF	120.		120.	4/ 0/ 0
841-20	RR 47	2- 2661	Pmp Hse/Well S-1	Same	30	P	U	SF	120.		0.	0/ 0/ 0
841-20	RR 227	2- 2667	Pmp Hse/Well T-1	Same	30	P	U	SF	208.		0.	0/ 0/ 0
841-20	TC 100	2- 3158	Pmp Hse/ Well B	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC 104	2- 3159	Pmp Hse/Well A	Same	30	S	R	SF	64.		64.	23/ 0/ 0
841-20	TC 201	2- 3186	Pmp Hse/Well H	Same	30	S	U	SF	64.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-20	TC 202	2- 3187	Pmp Hse/Well I	Same	30	S	U	SF	64		0.	0/ 0/ 0
841-20	TC 300	2- 3188	Pmp Hse/Well Inactive	Same	30	P	N	SF	64.		64.	4/ 0/ 0
841-20	TC 502	2- 3331	Pmp Hse/Well D	Same	30	S	U	SF	112.		0.	0/ 0/ 0
841-20	TC 504	2- 3330	Pmp Hse/Well J	Same	30	S	R	SF	112.		112.	22/ 0/ 0
841-20	TC 600	2- 3189	Pmp Hse/Well E	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC 604	2- 3190	Pmp Hse/ Well K	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC 700	2- 3333	Pmp Hse/ Well F	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC 901	2- 3191	Pmp Hse/Well G	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC1000	2- 3192	Pmp Hse/Well L	Same	30	S	U	SF	64.		0.	0/ 0/ 0
841-20	TC1001	2- 3332	Pmp Hse/Well M	Same	30	S	U	SF	112.		0.	0/ 0/ 0
841-20	TT 26	2- 4693	Pmp Hse/Well TT-1	Same	30	P	U	SF	81.		0.	0/ 0/ 0
841-20	TT 27	2- 4694	Pmp Hse/Well Inactive	Same	30	P	N	SF	81.		81.	4/ 0/ 0
841-20	TT 28	2- 4695	Pmp Hse/ Well TT-3	Same	30	P	R	SF	90.		90.	22/ 0/ 0
841-20	TT 29	2- 4721	Pmp Hse/ Well	Same	30	T	U	SF	81.		0.	0/ 0/ 0
841-20	TT 45	2- 5387	Pmp Hse 5	Same	30	P	R	SF	81.		81.	21/ 0/ 0
841-20	TT 52	2- 6005	Pmp Hse/Well TT-9	Same	30	P	U	SF	168.		0.	0/ 0/ 0
841-20	TT 53	2- 6006	Pmp Hse/Well TT10	Same	30	P	U	SF	144.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
841-20	TT 54	2- 6007	Pmp Hse/Well TT11	Same	30	P	U	SF	168.		0.	0/ 0/ 0
841-20	VL 110	2- 6392	Pmp Hse/	Same	30	P	R	SF	18.		18.	8/ 0/ 0
841-20	VL 154	2- 6687	S/Mains/Pmp/Fac	Same	30	S	U	SF	100.		0.	0/ 0/ 0
841-20	STC619	2- 3540	S/Mains/Pmp/Fac	Same	30	P	U	SF	94.		0.	0/ 0/ 0
841-20	TT 55	2- 6004	Pmp Hse/Well TT-8	Same	30	P	R	SF	95.		95.	24/ 0/ 0
									12228.		6948.	
841-20	UNUM	2- 2518	Water Sup Main	Same	30	7	P	LF	127020.		0.	0/ 0/ 0
									127020.		0.	
841-30	S 5	2- 4978	Stor Tnk/El Pot	Same	30	P	U	GA	300000.		0.	0/ 0/ 0/
841-30	S 29	2- 4977	Stor Tnk/El Pot	Same	30	P	U	GA	300000.		0.	0/ 0/ 0
841-30	S 830	2- 6301	Stor Tnk/El Pot	Same	30	P	U	GA	300000.		0.	0/ 0/ 0
841-30	S1000	2- 4983	Stor Tnk/ El Pot	Same	30	P	U	GA	300000.		0.	0/ 0/ 0
841-30	S 2323	2- 499	Stor Tnk/El Pot	Same	30	P	U	GA	200000.		0.	0/ 0/ 0
841-30	SM 624	2- 3530	Stor Tnk/El Pot	Same	30	P	U	GA	150000.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-30	SBA 108	2- 2851	Stor Tnk/El Pot	Same	30	P	U	GA	100000.		0.	0/ 0/ 0
841-30	SBB 25	2- 2499	Stor Tnk/El Pot	Same	30	P	U	GA	100000.		0.	0/ 0/ 0
841-30	SES 119	2- 2823	Stor Tnk/El Pot	Same	30	S	U	GA	3000.		0.	0/ 0/ 0
841-30	SRR 44	2- 2481	Stor Tnk/El Pot	Same	30	P	U	GA	100000.		0.	0/ 0/ 0
841-30	STC 606	2- 3839	Stor Tnk/El Pot	Same	30	P	U	GA	100000.		0.	0/ 0/ 0
841-30	STC1070	2- 3819	Stor Tnk/El Pot	Same	30	P	U	GA	100000.		0.	0/ 0/ 0
841-30	STT 40	2- 4746	Stor Tnk/El Pot	Same	30	P	U	GA	250000.		0.	0/ 0/ 0
841-30	SVL 108	2- 6397	Stor Tnk/El Pot	Same	30	P	U	GA	3000.		0.	0/ 0/ 0
841-30	SLCH4004	2- 1040	Stor Tnk/El Pot	Same	30	P	U	GA	200000.		0.	0/ 0/ 0
									2506000.		0.	
841-50	601	2- 4763	Well/Pmp/Fac	Same	30	P	R	GM	200.		200.	21/ 0/ 0
841-50	602	2- 4762	Well/Pmp/Fac	Same	30	P	R	GM	100.		100.	21/ 0/ 0
841-50	603	2- 4761	Well/Pmp/Fac	Same	30	P	R	GM	160.		160.	21/ 0/ 0
841-50	605	2- 4765	Well/Pmp/Fac	Same	30	P	R	GM	150.		150.	21/ 0/ 0
841-50	606	2- 4781	Well/Pmp/Fac	Same	30	P	U	GM	180.		0.	0/ 0/ 0
841-50	608	2- 4766	Well/Pmp/Fac	Same	30	P	R	GM	180.		180.	21/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
841-50	609	2- 4782	Well/Pmp/Fac	Same	30	P	R	GM	180.		180.	21/ 0/ 0
841-50	610	2- 4780	Well/Pmp/Fac	Same	30	P	R	GM	190.		190.	21/ 0/ 0
841-50	611	2- 504	Well/Pmp/Fac	Same	30	P	R	GM	250.		250.	21/ 0/ 0
841-50	612	2- 4770	Well/Pmp/Fac	Same	30	P	R	GM	150.		150.	21/ 0/ 0
841-50	613	2- 4771	Well/Pmp/Fac	Same	30	P	R	GM	195.		195.	21/ 0/ 0
841-50	614	2- 4772	Well/Pmp/Fac	Same	30	P	R	GM	200.		200.	21/ 0/ 0
841-50	615	2- 4773	Well/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	616	2- 4774	Well/Pmp/Fac	Same	30	P	R	GM	200.		200.	21 / 0/ 0
841-50	617	2- 4775	Well/Pmp/Fac	Same	30	P	U	GM	150.		0.	0/ 0/ 0
841-50	618	2- 4779	Well/Pmp/Fac	Same	30	P	U	GM	190.		0.	0/ 0/ 0
841-50	619	2- 4776	Well/Pmp/Fac	Same	30	P	U	GM	120.		0.	0/ 0/ 0
841-50	620	2- 4777	Well/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	621	2- 4778	Well/Pmp/Fac	Same	30	P	U	GM	150.		0.	0/ 0/ 0
841-50	625	2- 4783	Well/Pmp/Fac	Same	30	P	R	GM	110.		110.	21/ 0/ 0
841-50	626	2- 4784	Well/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	627	2- 4755	Well/Pmp/Fac	Same	30	P	U	GM	195.		0.	0/ 0/ 0
841-50	632	2- 5196	Well/Pmp/Fac	Same	30	P	R	GM	240.		240.	21/ 0/ 0
841-50	633	2- 5389	Well/Pmp/Fac	Same	30	P	R	GM	150.		150.	21/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
841-50	634	2- 5390	Well/Pmp/Fac	Same	30	P	R	GM	130.		130.	22/ 0/ 0
841-50	635	2- 5391	Well/Pmp/Fac	Same	30	P	R	GM	150.		150.	21/ 0/ 0
841-50	636	2- 5392	Well/Pmp/Fac	Same	30	P	R	GM	175.		175.	21/ 0/ 0
841-50	2322	2- 402	Well/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	A 5	2- 2612	Well/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	M 141	2- 3796	Well/Pmp/Fac	Same	30	S	R	GM	115.		115.	21/ 0/ 0
841-50	M 142	2- 3797	Well/Pmp/Fac	Same	30	S	U	GM	60.		0.	0/ 0/ 0
841-50	M 168	2- 3784	Well/Pmp/Fac	Same	30	P	U	GM	60.		0.	0/ 0/ 0
841-50	M 243	2- 3795	Well/Pmp/Fac	Same	30	P	U	GM	60.		0.	0/ 0/ 0
841-50	M 244	2- 3794	Well/Pmp/Fac	Same	30	P	U	GM	160.		0.	0/ 0/ 0
841-50	M 627	2- 3793	Well/Pmp /Fac	Same	30	P	U	GM	110.		0.	0/ 0/ 0
841-50	M 628	2- 5183	Well/Pmp/Fac	Same	30	P	U	GM	110.		0.	0/ 0/ 0
841-50	BA 109	2- 2756	Well/Pmp/Fac	Same	30	P	R	GM	140.		140.	21/ 0/ 0
841-50	BA 110	2- 2757	Well/Pmp/Fac	Same	30	P	R	GM	140.		140.	21/ 0/ 0
841-50	BB 43	2- 2553	Well/Pmp/Fac	Same	30	P	U	GM	150.		0.	0/ 0/ 0
841-50	BB 44	2- 2554	Well/Pmp/Fac	Same	30	P	U	GM	175.		0.	0/ 0/ 0
841-50	ES 109	2- 2809	Well/Pmp/Fac	Water/Supply	91	S	U	GM	200.		0.	0/ 0/ 0

BASEWIDE/MISC

INSTALLATION AND LOCATION
Marine Corps Base, Camp Lejuene, North Carolina

8270-175

OR AREA
5 ND

☐ INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-50	RR 45	2- 2663	S/Mains/Pmp/Fac	Same	30	P	U	GM	150.		0.	0/ 0/0
841-50	RR 47	2- 2661	S/Mains/Pmp/Fac	Same	30	P	U	GM	250.		0.	0/ 0/ 0
841-50	RR 227	2- 2667	S/Mains/Pmp/Fac	Same	30	P	U	GM	170.		0.	0/ 0/ 0
841-50	TC 100	2- 3158	S/Mains/Pmp/Fac	Same	30	S	U	GM	90.		0.	0/ 0/ 0
841-50	TC 104	2- 3159	S/Mains/Pmp/Fac	Same	30	S	R	GM	400.		400.	23/ 0/ 0
841-50	TC 201	2- 3186	Well/Pmp/Fac	Same	30	S	U	GM	300.		0.	0/ 0/ 0
841-50	TC 202	2- 3187	Well/Pmp/Fac	Same	30	S	U	GM	150.		0.	0/ 0/ 0
841-50	TC 502	2- 3331	Well/Pmp /Fac	Same	30	S	U	GM	400.		0.	0/ 0/ 0
841-50	TC 504	2- 3330	S/Mains/Pmp/Fac	Same	30	S	R	GM	250.		250.	22/ 0/ 0
841-50	TC 600	2- 3189	S/Mains/Pmp/Fac	Same	30	S	U	GM	120.		0.	0/ 0/ 0
841-50	TC 604	2- 3190	S/Mains/Pmp/Fac	Same	30	S	U	GM	150.		0.	0/ 0/ 0
841-50	TC 700	2- 3333	S/Mains/Pmp/Fac	Same	30	S	U	GM	110.		0.	0/ 0/ 0
841-50	TC 901	2-3191	S/Mains/Pmp/Fac	Same	30	S	U	GM	110.		0.	0/ 0/ 0
841-50	TC1000	2- 3192	S/Mains/Pmp/Fac	Same	30	S	U	GM	160.		0.	0/ 0/ 0
841-50	TC1001	2- 3332	S/Mains/Pmp/Fac	Same	30	S	U	GM	250.		0.	0/ 0/ 0
841-50	TT 26	2- 4693	Well/Pmp/Fac	Same	30	P	U	GM	130.		0.	0/ 0/ 0
841-50	TT 28	2- 4695	Well/Pmp/Fac	Same	30	P	R	GM	110.		110.	21/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-50	TT 29	2- 4721	Well/Pmp/Fac	Same	30	T	U	GM	120.		0.	0/ 0/ 0
841-50	TT 52	2- 6005	Well/Pmp/Fac	Same	30	P	U	GM	300.		0.	0/ 0/ 0
841-50	TT 53	2- 6006	S/Mains/Pmp/Fac	Same	30	P	U	GM	320.		0.	0/ 0/ 0
841-50	TT 54	2- 6007	S/Mains/Pmp/Fac	Same	30	P	U	GM	200.		0.	0/ 0/ 0
841-50	TT 55	2- 6004	Well/Pmp/Fac	Same	30	P	R	GM	95.		95.	21/ 0/ 0
									10910.		4360.	
841-50	SBA 139	2- 5179	RSRVR Pot	Same	30	P	U	GA	250000.		0.	0/ 0/ 0
841-50	SRR 86	2- 6607	RSRVR Pot	Same	30	P	U	GA	350000.		0.	0/ 0/ 0
841-50	STC 500	2- 3830	RSRVR Pot	Same	30	P	U	GA	280500.		0.	0/ 0/ 0
841-50	STC 503	2- 3536	RSRVR Pot	Same	30	P	U	GA	280500.		0.	0/ 0/ 0
841-50	STC 509	2- 3537	RSRVR Pot	Same	30	P	U	GA	500000.		0.	0/ 0/ 0
841-50	STT 39	2- 4748	RSRVR Pot	Same	30	P	U	GA	750000.		0.	0/ 0/ 0
841-50	SVL 109	2- 6394	Well/ Rsrvr/Pot	Same	30	P	U	GA	350000.		0.	0/ 0/ 0
841-50	UNUM	2- 6688	Well/Rsrvr/Pot	Same	30	P	U	GA	250000.		0.	0/ 0/ 0
841-50	S 763	2- 5026	RSRVR Pot	Same	30	P	U	GA	2000000.		0.	0/ 0/ 0

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
841-50	SM 179	2- 5182	RSRVR Pot	Same	30	P	U	GA	400000.		0.	0/ 0/ 0
841-50	S 735	2- 5025	RSRVR Pot	Same	30	P	U	GA	500000.		0.	0/ 0/ 0
									5911000.		0.	
841-55	SOW 1	2- 5270	Inactive	Same	30	S	N	EA	1.		1.	4/ 0/ 0
841-55	SOW 2	2- 5271	Observ Well	Same	30	S	U	EA	1.		0.	0/ 0/ 0
841-55	SOW 3	2- 5272	Observ Well	Same	30	S	U	EA	1.		0.	0/ 0/ 0
841-55	SOW 4	2- 5273	Observ Well	Same	30	S	U	EA	1.		0.	0/ 0/ 0
841-55	SOW 5	2- 5274	Observ Well	Same	30	S	U	EA	1.		0.	0/ 0/ 0
									5.		1.	
842-10	UNUM	2-15187	Water/Distribin	Same	30	P	U	LF	763509.		0.	0/ 0/ 0
									763509.		0.	
842-15	741	2- 4821	Wtr Meter Sta	Same	30	P	U	EA	1.		0.	0/ 0/ 0
842-15	782	2- 4808	Wtr Meter Sta	Same	30	P	U	EA	1.		0.	0/ 0/ 0

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
842-15	S 5263	2- 6453	Inactive	Same	30	P	N	EA	1.		1.	4/ 0/ 0
842-15	S 5781	2- 6454	Inactive	Same	30	P	N	EA	1.		1.	4/ 0/ 0
									4.		2.	
842-15	742	2- 3795	Pmp Fac/Wtr	Same	30	P	U	GM	700.		0.	0/ 0/ 0
842-15	TC 501	2- 3155	Pmp Fac/Wtr	Same	30	P	U	GM	2200.		0.	0/ 0/ 0
842-15	STT39A	2- 6479	Pmp Fac/Wtr	Same	30	P	U	GM	3500.		0.	0/ 0/ 0
									6400.		0.	
842-15	A 4	2- 2613	Oth/Wtr/Dist/Pt	Same	30	P	U	SF	143.		0.	0/ 0/ 0
842-15	D 39	2- 5343	Pmp Fac/Wtr	Same	30	P	U	SF	260.		0.	0/ 0/ 0
842-15	LCH4006	2- 1041	Oth/Wtr/Dist/Pt	Water Supply	30	P	U	SF	144.		0.	0/ 0/ 0
842-15	LCH4007	2- 1042	Oth/Wtr/Dist/Pt	Water Supply	30	P	U	SF	144.		0.	0/ 0/ 0
									691.		0.	
851-10	UNUM	2- 6446	Roads Concrete	Same	30	P	U	SY	5500.		0.	0/ 0/ 0
									5500.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
851-11	UNUM	2- 5241	Roads/Bitum	Same	30	S	U	SY	2523481.		0.	0/ 0/ 0
									2523481.		0.	
851-12	UNUM	2- 5242	Roads/Shellrock	Same	30	S	U	SY	285399.		0.	0/ 0/ 0
851-12	UNUM	2- 5243	Roads/Dirt	Same	30	T	U	SY	3110774.		0.	0/ 0/ 0
851-12	UNUM	2- 6430	Track Veh/Trail	Same	31	P	U	SY	27514.		0.	0/ 0/ 0
									3423687.		0.	
851-20	S 750	2- 480	C/Vehicular Brdg	Same	30	P	U	SY	3040.		0.	0/ 0/ 0
851-20	S 787	2- 4890	C/Vehicular Brdg	Same	30	P	U	SY	359.		0.	0/ 0/ 0
851-20	S 788	2- 4891	C/ Vehicular Brdg	Same	30	P	U	SY	359.		0.	0/ 0/ 0
851-20	S 865	2- 6518	C/Vehicular Brdg	Same	30	P	U	SY	86.		0.	0/ 0/ 0
851-20	S 1959	2- 6516	C/Vehicular Br dg	Same	30	P	U	SY	84.		0.	0/ 0/ 0
851-20	S 1960	2- 6515	C/Vehicular Brdg	Same	30	P	U	SY	90.		0.	0/ 0/ 0
851-20	SBA 129	2- 2850	C/Vehicular Brdg	Same	30	P	U	SY	1571.		0.	0/ 0/ 0
									5589.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
851-21	S 858	2- 6507	B/Vehicular Brdg	Same	30	S	U	SY	108.		0.	0/ 0/ 0
851-21	S 859	2- 6508	B/Vehicular Brdg	Same	30	S	U	SY	72.		0.	0/ 0/ 0
851-21	S 860	2- 6509	B/Vehicular Brdg	Same	30	S	U	SY	72.		0.	0/ 0/ 0
851-21	S 861	2- 6510	B/Vehicular Brdg	Same	30	S	U	SY	60.		0.	0/ 0/ 0
851-21	S 862	2- 6511	B/Vehicular Brdg	Same	30	S	U	SY	72.		0.	0/ 0/ 0
851-21	S 863	2- 6512	B/Vehicular Brdg	Same	30	S	U	SY	60.		0.	0/ 0/ 0
851-21	S 864	2- 6517	B/Vehicular Brdg	Same	30	S	U	SY	53.		0.	0/ 0/ 0
851-21	SBA 148	2- 6513	B/Vehicular Brdg	Same	30	S	U	SY	72.		0.	0/ 0/ 0
851-21	SBA 149	2- 6514	B/Vehicular Brdg	Same	30	S	U	SY	99.		0.	0/ 0/ 0
851-21	SVL 126	2- 6519	B/Vehicular Brdg	Same	30	S	U	SY	130.		0.	0/ 0/ 0
									798.		0.	
851-22	S 872	2- 6567	O/Vehicular Brdg	Same	30	S	U	SY	32.		0.	0/ 0/ 0
851-22	SM 328	2- 3469	O/Vehicular Brdg	Same	30	S	U	SY	572.		0.	0/ 0/ 0
851-22	STC1220	2- 6809	O/Vehicular Brdg	Same	30	S	U	SY	73.		0.	0/ 0/ 0
									677.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | 8270-175 | OR AREA 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 November 196

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
851-90	UNUM	2- 5244	C/Curb/Gutters	Same	30	S	U	SY	60459.		0.	0/ 0/ 0
851-90	UNUM	2- 6447	Culvert Conc.	Same	30	P	U	SY	100.		0.	0/ 0/ 0
									60559.		0.	
851-92	UNUM	2- 6442	Culvert Galv	Same	30	S	U	SY	203.		0.	0/ 0/ 0
851-92	UNUM	2- 6450	Gun Park	Same	90	S	U	SY	64238.		0.	0/ 0/ 0
									64441.		0.	
852-10	UNUM	2- 3869	C/Parking Area	Same	30	S	U	SY	116156.		0.	0/ 0/ 0
									116156.		0.	
852-11	UNUM	2- 3868	B/Parking Area	Same	30	S	U	SY	1345284.		0.	0/ 0/ 0
									1345284.		0.	
852-12	UNUM	2- 4859	O/Parking Area	Same	30	S	U	SY	663815		0.	0/ 0/ 0
852-12	UNUM	2- 6501	O/Parking Area	Same	30	P	U	SY	7631.		0.	0/ 0/ 0
									671446.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.12*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
852-20	UNUM	2- 4832	C/Sidewalks	Same	30	S	U	SY	384996.		0.	0/ 0/ 0
									384996.		0.	
852-21	UNUM	2- 6444	B/Sidewalks	Same	30	P	U	SY	6017.		0.	0/ 0/ 0
									6017.		0.	
852-22	UNUM	2- 6445	O/Sidewalks	Same	30	P	U	SY	17600.		0.	0/ 0/ 0
									17600.		0.	
852-30	UNUM	2- 5239	C/Pedestra Brdgs	Same	30	P	U	SY	11.		0.	0/ 0/ 0
									11.		0.	
852-32	S 455	2- 6788	Foot Brdg	Same	30	S	U	SY	9.		0.	0/ 0/ 0
852-32	S 555	2- 6706	O/Pedestra Brdgs	Same	30	S	U	SY	100.		0.	0/ 0/ 0
852-32	UNUM	2- 5238	O/Pedestra Brdgs	Same	30	S	U	SY	48.		0.	0/ 0/0
									157.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
860-10	UNUM	2- 4733	RR Trackage	Same	30	P	U	MI	31.		0.	0/ 0/ 0
860-10	UNUM	2- 4734	RR Trackage	Same	30	P	U	MI	12.		0.	0/ 0/ 0
860-10	UNUM	2- 4735	RR Trackage	Same	30	P	U	MI	4.		0.	0/ 0/ 0
									47.		0.	
860-30	S 784	2- 5014	RR Bridg/Trestl	Same	30	P	U	MI	0.		0.	0/ 0/ 0
860-30	S 785	2- 5015	RR Bridg/Trestl	Same	30	P	U	MI	0.		0.	0/ 0/ 0
860-30	S 880	2- 6764	RR Bridg/Trestl	Same	30	S	U	MI	0.		0.	0/ 0/ 0
860-30	S 881	2- 6765	RR Bridg/Trestl	Same	30	S	U	MI	0.		0.	0/ 0/ 0
860-30	S 882	2- 6777	RR Bridg/Trestl	Same	30	S	U	MI	0.		0.	0/ 0/ 0
									0.		0.	
860-90	S 802	2- 5006	RR Loading Plat	Same	O	P	U	SF	1950.		0.	0/ 0/ 0
860-90	S 1007	2- 5029	RR Loading Plat	Same	30	P	U	SF	24000.		0.	0/ 0/ 0
									25950.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.13

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
860-90	STC 617	2- 3539	RR Loading Ramp	Same	30	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
860-90	UNUM	2- 4744	RR Comm Line	Same	30	P	U	MI	29.		0.	0/ 0/ 0
									29.		0.	
871-10	UNUM	2- 4846	Storm Sewer	Same	30	P	U	LF	178033.		0.	0/ 0/ 0
									178033.		0.	
871-20	UNUM	2- 6443	Drainage Ditch	Same	30	P	U	LF	759339.		0.	0/ 0/ 0
									759339.		0.	
871-90	UNUM	2- 5205	Deaerating Htr	Same	30	S	U	LF	235.		0.	0/ 0/ 0
									235.		0.	
872-10	UNUM	2- 4713	Security Fence Wall	Same	30	S	U	LF	124331.		0.	0/ 0/ 0
									124331.		0.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina | ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO. | DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
872-90	UNUM	2- 6441	Gates	Same	31	P	U	EA	80.		0.	0/ 0/ 0
									80.		0.	
880-10	UNUM	2- 3461	Fire Alarm Sys	Same	30	P	U	BX	289.		0.	0/ 0/ 0
									289.		0.	
880-90	ST 7	2- 3605	Fire Obs Tower	Same	30	P	U	EA	1.		0.	0/ 0/ 0
880-90	ST 8	2- 3606	Fire Obs Tower	Same	30	P	U	EA	1.		0.	0/ 0/ 0
880-90	ST 9	2- 3607	Fire Obs Tower	Same	30	P	U	EA	1.		0.	0/ 0/ 0
									3.		0.	
890-50	S 2636	2- 5984	Cooling Tower	Same	30	P	U	EA	1.		0.	0/ 0/ 0
									1.		0.	
890-56	1414	2- 5096	Scale House	Same	10	P	U	SF	80.		0.	0/ 0/ 0
890-56	1702	2- 5092	Scale House	Same	10	P	U	SF	140.		0.	0/ 0/ 0
890-56	S 1415	2- 5024	Truck Scales	Same	10	S	U	SF	600.		0.	0/ 0/ 0
									820.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. *Reference: Current edition of MCO 11010.14*

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
890-90	779	2- 4810	Pump Hse Oil	Same	30	P	U	SF	104.		0.	0/ 0/ 0
890-90	804	2- 4804	LP Gas Bldg	Same	30	P	U	SF	676.		0.	0/ 0/ 0
890-90	M 237	2- 3764	Misc Util/Oth	Same	30	P	U	SF	1120.		0.	0/ 0/ 0
890-90	S 1608	2- 5011	Ramp Steam Cln	Same	91	P	U	SF	1520.		0.	0/ 0/ 0
890-90	S 1803	2- 4970	Veh Loading Ramp	Same	90	P	R	SF	500.		500.	8/ 0/ 0
890-90	S 1825	2- 4972	Veh Loading Ramp	Same	90	P	U	SF	500.		0.	0/ 0/ 0
890-90	S 1845	2- 4997	Tank Cln Platfm	Same	91	P	U	SF	420.		0.	0/ 0/ 0
									4840.		500.	
890-90	S 93	2- 6737	Heat Exch	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S 94	2- 6738	Heat Exch Rm	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S 95	2- 6739	Heat Exch Rm	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S 96	2- 6740	Heat Exch Rm	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S 97	2- 6741	Heat Exch Rm	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S 98	2- 6742	Heat Exch Rm	Same	30	P	U	EA	1.		0.	0/ 0/ 0
890-90	S1200A	2- 6609	Conveyor Overhd	Same	60	P	U	EA	1.		0.	0/ 0/ 0
									7.		0.	

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
890-90	UNUM	2- 3870	Propane Gas Sys	Same	30	P	U	GA	11600.		0.	0/ 0/ 0
									11600.		0.	

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Requires rewiring and lighting to bring up to acceptable standards.
2. Substandard on basis of lack of air conditioning.
3. Requires rewiring, lighting, and ventilation to bring up to acceptable standards.
4. Beyond economical repair.
5. Acoustics materials needed to make building suitable for use.
6. Building lacks sufficient space to carry on designated purpose.
7. Requires heating to bring up to acceptable standards.
8. Facility is not suitable for its present use because of its general poor condition.
9. Facility lacks adequate ventilation.
10. Inadequate existing air conditioning requiring increase in capacity or installation of central system.
11. Inadequate due to very poor plumbing and electrical systems.
12. Facility is substandard due to the need for repair of either the floor, the roof, or the walls.
13. Facility is substandard due to the need for repair of either the floor, the roof, or the walls along with need for rewiring.
14. Building is inadequate because the layout of the building, as well as the existing facilities are not suitable for the present use of the building.
15. Building lacks adequate plumbing facilities.
16. Building lacks adequate head and plumbing facilities.

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

17. All these helicopter landing pads are unpaved except for a concrete cross to mark the site imbedded in the ground. The cross has an area of 69 SY. The remaining area is turf.

18. Mechanical ventilation, rewiring, lighting, and heat are needed to make the building adequate.

19. Inadequate due to the conversion of the present system to a Centrex system.

20. Needs additional treatment filtration and aeration.

21. Facility cannot meet designed capacity due to loose sand in well.

22. Well inadequate due to numerous iron deposits.

23. Inadequate due to excessive chlorides in water.

24. Water is chemically poor.

25. All barracks and BOQ's on Camp Lejeune are substandard when using the latest criteria.

26. Floatwell is in poor condition.

27. Underground building. Floor leaks.

28. Approximately 20 percent of the existing cable should be replaced due to deterioration. The remaining portion has an estimated life of 10 years.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	BASEWIDE/MISC									
111-81	HELICOPTER LANDING PAD	SY	5,560	207	0			5,353	(7)	
	MARINE CORPS BASE		(5,560)	(207)	0			(5,353)		
122-20	SMALL CRAFT FUELING STATION	OL	2	0	0			2	O&M (C)	2
	MARINE CORPS BASE		(2)	0	0			(2)		
123-10	FILLING STATION	OL	0	1	0		1		(5)	
	MARINE CORPS BASE		0	0	0					
	2ND MARINE DIVISION		0	1	0					
124-65	HEATING FUEL OIL STORAGE TANK	GA	309,666	44,840	0			264,826	(6)	
	MARINE CORPS BASE		(309,666)	(44,840)	0			(264,826)		
126-90	LPG DISTRIBUTION BUILDING	SF	320	320	0			0		
	MARINE CORPS BASE		(320)	(320)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
131-40	TELEPHONE EXCHANGE BUILDING	SF	800	2,313	2,313		1,513	800	(5) (7E)	800
	MARINE CORPS BASE		(800)	(2,313)	(2,313)			(800)		
131-90	COMMUNICATIONS BUILDING/OTHER	SF	2,608	2,608	2,608			2,608	O&M (R)	2,608
	MARINE CORPS BASE		(880)	(880)	(880)			(800)		
	FORCE TROOPS		(1,728)	(1,728)	(1,728)			(1,728)		
132-50	PUBLIC ADDRESS SYSTEM - OUTDOOR	EA	3	0	0			3	O&M (C)	3
	MARINE CORPS BASE		(3)	0	0			(3)		
135-10	COMMUNICATION LINES	MI	286.23	286	57			57	MILCON (1) 3B(FY-73)P-1007 3B(FY-72)P-113 3B(FY-74)P-1092 3B(FY-73)P-1018 3B(FY-73)P-131	10.0 2.0 3.5 3.5 0.5 0.5
	MARINE CORPS BASE		(280.23)	(286)	(57)			(57)		
151-90	PIERS/OTHER	SY	218	218	218			218	O&M (R)	218
	MARINE CORPS BASE		(218)	(218)	(218)			(218)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
159-60	SMALL CRAFT BERTHING	LF	150	0	0			150	O&M(C)	
	MARINE CORPS BASE		(150)	0	0			(150)		
159-62	BOAT HOUSE	SF	0	1,786	1,786		1,786	0	(5)	
	MARINE CORPS BASE		0	(1,786)	(1,786)					
159-64	EMBARKATION FACILITY	SF	960	960	960		(960)	960	(4)	
	2ND MARINE DIVISION		(960)	(960)	(960)			(960)		
164-20	JETTIES	LF	6,200	0	0			6,200	O&M (C)	6,200
	MARINE CORPS BASE		(6,200)	0	0			(6,200)		
171-10	ACADEMIC & GENERAL INSTR BUILDING	SF	0	600	600		(600)	0	(4)	
	FORCE TROOPS		0	(600)	(600)					
171-20	APPLIED INSTRUCTION BUILDING	SF	0	1,920	1,920		(1,920)	0	(4)	
	2ND MARINE DIVISION		0	(1,920)	(1,920)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
171-90	TRAINING BUILDING/OTHER	SF	7,118	7,478	2,112			1,752	O&M (R)	2,112
	MARINE CORPS BASE		(7,118)	(7,478)	(2,112)			(1,752)		
179-20	BOMB/ROCKET RANGE	EA	2	2	0			0		
	MARINE CORPS BASE		(2)	2	0					
179-30	PROJECTILE RANGE	EA	12	6	0			6	O&M (C)	6
	MARINE CORPS BASE		(12)	(6)	0			(6)		
179-40	SMALL ARMS RANGE-OUTDOORS	EA	30	25	4			9	O&M (C)	9
	MARINE CORPS BASE		(30)	(25)	(4)			(9)		
179-45	TRAINING MOCK-UP	EA	30	24	2			8	O&M (C)	8
	MARINE CORPS BASE		(30)	(23)	(2)			(8)		
	2ND MARINE DIVISION		0	(1)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
179-50	TRAINING COURSE	EA	55	44	0			11	O&M (C)	11
	MARINE CORPS BASE		(55)	(27)	0			(11)		
	2ND MARINE DIVISION			(17)	0					
179-60	PARADE & DRILL FIELD	AC	275	27	0			248	(6)	
	MARINE CORPS BASE		(275)	(27)	0			(248)		
179-90	AIR/GROUND TRAINING FACILITY	EA	20	13	0			7	O&M (C)	7
	MARINE CORPS BASE		(20)	(13)	0			(7)		
179-90	OBSERVATION & CONTROL TOWER	EA	32	32	7	5	5		(5)	
	MARINE CORPS BASE		(32)	(27)	(7)				O&M (R)	7
	2ND MARINE DIVISION		0	(5)	0					
179-90	TRAINING TOWER - FIRE DEPT	EA	1	1	0			0		
	2ND MARINE DIVISION		(1)	(1)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
179-90	TRAINING TOWER - RAPPEL	EA	1	1	0			0		
	MARINE CORPS BASE		(1)	1	0					
179-90	OPEN CLASSROOMS	SF	348,480	85,346	15,341			278,475	O&M (C)	278,475
	MARINE CORPS BASE		(8AC)	(85,346)	(15,341)			(278,475)		
179-90	COMBAT TRAINING RANGE	EA	37	26	0			11	O&M (C)	11
	MARINE CORPS BASE		(37)	(26)	0			(11)		
179-90	STUDENT DRIVER COURSE	MI	40	0	0			40	O&M (C)	40
	MARINE CORPS BASE		(40)	0	0			(40)		
179-90	ENGINEER TRAINING AREA	AC	40	0	0			40	O&M (C)	40
	MARINE CORPS BASE		(40)	0	0			(40)		
213-20	MARINE RAILWAY	TC	30	30	0			0		
	MARINE CORPS BASE		(30)	(30)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-10	COMBAT VEHICLE MAINT FACILITY	SF	0	4,000	4,000		(4,000)		(4)	
	2ND MARINE DIVISION		0	(4,000)	(4,000)					
214-90	GREASE RACK	SF	0	1,250	0		1,250		(5)	
	2ND MARINE DIVISION		0	(350)	0					
	FORCE TROOPS			(900)	0					
215-XX	SMALL ARMS SHOP	SF	0	390	390		390		(5)	
	2ND MARINE DIVISION		0	(390)	(390)					
217-10	ELECTRONIC & COMMUNICATION MAINT SHOP	SF	0	10,762	6,453		10,762		(5)	
	2ND MARINE DIVISION		0	(6,388)	(2,079)					
	FORCE TROOPS		0	(4,374)	(4,374)					
218-20	CONSTRUCTION EQUIPMENT MAINT SHOP	SF	0	5,600	5,600		5,600		(5)	
	FORCE TROOPS		0	(5,600)	(5,600)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
219-10	BASE MAINT SHOP	SF	3,200	14,916	6,104		11,716		(5)	
	MARINE CORPS BASE		(3,200)	(14,916)	(6,104)					
219-20	PAVING & GROUNDS MAINT SHED	SF	0	400	400		(400)		(4)	
	MARINE CORPS BASE		0	(400)	(400)					
219-90	CONSTRUCTION SHOP	SF	0	3,720	3,720		3,720		(2B)	
	FORCE TROOPS		0	(3,720)	(3,720)		REASSIGN BLDG 101 FROM (219-90) TO (550-20) = 4,000 SF			
229-40	SAW MILL SHED	SF	0	1,017	0		1,017		(5)	
	FORCE TROOPS		0	(1,017)	0					
422-XX	MAGAZINES	SF	0	12,126	714		12,126		(5)	
	MARINE CORPS BASE		0	(10,581)	(714)					
	FORCE TROOPS		0	(168)	0					
	2ND MARINE DIVISION		0	(1,377)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. _____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-10	GENERAL WAREHOUSE/RI	SF	0	86,455	46,999		86,455		(4) (5)	
							(40,550)			
	MARINE CORPS BASE		0	(40,249)	(13,669)	REASSIGN BLDG ES-200 FROM (442-10) TO (442-30)				
	2ND MARINE DIVISION		0	(3,160)	(3,160)					
	FORCE TROOPS		0	(43,046)	(33,170)					
442-30	FLAMMABLE STOREHOUSE	SF	13,000	1,640	140			11,500	O&M (1)	6,800
	MARINE CORPS BASE		(13,000)	(1,500)	0			(11,500)		
	FORCE TROOPS		0	(140)	(140)	REASSIGN ES-200 FROM (442-10) TO (442-30) = 4,000 SF REASSIGN ES-127 & ES-303 FROM (442-90) TO (442-30) = 2,800 SF				
442-70	PUBLIC WORKS MAINT STORAGE	SF	2,700	7,440	3,688		4,740		(4) (5)	
							(1,890)			
	MARINE CORPS BASE		(2,700)	(7,440)	(3,688)					
442-90	COVERED STORAGE/OTHER	SF	0	15,218	9,482		15,218		(4) (5)	
							(1,200)			
	MARINE CORPS BASE		0	(7,962)	(5,282)	REASSIGN BLDG ES-127 FROM (442-90) TO (442-30) REASSIGN BLDG ES-303 FROM (442-90) TO (442-30) = 2,800 SF				
	FORCE TROOPS		0	(7,256)	(4,200)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
452-XX	OPEN STORAGE	SY	0	396,218	0		396,218		(5)	
	MARINE CORPS BASE		0	(395,858)	0					
	FORCE TROOPS		0	(360)	0					
550-20	DISPENSARY W/O BEDS	SF	9,900	512	512		(512)	9,900	(4) (1)	
	FORCE TROOPS		(9,900)	(512)	(512)			(9,900)	REASSIGN ES-101 TO (550-20) =	FROM (219-90) 4,000 SF
610-10	ADMINISTRATION BUILDING	SF	0	16,263	15,183		12,263 (1,500)		(4) (5)	
	MARINE CORPS BASE		0	(4,866)	(4,866)					
	2ND MARINE DIVISION		0	(7,134)	(7,134)					
	FORCE TROOPS			(4,263)	(3,183)					
610-90	ADMINISTRATION BUILDING/OTHER	SF	0	5,207	5,207		5,207	0	(5)	
	MARINE CORPS BASE		0	(4,807)	(4,807)					
	2ND MARINE DIVISION		0	(400)	(400)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
690-10	FLAGPOLE	EA	4	6	0		2		(5)	
	MARINE CORPS BASE		(4)	(4)	0					
	2ND MARINE DIVISION		0	(1)	0					
	FORCE TROOPS		0	(1)	0					
690-20	MONUMENT/MEMORIAL	EA	6	6	0			0		
	MARINE CORPS BASE		(6)	(6)	0					
690-90	BASE ENTRANCE SIGN	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					
713-10	TRAILER SITE	SI	0	1,361	0		1,361		(5)	
	MARINE CORPS BASE		0	(1,361)	0					
713-11	TRAILER SITE	SI	0	312	0		312		(5)	
	MARINE CORPS BASE		0	(312)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
722-10	EM BARRACKS W/O MESS	MN	0	295	295		295		(5)	
	MARINE CORPS BASE		0	(5)	(5)					
	FORCE TROOPS		0	(290)	(290)					
723-10	MESSHALL	SF	960	16,008	16,008		15,048 (2,288)		(5)	
	2ND MARINE DIVISION		(960)	(13,720)	(13,720)					
	FORCE TROOPS		0	(2,288)	(2,288)					
723-20	LATRINE	SF	1,440	960	960		(960)	1,440	O&M (C)	1,440
	2ND MARINE DIVISION		(1,440)	(960)	(960)			(1,440)		
723-90	MESS SHELTER	EA	0	2	0		2	0	(5)	
	MARINE CORPS BASE		0	(2)	0					
723-90	FIELD MESS	SF	0	11,186	4,396		11,186		(5)	
	MARINE CORPS BASE		0	(11,186)	(4,396)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
									MILCON	405
724-15	BOQ W/O MESS	MN	0	214	214		214	0	3B(FY-72)P-124	176
	MARINE CORPS BASE		ASSIGN 490 MN FROM HADNOT POINT CAT CODE (724-15)					490	3B(FY-UP)P-223	160
									3B(FY-UP)P-215	69
725-10	EM BARRACKS W/O MESS	MN	0	24	24		(24)		(4)	
	MARINE CORPS BASE		0	(8)	(8)					
	2ND MARINE DIVISION		0	(16)	(16)					
730-10	FIRE STATION	SF	7,600	11,653	5,151		4,053		O&M (R)	5,151
	MARINE CORPS BASE		(7,600)	(11,653)	(5,151)					
730-25	GATE/SENTRY HOUSE	SF	1,340	72	36			1,304	O&M (C)	1,304
	MARINE CORPS BASE		(1,340)	(36)	0			(1,304)		
	FORCE TROOPS		0	(36)	(36)					
730-50	DEPENDENT SCHOOL	SF	0	1,432	0		1,432		(5)	
	MARINE CORPS BASE		0	(1,432)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AHEA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-55	DEPENDENT SCHOOL	SF	0	3,133	0		3,133		(5)	
	MARINE CORPS BASE		0	(3,133)	0					
730-65	AIR RAID/FALLOUT SHELTER	SF	387,560	0	0			387,560	(6)	
	MARINE CORPS BASE		(387,560)	0	0			(387,560)		
730-75	PUBLIC TOILET	SF	400	444	84		44		(1)	
	MARINE CORPS BASE		(400)	(444)	(84)					
730-90	LAUNDRY	SF	0	9,794	0		9,794		(5)	
	MARINE CORPS BASE		0	(9,794)	0					
730-90	PERSONNEL SUPPORT FACILITY/OTHER	SF	0	10,703	10,078		10,703 (960)	0	(4) (5)	
	MARINE CORPS BASE		0	(10,703)	(10,078)					
730-90	CEMETERY	AC	2.6	2.6	0			0		
	MARINE CORPS BASE		(2.6)	(2.6)	0					

ACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

CTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-14	EXCHANGE	SF	0	215	215		215		(5)	
	MARINE CORPS BASE		0	(215)	(215)					
740-20	GUESTHOUSE	SF	0	17,341	17,341		17,341	0	O&M (R) REQUIRES A/C &	17,341 LIGHTING
	MARINE CORPS BASE		0	(17,341)	(17,341)	BLDGS 2601 & POINT WILL	2603 ALONG WITH BLDG SATISFY ALL REQUIREMENTS	H-15 & BLDG 14 FOR (740-20)		AT HADNOT CAT CODE.
740-23	COMMISSARY	SF	0	5,526	5,526		5,526		(5)	
	MARINE CORPS BASE		0	(5,526)	(5,526)					
740-30	SERVICE STATION	SF	0	3,750	1,700		3,750		(5)	
	MARINE CORPS BASE		0	(3,750)	(1,700)					
740-33	POST OFFICE	SF	3,000	1,087	0			1,913	MILCON	
	MARINE CORPS BASE		(3,000)	(1,087)	0			(1,913)	3B(UP) P-1066	2,000
740-36	HOBBY SHOP	SF	0	576	576		576			
	MARINE CORPS BASE		0	(576)	(576)					

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-54	USO CLUB	SF	0	13,404	13,404		13,404		O&M (R)	13,404
	MARINE CORPS BASE		0	(13,404)	(13,404)					
740-55	YOUTH CENTER	SF	49,000	22,088	22,088	REHAB BLDG 750 = 22,088 SF		49,000	MILCON	
	MARINE CORPS BASE		(49,000)	(22,088)	(22,088)	NEW CONSTRUCTION = 26,912 SF			3B(UP)P-1067	49,000
740-60	OFFICERS CLUB - OPEN	SF	0	45,326	45,326		45,326	0	(1)	
	MARINE CORPS BASE		ASSIGN 26,500	SF FROM HADNOT POINT		CAT CODE (740-60)		26,500	3B(UP) P-1068	45,326
740-63	EM SERVICE CLUB	SF	0	3,240	3,240		3,240		(5)	
	MARINE CORPS BASE		0	(3,240)	(3,240)					
740-66	NCO CLUB	SF	0	648	0		648		(5)	
	MARINE CORPS BASE		0	(648)	0					
740-70	STAFF NCO CLUB	SF	0	4,428	4,428		4,428		(5)	
	MARINE CORPS BASE		0	(4,428)	(4,428)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-74	CHILD CARE CENTER	SF	38,114	12,528	12,528			38,114	MILCON & O&M	38,528
	MARINE CORPS BASE		(38,114)	(12,528)	(12,528)			(38,114)	O&M (R)	12,528
									INCLUDED IN P-1068	26,000
740-80	GOLF CLUB HOUSE	SF	9,584	8,781	0			803	(1)	
	MARINE CORPS BASE		(9,584)	(8,781)	0			(803)		
740-86	RETAIL WAREHOUSE	SF	0	4,728	4,728		4,728		(5)	
	MARINE CORPS BASE		0	(4,728)	(4,728)					
740-87	BOAT HOUSE	SF	0	3,102	3,102		3,102		(5)	
	2ND MARINE DIVISION		0	(1,102)	(1,102)					
	FORCE TROOPS		0	(2,000)	(2,000)					
740-90	COMPANY RECREATION BUILDING	SF	0	134,362	124,987		134,362		(5)	
	MARINE CORPS BASE		0	(134,362)	(124,987)					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-10	PLAYING COURTS	EA	0	7	0		7		(5)	
	MARINE CORPS BASE		0	(7)	0					
750-20	PLAYING FIELDS	EA	0	25	0		25		(5)	
	MARINE CORPS BASE		0	(24)	0					
	2ND MARINE DIVISION		0	(1)	0					
750-31	OUTDOOR SWIMMING POOL - OFFICERS	ME	0	30	0		30		(5)	
	MARINE CORPS BASE		0	(30)	0					
750-40	GOLF COURSE	HO	36	36	0			0		
	MARINE CORPS BASE		(36)	(36)	0					
750-50	OUTDOOR THEATER	SF	0	51,480	0		51,480	0	(5)	
	MARINE CORPS BASE		0	(51,480)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-52	SKEET RANGE	EA	1	1	0			0		
	MARINE CORPS BASE		(1)	(1)	0					
750-56	BUS STOP SHELTER	SF	900	0	0			900	O&M (C)	900
	MARINE CORPS BASE		(900)	0	0			(900)		
750-60	RECREATION PIER	SF	0	10,112	0		10,112		(5)	
	MARINE CORPS BASE		0	(10,112)	0					
750-90	MASTER TV ANTENNA	EA	8	3	0			5	(6)	
	MARINE CORPS BASE		(8)	(3)	0			(5)		
750-90	RIDING STABLE	SF	15,863	9,833	0			6,030	O&M (C)	6,030
	MARINE CORPS BASE		(15,863)	(9,833)	0			(6,030)		
750-90	SHELTER/GOLF	SF	0	1,804	0		1,804		(5)	
	MARINE CORPS BASE		0	(1,804)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-90	RECREATION FACILITY	SF	0	4,652	0		4,652		(5)	
	MARINE CORPS BASE		0	(4,652)						
750-90	PATIO - COVERED	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					
812-12	TRANSFORMER STATION	KV	225	225	0			0		
	MARINE CORPS BASE		(225)	(225)	0					
812-14	SWITCHING STATION	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					
812-20	STREET LIGHTING	LF	310,690	248,554	124,277			186,413	3B(FY-73)P-1018 3B(FY-75)P-1090	LS LS
	MARINE CORPS BASE		(310,690)	(248,554)	(124,277)			(186,413)	3B(FY-76)P-148 3B(FY-UP)P-105 3B(FY-75)P-881 3B(FY-73)P-131	32,000 LS LS 3,000
812-30	DISTRIBUTION LINE	LF	1,689,600	1,460,233	407,555			636,922	3B(FY-72)P-143 3B(FY-72)P-204 3B(FY-73)P-1007	LS 39,000 12,500
	MARINE CORPS BASE		(1,689,600)	(1,460,233)	(407,555)			(636,922)	3B(FY-73)P-1018	LS

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
812-50	FLOOD LIGHTING	LF	63,260	62,403	0			857	(1)	
	MARINE CORPS BASE		(63,260)	(62,403)	0			(857)		
821-10	HEATING PLANT - COAL FIRED	HP	18,208	15,447	0			2,761	MILCON	
	MARINE CORPS BASE		(18,208)	(15,447)	0			(2,761)	3B(FY-72)P-160	3,000
821-10	HEATING PLANT - COAL FIRED	SF	49,449	37,802	5,508			17,155	(9)	
	MARINE CORPS BASE		(49,449)	(37,802)	(5,508)			(17,155)	INCLUDED IN P-160 3B(FY-73)P-233 3B(FY-76)P-213	1,350 (AIR POLL) (AIR POLL)
821-20	HEATING PLANT - OIL FIRED	HP	5,455	2,100	0			3,355	(9)	
	MARINE CORPS BASE		(5,455)	(2,100)	0			(3,355)		
821-20	HEATING PLANT - OIL FIRED	SF	17,900	14,857	2,057			5,099	(9)	
	MARINE CORPS BASE		(17,900)	(14,857)	(2,057)			(5,099)		
821-50	STEAM PLANT - POWER/OTHER RELATED FAC	SF	0	324	0		324		(5)	
	MARINE CORPS BASE		0	(324)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
822-10	STEAM & CONDENSATE LINES	LF	352,030	282,488	46,827			116,369	(9)	
	MARINE CORPS BASE		(352,030)	(282,488)	(46,827)			(116,369)	3B(FY-72)P-198	5,800
									3B(FY-72)P-195	4,258
823-30	LIQUID PETROLEUM GAS STORAGE	GA	0	262,755	0		262,755		(5)	
	MARINE CORPS BASE		0	(262,755)	0					
824-10	GAS PIPE LINE	LF	121,155	107,605	0			13,550	(1)	
	MARINE CORPS BASE		(121,155)	(107,605)	0			(13,550)		
831-10	SEWAGE TREATMENT PLANT	MG	10	4.08	0			5.92	3B(UP) P-1055	
	MARINE CORPS BASE		(10)	(4.08)	0			(5.92)	3B(FY-73)P-1007	0.1
831-10	SEWAGE TREATMENT PLANT	SF	5,597	4,568	0	1,000		29	(1)	
	MARINE CORPS BASE		(5,597)	(4,568)	0			(29)		
831-20	OUTFALL SEWER LINE	LF	11,633	11,633	0			0		
	MARINE CORPS BASE		(11,633)	(11,633)	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
831-30	SEPTIC TANK & DRAIN FIELD	GA	12,000	8,625	0			3,375	(6)	
	MARINE CORPS BASE		(12,000)	(8,625)	0			(3,375)		
831-90	SEWAGE WASTE/OTHER	MG	0	.40	0		.40		(5)	
	MARINE CORPS BASE		0	(.40)	0					
832-10	SANITARY SEWER	LF	1,267,200	1,071,399	0			195,801	(9) 3B(FY-72)P-195	2,740
	MARINE CORPS BASE		(1,267,200)	(1,071,399)	0			(195,801)	3B(FY-73)P-1007	8,000
									3B(FY-73)P-131	25,000
									3B(FY-73)P-1018	1,500
832-30	SEWAGE PUMPING STATION	SF	0	0	0			0		
	MARINE CORPS BASE		0	0	0			0		
832-30	SEWAGE PUMPING STATION	GM	25,000	29,297	1,900		4,297		(5)	
	MARINE CORPS BASE		(25,000)	(29,297)	(1,900)					

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
833-10	INCINERATOR	TN	248	8	0			240	O&M (C)	240
	MARINE CORPS BASE		(248)	(4)	0			(240)		
	FORCE TROOPS		0	(4)	0					
833-30	GARBAGE STAND	SF	0	3,910	0		3,910		(5)	
	MARINE CORPS BASE		0	(3,910)	0					
833-90	REFUSE DISTRIBUTION/OTHER	SF	0	1,168	762		1,168		(5)	
	MARINE CORPS BASE		0	(1,168)	(762)					
841-10	WATER TREATMENT FACILITY	MG	0	9	2		9		(5)	
	MARINE CORPS BASE		0	(9)	(2)					
841-20	SUPPLY MAINS & PUMPING FACILITY	LF	145,000	127,020	0			17,980	MILCON	30,000
	MARINE CORPS BASE		(145,000)	(127,020)	0			(17,980)	3B(FY-72)P-143	25,000
									3B(FY-73)P-199	5,000

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
841-20	SUPPLY MAINS & PUMPING FACILITY	SF	141,403	12,477	7,197		(3,294)	136,123	(4) (9)	
	MARINE CORPS BASE		(141,403)	(12,477)	(7,197)			(136,123)		
841-30	STORAGE TANK - ELEVATED	GA	2,506,000	2,506,000	0			0	MILCON 3B(UP)P-1052 3B(UP)P-1069	450,000 150,000 300,000
	MARINE CORPS BASE		(2,506,000	(2,506,000)	0					
841-40	WATER TREATMENT FACILITY	MG	25	0	0			25	(9)	
	MARINE CORPS BASE		(25)	0	0			(25)	3B(FY-72)P-143	2
841-50	WELLS	GM	17,000	10,910	(4,360,			6,090	3B(UP) P-1055	200
	MARINE CORPS BASE		(17,000)	(10,910)	(4,360)			(6,090)	3B(FY-72)P-143 3B(FY-74)P-199	1,400 1,050
841-50	RESERVOIRS	GA	5,311,035	5,911,000	0		599,965		(5)	
	MARINE CORPS BASE		(5,311,035)	(6,910,000)	0				3B(FY-72)P-143	1,000,000
841-55	OBSERVATION WELL	EA	0	5	1		5		(5)	
	MARINE CORPS BASE		0	(5)	(1)		(1)			

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | ND OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
									3B(FY-72)P-195	2,400
									3B(FY-72)P-143	25,000
842-10	WATER DISTRIBUTION LINE	LF	890,200	763,509	0			126,691	3B(FY-72)P-113	9,100
									3B(FY-73)P-1007	LS
	MARINE CORPS BASE		(890,200)	(763,509)	0			(126,691)	3B(FY-73)P-131	4,000
									3B(FY-73)P-1018	1,500
									3B(FY-74)P-1092	9,100
							4			
842-15	WATER DISTRIBUTION LINE FACILITY	EA	0	4	2		(2)		(4) (5)	
									MILCON	279,300
	MARINE CORPS BASE		0	(4)	(2)				3B(FY-72)P-195	11,000
									3B(FY-74)P-1092	15,000
									3B(FY-73)P-135	56,000
851-XX	ROADS	SY	7,356,800	5,952,668	0			1,404,132	3B(FY-74)P-214	60,000
									3B(FY-76)P-231	60,000
	MARINE CORPS BASE		(7,356,800)	(5,952,668)	0			(1,404,132)	3B(FY-72)P-113	15,000
									3B(FY-73)P-1007	22,000
									3B(FY-73)P-131	19,800
									3B(FY-74)P-1090	20,500
							73		(1)	
851-XX	BRIDGES - VEHICLE	SY	6,991	7,064	0				INCLUDED IN P-135	120
	MARINE CORPS BASE		(6,991)	(7,064)	0					
851-XX	OTHER	SY	0	125,000	0		125,000		(5)	
	MARINE CORPS BASE		0	(125,000)	0					
852-XX	PARKING AREAS	SY	1,159,050	2,132,886	0		973,836		(5)	
	MARINE CORPS BASE		(1,159,050)	(2,132,886)	0				3B(FY-73)P-1018	36,000

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO.	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
860-90	RAILROAD LOADING RAMP	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					
860-90	RAILROAD COMMUNICATION LINES	MI	0	29	0		29		(5)	
	MARINE CORPS BASE		0	(29)	0					
871-10	STORM SEWER	LF	183,000	178,033	0			4,967	MILCON	14,100
									3B(FY-72)P-113	5,900
	MARINE CORPS BASE		(183,000)	(178,033)	0			(4,967)	3B(FY-74)P-1092	5,900
									3B(FY-72)P-195	2,300
871-20	DRAINAGE DITCH	LF	810,000	759,339	0			50,661	O&M (C)	50,661
									3B(FY-72)P-113	1,000
	MARINE CORPS BASE		(810,000)	(759,339)	0			(50,661)	3B(FY-74)P-1092	1,000
871-90	DEAERATING HTR	LF	0	235	0		235		(5)	
	MARINE CORPS BASE		0	(235)	0					
872-10	SECURITY FENCE	LF	225,000	124,331	0			100,669	(6)	
	MARINE CORPS BASE		(225,000)	(124,331)	0			(100,669)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
852-XX	SIDEWALKS	SY	410,000	408,613	0			1,387	(1)	
	MARINE CORPS BASE		(410,000)	(408,613)	0			(1,387)		
852-XX	PEDESTRIAN BRIDGES	SY	59	168	0		109		(5)	
	MARINE CORPS BASE		(59)	(168)	0					
860-10	RAILROAD TRACKAGE	MI	50	47	0			3	O&M (C)	3
	MARINE CORPS BASE		(50)	(47)	0			(3)		
860-30	RAILROAD BRIDGE & TRESTLE	MI	0.16	0.52	0		.36		(5)	
	MARINE CORPS BASE		(0.16)	(0.52)	0					
860-90	RAILROAD LOADING PLATFORM	SF	0	25,950	0		25,950		(5)	
	MARINE CORPS BASE		0	(24,000)	0					
	FORCE TROOPS		0	(1,950)	0					
	(1) 2ND FSR		0	((1,950))	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
872-20	GUARD & WATCH TOWERS	EA	2	0	0			2	O&M (C)	2
	MARINE CORPS BASE		(2)	0	0			(2)		
872-90	GATES	EA	0	80	0		80		(5)	
	MARINE CORPS BASE		0	(80)	0					
880-10	FIRE ALARM SYSTEM	BX	289	289	0			0	MILCON 3B(FY-72)P-113 3B(FY-74)P-1092	120 60 60
	MARINE CORPS BASE		(289)	(289)	0					
880-90	FIRE OBSERVATION TOWER	EA	0	3	0		3		(5)	
	MARINE CORPS BASE		0	(3)	0					
890-50	COOLING TOWER	EA	0	1	0		1		(5)	
	MARINE CORPS BASE		0	(1)	0					
890-56	WEIGHING FACILITIES	SF	0	820	0		820		(5)	
	MARINE CORPS BASE		0	(820)	0					

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
890-90	HEAT EXCHANGE ROOM	EA	0	7	0		7		(5)	
	MARINE CORPS BASE		0	(7)	0					
890-90	MISC UTILITY/OTHER	SF	0	4,840	500		4,340		MILCON (5)	3,950
									3B(FY-74)P-1080	1,350
	MARINE CORPS BASE		0	(4,840)	(500)				3B(FY-75)P-882	2,600
890-90	PROPANE GAS SYSTEM	GA	0	11,600	0		11,600		(5)	
	MARINE CORPS BASE		0	(11,600)	0					
911-10	LAND PURCHASE	AC	83,045	0	0			83,045	(6)	
	MARINE CORPS BASE		(83,045)	0	0			(83,045)		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF NCO'S TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHABWORK TO BE PERFORMED IN THIS AREA.									
(9)	BEFORE FURTHER PLANNING CAN BE ACCOMPLISHED, A DETAILED STUDY MUST BE MADE IN ORDER TO DETERMINE EXACT NEEDS.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	BASEWIDE/MISC														
	FISCAL YEAR 1972														
724-15	NEW BOQ & ADDITIONS - PARADISE POINT	176	MN	2,029				6	73				6		P-124
842-10	UTILITIES & ROADS - FRENCH CREEK	9,100	LF	865				6	73				1		P-113
822-10	UTILITIES & ROADS - HADNOT POINT	4,258	SF	683				6	73				1		P-195
812-30	ELECTRICAL DISTRIBUTION LINES - HADNOT POINT	39,000	LF	320				6	73				4		P-204
821-10	ADDITION TO CENTRAL HEATING PLANT -HADNOT POINT	3,000	HP	463				6	73				2		P-160
822-10	STEAM & CONDENSATE LINES - HADNOT POINT	5,800	LF	405				6	73				5		P-198
841-40	WATER TREATMENT PLANT/WELLS/DISTR -HADNOT POINT	2	MG	2,264				6	73				3		P-143
	FISCAL YEAR 1972 TOTAL			7,029											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1973														
851-XX	UTILITIES & ROADS - MILE HAMMOCK BAY	22,000	SY	559				6	74				1		P-1007
851-XX	UTILITIES & ROADS - CAMP GEIGER	19,800	SY	225				6	74				2		P-131
852-XX	UTILITIES & ROADS - HADNOT POINT	36,000	LS	441				6	74				3		P-1018
821-90	AIR POLLUTION ABATEMENT - HADNOT POINT		LS	425				6	74				5		P-233
851-XX	PAVING - HADNOT POINT	56,000	SY	254				6	74				4		P-135
	FISCAL YEAR 1973 TOTAL			1,904											
	FISCAL YEAR 1974														
800-90	UTILITIES & ROADS - COURTHOUSE BAY		LS	400				6	75				2		P-1090
842-10	UTILITIES & ROADS - FRENCH CREEK	9,100	LF	900				6	75				1		P-1092
841-50	WELLS (6 EA) - HADNOT POINT	1,050	GM	170				6	75				3		P-199
851-XX	PAVING FOR TRAFFIC CONTROL - HADNOT POINT	60,000	SY	500				6	75				4		P-214
890-90	CENTRAL A/C PLANT - HADNOT POINT	1,000	TN	520				6	75				5		P-1080
	FISCAL YEAR 1974 TOTAL			2,490											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

BASEWIDE/MISC

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C.

ACTIVITY CODE: 8270-175

5. ND OR ARFA: 5ND

CODE: 05

6. SPONSOR: CMC

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	FISCAL YEAR 1975														
800-90	UTILITIES & ROADS - FRENCH CREEK		LS	300				6	76				1		P-1094
800-90	UTILITIES & ROADS - COURTHOUSE BAY		LS	900				6	76				2		P-1093
812-30	ELECTRICAL DISTRIBUTION & LIGHTING - HADNOT POINT		LS	470				6	76				4		P-881
890-90	CENTRAL A/C SYSTEM - HADNOT POINT	2,000	TN	1,400				6	76				3		P-882
	FISCAL YEAR 1975 TOTAL			3,070											
	FISCAL YEAR 1976														
800-90	UTILITIES & ROADS - HADNOT POINT		LS	500				2	77				1		P-1019
812-20	STREET LIGHTING - PARADISE POINT	32,000	LF	98				2	77				3		P-148
821-XX	AIR POLLUTION ABATEMENT		LS	74				2	77				4		P-213
851-XX	TRAFFIC CONTROL IMPROVEMENT - HADNOT POINT	60,000	SY	500				2	77				2		P-231
	FISCAL YEAR 1976 TOTAL			1,172											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N. C. — ACTIVITY CODE: 8270-175

5. NO OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANTITY	UNIT			AUTH	FUND	MO.	YR.	WS #					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED YEARS														
724-15	NEW BOQ - PARADISE POINT	160	MN	1,718									9		P-223
724-15	REHAB BOQ (3RD INCREMENT) - PARADISE POINT	69	MN	284									8		P-215
800-90	UTILITIES & RAODS - COURTHOUSE BAY		LS	700									2		P-1050
812-20	STREET LIGHTING - HADNOT POINT		LS	68									3		P-1057
831-10	SEWAGE TREATMENT PLANT - COURTHOUSE BAY		LS	75									2		P-1053
841-30	STORAGE TANKS (ELEVATED) - FRENCH CREEK		LS	100									5		P-1056
851-44	NEW ROADS - HADNOT POINT		LS	200									6		P-1052
890-40	CENTRAL A/C SYSTEM - HADNOT POINT		LS	1,000									7		P-1062
890-40	CENTRAL A/C SYSTEM - HADNOT POINT		LS	1,000									7		P-1063
890-40	CENTRAL A/C SYSTEM - HADNOT POINT		LS	1,000									7		P-1064
	UNPROGRAMMED YEARS TOTAL			6,145											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

BASEWIDE/MISC

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 2,029,000	P.L. -	724-15		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 2,029,000		P-124	NEW BOQs & ADDITIONS PARADISE POINT BASEWIDE/MISC

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		15. TYPE OF WORK	
a. PERMANENT	X	d. NEW FACILITY	X
b. SEMI-PERMANENT		e. ADDITION	X
c. TEMPORARY		f. ALTERATION	X
		g. CONVERSION	
		h. OTHER (Specify)	
16. REPLACEMENT			
17. TYPE OF DESIGN			
a. STANDARD DESIGN			
b. SPECIAL DESIGN	X		
c. DRAWING NO.			

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. 4 b. NO. OF STORES 2 c. LENGTH IRREG d. WIDTH IRREG
e. DESIGN CAPACITY 176 MN f. GROSS AREA 86,800 SF
g. COOLING "AIR COND" CAP. 240 TN COST ($ 400,000)

19. DESCRIPTION OF WORK TO BE DONE

Construct two new 80-man air conditioned Bachelor Officer Quarters (41,600 SF) and 30'x60' additions to two existing buildings, #2607 and 2609. These additions provide 8 new officer suites per building. Each of the four buildings will be air conditioned. The two buildings having additions will also have minor alterations consisting of conversion of old gang heads into laundry and concession rooms, and a TV lounge will be provided on the second floor by closing one door.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ADDITIONAL BOQs	LS		$	$ 1934
a. Two 80-Men BOQs	MN	(160)	10,200	(1632)
b. 8-MAN ADDN. to 2607 & 2609	MN	(16)	10,200	(163)
c. MINOR ALTER. TO EXIST. 2607. &2609	LS	)		(12)
d. A.C. EXIST. 2607 & 2609	TC	(80)	1,585	(127)
21. SUPPORTING FACILITIES				$ 95
a. ELECTRICAL DISTRIBUTION	LS			(19)
b. WATER DISTRIBUTION	LS			(10)
c. SANITARY SEWER	LS			(6)
d. COMMUNICATION LINES	LS			(6)
e. STEAM DISTRIBUTION	LS			(24)
f. PARKING AREA	LS			(30)
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 2029

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M MEN)

a. TOTAL REQUIREMENT BASEWIDE/MISC	490	
b. EXISTING SUBSTANDARD	(462)	
c. EXISTING ADEQUATE	0	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	0	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	176	
h. DEFICIENCY (a-e-f-g)	314	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The provision of completely livable quarters for bachelor officers having adequate space and facilities in conforming to present-day criteria is the policy of the Department of Defense. There is a total of 21 BOQs at this Base, none of which conform completely to the present criteria in all respects. The total existing capacity of these substandard quarters is 462. The rehabilitation of all existing BOQs which can be brought up to present criteria within the dollar limitations imposed is being programmed as well as the construction of new facilities to replace those which cannot be brought up to standard and to satisfy existing deficiencies. This line item calls for the construction of two new 80-man air conditioned bachelor officers quarters in Paradise Point and 30' x 60' additions to two existing BOQs, Nos. 2607 and 2609, to provide eight new suites per building. The two buildings having additions will also have minor alterations consisting of conversion of old gang heads into laundry and concession rooms and a TV lounge will be provided. The total buildings will be air conditioned. After rehabilitation Buildings 2607 and 2609 will each provide quarters for 14 grade 0-3 and above officers and two grade 0-2 and below officers. If this line item is not provided, officer personnel must continue to be housed in substandard quarters in these BOQs. This line item will not contribute to air or water pollution.

DD FORM 1 JUL 62 1391

BOOK NO. PAGE NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-124	BACHELOR OFFICERS QUARTERS, PARADISE POINT (BASEWIDE MISC)

LINE ITEM FACILITY STUDY - PART I - BOQ, PARADISE POINT

1. Function to be Performed. Provide adequate billeting of bachelor officers in quarters conforming to present criteria.

2. Necessity for Performing This Function. It is Department of Defense policy to provide adequate billeting for bachelor officers in modern and attractive quarters. In line with this, new criteria are continually being developed to improve habitability of BOQ's and considerable emphasis is currently being placed upon improving existing inadequate quarters and/or construction of new modern quarters to replace those which cannot be economically rehabilitated and to satisfy deficiency requirements.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There are a total of twenty-one BOQ's at this Base, none of which conform completely to present criteria in all respects. The total capacity of these existing substandard quarters is 462. Four BOQ's, Building Nos. 2602, 2607, 2609, and 2611 have been partially rehabilitated to provide 15 private living room, bedroom and bath spaces, and one private bedroom and bath space, which conform to criteria but these buildings are not air conditioned and do not provide supplemental items such as concession rooms. Building 2605 has also been partially rehabilitated and contains 13 private living room, bedroom and bath spaces, one private bedroom and bath space, and six small rooms with gang baths. It is not air conditioned and lacks the supplemental items. The newest BOQ, 2617, contains satisfactory bedroom and half bath spaces for 26 officers of O-3 grade and above but kitchenettes are not provided as required. Thus, there are a total of 99 living spaces which can be termed reasonable adequate in six buildings which would require further modification to make them conform to criteria in all respects. Modifications are required to the following additional BOQ's in order to bring them up to present habitability criteria: 2604, BB-45, M-130, M-231, RR-9, 2613, TC-1066, TC-1067, TC-1068, TC-1069, TC-1160, TC-1161, and TC-1162. When modifications are complete, a total of 309 living spaces will be available compared with a total of 750 spaces required. The balance will be made up by new construction. Two existing BOQ's, M-232 and M-233 are not suitable for modification.

4. Current and Planned Future Workload With Regard to This Function. A total of 750 spaces are required for bachelor officers in accordance with the directed planning requirements.

5. Description of Construction Being Requested. This line item provides for the construction of two new 80-man air conditioned bachelor officers quarters, and 30' x 60' additions to two existing BOQ's, Nos. 2607 and 2609, to provide eight new suites per building. The two buildings having additions will also have minor alterations consisting of conversion of old gangheads into laundry and concession rooms and a TV lounge will be provided on the second floor by closing one door. The total buildings will be air conditioned. Construction will be brick masonry compatible with the adjacent buildings. Duration of need is indefinite.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-124		BACHELOR OFFICERS QUARTERS, PARADISE POINT		(BASEWIDE MISC)

6. List of Collateral Equipment to be Included in the Line Item.

Venetian blinds	528	@	$ 10.00 ea.	$ 5,280
Water cooler, elec.	4	@	150.00 ea.	600
Heating and air conditioning equip.	240 tons	@	1667.00	400,000
Screens, window	528	@	4.00 ea.	2,112
Doors, screen	10	@	35.00 ea.	350
			Total	$ 408,342

7. List of Collateral Equipment Associated With, but Not Included in, Line Item.

Bed, springs, mattress	176	@	$ 200.00 ea.	$ 35,200
Bedspread	352	@	6.00 ea.	2,112
Chair, desk	176	@	25.00 ea.	4,400
Table, night	176	@	36.00 ea.	6,336
Chair, easy	176	@	80.00 ea.	14,080
Chest of drawers	176	@	90.00 ea.	15,840
Mirror	176	@	20.00 ea.	3,520
Desk	176	@	80.00 ea.	14,080
Desk, lamp	176	@	30.00 ea.	5,280
Night stand	176	@	36.00 ea.	6,336
Lamp, table	200	@	30.00 ea.	6,000
Chair, lounge	236	@	80.00 ea.	18,880
Pillow	176	@	10.00 ea.	1,760
Pillowcase	352	@	1.00 ea.	352
Sheet	704	@	3.00 ea.	2,112
Blanket	176	@	10.00 ea.	1,760
Towel, bath	704	@	1.50 ea.	1,056
Towel, hand	704	@	1.00 ea.	704
Rug w/pad	352	@	75.00 ea.	26,400
Couch	4	@	250.00 ea.	1,000
Table, kitchenette	8	@	40.00 ea.	320
Refrigerator	176	@	150.00 ea.	26,400
Stove	176	@	150.00 ea.	26,400
			Total	$ 220,328

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-124	BACHELOR OFFICERS QUARTERS, PARADISE POINT	(BASEWIDE MISC)

8. Justification for the New Facility. The provision of completely livable quarters for bachelor officers having adequate space and facilities and conforming to present-day criteria is policy of the Department of Defense. This project is intended to furnish part of the total deficiency in adequate spaces required for planned officer personnel at this Base. Other line items will provide for improvement of existing accommodations but a deficiency will still remain after such rehabilitation has been completed.

9. Effects if the New Facility is Not Provided. If new BOQ spaces are not provided, officers assigned to this activity must continue to be housed in existing inadequate substandard quarters or be forced to live off Base.

10. Justification for the Size and Scope of the New Facility. The size of the proposed new buildings and additions is based upon existing space requirements called for by present criteria.

11. Justification for the Type of Construction Planned. The construction planned is dictated by the architecture and type of construction of the existing buildings in the area.

12. Alternate Solutions. There are no alternate solutions.

13. Plans for Facilities Being Replaced. No facilities are being replaced.

14. Status of Preliminary Engineering. No preliminary engineering has been accomplished.

15. Sketch Showing Planned Location of the New Facility. None.

16. Other Graphic Presentations, Including Photographs. Enclosure (1).

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 865,000	P.L. ____	842-10 (851-XX)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 865,000		P-113	UTILITIES AND ROADS FRENCH CREEK AREA (BASEWIDE MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. -	b. NO. OF STORES -	c. LENGTH -	d. WIDTH -
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA -	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY	X	Provide utilities in support of the 2d increment of Force Troops Facilities; Electrical distribution, steam distribution, water distribution, sanitary sewer lines, storm sewer lines, fire alarm system and communication lines. Roads, 22-foot paved surface with two 8 ft. shoulders, back slopes and side ditches; 1-1/2" asphaltic concrete on 4-1/2" compacted stone base. Clearing, earthwork and grassing of areas for utilities and roads are also to be provided. Fallout Shelter Excluded - Impairment of Item purpose.			
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
UTILITIES & ROADS	LS	-	$ -	$ 865
a. ELECTRIC DISTRIBUTION	LS	(-)	-	(90)
b. COMMUNICATION LINES	LS	(18,500)	2.00	(37)
c. STEAM DISTRIBUTION	LF	(2,810)	35.10	(99)
d. SANITARY SEWER	LF	(5,700)	7.15	(41)
21. SUPPORTING FACILITIES				$
X WATER DISTRIBUTION	LF	9,100	15.25	(139)
X ROADS	SY	15,000	7.80	(117)
X STORM SEWER	LF	5,900	14.55	(86)
X DRAINAGE DITCH	LF	1,000	7.80	(8)
X FIRE ALARM	LS	-	-	(14)
X CLEARING	AC	50	455.00	(23)
X EXCAVATION	CY	150,000	1.30	(195)
X GRASSING	AC	20	78.00	(16)
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 865

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M NOT APPLICABLE)		
a. TOTAL REQUIREMENT		
b. EXISTING SUBSTANDARD	( )	
c. EXISTING ADEQUATE		
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)		
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY 1972 PROGRAM		
h. DEFICIENCY (e-c-f-g)		

24. RELATED LINE ITEMS

ALL ITEMS IN FORCE TROOPS AREA, 2D INCR.

25. REQUIREMENT FOR LINE ITEM

The first increment of a new Force Troops Complex have been completed. This Complex is located in an undeveloped area near French Creek. In the first increment projects, all needed utility services and roads are included in the contract. This line item provides for the extension of the utility services and roads which are required in connection with the 2d increment of the Force Troops Complex. This line item must be approved and funded simultaneously with the 2d increment line item in order to provide complete and usable facilities under those line items. This item will not cause additional air and water pollution. The requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-113	UTILITIES AND ROADS, FRENCH CREEK AREA	(BASEWIDE/MISC)

1. Function to be Performed. This line item provides for the extension of the utility services and roads which are required in connection with the 2nd increment of the Force Troops Complex.

2. Necessity for Performing This Function. This line item must be approved and funded simultaneously with the 2nd increment line item in order to provide complete and usable facilities under those line items.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. The existing facilities in the Force Troops Complex were constructed based on the requirements of Phase one of the projected Force Troops requirements as to Utilities and Roads (P-084). These facilities are listed below. It should be fully understood that these facilities only provide the necessary services needed for the first Phase and do not provide the depth of service necessary for Phase Two of the project.

Utilities now in existence in support of the Force Troops Complex:

TYPE	U/M	QUANTITY
Electrical Distribution Lines	LF	25,000
Steam	LF	34,700
Sewage Pumping Station	LS	
Sanitary Sewer Lines	LF	15,000
Elevated Storage Tank	GA	300,000
Water Distribution Lines	LF	15,000
Storm Drainage	LF	10,000
Roads	SY	25,500
Fire Alarm	LS	

4. Current and Planned Future Workload With Regard to This Function. The 2nd increment to the Force Troops Complex is to house 1,620 enlisted personnel. The facilities will operate at maximum potential throughout the year. The requested facilities are based on this projected requirement.

5. Description of Construction Being Requested. The estimated duration of need for the new facilities is indefinite. The requested facilities are to provide utilities in support of the 2nd increment of Force Troops facilities. Electrical distribution, steam distribution, water distribution, sanitary sewer lines, storm sewer lines, fire alarm system, and communication lines. Roads, 22-foot paved surface with two 8-foot shoulders, back slopes and side ditches; 1-½ inch asphaltic concrete on 4-½ inch compacted stone base. Clearing, earthwork and grassing of areas for utilities and roads are also to be provided.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-113		UTILITIES AND ROADS, FRENCH CREEK AREA		(BASEWIDE/MISC)

(Cont'd)

An individual listing of specific paraphernalia is presented below:

FACILITY	U/M	QUANTITY
Electrical Distribution	LS	
Communication Lines	LF	18,500
Steam Distribution	LF	2,810
Sanitary Sewer	LF	5,700
Water Distribution	LF	9,100
Roads	SY	15,000
Storm Sewer	LF	5,900
Drainage Ditch	LF	1,000
*Fire Alarm	LS	
Clearing	AC	50
Excavation	CY	150,000
Grassing	AC	20

*The Existing Fire Alarm Circuit serving the Force Troops Complex has 145 pull boxes (National Fire Codes Manual, Vol 7, 1963-64, recommend a maximum of 60 pull Boxes). Thus causing an overload by a total of 85 pull boxes. To correct this existing overloaded condition and the 2D Increment requirement of 60 pull boxes, it will require construction of new Fire Alarm Circuits to the Force Troops Complex.

6. List of Collateral Equipment to Be Included in the Line Item. None.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility.

A. The first increment of a new Force Troops Complex has been completed. This Complex is located in an undeveloped area near French Creek. In the first increment projects, all needed utility services and roads are included in the contract. This line item provides for the extension of the utility services and roads which are required in connection with the 2d increment of the Force Troops Complex. This line item must be approved and funded simultaneously with the 2d increment line items in order to provide complete and usable facilities under those line items.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-113	UTILITIES AND ROADS, FRENCH CREEK AREA. (BASEWIDE/MISC)

(Cont'd)

B. The Marine Corps Base includes five administrative, operational and troop housing areas which form a circular pattern on both sides of New River. Distances between areas vary from 5 to 15 miles, with total perimeter distance of 65 miles. The Base was built to accommodate the Marine Corps Base Organizations and one Marine Division and existing facilities are sufficient, in general, only for that purpose.

C. Force Troops elements formerly occupied temporary facilities on the opposite (Geiger) side of New River from the main Base. These facilities passed their useful economic life and economy dictated the removal of Force Troops Units to other areas and the demolition of the old temporary facilities.

D. Force Troops Units are now dispersed through all these areas (except Rifle Range) and are superimposed on facilities assigned to units of other commands. Force Troops Combat Units do not have facilities which are appropriate for the care and maintenance of the specialized equipment assigned. Reserve units on annual field training are assigned to the area appropriate to their training mission. These conditions reault in lowering the effectiveness of command and the ability to maintain combat readiness.

E. In order to permit maximum effectiveness, it is necessary to consolidate all units of Force Troops in one area equipped with suitable facilities. Line item P-113 provides all utilities, roads and streets for the second phase of the Force Troops Complex. The phasing of construction for the Force Troops Complex is as follows:

	Category Code	Description	Quantity	U/M	Item ID No.
PHASE I (FY-66)	171-10	Academic & General Instruction Bldg.	10,400	SF	P-026
	442-90	Storage Bldg	15,000	SF	P-028
	550-10	Dispensary	3,300	SF	P-030
	610-10	Administration	22,800	SF	P-032
	722-10	EM Barracks w/o Mess	1,500	MN*	P-033
	723-10	Subsistence Building	14,636	SF	P-034
	800-00	Utilities and Roads		LS	P-084

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-113	UTILITIES AND ROADS, FRENCH CREEK AREA (BASEWIDE/MISC)

(Cont'd)

PHASE II (FY-71)	214-10	Combat Vehicle Maintenance Shop (2d Increment)	22,850	SF	P-027
	442-90	Storage Bldg. (2d Increment)	27,000	SF	P-055
	550-10	Dispensary (2d Increment)	10,745	SF	P-114
	610-10	Administration Bldg. (2d Increment)	28,188	SF	P-058
	722-10	EM Barracks w/o Mess (2d Increment)	1,620	MN	P-061
	723-10	Subsistence Building (2d Increment)	23,170	SF	P-062
	800-00	Utilities and Roads (2d Increment)			P-113
PHASE III (FY-72)	214-10	Combat Vehicle Maintenance Shop (3d Increment)	49,040	SF	P-054
	540-10	Dental Clinic	11,500	SF	P-200
PHASE IV (FY-74)	131-15	Communication Center	11,450	SF	P-117
	213-58	Boat Shop	960	SF	P-207
	217-10	Electron/Comm Maint Facility	5,000	SF	P-208
PHASE V (FY-75)	171-10	Academic & General Instruction Bldg. (2d Increment)	14,260	SF	P-051
	171-30	Armory	14,000	SF	P-227
	442-10	Warehouse	120,000	SF	P-118
	610-10	Administration Bldg. (FT Hq)	30,820	SF	P-057
	740-14	Exchange	4,800	SF	
	740-63	EM Service Club	19,640	SF	P-037
PHASE VI (Unprogrammed)	171-20	Applied Instr Bldg.	1,750	SF	P-119
	171-20	Applied Instr Bldg.	6,000	SF	P-226
	442-10	General Warehouse/RI		SF	P-121
	610-10	Dispatch Facility	2,197	SF	P-153
	740-43	Gymnasium	17,180	SF	P-065
	740-56	Theater	734	SE	P-036

*NOTE. This item authorized and funded in the FY-66 Program provided for six @ each 250-man barracks. When bids were taken, two barracks could not be constructed because of deficiency of funds. The FY-66 Program, therefore, provided for only 1,000 men. A line item established in the FY-68 MCON Program provides funds for the two barracks (500 MEN) which were lost.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-113	UTILITIES AND ROADS, FRENCH CREEK AREA	(BASEWIDE/MISC)

9. Effects if the New Facility is Not Provided. The individual sizes of the utility components are sized to accommodate future increments of components. Optimum use is made of the present system network. Without these utilities the new facilities to be constructed in the Force Troops Area will be inoperable.

10. Justification for the Size and Scope of the New Facility. It should be obvious that these new facilities are urgently required. However, to make sure that the need is fully realized a resume of the preceding information is presented here:

(1) There are no existing facilities capable of handling the requirements of the second increment.

(2) If the new facilities are not provided the second increment will not be operable.

11. Justification for the Type of Construction Planned. The Construction and type of equipment is comparable to that used in the first increment. The material used is to be of a type whose capacity of use shall be indefinitely long.

12. Alternate Solutions. There are no alternate solutions.

13. Plans for Facilities Being Replaced. There are no facilities being replaced.

14. Status of Preliminary Engineering. The preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. The requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air and water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
15 JUNE 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 683,000	P.L. ——	822-10 (851-XX)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 683,000		P-195	UTILITIES & ROADS, HADNOT POINT AREA (BASEWIDE/MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. — b. NO. OF STORES — c. LENGTH — d. WIDTH —

e. DESIGN CAPACITY — f. GROSS AREA —

g. COOLING — CAP. — COST ($ —)

19. DESCRIPTION OF WORK TO BE DONE

Provide primary utilities and roads in a new area for support of line items P-133, P-137 and P-138 with provisions for future expansion.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ROADS	LS		$	$ 157
a. PAVEMENT	SY	(11,000)	12.25	(135)
b. SITE PREPARATION & UTILITIES	CY	(20,000)	1.10	(22)
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 526
a. ELECTRICAL, TELEPHONE & FIRE				( )
b. ALARM SYSTEM	LF	1,800	18.35	(33)
c. WATER DISTRIBUTION SYSTEM	LF	2,400	7.08	(17)
d. STEAM DISTRIBUTION LINES	LF	4,258	93.80	(400)
e. SANITARY SEWER LINES	LF	2,740	5.12	(14)
f. SEWER PUMP STATION	EA	1	3,000	(30)
g. STORM SEWER LINES	LF	2,300	12.15	(28)
h. SITE IMPROVEMENT	AC	4	1,000	(4)
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 683

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M LINEAR FEET)		
a. TOTAL REQUIREMENT BASEWIDE/MISC	352,030	
b. EXISTING SUBSTANDARD	(46,827)	
c. EXISTING ADEQUATE	235,661	
d. FUNDED, NOT IN INVENTORY	-	
e. ADEQUATE ASSETS (c + d)	235,661	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	-	
g. INCLUDED IN FY 1972 PROGRAM	4,258	
h. DEFICIENCY (a--f-g)	231,403	

24. RELATED LINE ITEMS

P-198 (FY-72) = 5,800 LF

25. REQUIREMENT FOR LINE ITEM

This line item is required to provide utilities and roads to support a second and third echelon maintenance area being developed for the 2nd Marine Division at Camp Lejeune. No roads or utilities are presently located in the area selected for development. The FY 1970 MCON Program includes a Combat Vehicle Maintenance Facility (P-138), a Weapons Maintenance Facility (P-137), and an Electronics Maintenance Facility (P-133) in this area. Future construction will provide modern and centralized maintenance facilities for the major portion of FMF equipment at Camp Lejeune. This line item will provide: basic site improvement, roads, utility lines, and a sewage lift station. Provision of this line item in FY 1970 is essential to provide required services for planned construction, and to provide a basis for future construction.

Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable. This item will not cause air or water pollution.

DD FORM 1 JUL 62 1391

BOOK NO. PAGE NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 320,000	P.L.	812-30		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 320,000		P-204	ELEC DIST LINE, HADNOT POINT AREA (BASEWIDE MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. - b. NO. OF STORES - c. LENGTH - d. WIDTH -

e. DESIGN CAPACITY - f. GROSS AREA -

g. COOLING - CAP. - COST ($ -)

19. DESCRIPTION OF WORK TO BE DONE

Construct a 7200-volt single phase grounded neutral overhead primary electric distribution line from Building 45 to the Marine Division Shop Area and Force Troops Complex together with a terminal switching station. Voltage regulators will be provided as required for providing adequate service to these areas.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ELEC DIST LINE	LS	-	$ -	$ 320
a. DISTRIBUTION LINE	LF	(39,000)	5.64	(220)
b. SWITCHING STATION	LS	(-)	-	(22)
c. 1,000 KVA, 3PH., 15,000 V REG	EA	(2)	38,800	(76)
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 320

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M LINEAR FEET)		
a. TOTAL REQUIREMENT BASEWIDE BFRI	2,000,000	
b. EXISTING SUBSTANDARD	(407,555)	
c. EXISTING ADEQUATE	1,052,678	
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)	1,052,678	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY 1972 PROGRAM	39,000	
h. DEFICIENCY (a-e-f-g)	908,322	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

This Base's MCON program contains a large number of line items for new barracks and shop buildings; for additional barracks and BOQ's and for rehabilitation of barracks and BOQ's which will require enormous quantities of power for air conditioning. The existing electric distribution lines in the areas involved are totally inadequate to assimilate the increased demand for electric service. This line item proposes to construct a new distribution line between the sub-station at Building 45 and the central area, together with a terminal switching station. This new distribution line will be used to relieve the existing loop feeder for the area lying south of Holcomb Boulevard with the exception of the present industrial feeder. If this line item is not approved, adequate electric service will not be available to support presently programmed construction.

This item will not cause additional air or water pollution. The requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-204	DISTRIBUTION LINE, ELECTRIC, HADNOT POINT AREA (BASEWIDE MISC)

LINE ITEM FACILITIES STUDY, PART I, DISTRIBUTION LINE, ELECTRIC (HADNOT POINT)

1. Function to be Performed. Construct a new distribution line between the substation at Building No. 45 and the Division Shop Area together with a terminal switching station.

2. Necessity for Performing this Function. The existing electrical distribution lines, in the areas involved, are totally inadequate to assimilate the increased demand for electrical service that new construction will bring about.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. Electric power is obtained from the CP&L Co. from a 25,000 KVA transformer located adjacent to Building #45. The power is distributed throughout the Marine Base at 12.5 KV and 12.5/7.2 KV via distribution feeders.

Electrical Distribution System. The present electrical distribution system consists of five main feeders. These feeders are as follows:

a. Three of these five feeders, designated as Hadnot Point, Paradise Point, and Loop Tie Feeders, constitute a loop 12.5 miles in length. The Hadnot Point and Paradise Point feeders consist of four #4/0 and three #4/0 primary copper conductors, respectively, and operate at 12.5/7.12 KV and 12.5 KV. This loop has four outlying switching stations and load points. The Loop Feeder Tie consists of four 336400 CM aluminum conductors operating at 12.5/7.2 KV and connects to the Paradise Point and Hadnot Point Loop Feeder at Switching Station #2.

b. The Industrial Feeder consists of three No. 1/0 primary copper conductors operating at 12.5/7/2 KV by utilizing the common neutral of the Hadnot Point circuit.

c. Camp Geiger Feeder, now replaced by a switching station at Geiger, consisted of three No. 1/0 primary and one No. 1/0 neutral copper conductors operating at 12.7.2 KV, which can be used for emergency service, if required.

d. The Midway Park Sub-Feeder is tied to the Loop Tie Feeder and consists of three No. 1/0 primary copper conductors operating at 12.5 KV. The first substation contains three 1,000 KVA transformers connected delta-wye for 12.5 KV - 2400/4160Y volts operation. A second substation approximately one mile further is also served from this feeder. The second substation contains three 333 KVA transformers connected delta-wye for 12.5 KV - 2400/4160Y volts operation.

The entire system, including both main and subfeeders, consists of a total of approximately 117.42 miles of three-phase and 5.1 miles of single-phase pole lines; plus an approximate 80 miles of secondary pole lines extending beyond primary dead ends. There are approximately 5,340 poles and 1,200 distribution transformers on this system.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-204	DISTRIBUTION LINE, ELECTRIC, HADNOT POINT AREA (BASEWIDE MISC)

4. Current and Planned Future Workload With Regard to This Function. The existing primary electric distribution line to the Hadnot Point Area are currently reaching a fully loaded condition due to continually increasing demands for electric current. The completion of the new Force Troops Complex alone will use up all spare capacity in the lines serving that area. A large program of construction of new Maintenance Shops, Barracks and BOQ's and the Rahabilitation of Barracks and BOQ's which will result in air conditioning these facilities will result in an increased demand for electric service which cannot be assimilated by the present distribution system.

5. Description of Construction Being Requested. The duration of need is indefinite. A 7,200 volt single-phase grounded neutral overhead primary electric distribution line is to be constructed from Building No. 45 to the Marine Division Shop Area and Force Troops Complex together with a terminal switching station. Voltage regulators will be provided as required for providing adequate service to the area.

6. List of Collateral Equipment to Be Included in the Line Item. None.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility. The programmed development of a new Force Troops Complex, the first increment of which is currently under construction, and of an entirely new Maintenance Shop Area for 2nd Marine Division, which will replace totally inadequate existing shops, will impose an increased electric service requirement which will exceed the capacity of presently existing primary electric distribution lines. The existing loop feeder will be adequate to serve the first increment of the Force Troops Complex and the first increment of the new Shop Area will not be able to handle subsequent construction. There will also be a significently increased electric demand in the Hadnot Point area due to programmed additions to barracks and the rehabilitation of existing barracks, all of which will require air conditioning which will produce enormous increases in electric service demand. It is, therefore, proposed, under this line item, to construct a new distribution line from the main substation at Building No. 45 to the vicinity of the new Shop Area terminating in the new switching station. The new feeder serving the central area at Hadnot Point will be relieved of the load lying south of Holcomb Boulevard and that area will be re-connected to the new feeder. This readjustment will not include the area served by the existing Industrial Area loop feeder. If this line item is not approved, it will be impossible to support presently programmed construction with adequate electric service.

9. Effects if the New Facility is Not Provided. If this line item is not approved, adequate electrical service will not be available to support presently programmed construction.

10. Justification for the Size and Scope of the New Facility. This proposed new line and the readjustment of the existing feeder in the Central Area will be developed to provide for all foreseeable demand in this area. The present stage of programming does not permit finite analysis at this time but this will be possible at the Program Cost Estimate stage of this project.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-204	DISTRIBUTION LINE, ELECTRIC, HADNOT POINT AREA (BASEWIDE MISC)

11. Justification for the Type of Construction Planned. The type of distribution line request is a type compatible with the existing lines.

12. Alternate Solutions. There are no alternate solutions.

13. Plans for Facilities Being Replaced. None.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1)

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. The requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 463,000	P.L. -	821-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 463,000		P-160	(BASEWIDE/MISC) ADDN - BOILER CENT HTNG PLNT, HADNOT POINT AREA

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH 90'	d. WIDTH 15'
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA 1,350 SF	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	

15. TYPE OF WORK	
a. NEW FACILITY	
b. ADDITION	X
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Construct a 1,350 SF addition to the Central Heating plant, Building No. 1700 which will be compatible to the existing facility which is a structural steel frame with 12½" brick curtain walls above operating floor level and concrete walls below, floored with concrete slabs or metal grating. Provide a new 100,000 pph coal-fired boiler together with necessary associated equipment. Fallout shelter excluded - impairment of item purpose.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
ADDN - BOILER, CENT HEAT PLNT	LS	-	$ -	$ 463
a.		( )		( )
b. BUILDING ADDITION	SF	(1,350)	49.60	(67)
c. 100,000 PPH BOILER WITH ASSOCIATED		( )		( )
d. MECH, EQUIP, (APPROX 3000 HP)	LS	(-)	-	(396)
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 463

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M HORSE POWER)		
a. TOTAL REQUIREMENT BASEWIDE/MISC	BFRL	18,208
b. EXISTING SUBSTANDARD		(178)
c. EXISTING ADEQUATE		12,915
d. FUNDED, NOT IN INVENTORY		0
e. ADEQUATE ASSETS (c + d)		12,915
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	3,000	3,000
h. DEFICIENCY (a-e-f-g)	2,293	

24. RELATED LINE ITEMS

2D MAR DIV INDUSTRIAL COMPLEX & FORCE TROOPS COMPLEX, 2D INCREMENT

25. REQUIREMENT FOR LINE ITEM

The new Force Troops Complex, the construction of the first portion which has been authorized, along with the new 2nd Mar Div Maintenance Complex and new barracks in Hadnot Point, will add a total of 100,000 pounds of steam per hour. The source of the steam is the Central Heating Plant in the Hadnot Point area. This plant contains four 100,000 pound capacity boilers. During average winter conditions, three boilers can meet the existing steam demand. During periods of extreme cold, it is necessary to fire all boilers because the existing load under these conditions is normally 335,000 pph. The addition of the 100,000 pph will result in a requirement for operating all four existing boilers continually at maximum capacity (400,000 pph) during cold weather plus an additional 35,000 pph. In order to avoid over-taxing this Plant and to preclude a shortage of steam, it is necessary to provide a 100,000 pph boiler along with the area to house it. This item will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-160	ADDITION - CENTRAL HEATING PLANT, HADNOT POINT AREA (BASEWIDE/MISC)

1. Function to be Performed. The function to be performed is the addition of a boiler to the Central Heating Plant in order to avoid over-taxing this Plant and to preclude a shortage of steam when one of the existing boilers requires maintenance.

2. Necessity for Performing This Function. In order for the Central Heating Plant to provide enough heat during the winter months, an additional boiler must be added to the Plant.

3. List of Existing and Authorized Facilities Similar to the New Facility Requested Which Can Be Used for Performing This Function.

HP	TYPE CONSTRUCTION	BLDG.	SF
12,000	P	1700	29,450

4. Current and Planned Future Workload With Regard to This Function.

Total amount of HP needed	15,000	Total amount of SF needed	30,800
Total amount of HP available	12,000	Total amount of SF available	29,450
Total amount of HP deficit	3,000	Total amount of SF deficit	1,350

5. Description of Construction Being Requested. Duration of need of the new facility is indefinite. Construct a 1,350 SF addition to the Central Heating Plant, Building No. 1700, which will be compatible to the existing facility which is a structural steel frame with 12½" brick curtain walls above operating floor level and concrete walls below, floored with concrete slabs or metal grating. Provide a new 100,000 pph coal-fired boiler together with all necessary associated equipment.

6. List of Collateral Equipment to Be Included in the Line Item. 100,000 pph boiler with associated mechanical equipment.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility. The new Force Troops Complex, the construction of the first portion which has been authorized, along with the new 2nd Marine Division Maintenance Complex and new barracks in Hadnot Point, will add a total of 100,000 pounds of steam per hour. The source of the steam is the Central Heating Plant in the Hadnot Point area. This Plant contains four 100,000 pound capacity boilers. During average winter conditions three boilers can meet the existing steam demand. During periods of extreme cold it is necessary to fire all boilers because the existing load under these conditions is normally 335,000 pph. The addition of the 100,000 pph will result in a requirement for operating all four existing boilers continually at maximum capacity

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-160	ADDITION - CENTRAL HEATING PLANT, HADNOT POINT AREA (BASEWIDE/MISC)

(Cont'd)

(400,000 pph) during cold weather plus an additional 35,000 pph. In order to avoid over-taxing this Plant and to preclude a shortage of steam, it is necessary to provide a 100,000 pph boiler along with the area to house it.

9. Effects if the New Facility Is Not Provided. There will be a lack of heat to all places which are supplied with heat from the Central Heating Plant. Also, because of the need to supply as much heat as can possibly be supplied by the Plant in its present condition, it will have to be taxed to its fullest capacity at all times.

10. Justification for the Size and Scope of the New Facility. The Central Heating Plant contains four, at 100,000 pph, boilers. Under normal winter conditions the Plant is able to operate with three boilers in service. Under extreme conditions, however, it is necessary to place the fourth boiler in service with the total exported steam being in the order of 335,000 pph. The first increment of the Force Troops Complex will require approximately 25,000 pounds of steam per hour which when added to the normal load will require continual operation of the four boilers. Any outage in any of the boilers during cold weather would result in a deficiency in meeting the normal demand. The 2nd increment of the Force Troops Complex will add an additional 25,000 pounds of steam per hour which will mean that under extreme conditions all four boilers must be fired continually at essentially maximum capacity. Also, the new 2nd Marine Division Maintenance Complex along with new barracks in Hadnot Point will require additional 50,000 pph, 25,000 each. As a companion line item for the new construction, it is therefore necessary to provide a new 100,000 pph boiler and a small addition to the Central Heating Plant. This boiler, just as the others, will be coal-fired and will be easily convertible to oil-fired just as the other boilers. However, a conversion to oil-firing would have to be temporary because all operations involving this would have to be done manually. By installing automatic controls, which would not be a very large operation, it could be converted to oil-fired at will.

11. Justification for the Type of Construction Planned. In connection with the new Force Troops Complex, the first increment of which is currently authorized for construction, along with the new 2nd Marine Division Industrial Complex and new barracks in Hadnot Point, comparative cost studies were made for providing steam to the new buildings by means of connection to the Central Heating Plant in the Hadnot Point Area, versus the cost of an addition to the small heating plant serving the shop buildings in the French Creek area. These studies indicated that it would be ultimately cheaper to provide steam from the Central Heating Plant despite the fact that an additional boiler would be required.

12. Alternate Solutions. None.

13. Plans for Facilities Being Replaced. No facility is going to be replaced.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
1 OCT 1968	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-160	ADDITION - CENTRAL HEATING PLANT, HADNOT POINT AREA	(BASEWIDE/MISC)

14. Status of Preliminary Engineering. No preliminary engineering report has been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution, Prevention, Abatement and Control. This item will not cause additional water pollution. The air pollution caused by this item will be abated in accordance with Executive Order No. 11282 by corrective measures included as part of this line item.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 405,000	P.L. _____	822-10		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 405,000		P-198	STEAM AND CONDENSATE LINES, HADNOT POINT (BASEWIDE/MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. -	b. NO. OF STORES -	c. LENGTH -	d. WIDTH -
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA -	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	

15. TYPE OF WORK	
a. NEW FACILITY	
b. ADDITION	X
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	X
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Construct a new steam distribution line from its Central Heating Plant to provide adequate steam for the new 2nd Marine Division shop area, as well as to act as a reinforcement for the Force Troops Complex.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
STEAM DISTRIBUTION	LF	5800	$ 70.00	$ 405
a.		( )		( )
b.		( )		( )
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 405

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M LINEAR FEET)		
a. TOTAL REQUIREMENT BASEWIDE/MISC	352,030	
b. EXISTING SUBSTANDARD	(45,982)	
c. EXISTING ADEQUATE	236,056	
d. FUNDED, NOT IN INVENTORY	0	
e. ADEQUATE ASSETS (c + d)	236,056	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY 1972 PROGRAM	5,800	
h. DEFICIENCY (a - e - f - g)	110,174	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The construction of a new Industrial Area with various new shops to replace inadequate shops used by the 2nd Marine Division is presently being programmed. The first three line items will provide eight new shop buildings in this new area. Steam service required for these buildings will be obtained from a new steam distribution line which is currently under construction to serve the new Force Troops Complex and which passes nearby. This line, however, has been designed to serve only the Force Troops buildings and will not be adequate to provide steam for all of the new buildings being programmed for the new Shop Area. The Force Troops line will be tapped to provide steam for the first shop building but a new line between the Central Heating Plant and the Shop Area will ultimately be required to serve the new shops. This line item will provide adequate steam service for the new Shop Area and will also be used to form a loop connecting with the Force Troops line thus providing reinforcement for both areas. If this new line is not provided, there will not be adequate steam to supply the ultimate requirements for the new shop buildings.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-198	STEAM AND CONDENSATE LINES, HADNOT POINT	(BASEWIDE/MISC)

1. Function to be Performed. Construct a new steam distribution line to provide adequate steam for the new 2nd Marine Division Shop Area as well as to act as a steam reinforcement for the Force Troops Complex.

2. Necessity for Performing This Function. In order for the new Shop Area of the 2nd Marine Division to be adequately provided with steam, a new line must be run.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There are no existing facilities which can be used for performing this function. Reference Paragraph 10, Justification for the Size and Scope of the New Facility.

4. Current and Planned Future Workload With Regard to This Function. It is estimated that when the new 2nd Marine Division Shop Area is completed, the proposed steam line will have to carry a load estimated at 36,900 pounds of steam per hour for normal steam usage.

5. Description of Construction Being Requested. This facility will be permanant with its use being indefinite. The steam line to be constructed will be of underground black steel in conduit. Amount is estimated to be 5,800 LF.

6. List of Collateral Equipment to Be Included in the Line Item. None.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility. The new facility must be provided in order to have adequate steam heat at the new 2nd Marine Division Shop Area.

9. Effects if the New Facility is Not Provided. If this new steam line is not provided, there will be inadequate steam to supply the estimated requirements for the new shop buildings.

10. Justification for the Size and Scope of the New Facility. The construction of a new Industrial Area with various new shops to replace inadequate shops used by the 2nd Marine Division is presently being programmed. The first three line items (P-138, Combat Vehicle Maintenance Facility, 1st Increment; P-137, Weapons Maintenance Facility; and P-133, Electronics Maintenance Facility) are in the FY-69 MCON Program. These shops will be connected to a new steam distribution line which is currently under construction to serve the new Force Troops Complex and which passes relatively close to the new Shop Area. This line, however, will not be sufficiently large to serve the whole of the new Shop Area, because the decision to develop this area had not been made until after the contract or the Force Troops Complex had been let. The Force Troops line will be adequate to serve the FY-69 shops but will not be able to supply

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-198	STEAM AND CONDENSATE LINES, HADNOT POINT (BASEWIDE/MISC)

(Cont'd)

adequate steam for the subsequent shops in addition to the later increments of the Force Troops Complex for which it was designed. It will therefore be necessary to construct a new steam distribution line from the Central Heating Plant to the new Shop Area. This line will ultimately connect to the lines serving the first shops, and will form a loop feeder which will be advantageous to both areas in accordance with good design practice. This line item will provide this new line.

11. Justification for the Type of Construction Planned. Black steel in conduit is the most compatible type of pipeline to the existing pipeline. Also, it is the most economical and efficient of steam piping.

12. Alternate Solutions. None.

13. Plans for Facilities Being Replaced. No facilities are being replaced.

14. Status of Preliminary Engineering. No preliminary engineering report has been made.

15. Sketch Showing Planned Location of the New Facility. None.

16. Other Graphic Presentations, Including Photographs. Enclosure (1).

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional air and water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968	1972		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 2,264,000	P.L. —	841-40 (842-10)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 2,264,000		P-143	WATER TREATMENT PLANT, HADNOT POINT WELLS AND DISTRIBUTION LINES (BASEWIDE/MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION	
a. PERMANENT	X
b. SEMI-PERMANENT	
c. TEMPORARY	

15. TYPE OF WORK	
a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	

17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY

a. NO. OF BLDGS. — b. NO. OF STORES — c. LENGTH — d. WIDTH —

e. DESIGN CAPACITY — f. GROSS AREA —

g. COOLING — CAP. — COST ($ —)

19. DESCRIPTION OF WORK TO BE DONE

Construct a new two million gallon per day water softening plant complete with pumping station and reservoir. Develop a new two million gallon per day well field to supply new plant. Interconnect new plant with existing distribution system.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
			$	$ 1265
a. PLANT	MG	(2)	437,500	(875)
b. WATER DISTRIBUTION LINES	LF	(25,000)	15.60	(390)
c.		( )		( )
d.		( )		( )
21. SUPPORTING FACILITIES				$ 829
a. WELLS AND PUMPING FACILITY	GM	1,400	186.00	(260)
b. SUPPLY MAINS	LF	25,000	14.30	(358)
c. ACCESS ROAD	LF	7,800	9.10	(71)
d. ELECTRICAL DISTRIBUTION	LS			(27)
e. RESERVOIR	GA	1,000,000	.10	(270)
f. RAILROAD SIDING	LF	500	25.00	(13)
g.				( )
h.				( )
i.				( )
j.				( )
22. *TOTAL LINE ITEM COST*				$ 2264

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M MILLIONS GALLONS)		
a. TOTAL REQUIREMENT BASEWIDE/MISC	25	
b. EXISTING SUBSTANDARD	(0)	
c. EXISTING ADEQUATE	10	
d. FUNDED, NOT IN INVENTORY	0.5	
e. ADEQUATE ASSETS (c + d)	10.5	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	0	
g. INCLUDED IN FY 1972 PROGRAM	2	
h. DEFICIENCY (a-e-f-g)	12.5	

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The construction of the new Force Troops Complex, the new Division Shop Area, and the air conditioning of the new majority of existing buildings will result in a substantial increase in the potable water requirements imposed upon the Hadnot Point water treatment plant. This plant is already operating at design capacity and at times in excess of its capacity. This plant is located in such a highly developed area that enlargement of the water treatment facilities is not economically possible. It is, therefore, proposed to construct a new water treatment plant, together with a new well field and collection line system, and to connect this plant to the main housing areas, thus relieving the Hadnot Point plant of approximately 1.5 MGD load. This relief will make it possible for the existing plant to meet the demands of the before-mentioned new construction and provide a facility adaptable for future expansion as warranted by future needs. This item will not cause additional air or water pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968			NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-143	WATER TREATMENT PLANT, WELLS AND DISTRIBUTION LINES	(BASEWIDE/MISC)

1. Function to be Performed.

a. Supply potable water to the Paradise Point housing areas, Capehart housing areas, and Midway Park housing area.

b. Relieve the Hadnot Point water system of supplying the above residential areas.

c. Provide emergency reinforcement to the Hadnot Point system.

2. Necessity for Performing This Function. The Hadnot Point Water Treatment Plant is already overloaded. New and planned construction will impose additional demands on the plant, and it is physically impracticable to expand the existing plant.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There are none.

4. Current and Planned Future Workload With Regard to This Function. The workload of this facility is directly related to the workload of the Hadnot Point water system because this proposed facility is intended to relieve the workload of the Hadnot Point system. Recent daily peak demands on the Hadnot Point system are shown below:

1961	5,652,000 gallons per day	1967	Jan	5,290,000 gallons per day
1962	6,048,000 gallons per day		Feb	5,184,000 gallons per day
1963	6,588,000 gallons per day		Mar	5,292,000 gallons per day
1964	5,868,000 gallons per day		Apr	5,508,000 gallons per day
1965	5,760,000 gallons per day		May	5,400,000 gallons per day
1966	5,868,000 gallons per day			

The demands on the Hadnot Point Treatment Plant exceeded 5 million gallons per day for extended periods with peak days in excess of 6 million gallons. The planned Force Troops Complex, of which some portions are currently being constructed, is expected to increase the demand by approximately 0.5 million gallons per day. This increase will result from an increase in troop loading, an increase in industrial usage, and an increase in boiler water make-up in steam for the area because the condensate will be wasted. The planned projects to provide a new divisional shop area and to generally provide air conditioning for all existing facilities except warehouses plus other planned construction are expected to increase the demand by another approximately 0.5 million

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968			NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-143	WATER TREATMENT PLANT, WELLS AND DISTRIBUTION LINES	(BASEWIDE/MISC)

(Cont'd)

gallons per day. The demand may also be expected to increase in accordance with the national trend of an increased water usage per capita. The water demand by the areas currently supplied by the Hadnot Point system may reasonably be expected to exceed 6 million gallons per day throughout the foreseeable future. The requested facility would relieve that system of the before-mentioned residential areas, which currently demand approximately 1.5 million gallons per day and would also be the source of water supply for all planned future dependent housing.

5. Description of Construction Being Requested. The estimated duration of need is indefinite. This project proposes the construction of a new two million gallon per day water softening plant complete with pumping station and reservoir; development of a new two million gallon per day well field to supply the new plant; and interconnection of the new plant effluent with existing distribution system. Softening will be accomplished by the lime treatment process. The size and scope of the new facilities are presented below:

FACILITIES	U/M	QUANTITY
Plant	MG	2
Reservoir	MG	1
Water Distribution Lines	LF	25,000
Wells and Pumping Fac.	GM	1,400
Supply Mains	LF	25,000
Access Roads	LF	7,800
Electrical Distribution	LF	

6. List of Collateral Equipment to Be Included in the Line Item. None.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. 2 chairs, 2 desks, 1 laboratory bench, 6 unit clothes lockers.

8. Justification for the New Facility.

a. The construction of the new Force Troops Complex, the new Division Shop Area, and the air-conditioning of the majority of existing buildings will result in a substantial increase in the potable water requirements imposed upon the Hadnot Point water treatment plant. The demand increase will result from higher troop loadings, more industrial usage, and an increase in water required for the central steam heating plant. Further increases are inevitable with a modern trend of more water usage per capita and the more general use of air-conditioning in the installation of future additional supporting facilities.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968			NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-143	WATER TREATMENT PLANT, WELLS AND DISTRIBUTION LINES	(BASEWIDE/MISC)

(Cont'd)

b. The Hadnot Point Water Treatment Plant serves Hadnot Point proper and the Bases's main residential area, the latter being an area somewhat remote from the water plant and separated from Hadnot Point proper by Wallace Creek.

c. Hadnot Point proper is the most highly developed complex on the Base and is the nucleus of the entire camp. It includes the U.S. Naval Hospital, the Division billeting area, the Central Area, the Supply and Industrial Areas, and the Force Troops Area. A reliable and adequate water supply to this area is of absolute and paramount importance to the mission of the Base. The water demand in this area is very susceptible to great fluctuations as influenced by troop loading conditions and the potential for an increase in troop loading always exists here.

d. The designed treatment capacity for the Hadnot Point Water Plant is 5 MGD (5 million gallons per day). Past production at this plant has exceeded 5 MGD for extended periods with peak days in excess of 6 MGD. Current production approximates 5 MGD. Production which equals or exceeds design capacity requires optimum operating conditions with no provisions for flexibility or equipment malfunction. The complexities of a 5 MG water plant seldom permit such optimum conditions to exist.

e. Past operating experience under overloaded conditions coupled with the knowledge of a certain increase in demand establishes an absolute necessity for increasing the water treatment capacity for the Hadnot Point Area.

f. The existing plant is located in the approximate center of demand for Hadnot Point proper but is situated in a highly-developed area and there is no room for physical expansion except vertically. The foundations for the existing facility are not capable of supporting vertical expansion. Thus, any supplements in capacity must necessarily be provided at a separate location.

g. The logical place to locate the supplemental supply would be in the Base's main residential area. This is, except for Midway Park, which is separated from the other by N.C. Hwy. 24, is bounded on the east by Holcomb Boulevard; on the south by Wallace Creek; on the west by New River; and on the north by Northeast Creek and N.C. Hwy. 24 and includes the family housing developments at Paradise Point, Berkley Manor, Midway Park, and all planned future family housing developments. This can easily be separated by valving off from Hadnot Point proper. Such action would relieve the existing plant of about 1.5 MGD. This area is also located in close proximity to the geological formations which provide the best producing wells on the Base. A new well field to provide the supplemental supply could be developed more economically than at any other area on the Base. A new plant located in the approximate center of demand for the residential area would provide a more reliable distribution within the area particularly with regards to fire protection and to supply future housing developments.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968			NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-143	WATER TREATMENT PLANT, WELLS AND DISTRIBUTION LINES (BASEWIDE/MISC)

(Cont'd)

h. The line item will provide a new plant in the residential area complete with well field and interconnections with the existing distribution system. This new system should be designed to supply the residential area's demand with reliable flexibility, reinforce the Hadnot Point area and be easily expanded as required to facilitate future demand increases at Hadnot Point proper and the residential area.

i. In consonance with this corrective action this project proposes a 2 MG water treatment plant to be located east of the intersection of Brewster Boulevard and Holcomb Boulevard with its own well field to be located in the Piney Green area, and that plant effluent be interconnected with the existing distribution system at both extremities of Brewster Boulevard and at Berkley Manor. It further proposes that residential area distribution system be isolated from Hadnot Point proper in a manner that will permit each zone to support the other as required. The construction of this line item will relieve the present load upon the Hadnot Point plant and make it capable of supplying the new demand of the before-mentioned new construction.

9. Effects if the New Facility is Not Provided. If the new facility is not provided, the existing Hadnot Point Water Plant cannot be reliably expected to produce the water demanded of it. This would render an unreliable water supply for fire protection, for hospital usage, for heating, industrial usage, and all functions normally dependent upon a sufficiency of water. The adverse effects of a continuing water shortage at this Base, "The Worlds Most Complete Amphibious Training Base," would be intolerable.

10. Justification for the Size and Scope of the New Facility. The areas currently being served by the Hadnot Point Water Plant will have, subsequent to the present planned construction within those areas, an anticipated water demand in excess of 6 MGD. The present plant capacity is 5 MGD leaving a deficit in excess of 1 MGD. Provision of this item would relieve the Hadnot Point Plant of areas demanding approximately 15 MGD and permit that plant to function at approximately its designed capacity. Approval of this item would provide 2 MGD for the areas demanding approximately 1.5 MGD and provide the two plants with a 7 MGD capacity to offset a total demand in excess of 6 MGD. This condition affords very limited flexibility but the new facility will be well adapted for expansion when necessary whereas the existing facility is not. It is essential that the new plant have its own well field because the existing field is already over-taxed and is incapable of supporting the new plant. The new distribution mains are essential to properly provide for fire protection in the residential areas.

11. Justification for the Type of Construction Planned. The lime treatment process was chosen because it affords the most economical means of treating this particular water and it is compatible with the existing system to which it will be interlocked.

12. Alternate Solutions. There are no alternate solutions.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
REVISED 1 OCT 1968			NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-143	WATER TREATMENT PLANT, WELLS AND DISTRIBUTION LINES (BASEWIDE/MISC)

13. Plans for Facilities Being Replaced. There are no facilities being replaced.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause additional water or air pollution.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
12 DEC 1968	1973		NAVY	MARINE CORPS BASE

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 559,000	P.L. ____	851-XX (842-10)		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 559,000		P-1007	UTILITIES AND ROADS, MILE HAMMOCK BAY (BASEWIDE/MISC)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. -	b. NO. OF STORES -	c. LENGTH -	d. WIDTH -
b. SEMI-PERMANENT		e. DESIGN CAPACITY -		f. GROSS AREA -	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	
15. TYPE OF WORK		19. DESCRIPTION OF WORK TO BE DONE			
a. NEW FACILITY	X	Provide utilities and roads in the Mile Hammock Bay area to support the development of the 2nd Amtrac Battalion complex. Utilities required: Electrical distribution system, wells, water treatment plant, water distribution, sanitary sewer lines, sewage treatment plant, fire alarm and communication lines. Roads: 22 feet paved surface with 8 feet shoulders and side ditches. Paving: 1½ inch asphalt on 4½ inch compacted stone base. Clearing, grading and grassing is to be provided for all roads and utilities.			
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY: UTILITIES AND ROADS	U/M	QUANTITY	UNIT COST	COST ($000)
			$	$ 152
a. ELECTRICAL DISTRIBUTION	LF	(12,500)	5.00	(62)
b. COMMUNICATION LINES	LF	(9,000)	2.00	(18)
c. SANITARY SEWER LINES	LF	(8,000)	7.00	(56)
d. SEWAGE TREATMENT FACILITY		( )		(16)
21. SUPPORTING FACILITIES				$ 407
a. WELLS AND WATER DISTRIBUTION	LS			(150)
b. WATER TREATMENT FACILITY	LS			(15)
c. ROADS	SY	22,000		(172)
d. CLEARING AND GRADING	LS			(70)
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. *TOTAL LINE ITEM COST*				$ 559

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M SQUARE YARDS)		
a. TOTAL REQUIREMENT BASEWIDE/MISC	7,356,800	
b. EXISTING SUBSTANDARD	(-)	
c. EXISTING ADEQUATE	5,952,668	
d. FUNDED, NOT IN INVENTORY	101,800	
e. ADEQUATE ASSETS (c + d)	6,054,468	
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION	-	
g. INCLUDED IN FY 1973 PROGRAM	2,200	
h. DEFICIENCY (a-e-f-g)	1,280,332	

24. RELATED LINE ITEMS

P-131 (FY-73)=19,800
P-113 (FY-72)=15,000
P-135 (FY-73)=56,000
P-195 (FY-72)=11,000

25. REQUIREMENT FOR LINE ITEM

Amphibious training is a primary function of the Marine Corps. Operating expenses will be reduced by locating the 2nd Amtrac Battalion nearer ocean training areas. Roads and utilities are necessary in the development of the Mile Hammock Bay for the 2nd Amtrac Battalion and amphibious training functions. This line item must be approved and funded along with 2nd Amtrac Battalion facilities to provide complete and useable facilities.

DD FORM 1 JUL 62 1391

BOOK NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
12 DEC 1968	1973		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE	
P-1007	UTILITIES AND ROADS, MILE HAMMOCK BAY	(BASEWIDE/MISC)

1. Function to be Performed. This line item provides for the roads and utilities in the Mile Hammock Bay area and in connection with the proposed complex for the 2nd Amtrac Battalion.

2. Necessity for Performing This Function. This line item must be approved and funded along with 2nd Amtrac Battalion complex in order that complete and usable facilities will be provided.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. There are no existing utilities in the Mile Hammock Bay area. The existing read through the area is to be retained and utilized during the first phase of development.

4. Current and Planned Future Workload With Regard to This Function. The 2nd Amtrac Battalion complex in the Mile Hammock Bay area is to house 611 enlisted personnel. The facilities will operate at maximum potential throughout the year. The requested facilities are based on this projected requirement.

5. Description of Construction Being Requested. The requested facilities are to provide the necessary utilities in support of the 2nd Amtrac Battalion complex. The electrical distribution system, water distribution system and sanitary sewer system is to be sized to allow for 100% expansion. Roads shall have a 22 feet wide paved surface with two, 8 feet shoulders, back slopes and side ditches. The road surface shall be 1½ inch asphalted concrete on 4½ inch contacted stone base. Clearing, earthwork and grassing for utilities and roads is also to be provided.

6. List of Collateral Equipment to Be Included in the Line Item. None.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. None.

8. Justification for the New Facility. Amphibious training operations are primary function of the Marine Corps. Adequate facilities near ocean training areas will reduce present operating expenses. This line item provides for utility services and roads which are required in connection with the development of the 2nd Amtrac Battalion complex. This line item must be approved and funded simultaneously with proposed construction in order to provide complete and usable facilities.

9. Effects if the New Facility is Not Provided. Without these utilities the new facilities to be constructed in the Mile Hammock Bay area will be unoperable.

10. Justification for the Size and Scope of the New Facility. There are no existing utilities in the Mile Hammock Bay area. The sizes of the utility components are based upon 100% expansion of present requirements. If the new facilities are not provided, proposed construction in the area would not be operable.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
12 DEC 1968	1973		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-1007		UTILITIES AND ROADS, MILE HAMMOCK BAY		

(BASEWIDE/MISC)

11. Justification for the Type of Construction Planned. Construction and type of equipment is to be comparable to that used throughout utilities in other parts of the base.

12. Alternate Solutions. There are no alternate solutions.

13. Plans for Facilities Being Replaced. There are no facilities being replaced.

14. Status of Preliminary Engineering. The preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. Enclosure (1).

16. Other Graphic Presentations, Including Photographs. None.

17. Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Prevention, Abatement and Control. This item will not cause air and water pollution.

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BASEWIDE/MISCELLANEOUS												
	2615	2-366	P	R	784,086	MULTIPLE USE BLDG	SF	46,794	45,282	29	RETAIN		
740-60	* A					OFFICERS CLUB	SF	44,126	44,126				
821-20	* B					HT/PLNT - FAC/OIL	SF	1,512					
131-40	* C					TELEPHONE EXCHANGE	SF	1,156	1,156				
131-40	TP 450	2-5127	T	T	200	TELEPHONE EXCHANGE	SF	357	357	29	RETAIN		
159-62	1918	2-447	P	R	10,876	BOAT HOUSE	SF	1,786	1,786	29	RETAIN		
159-64	MH 2	2-3910	T	N	5,258	EMBARKATION FAC	SF	960	960	25	REMOVE		
	ES 222	2-5408	S	N	1,990	MULTIPLE USE BLDG	SF	1,700	1,700	25	REMOVE		
442-10	* A					GEN WAREHOUSE/RI	SF	1,100	1,100				
171-10	* B					ACD/GEN INSTR BLDG	SF	600	600				

NOTE: (1) = REMOVE DUE TO NEW CONSTRUCTION

CLASSIFICATION STAMP

A-1977

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
171-20	TC 174	2-3502	T	N	3,529	APPLIED INSTR BLDG	SF	960	960	25	REMOVE		
171-20	TC 179	2-3506	T	N	3,530	APPLIED INSTR BLDG	SF	960	960	25	REMOVE		
179-90	SES 136	2-6749	S	U	150	OBSERVATION TOWER	EA	1	1	29	RETAIN		
179-90	SFC 700	2-6638	S	U	1,800	OBSERVATION TOWER	EA	1	1	29	RETAIN		
179-90	SRR 244	2-6753	P	U	45,011	OBSERVATION TOWER	EA	1	1	29	RETAIN		
179-90	SRR 245	2-6754	P	U	35,011	OBSERVATION TOWER	EA	1	1	29	RETAIN		
179-90	SVL 165	2-6755	S	U	300	OBSERVATION TOWER	EA	1	1	29	RETAIN		
214-10	BA 130	2-2766	S	N	18,200	COMBAT VEH MAINT FAC	SF	4,000	4,000	25	REMOVE		
214-90	SBA 153	2-6772	S	U	1,349	GREASE RACK	SF	350	350	29	RETAIN		
214-90	SES 304	2-6358	P	U	2,000	GREASE RACK	SF	350	350	29	RETAIN		
214-90	SES 306	2-6570	P	U	2,500	GREASE RACK	SF	550	550	29	RETAIN		

CLASSIFICATION STAMP

A-167

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	BA 128	2-2765	S	R	19,611	MULTIPLE USE BLDG	SF	4,000	4,000	29	RETAIN		
442-10	* A					GEN WAREHOUSE/RI	SF	3,160	3,160				
610-10	* B					ADMIN BLDG	SF	450	450				
215-XX	* C					SMALL ARMS SHOP	SF	390	390				
217-10	M 166	2-3792	S	U	10,361	ELEC/COMM MAINT SHOP	SF	4,000	4,000	29	RETAIN		
217-10	ES 105	2-2806	S	R	4,613	ELEC/COMM MAINT SHOP	SF	4,374	4,374	29	RETAIN		
	BA 102	2-2750	P	R	133,691	MULTIPLE USE BLDG	SF	14,956	14,956	29	RETAIN		
722-10	* A					EM BARRACKS	SF	8,321	8,321				
610-10	* B					ADMIN BLDG	SF	4,556	4,556				
217-10	* C					ELEC/COMM MAINT SHOP	SF	2,079	2,079				
	BA 105	2-2752	P	R	128,580	MULTIPLE USE BLDG	SF	14,956	14,956	29	RETAIN		
722-10	* A					EM BARRACKS W/O MESS	SF	13,735	13,735				
610-10	* B					ADMIN BLDG	SF	912	912				
217-10	* C					ELEC/COMM MAINT SHOP	SF	309	309				
218-20	ES 126	2-5302	S	R	6,852	CONST EQUIP MAINT SHOP	SF	5,600	5,600	29	RETAIN		

CLASSIFICATION STAMP

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME: MARINE CORPS BASE, CAMP LEJEUNE, N.C. | CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5ND | CODE: 05 | SPONSOR: CMC | CODE: 32 | REPORT STATUS: ☐ REVISION ☐ CHANGE ____ | SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
219-10	1919	2-409	S	R	5,676	PW/MAINT SHOP	SF	946	946	29	RETAIN		
219-10	2627	2-362	P	U	6,328	PW/MAINT SHOP	SF	3,240	3,240	29	RETAIN		
	D 23	2-2434	P	R	95,394	MULTIPLE USE BLDG	SF	12,412	12,412	29	RETAIN		
740-23	* A					COMMISSARY	SF	5,526	5,526				
219-10	* B					PW/MAINT SHOP	SF	2,558	2,558				
740-90	* C					COMMUNITY / INTER	SF	1,810	1,810				
740-90	* D					INT MWR/FAC/OTH	SF	1,518	1,518				
219-10	TT-41	2-4722	S	R	1,046	PW/MAINT SHOP	SF	2,600	2,600	29	RETAIN		
	LCH 4000	2-1038	S	U	28,964	MULTIPLE USE BLDG	SF	6,207	6,207	29	RETAIN		
610-90	* A					ADMIN BLDG/OTHER	SF	3,065	3,065				
442-70	* B					BASE MAINT STORAGE	SF	2,758	2,758				
219-10	* C					PW/MAINT SHOP	SF	384	384				
219-10	LCH 4023	2-1047	S	U	4,326	PW/MAINT SHOP	SF	2,678	2,678	29	RETAIN		
219-20	1927	2-407	S	R	514	PAVE & GROUNDS MAINT SHED	SF	400	400	29	RETAIN		

CLASSIFICATION STAMP

BASEWIDE/MISC

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPOS. STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	05	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	OPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	ES 101	2-2802	S	R	15,131	MULTIPLE USE BLDG	SF	4,000	4,000	29	RETAIN		
219-90	* A					CONSTRUCTION SHOP	SF	3,720	3,720				
610-10	* B					ADMIN BLDG	SF	280	280				
229-40	SES 134	2-6731	T	U	1,746	SAW MILL SHED	SF	1,017	1,017	29	RETAIN		
422-10	S 845	2-6349	P	U	433	HI EXPL/MAG RI	SF	168	168	29	RETAIN		
422-10	SVL 5	2-5995	S	U	465	HI EXPL/MAG RI	SF	450	450	29	RETAIN		
422-10	SVL 7	2-5998	S	U	475	HI EXPL/MAG RI	SF	464	464	29	RETAIN		
422-10	SVL 9	2-5999	S	U	602	HI EXPL/MAG/RI	SF	640	640	29	RETAIN		
422-10	SVL 10	2-6000	S	U	1,212	HI EXPL/MAG/RI	SF	1,500	1,500	29	RETAIN		
422-10	SVL 11	2-6001	S	U	1,212	HI EXPL/MAG/RI	SF	1,500	1,500	29	RETAIN		
422-10	SVL 12	2-6002	S	U	602	HI EXPL/MAG/RI	SF	640	640	29	RETAIN		
422-10	SVL 13	2-6003	S	U	486	HI EXPL MAG/RI	SF	480	480	29	RETAIN		
422-15	SVL 3	2-5993	S	U	374	FUSE DET MAG/RI	SF	320	320	29	RETAIN		

CLASSIFICATION STAMP

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
422-20	SVL 8	2-5998	S	U	692	INERT/ST HSE/RI	SF	640	640	29	RETAIN		
422-30	SBA 136	2-2854	P	U	19,950	SM/ARM/PYRO/MAG	SF	1,377	1,377	29	RETAIN		
422-30	SBA 137	2-2855	P	U	19,950	SM/ARM/PYRO/MAG	SF	1,377	1,377	29	RETAIN		
442-30	SRR 241	2-2723	T	R	818	SM/ARM/PYRO/MAG	SF	357	357	29	RETAIN		
422-30	SRR 242	2-2721	T	R	817	SM/ARM/PYRO/MAG	SF	357	357	29	RETAIN		
422-30	SVL 1	2-5991	S	U	487	SM/ARM/PYRO/MAG	SF	480	480	29	RETAIN		
422-30	SVL 2	2-5992	S	U	487	SM/ARM/PYRO/MAG	SF	480	480	29	RETAIN		
422-30	SVL 6	2-5996	S	U	601	SM/ARM/PYRO/MAG	SF	640	640	29	RETAIN		
422-90	SVL 4	2-5994	S	U	328	AMO SI RI/OTH	SF	256	256	29	RETAIN		
442-10	747	2-4814	S	U	2,302	GEN WAREHOUSE/RI	SF	2,460	2,460	29	RETAIN		
442-10	1916	2 448	P	R	5,614	GEN WAREHOUSE/RI	SF	5,500	5,500	29	RETAIN		
442-10	1932	2-405	S	U	209	GEN WAREHOUSE/RI	SF	120	120	29	RETAIN		
442-10	1944	2-6278	T	R	9,730	GEN WAREHOUSE/RI	SF	3,000	3,000	29	RETAIN		

CLASSIFICATION STAMP

A-187

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
ARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
42-10	1975	2-6769	S	R	507	GEN WAREHOUSE/RI	SF	169	169	29	RETAIN		
42-10	2629	2-361	P	R	17,502	GEN WAREHOUSE/RI	SF	2,000	2,000	29	RETAIN		
42-10	ES 100	2-2801	T	N	2,550	GEN WAREHOUSE/RI	SF	960	960	25	REMOVE		
42-10	ES 102	2-2803	S	N	7,140	GEN WAREHOUSE/RI	SF	5,920	5,920	25	REMOVE		
42-10	ES 103	2-2804	S	N	2,138	GEN WAREHOUSE/RI	SF	2,160	2,160	25	REMOVE		
42-10	ES 104	2-2805	S	N	2,645	GEN WAREHOUSE/RI	SF	3,084	3,084	25	REMOVE		
42-10	ES 107	2-2807	S	N	5,235	GEN WAREHOUSE/RI	SF	7,380	7,380	25	REMOVE		
42-10	ES 110	2-2810	S	N	1,539	GEN WAREHOUSE/RI	SF	1,237	1,237	25	REMOVE		
42-10	ES 116	2-2816	S	N	1,193	GEN WAREHOUSE/RI	SF	816	816	25	REMOVE		
42-10	ES 121	2-2818	S	N	1,476	GEN WAREHOUSE/RI	SF	1,440	1,440	25	REMOVE		
42-10	ES 123	2-5299	S	N	3,940	GEN WAREHOUSE/RI	SF	1,500	1,500	25	REMOVE		
42-10	ES 124	2-5300	S	N	3,940	GEN WAREHOUSE/RI	SF	1,500	1,500	25	REMOVE		
42-10	ES 125	2-5301	S	N	3,940	GEN WAREHOUSE/RI	SF	1,500	1,500	25	REMOVE		
	ES 128	2-5304	S	N	3,950	MULTIPLE USE BLDG	SF	1,500	1,500	25	REMOVE		
42-10	* A					GEN WAREHOUSE/RI	SF	937	937				
0-10	* B					ADMIN BLDG	SF	563	563				

CLASSIFICATION STAMP

BASEWIDE/MISC

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-10	ES 130	2-5406	S	N	1,990	GEN WAREHOUSE/RI	SF	1,500	1,500	25	REMOVE		
442-10	ES 200	2-2821	S	R	5,081	GEN WAREHOUSE/RI	SF	4,000	4,000	29	RETAIN		
442-10	ES 301	2-6355	S	N	3,900	GEN WAREHOUSE/RI	SF	1,600	1,600	25	REMOVE		
442-10	ES 302	2-6356	P	N	3,900	GEN WAREHOUSE/RI	SF	1,600	1,600	25	REMOVE		
442-10	SES 133	2-6569	S	N	5,328	GEN WAREHOUSE/RI	SF	1,776	1,776	25	REMOVE		
442-10	SES 300	2-6354	P	N	150	GEN WAREHOUSE/RI	SF	540	540	25	REMOVE		
442-10	SES 305	2-6359	P	U	5,000	GEN WAREHOUSE/RI	SF	2,496	2,496	25	REMOVE		
442-70	783	2-4807	P	U	4,533	PW/MAINT STORAGE	SF	786	786	29	RETAIN		
442-70	1931	2-406	T	N	2,500	BASE MAINT STOR	SF	629	629	25	REMOVE		
442-70	1939	2-5195	T	N	2,500	BASE MAINT STOR	SF	629	629	25	REMOVE		
442-70	1941	2-5158	S	R	1,800	BASE MAINT STOR	SF	861	861	29	RETAIN		
442-70	1966	2-6551	S	N	800	BASE MAINT STOR	SF	320	320	25	REMOVE		
442-70	D 25	2-2436	P	U	1,042	BASE MAINT STOR	SF	208	208	29	RETAIN		
442-70	BA 150	2-6606	S	N	1,000	BASE MAINT STOR	SF	312	312	25	REMOVE		
442-70	LGH 4027	2-6624	S	R	814	BASE MAINT STOR	SF	238	238	29	RETAIN		

CLASSIFICATION STAMP

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-90	S 1967	2-6650	S	R	500	COV STOR/OTH	SF	576	576	29	RETAIN		
442-90	CG 961	2-2144	S	R	2,790	COV STOR/OTH	SF	256	256	29	RETAIN		
442-90	CG 962	2-2145	S	R	2,790	COV STOR/OTH	SF	256	256	29	RETAIN		
442-90	ES 127	2-5333	S	N	3,819	COV STOR/OTH	SF	1,200	1,200	25	REMOVE		
442-90	ES 303	2-6357	P	U	3,900	COV STOR/OTH	SF	1,600	1,600	29	RETAIN		
442-90	TP 418	2-5125	S	R	4,463	COV STOR/OTH	SF	1,258	1,258	29	RETAIN		
442-90	TT 49	2-5381	S	R	6,000	COV STOR/OTH	SF	2,600	2,600	29	RETAIN		
442-90	TT 58	2-6605	P	R	589	COV STOR/OTH	SF	336	336	29	RETAIN		
442-90	VL 164	2-6750	S	U	410	COV STOR/OTH	SF	48	48	29	RETAIN		
442-90	VL 166	2-6752	S	U	410	COV STOR/OTH	SF	120	120	29	RETAIN		
442-90	SES 138	2-6799	S	U	6,182	COV STOR/OTH	SF	1,456	1,456	29	RETAIN		
442-90	STT 50	2-5382	S	U	2,000	COV STOR/OTH	SF	1,920	1,920	29	RETAIN		
442-90	STT 51	2-5383	S	U	500	COV STOR/OTH	SF	592	592	29	RETAIN		
452-12	SES 137	2-6781	S	U	4,778	O/OPEN STOR/RI	SY	360	360	29	RETAIN		
452-12	UNUM	2-4831	P	U		O/OPEN STOR/RI	SY	395,858	395,858	29	RETAIN		

CLASSIFICATION STAMP

* BASEWIDE/MISC

A-187

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
550-20	ES 115	2-2815	S	N	796	DISPENSARIES W/O BEDS	SF	512	512	25	REMOVE		
610-10	897	2-6484	P	U	1,313	ADMIN OFFICE	SF	600	600	29	RETAIN		
610-10	ES 108	2-2808	S	U	1,080	ADMIN OFFICE	SF	1,161	1,161	29	RETAIN		
610-10	ES 129	2-5305	S	N	5,001	ADMIN OFFICE	SF	1,500	1,500	25	REMOVE		
610-10	ES 131	2-5394	S	R	1,994	ADMIN OFFICE	SF	840	840	29	RETAIN		
610-10	TT 43	2-4716	P	R	33,731	ADMIN OFFICE	SF	2,978	2,978	29	RETAIN		
610-10	VL 100	2-5990	S	R	714	ADMIN OFFICE	SF	1,000	1,000	29	RETAIN		
610-10	VL 105	2-6389	S	R	310	ADMIN OFFICE	SF	288	288	29	RETAIN		
610-90	BA 152	2-6771	S	R	842	DISPATCHER BLDG	SF	400	400	29	RETAIN		
	TT 42	2-4723	P	R	12,390	MULTIPLE USE BLDG	SF	2,472	2,472	29	RETAIN		
610-90	* A					ADMIN BLDG/OTH	SF	1,742	1,742				
442-70	* B					ST COV ORG/OTH	SF	515	515				
740-14	* C					EXCHANGE BLDG	SF	215	215				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
690-10	SBA 155	2-6801	P	U	60	FLAGPOLE	EA	1	1	29	RETAIN		
690-10	SWF 2	2-6402	P	U	28	FLAGPOLE	EA	1	1	29	RETAIN		
690-90	S 878	2-6729	P	U	3,031	BASE ENTRANCE SIGN	EA	1	1	29	RETAIN		
713-10	UNUM	2-5034	P	U		TRAILER SITE	SI	1,361	1,361	29	RETAIN		
713-11	UNUM	2-5341	P	U		TRAILER SITE	SI	312	312	29	RETAIN		
723-10	BA 103	2-2753	P	R	163,001	MESSHALL	SF	12,760	12,760	29	RETAIN		
723-10	ES 118	2-2819	S	N	5,042	MESSHALL	SF	2,288	2,288	25	REMOVE		
723-20	MH 5	2-6505	T	N	8,288	LATRINE	SF	960	960	25	REMOVE		
723-90	VL 101	2-5985	S	R	23,713	FIELD GALLEY	SF	2,900	2,900	29	RETAIN		
723-90	VL 104	2-6388	S	R	18,261	FIELD GALLEY	SF	1,496	1,496	29	RETAIN		

CLASSIFICATION STAMP

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
723-90	SVL 155	2-6681	S	U	900	FIELD MESS	SF	2,190	2,190	29	RETAIN		
723-90	SVL 156	2-6682	S	U	400	FIELD MESS	SF	990	990	29	RETAIN		
723-90	SVL 157	2-6683	S	U	100	FIELD MESS	SF	190	190	29	RETAIN		
723-90	SVL 158	2-6684	S	U	900	FIELD MESS	SF	2,190	2,190	29	RETAIN		
723-90	SVL 159	2-6685	S	U	400	FIELD MESS	SF	990	990	29	RETAIN		
723-90	SVL 160	2-6686	S	U	126	FIELD MESS	SF	240	240	29	RETAIN		
723-90	SVL 162	2-6775	S	U	172	MESS SHELTER	EA	1	1	29	RETAIN		
723-90	SVL 163	2-6776	S	U	745	MESS SHELTER	EA	1	1	29	RETAIN		
724-15	2602	2-367	P	R	137,510	BOQ W/O MESS	MN	16	16	29	RETAIN		
724-15	2604	2-369	P	R	113,310	BOQ W/O MESS	MN	39	39	29	RETAIN		
724-15	2605	2-370	P	R	137,760	BOQ W/O MESS	MN	20	20	29	RETAIN		
724-15	2607	2-371	P	R	137,910	BOQ W/O MESS	MN	16	16	29	RETAIN		
724-15	2609	2-372	P	R	135,398	BOQ W/O MESS	MN	16	16	29	RETAIN		
724-15	2611	2-373	P	R	139,352	BOQ W/O MESS	MN	16	16	29	RETAIN		

CLASSIFICATION STAMP

*BASEWIDE/MISC

A-197

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
724-15	2613	2-374	P	R	113,310	BOQ W/O MESS	MN	39	39	29	RETAIN		
724-15	2617	2-5983	P	R	392,576	BOQ W/O MESS	MN	52	52	29	RETAIN		
725-10	CR 115	2-2645	T	N	12,797	EM BARRACKS W/O MESS	MN	8	8	25	REMOVE		
725-10	MH 3	2-6503	T	N	5,778	EM BARRACKS W/O MESS	MN	8	8	25	REMOVE		
725-10	MH 4	2-6504	T	N	5,778	EM BARRACKS W/O MESS	MN	8	8	25	REMOVE		
730-10	2600	2-401	P	R	23,929	FIRE STATION	SF	5,151	4,053	29	RETAIN		
	LCH 4025	2-5295	P	U	150,802	MULTIPLE USE BLDG	SF	9,532	9,532	29	RETAIN		
740-90	* A					REC BLDG	SF	5,025	5,025				
740-74	* B					CHILD CARE CENTER	SF	3,075	3,075				
730-50	* C					DEPENDENT SCH	SF	1,432	1,432				

CLASSIFICATION STAMP

A-107

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	TT 2455	2-4717	P	U	534,871	MULTIPLE USE BLDG	SF	66,366	66,366	29	RETAIN		
740-90	* A					SHOPPING CENTER	SF	56,587	56,587				
740-74	* B					DEPENDENT SCHOOL	SF	6,646	6,646				
730-50	* C					DEPENDENT SCHOOL	SF	3,133	3,133				
730-75	1969	2-6540	P	U	1,020	PUBLIC TOILET	SF	42	42	29	RETAIN		
730-90	D 31	2-2437	P	U	6,209	LAUNDRY	SF	390	390	29	RETAIN		
730-90	D 32	2-2438	P	U	21,340	LAUNDRY	SF	1,374	1,374	29	RETAIN		
730-90	D 33	2-2443	P	U	21,340	LAUNDRY	SF	1,374	1,374	29	RETAIN		
730-90	D 34	2-2439	P	U	6,209	LAUNDRY	SF	390	390	29	RETAIN		
730-90	D 35	2-2440	P	U	6,209	LAUNDRY	SF	390	390	29	RETAIN		
730-90	D 36	2-2441	P	U	6,209	LAUNDRY	SF	390	390	29	RETAIN		
730-90	D 37	2-2442	P	U	6,209	LAUNDRY	SF	390	390	29	RETAIN		
730-90	CK 200	2-2398	P	U	8,853	LAUNDRY	SF	518	518	29	RETAIN		
730-90	CK 300	2-2399	P	U	8,853	LAUNDRY	SF	518	518	29	RETAIN		
730-90	CK 400	2-2428	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-90	CK 484	2-2429	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		
730-90	CK 500	2-2400	P	U	8,853	LAUNDRY	SF	518	518	29	RETAIN		
730-90	CK 600	2-2427	P	U	8,853	LAUNDRY	SF	518	518	29	RETAIN		
730-90	CK 700	2-2430	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		
730-90	CK 800	2-2431	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		
730-90	CK 900	2-2432	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		
730-90	CK 1000	2-2433	P	U	7,573	LAUNDRY	SF	504	504	29	RETAIN		
730-90	786	2-4806	T	N	4,561	PERS SUPP/SVC	SF	960	960	29	REMOVE		
730-90	819	2-3748	T	R	4,130	PERS SUPP/SVC	SF	960	960	29	RETAIN		
730-90	868	2-6546	P	U	-	PERS SUPP/SVC	SF	625	625	29	RETAIN		
730-90	1945	2-6429	P	U	500	PERS SUPP/SVC	SF	96	96	29	RETAIN		
730-90	TT 2477	2-4691	P	R	30,563	PERS SUPP/SVC	SF	2,398	2,398	29	RETAIN		
730-90	LCH 4021	2-5393	P	R	14,934	PERS SUPP/SVC	SF	5,664	5,664	29	RETAIN		
740-20	2601	2-375	P	R	37,425	GUESTHOUSE	SF	3,104	3,104	29	RETAIN		
740-20	2603	2-368	P	R	116,210	GUESTHOUSE	SF	14,237	14,237	29	RETAIN		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPOR. STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-30	TT 2453	2-4692	P	U	30,263	SERVICE STATION	SF	2,050	2,050	29	RETAIN		
740-30	LCH 4015	2-1045	P	R	19,907	SERVICE STATION	SF	1,700	1,700	29	RETAIN		
740-36	LCH 4002	2-1039	P	R	1,268	HOBBY SHOP	SF	576	576	29	RETAIN		
740-54	USO	2-5133	S	R	92,360	USO CLUB	SF	11,886	11,886	29	RETAIN		
740-63	BA 101	2-2748	P	R	32,902	EM SERVICE CLUB	SF	3,240	3,240	29	RETAIN		
740-66	BA 147	2-5987	P	U	13,302	N C O CLUB	SF	648	648	29	RETAIN		
740-70	BA 113	2-2758	P	R	50,658	STAFF NCO CLUB	SF	4,428	4,428	29	RETAIN		
740-86	2628	2-008	P	R	12,182	RETAIL WAREHOUSE	SF	4,728	4,728	29	RETAIN		
740-87	A 25	2-5257	S	R	2,366	BOAT HOUSE	SF	1,102	1,102	29	RETAIN		
740-87	SA 28	2-6617	S	R	6,056	BOAT HOUSE	SF	2,000	2,000	29	RETAIN		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
740-90	1903	2-450	S	U	697	GOLF CRSE/RNG/HS	SF	440	440	29	RETAIN		
740-90	1909	2-449	S	R	4,000	BOY SCOUT HUT	SF	720	720	29	RETAIN		
740-90	1938	2-404	T	U	10,187	ROD/GUN CLUB	SF	1,104	1,104	29	RETAIN		
740-90	2626	2-363	P	R	6,328	RECN BLDG	SF	3,240	3,240	29	RETAIN		
740-90	E 1	2-2445	P	R	14,830	BOY SCOUT/COUNCIL	SF	3,360	3,360	29	RETAIN		
740-90	BA 114	2-2759	P	R	175,219	BATH HOUSE/ENL	SF	19,324	19,329	29	RETAIN		
740-90	BA 115	2-2760	P	U	102,446	BATH HOUSE/OFF	SF	6,144	6,144	29	RETAIN		
740-90	BA 119	2-2763	S	R	10,293	COTTAGE/GEN	SF	1,596	1,596	29	RETAIN		
740-90	BA 120	2-2764	S	R	9,052	COTTAGE/GEN	SF	1,232	1,232	29	RETAIN		
740-90	BA 143	2-5259	S	R	30,294	O/BEACH / CABANA	SF	1,536	1,536	29	RETAIN		
740-90	BA 144	2-5260	S	R	58,442	E/BEACH / CABANA	SF	3,152	3,152	29	RETAIN		
740-90	BA 146	2-5986	P	R	13,700	COTTAGE OFFICER	SF	1,232	1,232	29	RETAIN		
740-90	TT 44	2-4718	P	R	68,073	REC BLDG	SF	9,093	9,093	29	RETAIN		
740-90	TT 57	2-6544	P	U	1,040	CONCESSION/STAND	SF	231	231	29	RETAIN		
740-90	TT 2451	2-4750	P	U	14,560	DENTAL OFFICE	SF	1,456	1,456	29	RETAIN		

CLASSIFICATION STAMP

4-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-10	S 789	2-4881	P	U	1,500	TENNIS COURT	EA	1	1	29	RETAIN		
750-10	S 790	2-4908	P	U	1,600	BASKETBALL COURT	EA	1	1	29	RETAIN		
750-10	S 1922	2-487	P	U	500	BADMINTON COURT	EA	1	1	29	RETAIN		
750-10	S 1923	2-488	P	U	600	TENNIS COURT	EA	1	1	29	RETAIN		
750-10	S 1924	2-489	P	U	7,000	TENNIS COURT	EA	1	1	29	RETAIN		
750-10	S 1925	2-490	P	U	600	VOLLEYBALL COURT	EA	1	1	29	RETAIN		
750-10	S 1926	2-491	P	U	1,400	HANDBALL COURT	EA	1	1	29	RETAIN		
750-20	S 818	2-5197	P	U	1,200	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1947	2-6448	P	U	600	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1949	2-6467	P	U	14,037	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1950	2-6468	P	U	14,037	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1951	2-6469	P	U	31,628	FOOTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1952	2-6470	P	U	14,037	FOOTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1953	2-6471	P	U	5,244	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1954	2-6472	P	U	5,244	SOFTBALL FIELD	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

A-1871

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-20	S 1955	2-6473	P	U	4,466	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1956	2-6474	P	U	4,466	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1957	2-6494	P	U	424	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1958	2-6495	P	U	424	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1961	2-6522	P	U	150	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	S 1962	2-6523	P	U	150	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	SD 43	2-6709	P	U	600	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	SBA 157	2-6803	P	U	200	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 1	2-3578	P	U	1,600	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 2	2-3588	P	U	3,100	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 3	2-3581	P	U	100	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 4	2-3603	P	U	2,179	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 5	2-3582	P	U	678	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 6	2-3579	P	U	100	BASEBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 7	2-3604	P	U	150	FOOTBALL FIELD	EA	1	1	29	RETAIN		
750-20	STT 8	2-5193	P	U	275	SOFTBALL FIELD	EA	1	1	29	RETAIN		
750-20	SLGH 4026	2-6623	P	U	-	SOFTBALL FIELD	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

4-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-31	S 2632	2-501	P	U	72,692	OUTDOOR SWIMMING POOL	ME	30	30	29	RETAIN		
750-50	S 2634	2-503	S	U	4,928	OUTDOOR THEATER	SF	51,480	51,480	29	RETAIN		
750-60	S 1928	2-492	S	U	4,550	REC PIER	SF	2,992	2,992	29	RETAIN		
750-60	S 1929	2-493	S	U	5,472	REC PIER	SF	3,600	3,600	29	RETAIN		
750-60	S 1930	2-494	S	U	5,350	REC PIER	SF	3,520	3,520	29	RETAIN		
750-90	S 1904	2-481	S	U	117	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1905	2-482	S	U	117	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1910	2-483	S	U	117	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1911	2-484	S	U	117	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1912	2-485	S	U	117	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1935	2-496	S	U	125	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1937	2-498	S	U	125	SHELTER/GOLF	SF	196	196	29	RETAIN		
750-90	S 1940	2-5005	S	U	450	START/HSE/GOLF	SF	216	216	29	RETAIN		
750-90	S 1970	2-6542	S	U	1,400	STARTER SHED	SF	216	216	29	RETAIN		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ. COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
750-90	S 2631	2-500	P	U	3,051	WADING POOL	SF	750	750	29	RETAIN		
750-90	TT 59	2-5972	S	R	800	REFRESHMENT STAND	SF	162	162	29	RETAIN		
750-90	SBA 142	2-5255	S	R	57,724	RECREATION FAC	SF	3,740	3,740	29	RETAIN		
750-90	S 1976	2-6768	S	U	680	COVERED PATIO	EA	1	1	29	RETAIN		
812-14	S 831	2-6302	P	U	60,094	SWITCHING STATION	EA	1	1	29	RETAIN		
821-50	S 86	2-5194	P	U	10,989	STEAM PLANT- POWER/OTH	SF	324	324	29	RETAIN		
823-30	UNUM	2-3464	P	U		LIQ PET GAS ST	GA	262,755	262,755	29	RETAIN		
831-90	SBA 127	2-2853	P	U	2,000	SWGE/WSTE/D/OTH	MG	0.2	0.2	29	RETAIN		
831-90	SRR 67	2-2451	P	U	2,000	SWGE/WSTE/D/OTH	MG	0.2	0.2	29	RETAIN		
832-30	21	2-3618	P	U	34,622	SEWAGE PUMP STA	GM	9,000	4,297	29	RETAIN		

CLASSIFICATION STAMP

A-1071

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME: MARINE CORPS BASE, CAMP LEJEUNE, N.C. | CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5ND | CODE: 05 | SPONSOR: CMC | CODE: 32 | REPORT STATUS: ☐ REVISION ☐ CHANGE ——— | SUBMISSION DATE: 20 JANUARY 196[illegible]

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
833-30	UNUM	2-5969	S	U		GARBAGE STAND	SF	3,910	3,910	29	RETAIN		
833-90	M 182	2-6360	S	U	750	GARBAGE HSE	SF	63	63	29	RETAIN		
833-90	M 256	2-6362	S	U	1,100	GARBAGE HSE	SF	140	140	29	RETAIN		
833-90	M 426	2-6364	S	U	1,050	GARBAGE HSE	SF	140	140	29	RETAIN		
833-90	M 101A	2-6578	S	U	750	GARBAGE HSE	SF	63	63	29	RETAIN		
833-90	TC 921	2-2981	S	R	312	GARBAGE HSE	SF	225	225	29	RETAIN		
833-90	TC 931	2-2982	S	R	312	GARBAGE HSE	SF	225	225	29	RETAIN		
833-90	VL 106	2-6390	S	R	225	GARBAGE HSE	SF	120	120	29	RETAIN		
833-90	VL 107	2-6391	S	R	225	GARBAGE HSE	SF	192	192	29	RETAIN		
841-10	20	2-3815	P	R	400,131	WATER TREATMENT FAC	MG	5.0	5.0	29	RETAIN		
841-10	762	2-4798	P	U	17,761	WATER TREATMENT FAC	MG	.0	.0	29	RETAIN		
841-10	M 178	2-5181	P	U	95,665	WATER TREATMENT FAC	MG	.75	.75	29	RETAIN		
841-10	BA 138	2-5180	P	U	90,519	WATER TREATMENT FAC	MG	.25	.25	29	RETAIN		
841-10	RR 85	2-6608	P	U	140,915	WATER TREATMENT FAC	MG	.50	.50	29	RETAIN		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
841-10	TC 508	2-2934	S	R	7,282	WATER TREATMENT FAC	MG	1.50	1.50	29	RETAIN		
841-10	TT 38	2-4719	P	R	69,870	WATER TREATMENT FAC	MG	1.0	1.0	29	RETAIN		
841-10	SBA 140	2-5178	P	U	1,910	WATER TREATMENT FAC	MG	.0	.0	29	RETAIN		
841-20	38	2-3945	P	N	12,880	S/MAINS/PUMP/FAC/INACTIVE	SF	1,714	1,714	25	REMOVE		
841-20	604	2-4767	P	N	1,446	PMP HSE/WELL 4	SF	120	120	25	REMOVE		
841-20	624	2-4767	P	N	2,500	PMP HSE/WELL 24	SF	208	208	25	REMOVE		
841-20	628	2-4768	P	N	2,500	PMP HSE/WELL 28	SF	208	208	25	REMOVE		
841-20	629	2-4793	P	N	2,500	PMP HSE/WELL 29	SF	208	208	25	REMOVE		
841-20	630	2-4822	P	N	2,125	PMP HSE/WELL 30	SF	169	169	25	REMOVE		
841-20	631	2-4819	P	N	2,500	PMP HSE/WELL 31	SF	169	169	25	REMOVE		
841-20	M 143	2-3798	P	N		PMP HSE/WELL INACTIVE	SF	64	64	25	REMOVE		
841-20	BB 97	2-5396	P	N		PMP HSE/WELL INACTIVE	SF	49	49	25	REMOVE		
841-20	CR 121	2-2647	P	N		PMP HSE/WELL INACTIVE	SF	120	120	25	REMOVE		
841-20	RR 46	2-2662	P	N		PMP HSE/WELL INACTIVE	SF	120	210	25	REMOVE		
841-20	TC 300	2-3188	P	N		PMP HSE/WELL INACTIVE	SF	64	64	25	REMOVE		
841-20	TT 27	2-4694	P	N		PMP HSE/WELL INACTIVE	SF	81	81	25	REMOVE		

CLASSIFICATION STAMP

A-1971

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
841-50	S 763	2-5026	P	U		RSRVR POT	GA	2,000,000	599,965	29	RETAIN		
841-55	SOW 1	2-5270	S	N	880	INACTIVE	EA	1	1	25	REMOVE		
841-55	SOW 2	2-5271	S	U	880	OBSERV WELL	EA	1	1	29	RETAIN		
841-55	SOW 3	2-5272	S	U	1,252	OBSERV WELL	EA	1	1	29	RETAIN		
841-55	SOW 4	2-5273	S	U	1,252	OBSERV WELL	EA	1	1	29	RETAIN		
841-55	SOW 5	2-5274	S	U	1,134	OBSERV WELL	EA	1	1	29	RETAIN		
842-15	741	2-4821	P	U	4,853	WATER METER STATION	EA	1	1	29	RETAIN		
842-15	782	2-4808	P	U	2,050	WATER METER STATION	EA	1	1	29	RETAIN		
842-15	S 5263	2-6453	P	N	7,699	INACTIVE	EA	1	1	25	REMOVE		
842-15	S 5781	2-6454	P	N	7,699	INACTIVE	EA	1	1	25	REMOVE		
851-20	S 1959	2-6516	P	U	18,162	C/VEHICULAR BRIDGE	SY	84	73	29	RETAIN		
852-11	UNUM	2-3868	S	U		B/PARKING AREA	SY	1,345,284	973,836	29	RETAIN		

CLASSIFICATION STAMP

A-1287

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
852-32	S 455	2-6788	S	U	1,278	FOOT BRIDGE	SY	9	9	29	RETAIN		
852-32	S 555	2-6706	S	U	1,328	O/PEDESTRA BRDGS	SY	100	100	29	RETAIN		
860-90	S 802	2-5006	P	U	5,440	RR LOADING PLAT	SF	1,950	1,950	29	RETAIN		
860-90	S 1007	2-5029	P	U	17,257	RR LOADING PLAT	SF	24,000	24,000	29	RETAIN		
860-90	STC 617	2-3539	P	U	14,624	RR LOADING RAMP	EA	1	1	29	RETAIN		
860-90	UNUM	2-4744	P	U	-	RR COMM LINE	MI	29	29	29	RETAIN		
871-90	UNUM	2-5205	S	U	-	DEAERATING HTR	LF	235	235	29	RETAIN		
872-90	UNUM	2-6441	P	U		GATES	EA	80	80	29	RETAIN		
880-90	ST 7	2-3605	P	U	8,500	FIRE OBS TOWER	EA	1	1	29	RETAIN		
880-90	ST 8	2-3606	P	U	8,500	FIRE OBS TOWER	EA	1	1	29	RETAIN		
880-90	ST 9	2-3607	P	U	8,500	FIRE OBS TOWER	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ———	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
890-50	S 2636	2-5984	P	U	2,702	COOLING TOWER	EA	1	1	29	RETAIN		
890-56	1414	2-5096	P	U	1,283	SCALE HOUSE	SF	80	80	29	RETAIN		
890-56	1702	2-5092	P	U	3,892	SCALE HOUSE	SF	140	140	29	RETAIN		
890-56	S 1415	2-5024	P	U	12,977	SCALE HOUSE	SF	600	600	29	RETAIN		
890-90	779	2-4810	P	U	154	PUMP HSE OIL	SF	104	104	29	RETAIN		
890-90	804	2-4804	P	U	7,706	LP GAS BLDG	SF	676	676	29	RETAIN		
890-90	M 237	2-3764	P	U	7,712	MISC UTIL/OTHER	SF	1,120	1,120	29	RETAIN		
890-90	S 1608	2-5011	P	U	9,988	RAMP STEAM CLN	SF	1,520	1,520	29	RETAIN		
890-90	S 1803	2-4970	P	R	4,200	VEH LOADING RAMP	SF	500	500	29	RETAIN		
890-90	S 1825	2-4972	P	U	4,200	VEH LOADING RAMP	SF	500	500	29	RETAIN		
890-90	S 1845	2-4997	P	U	2,280	TANK CLN PLATFORM	SF	420	420	29	RETAIN		
890-90	S 93	2-6739	P	U	3,000	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	S 94	2-6738	P	U	10,989	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP

A-1073

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
MARINE CORPS BASE, CAMP LEJEUNE, N.C.	8270-175	5ND	05	CMC	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
890-90	S 95	2-6739	P	U	12,000	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	S 96	2-6740	P	U	10,989	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	S 97	2-6741	P	U	10,989	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	S 98	2-6742	P	U	10,989	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	S 1200A	2-6609	P	U	20,360	HEAT EXCHANGE RM	EA	1	1	29	RETAIN		
890-90	UNUM	2-3870	P	U		PROPHANE GAS SYS	GA	11,600	11,600	29	RETAIN		

CLASSIFICATION STAMP

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	MILE HAMMOCK BAY									
111-81	HELICOPTER LANDING PAD	SY	0	0				0	O & M (C)	
	MARINE CORPS BASE		ASSIGN 1,112 SY FROM COURTHOUSE BAY CAT CODE 111-81					1,112		
122-90	AMPHIBIOUS TRACTOR FUELING STAT	OL	0	0				0	MILCON	4
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 4 OL FROM COURTHOUSE BAY CAT CODE 122-90					4	(INCLUDED IN P-1001)	4
213-90	AMPHIB TRACTOR MAINT FAC	SF	0	0				0	MILCON	
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 30,550 SF FROM COURTHOUSE BAY CAT CODE 213-90					30,550	3B(FY 73)P-1001	30,550
442-10	GENERAL WAREHOUSE RI	SF	0	0				0	MILCON	
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 13,850 SF FROM COURTHOUSE BAY CAT CODE 442-10					13,850	3B(FY 73)P-1002	13,850

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
610-10	ADMINISTRATION OFFICE	SF	0	0				0	MILCON	
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 16,848 SF FROM COURTHOUSE BAY CAT CODE 610-10					16,848	3B(FY 73)P-1003	16,848
690-10	FLAGPOLE	EA	0	0				0	O & M (C)	
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 1 EA FROM COURTHOUSE BAY CAT. CODE 690-10							
722-10	EM BARRACKS W/O MESS	MN	0	0				0	MILCON	
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 611 MN FROM COURTHOUSE BAY CAT CODE 722-10					611	3B(FY 73)P-1004	612
723-10	MESSHALL	SF	0	0				0		
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 11,310 SF FROM COURTHOUSE BAY CAT CODE 723-10					11,310	3B(FY 73)P-1005	11,310

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ———	18 NOVEMBER 1968

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
730-25	GATE/SENTRY HOUSE		0	0				0	O & M (C)	100
	FORCE TROOPS									
	(1) 2ND AMTRAC BN		ASSIGN 100 SF FROM COURTHOUSE BAY CAT CODE 730-25					100		
740-14	EXCHANGE	SF	0	0				0	MILCON	
	MARINE CORPS BASE		ASSIGN 6,485 SF FROM COURTHOUSE BAY CAT CODE 740-14					6,485	3B (FY 73)P-1006	6,485
740-33	POST OFFICE	SF	0	0				0	MILCON	
	MARINE CORPS BASE		ASSIGN 600 SF FROM COURTHOUSE BAY CAT CODE 740-33					600	INCLUDED IN P-1006	600
740-63	EM SERVICE CLUB	SF	0	0				0	MILCON	
	MARINE CORPS BASE		ASSIGN 4,106 SF FROM COURTHOUSE BAY CAT CODE 740-63					4,106	INCLUDED IN P-1006	4,106
740-86	RETAIL WAREHOUSE	SF	0	0				0	MILCON	
	MARINE CORPS BASE		ASSIGN 1600 SF FROM COURTHOUSE BAY CAT CODE 740-86					1,600	INCLUDED IN P-1006	1,600

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 8270-175 | NO OR AREA: 5ND | SPONSOR: CMC | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. ____ | PREPARATION DATE: 20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS.									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICPOTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B) STAFF N.C.O.'S TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NEW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY. 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT TO BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON — CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: MARINE CORPS BASE, CAMP LEJEUNE, N.C. — ACTIVITY CODE: 8270-175

5. ND OR AREA: 5ND — CODE: 05

6. SPONSOR: CMC — CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 23 OCTOBER 1968

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS *	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	MILE HAMMOCK BAY														
	FISCAL YEAR 1973														
213-90	AMPHIB TRACTOR MAINT FAC	30,550	SF	760				6	73		1		1		P-1001
442-10	GENERAL WAREHOUSE/RI	13,850	SF	167				6	73		1		5		P-1002
610-10	ADMINISTRATION BUILDING	16,848	SF	446				6	73		1		4		P-1003
722-10	EM BARRACKS	610	MN	2,037				6	73		1		2		P-1004
723-10	MESSHALL	11,310	SF	511				6	73		1		3		P-1005
740-10	EXCHANGE	12,791	SF	330				6	73		1		6		P-1006
	FISCAL YEAR 1973 TOTAL			4,251											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

OPNAV FORM 11000-1 (NEW 4-60)

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED PRE-M-DAY	QUANTITY REQUIRED POST-M-DAY	UNIT OF MEASURE	DURATION OF REQMT.	MOBIL. PEAK LOAD	REMARKS
1	2	3	4	5	6	7	8
	U. S. Naval Hospital						
111-81	Helicopter Landing Pad	400		SY			
214-20	Auto Veh Maint Facility	4,000		SF			
214-90	Auto/Ambulance Garage	4,800		SF			
219-10	Maintenance Shops	10,000		SF			
442-10	General Warehouse RI	18,000		SF			
442-30	Flammables Storage RI	900		SF			
442-50	Storage, Transit Shed	3,000		SF			
442-90	Covered Storage/Other			SF			
510-10	Hospital	500		BD			
	NOTE: To include necessary administrative, clinical laboratory, patient/staff messing, library and outpatient clinic spaces.						
722-10	E M Barracks W/O Mess	167		MN			
722-20	E W Barracks W/O Mess	25		MN			
724-10	Combined BOQ & Nurses Qtrs	61		MN			
730-10	Fire Station	3,000		SF			
740-10	Chapel, 150 Seat	5,800		SF			
740-14	Exchange	8,600		SF			
740-63	E M Service Club	3,000		SF			
750-20	Playing Field			EA			
811-60	Standby Generator Plant	As Determined by Eng. Analysis		KV			
812-30	Distribution Lines, Electrical	As Required		LF			
821-20	Heating Plant, Oil Fired	As Determined by Eng. Analysis		BTU			
822-10	Steam Condensate Lines	As Required		LF			
832-10	Sanitary Sewer System	As Required		LF			
833-10	Incinerator	5		TN			
842-10	Distribution System (Potable)	As Required		LF			
843-10	Fire Protection Pipeline	As Required		GPM			
843-30	Water Storage Tank (Fire)	As Required		GAL			
851-11	Roads PRI, Second, Tertiary	As Required		SY			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejeune, North Carolina

ND OR AREA: 5ND

SPONSOR: ,MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE: 26 Sept. 1968

SHEET 1 OF 2 SHEETS

CLASSIFICATION STAMP

SHORE ACTIVITY BASIC FACILITY REQUIREMENTS
OPNAV FORM 11000-1 (NEW 4-60)

CLASSIFICATION STAMP

CATEGORY NO.	FACILITY DESCRIPTION	QUANTITY REQUIRED		UNIT OF MEASURE	DURATION OF REQNT.	MOBIL. PEAK LOAD	REMARKS
		PRE-M-DAY	POST-M-DAY				
1	2	3	4	5	6	7	8
852-11	Parking Areas	32,480		SY			
852-20	Sidewalks (Concrete)	As Required		SY			
871-10	Storm Sewer	As Required		LF			
880-10	Fire Alarm System	As Required		BX			

ACTIVITY AND LOCATION
Marine Corps Base, Camp Lejeune, North Carolina

NO OR AREA
5ND

SPONSOR
MARCOR

FORM STATUS IF OTHER THAN INITIAL ISSUE
☐ REVISED ☐ CHANGE NO. _____

PREPARATION DATE
26 Sept 1968

SHEET 2 OF 2 SHEETS

CLASSIFICATION STAMP

U. S. NAVAL HOSPITAL

Supersedes OPNAV Form 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE. ☐ REVISED CHANGE NO.	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND		1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
111-81	H 106	2-00133	Helicopter Lnd Pad	Same		P	U	SY	400.			0/ 0/ 0
123-10	H 114	2-00141	Filling Station	Same		P	U	OL	1.			0/ 0/ 0
124-50	H 113	2-00140	Ready Veh Fuel Stor	Same		P	U	GA	12000			0/ 0/ 0
134-50	UNUM	2-00153	Obstruction Lights	Same		S	U	EA	2.			0/ 0/ 0
135-20	UNUM	2-00074	Comm Lines	Same		S	U	MI	1.10			
135-10	UNUM	2-00103	Comm Lines	Same		P	U	MI	.90			
									2.0			
136-65	UNUM	2-00154	Heliport Pad Lighting	Same		S	U	FT	15.			
154-30	UNUM	2-00100	Seawalls	Same		P	N	LF	735.		735.	8/ 0/ 0
154-30	UNUM	2-00068	Seawalls	Same		P	N	LF	1550.		1550.	8/ 0/ 0
									2885.		2885.	
214-20	H 36	2-00026	Veh Maint Fac			P	U	SF	2136.			
									2136.			
214-90	H 18	2-0008	Ambulance Garage			P	U	SF	3812.			
									3812.			

Supersedes OPNAV FORM 11000

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175 | NAVAL DISTRICT OR AREA: 5 ND | INITIAL ISSUE ☐ REVISED CHANGE NO. | 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
214-90	H 110	2-00137	Veh Wash Rack	Same		P		EA	1.		1.	1/ 0/ 0
									1.		1.	
214-90	H 112	2-00139	Veh Grease Rack	Same		P		EA	1.		1.	1/ 0/ 0
									1.		1.	
219-10	H 19	2-00009	Maint Shops	Same		P	U	SF	5668.			
219-10	H 39	2-00039	Maint Office	Brig		P	U	SF	2200.			
									7868.			
219-90	H 115	2-00142	Dust Collect Sys	Same		S	U	EA	1.			
									1.			
442-10	H 17	2-00007	Medical Warehouse			P	U	SF	24000.			
									24000.			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
442-30	H 18	2-00008	Flammable Stor	Same		P	U	SF	196.			
442-30	H 48	2-00034	Hazard Stor	Animal House		P	T	SF	378.		378.	2/ 0/ 0
442-30	H 76	2-00071	Flammable Stor	Same		P	U	SF	432.			
442-30	H 79	2-00104	Oxygen Stor Shed	Same		P	U	SF	140.			
									1146.		378.	
442-70	H 19	2-00009	P W Storage			P	U	SF	936.			
442-70	H 22	2-00012	Warehouse			P	U	SF	3959.			
442-70	H 83	2-00108	Storage Shed			T	T	SF	140.		140.	
442-70	H 84	2-00109	Storage Bldg			T	T	SF	512.		512.	
									5547.		652.	
442-75	H 86	2-00026	Grnd Hndl/EQ St	Same		P	U	SF	1800.			
									1800.			
510-10	H 1	2-00001	Naval Hospital	Same		P	R	BD	965.		965.	3/ 4/ 0
510-10	H 15	2-00005	Family Hospital	Same		P	R	BD	56.		56.	3/ 4/ 0
									1021.		1021.	

Supersedes OPNAV FORM 11000- [illegible]

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS [illegible] INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
510-90	H 18	2-00008	Medical Repair			P	U	SF	1080.			
									1080.			
530-10	H 1	2-00001	Clinic			P	R	SF	18480.		18480.	5/ 0/ 0
									18480.		18480.	
530-30	H 17	2-00007	Morgue			P	U	SF	640.			
610-10	H 1	2-00001	Admin Bldg			P	R	SF	30530.		30530.	3/ 4/ 5
610-10	H 17	2-00007	Admin Bldg			P	U	SF	2320.			
									32850.		30530.	
690-10	H 80	2-00103	Flagpole	Same		P	U	EA	1.			
									1.			
711-41	H 28	2-00018	Married Off Qtrs	Same		P	U	SF	1937.			
711-41	H 68	2-00065	Married Off Qtrs	Same		P	U	SF	1270.			

Supersedes OPNAV FORM 11000- for Marine Corps Use.

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
711-41	H 69	2-00066	Medical Off Qtrs	Same		P	U	SF	1270.			
									4477.			
711-42	H 49	2-00047	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 50	2-00048	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 51	2-00049	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 52	2-00050	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 53	2-00051	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 54	2-00052	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 55	2-00053	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 56	2-00054	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 57	2-00055	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 58	2-00056	Medical Off Qtrs	Same		P	U	SF	1690.			
711-42	H 59	2-00057	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 60	2-00058	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 61	2-00059	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 62	2-00060	Married Off Qtrs	Same		P	U	SF	1690.			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

INITIAL ISSUE ☐ REVISED CHANGE NO.

1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
711-42	H 63	2-00061	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 65	2-00062	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 66	2-00063	Married Off Qtrs	Same		P	U	SF	1690.			
711-42	H 67	2-00064	Medical Off Qtrs	Same		P	U	SF	1690.			
									30420.			
711-43	H 25	2-00015	Medical Off Qtrs	Same		P	U	SF	2546.			
711-43	H 26	2-00016	Medical Off Qtrs	Same		P	U	SF	2546.			
711-43	H 27	2-00017	Medical Off Qtrs	Same		P	U	SF	2546.			
									7638.			
714-10	H 41	2-00031	Garage	Same		P	U	SF	520.			
714-10	H 42	2-00032	Garage	Same		P	U	SF	720.			
									1240.			
714-90	H 86	2-00111	Storage Shed	Same		P	U	SF	35.			
714-90	H 87	2-00112	Storage Shed	Same		P	U	SF	35.			

Supersedes OPNAV FORM 11000- for Marine Corps Use. Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejeune, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
714-90	H 88	2-00113	Storage Shed	Same		P	U	SF	35.			
714-90	H 89	2-00114	Storage Shed	Same		P	U	SF	35.			
714-90	H 90	2-00115	Storage Shed	Same		P	U	SF	35.			
714-90	H 91	2-00116	Storage Shed	Same		P	U	SF	35.			
714-90	H 92	2-00117	Storage Shed	Same		P	U	SF	35.			
714-90	H 93	2-00118	Storage Shed	Same		P	U	SF	35.			
714-90	H 94	2-00119	Storage Shed	Same		P	U	SF	35.			
714-90	H 95	2-00120	Storage Shed	Same		P	U	SF	35.			
714-90	H 96	2-00121	Storage Shed	Same		P	U	SF	35.			
714-90	H 97	2-00122	Storage Shed	Same		P	U	SF	35.			
714-90	H 98	2-00123	Storage Shed	Same		P	U	SF	35.			
714-90	H 99	2-00124	Storage Shed	Same		P	U	SF	35.			
714-90	H 100	2-00125	Storage Shed	Same		P	U	SF	35.			
714-90	H 101	2-00126	Storage Shed	Same		P	U	SF	35.			
714-90	H 102	2-00127	Storage Shed	Same		P	U	SF	35.			
714-90	H 103	2-00128	Storage Shed	Same		P	U	SF	35.			
714-90	H 104	2-00129	Storage Shed	Same		P	U	SF	35.			
									665.			

Supersedes Of NAV 1 Form 11000

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
722-10	H 23	2-00013	Corpsmen's Barracks	Same		P	R	MN	158.		158.	6/ 7/ 0
722-10	H 24	2-00014	Corpsmen's Barracks	Same		P	R	MN	158.		158.	6/ 7/ 0
722-10	H 30	2-00020	EM Barracks	Civilian Barracks		T	R	MN	37.		37.	8/ 0/ 0
722-10	H 31	2-00021	EM Barracks	Civilian Barracks		T	R	MN	47.		47.	8/ 0/ 0
722-10	H 32	2-00022	EM Barracks	BOQ		P	R	MN	117.		117.	6/ 7/ 0
									517.		517.	
722-20	H 16	2-00006	EW Barracks W/O Mess	Same		P	R	MN	42.		42.	6/ 7/ 0
									42.		42.	
724-15	H 14	2-00004	BOQ	Same		P	R	MN	58.		58.	6/ 7/ 0
									58.		58.	
730-40	H 21	2-00011	Laundry	Same		P	R	SF	12104.		12104.	3/ 9/ 0
									12104.		12104.	
730-75	H 122	2-00149	Women's Toilet	Same		P	R	SF	16.		16.	5/ 8/ 0
									16.		16.	
730-75	H 123	2-00150	Men's Toilet	Same		P	R	SF	16.		16.	5/ 8/ 0
									32.		32.	

Supersedes OI NAVY FORM 11000* for Marine Corps Use. Reference: Current edition of MCO P11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 3270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
740-14	H 1	2-00001	Navy Exchange			P	R	SF	5720.		5720.	3/ 4/ 0
									5720.		5720.	
740-33	H 1	2-00001	Post Office			P	U	SF	440.			
									440.			
750-10	SH 73	2-00037	Tennis Courts	Same		S	N	EA	2.		2.	8/ 0/ 0
750-10	SH 74	2-00089	Tennis Courts	Same		S	N	EA	2.		2.	8/ 0/ 0
750-10	SH 75	2-00090	Playing Courts	Same		S	N	EA	2.		2.	8/ 0/ 0
750-10	SH 81	2-00106	Volleyball Courts	Same		P	U	EA	1.		0	
									7.		6.	
750-90	H 82	2-00107	Picnic Cook Out Fac	Same		T	U	SF	360.			
750-90	H 117	2-00144	Picnic Shelter	Same		T	U	SF	720.			
									1080.			
750-90	H 111	2-00133	Barbecue Pit	Same		P	U	EA	1.			
									1.			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
811-60	H 20	2-00010	Stand-by Gen Plt	Same		P	U	SF	500.			
									500.			
811-60		2-00041	Elec Power Plt	Same		P	U	KV	147.5			
811-60	H 77	2-00072	Generator House	Same		P	U	KV	43.75			
									191.25			
811-60	H 120	2-00170	Generator Oil Tank	Same		P	U	GA	220.			
									220.			
812-10	H 108	2-00135	Sub-Station	Same		P	U	KV	1500.			
									1500.			
812-12	H 38	2-00028	Cable Vault	Same		P	U	SF	168.			
									168.			
812-12	H 33	2-00023	Transformer Vault	Same		P	U	KV	225.			
812-12	H 34	2-00024	Transformer Vault	Same		P	U	KV	37.5			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
812-12	H 35	2-00025	Transformer Vault	Same		P	U	KV	37.5			
812-12	H 70	2-00093	Transformer Vault	Same		P	U	KV	111.			
812-12	H 109	2-00136	Transformer Pad	Same		P	U	KV	300.			
812-12	H 116	2-00143	Transformer Pad	Same		P	U	KV	500.			
									1111.0			
812-14	H 107	2-00134	Switching Stat	Same		S	U	KV	300.			
									300.			
812-30	UNUM	2-00041	Elec Distr Line	Same		P	U	LF	13264.			
812-30	UNUM	2-00102	Elec Distr Line	Same		P	U	LF	4566.			
									17830.			
821-20	H 20	2-00010	Heating Plant/Std-by	Same		P	R	SF	2141.		2141.	4/ 9/ 0
									2141.		2141.	
821-20		2-00040	HT/Plnt/ Fac/Oil	Same		P	U	BH	50212500.			
									50212500.			

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
821-20	H 118	2-00143	Heating Oil Tank	Same		P	U	GA	15000.			
821-20	H 119	2-00146	Heating Oil Tank	Same		P	U	GA	15000.			
821-20	H 121	2-00148	Heating Oil Tank	Same		P	U	GA	1000.			
821-20	H 124	2-00151	Heating Oil Tank	Same		P	U	GA	550.			
821-20	H 125	2-00152	Heating Oil Tank	Same		P	U	GA	550.			
									32100.			
822-10	UNUM	2-00040	Steam Condensate Lines	Same		P	R	LF	10736.		10736.	10/ 0/ 0
822-10	UNUM	2-00095	Steam Condensate Lines	Same		P	N	LF	450.		450.	8/ 0/ 0
									11186.		11186.	
824-10	UNUM	2-00038	Gas Pipe Line	Same		P	U	LF	4000.			
832-10	UNUM	2-00045	Sanitary Sewer	Same		S	U	LF	11371.			
832-10	UNUM	2-00098	Sanitary Sewer	Same		S	R	LF	4155.		4155.	10/ 0/ 0
									15526.		4155.	
832-30	H 29	2-00019	Sewage Pump Sta	Same		P	U	GM	1500.			
									1500.			

Reference: Current edition of MCO 11010.12

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	QUANTITY OF ASSETS VACANT	QUANTITY OF ASSETS SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13
833-10	H 78	2-00073	Incinerator	Same		P	U	TN	.25			
									.25			
841-10	H 20	2-00010	Water Treatment Fac	Same		P	U	MG	.25			
									.25			
842-10	UNUM	2-00042	Wtr/Dist/Ln/Pot	Same		P	U	LF	3185.			
842-10	UNUM	2-00096	Wtr/Dist/Ln/Pot	Same		P	U	LF	4750.			
									7935.			
842-15	H 37	2-00027	Well/Fire Protection	Same		P	R	GM	850.		850.	9/ 0/ 0
									850.		850.	
851-11	UNUM	2-00044	Roads/Bituminous	Same		S	U	SY	25550.			
851-11	UNUM	2-00097	Roads/Bituminous	Same		S	U	SY	8222.			
									33772.			

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
851-12	UNUM	2-00132	Road/Other	Same		S	U	SY	885.			
									885.			
852-11	UNUM	2-00043	Parking Area/Bit	Same		S	U	SY	28990.			
									28990.			
852-20	UNUM	2-00035	Sidewalk	Same		P	U	SY	6634.			
852-20	UNUM	2-00094	Sidewalk	Same		P	U	SY	483.			
									7117.			
852-90	UNUM	2-00037	Driveways	Same		P	U	SY	578.			
									578.			
871-10	UNUM	2-00039	Drainage Sys	Same		P	R	LF	2390.		2390.	10/ 0/ 0
									2390.		2390.	
871-20	UNUM	2-00069	Drainage Ditch	Same		P	R	LF	5000.		5000.	10/ 0/ 0
									5000.		5000.	

ACTIVITY AND LOCATION					ACTIVITY CODE		NAVAL DISTRICT OR AREA		FROM STATUS IF OTHER THAN INITIAL ISSUE		DATE PREPARED	
Marine Corps Base, Camp Lejuene, North Carolina					8270-175		5 ND		☐ REVISED CHANGE NO.		1 November 1968	
CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
872-10	UNUM	2-00046	Security Fence	Same		P	U	LF	1988.			
872-10	UNUM	2-00099	Security Fence	Same		P	U	LF	1525.			
									3513.			
880-10	UNUM	2-00070	Fire Alarm Sys	Same		P	U	BX	59.			
880-10	UNUM	2-00101	Fire Alarm Sys	Same		P	U	BX	2.			
									61.			
890-30	SH 105	2-00130	Oxygen Fac	Same		P	U	EA	1.			
890-30		2-00131	Oxygen Fac	Same		P	U	EA	1.			
									2.			
890-90	UNUM	2-00092	Central Record Sys	Same		P	U	EA	1.			
									1.			
890-90	UNUM	2-00038	Gas Pipeline	Same		P	N	LF	3800.		3800.	8/ 0/ 0
									3800.		3800.	

ACTIVITY AND LOCATION: Marine Corps Base, Camp Lejuene, North Carolina

ACTIVITY CODE: 8270-175

NAVAL DISTRICT OR AREA: 5 ND

FROM STATUS IF OTHER THAN INITIAL ISSUE: ☐ REVISED CHANGE NO.

DATE PREPARED: 1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS			REMARKS
									TOTAL	VACANT	SUB-STANDARD	
1	2	3	4	5	6	7	8	9	10	11	12	13
911-40		1-00001	Land/Acq CNDMN	Same				AC	127.00			
911-40		1-00002	Land/Acq CNDMN	Same				AC	17.60			
									144.60			

ACTIVITY AND LOCATION	ACTIVITY CODE	NAVAL DISTRICT OR AREA	FROM STATUS IF OTHER THAN INITIAL ISSUE	DATE PREPARED
Marine Corps Base, Camp Lejuene, North Carolina	8270-175	5 ND	☐ REVISED CHANGE NO.	1 November 1968

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	CURRENT USE	DESIGNED USE	USING ACTIVITY	TYPE CONSTR.	CONDITION CODE	UNIT OF MEAS.	QUANTITY OF ASSETS TOTAL	VACANT	SUB-STANDARD	REMARKS
1	2	3	4	5	6	7	8	9	10	11	12	13

1. Needs to be enclosed for year-round operation.
2. Requires a concrete roof.
3. Requires air conditioning and/or mechanical ventilation in approved areas.
4. Requires interior and/or exterior painting and repair.
5. Requires modernization to meet present day criteria.
6. Requires complete rehabilitation.
7. Does not meet criteria set forth in OPNAVINST 11012.2 of 1 August 1965.
8. Beyond economical rehabilitation.
9. Requires roof repairs and/or replacement.
10. Requires major repairs to system.

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	U. S. NAVAL HOSPITAL									
111-81	HELICOPTER LANDING PAD	SY	1,112	400	0			712	(1)	
123-10	FILLING STATION	OL	0	1	0		1		(5)	
124-50	VEHICLE READY FUEL STORAGE TANK	GA	0	12,000	0		12,000		(5)	
134-50	OBSTRUCTION LIGHTS	EA	0	2	0		2		(5)	
135-10	COMMUNICATION LINES	MI	0	.90	0		.90		(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 3435-185 | NO OR AREA: 5ND | SPONSOR: BUMED | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
135-20	TELEPHONE LINES	MI	0	1.10	0		1.10		(5)	
136-65	HELIPORT PAD LIGHTING	FT	0	15	0		15		(5)	
154-30	SEAWALLS	LF	0	2,285	2,285		(2,285)	0	(4)	
164-90	EROSION CONTROL STRUCTURE	LF	0	0	0			0	3B(FY-71)P-1069	2,650 LF
214-20	AUTO VEHICLE MAINTENANCE FACILITY	SF	4,000	2,136	0			1,864	(1)	
214-90	AMBULANCE GARAGE	SF	4,800	3,812	0			988	(1)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
214-90	VEHICLE WASH RACK	EA	0	1	1		1		(5)	
214-90	VEHICLE GREASE RACK	SF	0	600	600		600		(5)	
219-10	MAINTENANCE SHOPS	SF	10,000	7,868	0			2,132	(1)	
219-90	DUST COLLECT SYSTEM	EA	0	1	0		1		(5)	
442-10	GENERAL WAREHOUSE/RI	SF	18,000	24,000	0		6,000		(5)	
442-30	FLAMMABLE STORAGE/RI	SF	900	1,146	378		246	132	O & M (R)	378

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
442-50	STORAGE, TRANSIT SHED	SF	3,000	0	0			3,000	O & M (R)	
442-70	WAREHOUSE	SF	0	5,547	652		5,547		(5)	
						REHAB BLDG FROM (442-50)				
442-75	GROUND HANDLING/EQUIPMENT STORAGE	SF	0	1,800	0		1,800		(5)	
510-10	HOSPITAL	BD	500	1,021	1,021		521	500	MILCON	
									3B(FY-73)P-880	28,768
									3B(FY-75)P-881	19,413
									3B(FY-UP)P-882	30,000
									3B(FY-UP)P-883	201,600
									3B(FY-UP)P-884	1 EA
510-90	MEDICAL REPAIR	SF	0	1,080	0		1,080		(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
530-10	CLINIC	SF	0	18,480	18,480		18,480		(5)	
530-30	MORGUE	SF	0	640	0		640		(5)	
610-10	ADMINISTRATION OFFICE	SF	(SEE NOTE)	32,850	30,530		2,320			
	NOTE: ADMINISTRATION, CLINICAL LABORATORY, PATIENT/STAFF MESSING AND OUT PATIENT CLINICS INCLUDED IN (510-10)									
690-10	FLAGPOLE	EA	0	1	0		1		(5)	
711-41	MARRIED OFFICERS QUARTERS	SF	0	4,477	0		4,477		(5)	
711-42	MARRIED OFFICERS QUARTERS	SF	0	30,420	0		30,420		(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 3435-185 | ND OR AREA: 5ND | SPONSOR: BUMED | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
711-43	MEDICAL OFFICERS QUARTERS	SF		7,638			7,638		(5)	
714-10	GARAGE	SF	0	1,240	0		1,240		(5)	
714-90	STORAGE SHED	SF	0	665	0		665		(5)	
722-10	EM BARRACKS W/O MESS	MN	167	517	517		350 (84)	167	BARRACKS ARE BEING REHAB NOW BY BASE	
722-20	EW BARRACKS W/O MESS	MN	25	42	42		(17)	25	NOW HAVE BEEN REHAB BY BASE	
724-10	COMBINED BOQ & NURSES QUARTERS	MN	61	0	0			61	3B(FY-73)P-887 SATISFIED BY(724-15)CAT CODE	33,250 SF

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ———	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
724-15	NAVAL NURSES HOME	MN	0	(32,250 SF) 58	58		58		ASSETS TO BE ASSIGNED TO (724-10)	
730-10	FIRE STATION	SF	3,000	0	0		0	3,000	NOT CONSIDERED A REQUIREMENT BUILDING 18 WOULD BE FOR HOSPITAL IF NECESSARY.	
730-40	LAUNDRY	SF	0	12,104	12,104		12,104	0	(5)	
730-75	PUBLIC TOILET	SF	0	32	32		(32)	0	(4)	
740-XX	COMMUNITY BUILDING	SF	0	0	0	REHAB BLDG NO. 15 FROM (510-10) TO (740-XX).		0	3B(UP)P-886	28,647
740-10	CHAPEL (150 SEAT)	SF	5,800	0	0			5,800	TO BE INCLUDED IN HOSPITAL (510-10)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
740-14	EXCHANGE	SF	8,600	5,720	0			8,600	REHAB BLDG H-15 FROM (510-10) TO (740-14)(740-33)(740-63) AND (750-90)	
740-20	GUESTHOUSE	SF	0	0	REHAB BLDG NO. 32 FROM (722-10)			TO (740-20)	3B(FY-75)P-888	16,536
740-33	POST OFFICE	SF	0	440	0		440		SEE NOTE ABOVE	
740-63	EM SERVICE CLUB	SF	3,000	0	0			3,000	REHAB BLDG H-15 FROM (510-10 TO (740-14)(740-33)(740-63) AND (750-90)	
750-10	PLAYING COURTS	EA	0	7	0		7		(5)	
750-20	PLAYING FIELDS	EA		0	0					

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. _____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
750-90	COMMUNITY FACILITY/OTHER	SF	0	1,080	0		1,080		(5)	
750-90	COMMUNITY FACILITY/OTHER	EA	0	1	0		1		(5)	
811-60	STANDBY GENERATOR PLANT	SF	500	500	0			0		
811-60	ELECTRIC POWER PLANT	KV	191.25	191.25	0			0		
811-60	GENERATOR OIL TANK	GA	220	220	0			0		
812-10	SUB-STATION	KV	0	1,500	0		1,500		(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) ☐ PRE-M-DAY ☐ POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	☐ REVISED ☐ CHANGE NO. _____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
812-12	CABLE VAULT	SF	0	168	0		168		(5)	
812-12	TRANSFORMER VAULT	KV	0	1,111	0		1,111		(5)	
812-14	SWITCHING STATION	KV	0	300	0		300		(5)	
812-30	ELECTRIC DISTRIBUTION LINE	LF	17,830	17,830	0			0		
821-20	HEATING PLANT OIL FIRED	SF	0	2,141	2,141			0	O & M (R)	
821-20	HEATING PLANT OIL FIRED	BH	50,212,500	50,212,500	0			0		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) ☐ PRE-M-DAY ☐ POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	☐ REVISED ☐ CHANGE NO. _____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
821-20	HEATING OIL TANK	GA	0	32,100	0		32,100		(5)	
822-10	STEAM CONDENSATE LINES	LF	11,186	11,186	11,186			11,186	O & M (R)	
824-10	GAS PIPE LINE	LF	0	4,000			4,000		(5)	
832-10	SANITARY SEWER SYSTEM	LF	15,526	15,526	4,155			4,155	O & M (C)	
832-30	SEWAGE PUMP STATION	GM	0	1,500	0		1,500		(5)	
833-10	INCINERATOR	TN	5.0	.25	0			4.75	O & M (C)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. _____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
841-10	WATER TREATMENT FACILITY	MG		.25	0		.25			
842-10	WATER DISTRIBUTION SYSTEM	LF	7,935	7,935	0			0		
842-15	WALL/FIRE PROTECTION	GM	0	850	850			0	(5)	
843-10	FIRE PROTECTION PIPELINE	GPM		0	0			0		
843-30	WATER STORAGE TANK (FIRE)	GA		0	0			0		
851-11	ROADS/BITUMINOUS	SY	0	(2.39 MI) 33,772			33,772		(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
851-12	ROADS/OTHER	SY	0	885	0		885		(5)	
852-11	PARKING AREA	SY	32,480	28,990	0			3,490	O & M (C)	
852-20	SIDEWALK	SY	7,117	7,117	0			0		
852-90	DRIVEWAYS	SY	0	578	0		578		(5)	
871-10	DRAINAGE SYSTEM	LF	2,390	2,390	2,390			2,390	O & M (R)	
871-20	DRAINAGE DITCH	LF	5,000	5,000	5,000			5,000	O & M (R)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010-1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION: U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA

ACTIVITY CODE: 3435-185 | NO OR AREA: 5ND | SPONSOR: BUMED | FORM STATUS IF OTHER THAN INITIAL ISSUE: [ ] REVISED [ ] CHANGE NO. _____ | PREPARATION DATE: 20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
872-10	SECURITY FENCE	LF	0	3,513	0		3,513		(5)	
880-10	FIRE ALARM SYSTEM	BX	61	61	0					
890-30	OXYGEN FACILITY	EA	0	2	0		2		(5)	
890-40	CENTRAL AIR CONDITIONING PLANT	TN	0	0				0	3B(FY-71)P-988 3B(FY-75)P-1070 3B(UP)P-1071	600 300 300
890-90	CENTRAL RECORD SYSTEM	EA	0	1	0			0	(5)	
890-90	GAS PIPELINE	LF	0	3,800	3,800			0	(5)	

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
U. S. NAVAL HOSPITAL, CAMP LEJEUNE, NORTH CAROLINA	3435-185	5ND	BUMED	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
911-40	LAND/ACQ CNDMN	AC	144.6	144.6	0		0	0		

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	ND OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
	CODES FOR COLUMN 10 (PROSPECTIVE SOURCE)									
(1)	CONSIDERED ADEQUATE.									
(2)	BALANCE DEFICIENCIES AND EXCESS WHERE POSSIBLE.									
	(2A) BALANCE BY USING EXCESS FACILITY ELSEWHERE TO SATISFY DEFICIENCY.									
	(2B) USE THIS EXCESS TO SATISFY A DEFICIENCY FROM ELSEWHERE.									
(3)	NEW CONSTRUCTION AND/OR REHABILITATION.									
	(3B) OVER $25,000 COST - LINE ITEM FOR NEW CONSTRUCTION OR REHABILITATION.									
(4)	REMOVE EXCESS.									
(5)	RETAIN EXCESS PENDING FUTURE JUSTIFICATION.									
(6)	IN THE INTEREST OF ORDERLY PROGRAMMING FOR CONSTRUCTION, AND RECOGNIZING THE FACT THAT THE CONSTRUCTION FUNDS ARE NOT UNLIMITED, ALL INDICATED DEFICIENCIES ARE NOT INCLUDED IN THE FIVE (5) YEAR AND UNPROGRAMMED MILCON LIST AT THIS TIME. THIS IS NOT BE BE CONSTRUED AS A BASIS FOR REDUCTION OF THE BFRL SHOWN FOR ANY LINE ITEM OR CAT CODE.									

FACILITY DEFICIENCIES AND EXCESSES
OPNAV FORM 11000-3A (6-61)

PERIOD (Check one) [X] PRE-M-DAY [ ] POST-M-DAY

Reference: Current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY AND LOCATION	ACTIVITY CODE	NO OR AREA	SPONSOR	FORM STATUS IF OTHER THAN INITIAL ISSUE	PREPARATION DATE
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA	8270-175	5ND	CMC	[ ] REVISED [ ] CHANGE NO. ____	20 JANUARY 1969

CATEGORY CODE	FACILITY DESCRIPTION	UNIT OF MEASURE	BASIC REQUIREMENT	EXISTING ASSETS		ASSETS NOT IN INVENTORY	QUANTITY EXCESS	QUANTITY DEFICIENT	SATISFACTION OF DEFICIENCY	
				TOTAL	PORTION SUB-STD.				PROSPECTIVE SOURCE	QUANTITY
1	2	3	4	5	6	7	8	9	10	11
(7)	SPECIAL SITUATIONS									
	(7A) THE REQUIREMENT IS FOR MEDICAL EVACUATION AND ADMINISTRATIVE HELICOPTER PADS AND THE AREAS NEED NOT BE PAVED. A PAVED CONCRETE CROSS IS REQUIRED TO MARK EACH PAD. THESE SMALL LOW-COST ITEMS WILL BE BUILT BY TROOPS.									
	(7B STAFF N. C. O.'s TO BE LOCATED AT HADNOT POINT.									
	(7C) THIS REQUIREMENT TO BE SATISFIED IN OTHER BUILDINGS.									
	(7D) FIRE STATION (BLDG #2600) REQUIRES MINOR REPAIRS TO BRING UP TO ACCEPTABLE STANDARDS. O & M (R). RETAIN EXCESS.									
	(7E) CONVERSION OF PRESENT SYSTEM TO A CENTREX SYSTEM IS NOW BEING PERFORMED BY BASE.									
	(7F) REMAINING FACILITIES TO REMAIN WITHOUT REHAB (960 SF AT MOREHEAD CITY).									
	(7G) AIR CONDITIONING REQUIRED TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7H) REQUIRES LIGHTING TO BRING UP TO ACCEPTABLE STANDARDS.									
	(7J) 2ND ANGLCO HAS 5,380 SF AT COURTHOUSE BAY, 2ND ANGLCO TO MOVE TO FRENCH CREEK, FORCE TROOPS COMPLEX.									
	(7K) FALLOUT PROTECTION AREA BEING PROVIDED IN NEW BUILDINGS.									
	(7L) EXISTING RETAIL WAREHOUSE TO BE REMOVED DUE TO NEW CONSTRUCTION.									
(8)	NO NEW OR REHAB WORK TO BE PERFORMED IN THIS AREA.									

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE 3. CLASSIFICATION STAMP: 1

4. ACTIVITY AND LOCATION: U. S. NAVAL HOSPITAL, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 3435-185

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: BUMED

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. _____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE		ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR		BOD DATE			CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
		QUANITY	UNIT			AUTH	FUND	MO.	YR.	WS *					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	U. S. NAVAL HOSPITAL														
	FISCAL YEAR - 1972														
164-90	EROSION CONTROL STRUCTURES	2,650	LF	119				3	73				1		P-1069
890-40	CENTRAL A/C PLANT	600	TN	344				3	73				2		P-988
	FISCAL YEAR - 1972 TOTAL			463											
	FISCAL YEAR - 1973														
724-10	REHAB B O Q	33,250	SF	249				3	74				2		P-887
510-10	NEW OPERATING SUITES, RECOVERY, ETC	28,768	SF	1,448				3	74				1		P-880
	FISCAL YEAR - 1973 TOTAL			1,697											
	FISCAL YEAR - 1975														
740-20	REHAB BLDG #32 FOR GUESTHOUSE	16,536	SF	132				2	76				3		P-888
510-10	REHAB 2ND & 3RD FLOOR OF EXIST HOSPITAL	19,413	SF	582				2	76				1		P-881
890-40	ADDITION TO CENTRAL A/C PLANT	300	TN	120				2	76				2		P-1070
	FISCAL YEAR - 1975 TOTAL			834											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

CORRECTION OF FACILITY DEFICIENCIES
LINE ITEM SUMMARY
OPNAV FORM 11000-4 (REV. 8-61)

1. PERIOD (Check one): [X] PRE-M-DAY [ ] POST-M-DAY

2. PROGRAM (Brief title): MILCON

CODE: 1

3. CLASSIFICATION STAMP

4. ACTIVITY AND LOCATION: U. S. NAVAL HOSPITAL, CAMP LEJEUNE, N.C.

ACTIVITY CODE: 3435-185

5. ND OR AREA: 5ND

CODE: 05

6. SPONSOR: BUMED

CODE: 32

7. REPORT STATUS (If other than original): [ ] REVISION [ ] CHANGE NO. ____

8. SUBMISSION DATE: 20 JANUARY 1969

CATEGORY CODE	LINE ITEM TITLE	SCOPE QUANITY	SCOPE UNIT	ESTIMATED COST (Thousands)	ESTIMATED COLLATERAL COST (Thousands)	YEAR AUTH	YEAR FUND	BOD DATE MO.	BOD DATE YR.	BOD DATE WS #	CONST. OR LAND CODE	PROGRAM PACKAGE AND ELEMENT CODE	SPONSOR PRIORITY NO.	M-DAY ACTION CODE	ITEM I.D. NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	UNPROGRAMMED														
510-10	OUTPATIENT CARE WING	30,000	SF	960									1		P-882
510-10	MEDICAL WARDS (7 FLOORS)	201,600	SF	7,156									2		P-883
510-10	THERAPEUTIC POOL	1	EA	98									4		P-884
740-XX	COMMUNITY BLDG (REHAB FAM HOSP)	28,647	SF	229									5		P-886
890-40	ADDITION TO CENTRAL A/C PLANT	300	TN	120									3		P-1071
	FISCAL YEAR UNPROGRAMMED - TOTAL			8,563											

INSTRUCTIONS: See the current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

OP-441E

U. S. NAVAL HOSPITAL

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
20 JAN 1969	1972		NAVY	U. S. NAVAL HOSPITAL

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 119,000	P.L. —	164-90		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 119,000		P-1069	EROSION CONTROL STRUCTURES (U.S.NAVAL HOSPITAL)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		16. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. —	b. NO. OF STORES —	c. LENGTH —	d. WIDTH —
b. SEMI-PERMANENT		e. DESIGN CAPACITY —		f. GROSS AREA —	
c. TEMPORARY		g. COOLING —	CAP. —	COST ($ —)	
15. TYPE OF WORK					
a. NEW FACILITY	X				
b. ADDITION					
c. ALTERATION					
d. CONVERSION					
e. OTHER (Specify)					
16. REPLACEMENT					
17. TYPE OF DESIGN					
a. STANDARD DESIGN					
b. SPECIAL DESIGN	X				
c. DRAWING NO.					

19. DESCRIPTION OF WORK TO BE DONE

The proposed work includes construction of concrete block revetments over shoreline bluffs in the four areas, as shown in 1391'c. Combined length is to be 2,650 LF with the top elevation approximately 8 to 11 feet above mean sea level. Construction includes placement of a plastic filter cloth over existing bluff material, covered with a layer of crushed rock, over which is laid a finish surface of interlocking concrete blocks of approximately 80 lbs. each. Timber sheet pile walls are to be provided at the toe and lateral extremities of each revetment, with transverse compartmanting at 150 ft intervals. Armor stone will be placed at lateral cutoff walls to prevent undermining.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
EROSION CONTROL	LS	2,600	$45.00	$ 119
a. REVETMENT, OUTPATIENT PARKING	LF	(713)	45.00	(32)
b. REVETMENT, SURGEON'S ROW	LF	(487)	45.00	(22)
c. REVETMENT, N.SHORE (CENTRAL)	LF	(650)	45.00	(29)
d. REVETMENT, N.SHORE (HOUSING)	LF	(800)	45.00	(36)
21. SUPPORTING FACILITIES				
a.				$
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 119

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M NOT APPLICABLE)		
a. TOTAL REQUIREMENT		
b. EXISTING SUBSTANDARD	( )	
c. EXISTING ADEQUATE		
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)		
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY 1972 PROGRAM		
h. DEFICIENCY (a-e-f-g)		

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

The U. S. Naval Hospital is located on a peninsula about one mile in length, projecting from the eastern shore of New River. Hospital facilities now occupy practically the entire high ground area which is generally 10 to 20 ft above mean sea level. The problem stems from the continuing erosion of beaches and bluffs along both sides of the peninsula. Development associated with the hospital complex extends to within a few feet of the present bluff line. The bluffs are extremely vulnerable to storm wave action, especially when accompanied by a higher elevation of the river surface due to storm surge or wind setup. If no remedial action is taken, the natural erosive forces, as in the past, will continue to remove beach and bank material and the bluff line will continue to recede well back into the hospital property. In view of this condition, stabilization of the bluffs is required to provide protection for installations sited close to the shore.

DD FORM 1 JUL 62 1391

BOOK NO. PAGE NO.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA	3. DEPARTMENT	4. INSTALLATION
20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT NUMBER	9. STATE/COUNTRY
$ 344,000	P.L. ----	890-90		CAMP LEJEUNE, NORTH CAROLINA

10. PROPOSED APPROPRIATION	11. BUDGET ACCOUNT NUMBER	12. LINE ITEM NUMBER	13. LINE ITEM TITLE
$ 344,000		P-988	CENTRAL AIR CONDITIONING (U. S. NAVAL HOSPITAL)

SECTION A - DESCRIPTION OF LINE ITEM

14. TYPE OF CONSTRUCTION		18. PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY			
a. PERMANENT	X	a. NO. OF BLDGS. 1	b. NO. OF STORES 1	c. LENGTH 50'	d. WIDTH 30'
b. SEMI-PERMANENT		e. DESIGN CAPACITY 600 TN		f. GROSS AREA 1500 SF	
c. TEMPORARY		g. COOLING -	CAP. -	COST ($ -)	

15. TYPE OF WORK

a. NEW FACILITY	X
b. ADDITION	
c. ALTERATION	
d. CONVERSION	
e. OTHER (Specify)	
16. REPLACEMENT	
17. TYPE OF DESIGN	
a. STANDARD DESIGN	
b. SPECIAL DESIGN	X
c. DRAWING NO.	

19. DESCRIPTION OF WORK TO BE DONE

Provide a central chilled water system for the U. S. Naval Hospital Complex. Build an addition to the existing boiler plant to house the chillers and associated equipment. The building shall be of masonry construction with a steel frame structure, slab-on-grade concrete floor and a built-up insulated roof deck to match the existing structure. A direct buried primary chilled water loop shall be installed to all existing buildings requiring air conditioning.

SECTION B - COST ESTIMATES

20. PRIMARY FACILITY	U/M	QUANTITY	UNIT COST	COST ($000)
CENTRAL CHILLER PLANT	LS	600	$573	$ 344
a. BUILDING	SF	(1,500)	20.00	(30)
b. CHILLER & ASSOC. EQUIP.	TN	(600)	450	(220)
c. UNDERGROUND PIPING	LF	( )		(44)
d.		( )		( )
21. SUPPORTING FACILITIES				$
a.				( )
b.				( )
c.				( )
d.				( )
e.				( )
f.				( )
g.				( )
h.				( )
i.				( )
j.				( )
22. TOTAL LINE ITEM COST				$ 344

SECTION C - BASIS OF REQUIREMENT

23. QUANTITATIVE DATA (U/M NOT APPLICABLE)

a. TOTAL REQUIREMENT		
b. EXISTING SUBSTANDARD	( )	
c. EXISTING ADEQUATE		
d. FUNDED, NOT IN INVENTORY		
e. ADEQUATE ASSETS (c + d)		
	AUTHORIZED	FUNDED
f. UNFUNDED PRIOR AUTHORIZATION		
g. INCLUDED IN FY ____ PROGRAM		
h. DEFICIENCY (a-e-f-g)		

24. RELATED LINE ITEMS

25. REQUIREMENT FOR LINE ITEM

Air conditioning is authorized when the wet bulb temperature exceeds 67°F. for more than 2,200 hours per year. Camp Lejeune averages 2,898 hours per year that exceeds a 67°F. wet bulb temperature. At present, only a small part of the hospital is air conditioned with window type units and a small chiller. A central station chiller to air condition the entire hospital building and other buildings in the hospital complex is economically feasible because of the diversity factor advantage and because the operating and maintenance cost would be less than that of multi-units in each building. If air conditioning is not provided, recuperating patients of the hospital will have to endure the hot humid conditions that exist. This line item is the 1st increment of the total air conditioning requirement.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		
P-988		CENTRAL AIR CONDITIONING (U. S. NAVAL HOSPITAL)		

1. Function to be Performed. Air condition the hospital building and other buildings in the hospital complex that are authorized and require air conditioning.

2. Necessity for Performing This Function. Air conditioning is required because Camp Lejeune, N. C. has an average of 2,898 hours per year that exceed a 67°F. wet bulb temperature.

3. Existing and Authorized Facilities Similar to the Requested Facility That Can Be Used for Performing This Function. N/A.

4. Current and Planned Future Workload With Regard to This Function. Air conditioning is required 24 hours a day and seven days a week for a minimum of 6 months a year.

5. Description of Construction Being Requested. A permanent installation of a central chilled water system will require a permanent building to house the chillers and associated equipment and an underground chilled water piping system to serve each building.

6. List of Collateral Equipment to Be Included in the Line Item. N/A.

7. List of Collateral Equipment Associated With, but Not Included in, Line Item. N/A.

8. Justification for the New Facility. Air conditioning is authorized when a 67°F wet bulb temperature exceeds 2,200 hours per year. Camp Lejeune averages 2,898 hours per year that exceed this temperature. Air conditioning in a hospital is a necessity for the confort of the patients who are being treated and for the attending physicians and staff personnel in order that they might perform their duties efficiently.

9. Effects if the New Facility is Not Provided. Patients and staff personnel would be subjected to hot and humid uncomfortable conditions where controlled environmental conditions is a necessity.

10. Justification for the Size and Scope of the New Facility. A central cooling system is economically feasible because of the total air conditioning requirement of the hospital complex. A diversity factor advantage of a central system will reduce the total air conditioning tonnage requirements and will offer a savings in both operating and maintenance costs over separate air conditioning installations. This line item is the lst increment of the total air conditioning requirement.

11. Justification for the Type of Construction Planned. Air conditioning is authorized when the wet bulb temperature exceeds 67°F. for more than 2,200 hours per year. At Camp Lejeune, an average of 2,898 hours per year exceed this temperature. The necessity for air conditioning in the hospital justifies the permanent installation that is proposed.

1. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	4. INSTALLATION
20 JAN 1969	1972		NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA

5. LINE ITEM NUMBER	6. LINE ITEM TITLE
P-988	CENTRAL AIR CONDITIONING (U. S. NAVAL HOSPITAL)

12. Alternate Solutions. The alternate solution to install separate air conditioning systems for each building would not be as economical to operate and maintain as a central system.

13. Plans for Facilities Being Replaced. N/A.

14. Status of Preliminary Engineering. Preliminary engineering report has not been started.

15. Sketch Showing Planned Location of the New Facility. None.

16. Other Graphic Presentations, Including Photographs. N/A.

17. Activities Without Potential Flood Hazards. Requirements of Executive Order No. 11296 (Flood Hazards) are not applicable.

18. Pollution Abatement, Prevention and Control. This item will not cause additional air and water pollution.

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
U. S. N. HOSPITAL, CAMP LEJEUNE, N.C.	3435-185	5ND	05	BUMED	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	U. S. NAVAL HOSPITAL												
123-10	H 114	2-141	P	U	250	FILLING STATION	OL	1	1	29	RETAIN		
124-50	H 113	2-140	P	U	1,560	VEH READY FUEL STOR TANK	GA	12,000	12,000	29	RETAIN		
134-50	-	2-153	S	U	300	OBSTRUCTION LIGHTS	EA	2	2	29	RETAIN		
135-10	-	2-103	S	U	48,150	COMMUNICATION LINES	MI	.90	.90	29	RETAIN		
135-20	-	2-074	P	U	58,850	TELE LINES/OTHER	MI	1.10	1.10	29	RETAIN		
136-65	-	2-154	S	U	6,576	HELIPORT PAD LIGHTING	FT	15	15	29	RETAIN		
154-30	-	2-063	P	N	14,159	SEAWALLS	LF	1,550	1,550	25	REMOVE		
154-30	-	2-100	P	N	6,714	SEAWALLS	LF	735	735	25	REMOVE		

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (REW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
U.S.N. HOSPITAL, CAMP LEJEUNE, N.C.	3435-185	5ND	05	BUMED	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
214-90	H 110	2-137	P	R	1,000	VEHICLE WASH RACK	EA	1	1	29	RETAIN		
214-90	H 112	2-139	P	R	2,000	VEHICLE GREASE RACK	SF	600	600	29	RETAIN		
219-90	H 115	2-142	S	U	3,500	DUST COLLECTION SYSTEM	EA	1	1	29	RETAIN		
	H 17	2-007	P	U	172,222	MULTIPLE USE BUILDING	SF	26,960	8,960	29	RETAIN		
442-10	* A					GENERAL WAREHOUSE/RI	SF	24,000	6,000				
610-10	* B					ADMINISTRATION BUILDING	SF	2,320	2,320				
530-30	* C					MORGUE	SF	640	640				
	H 19	2-009	P	R	51,058	MULTIPLE USE BUILDING	SF	6,604	6,604	29	RETAIN		
219-10	* A					MAINTENANCE SHOPS	SF	5,668	0				
442-70	* B					PW/MAINTENANCE STORAGE	SF	936	936				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
U.S.N. HOSPITAL, CAMP LEJEUNE, N.C.	3435-185	5ND	05	BUMED	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
442-70	H 22	2-012	P	U	22,164	WAREHOUSE	SF	3,959	3,959	29	RETAIN		
442-70	H 83	2-108	T	T	250	STORAGE SHED	SF	140	140	29	RETAIN		
442-70	H 84	2-109	T	T	1,500	STORAGE BUILDING	SF	512	512	29	RETAIN		
	H 36	2-026	P	R	9,468	MULTIPLE USE BUILDING	SF	3,936	1,800	29	RETAIN		
214-20	* A					VEHICLE MAINTENANCE FACILITY	SF	2,136	0				
442-75	* B					GROUND HANDLING/EQUIP STORG	SF	1,800	1,800				
	H 18	2-008	P	U	44,661	MULTIPLE USE BUILDING	SF	6,038	1,326	29	RETAIN		
214-90	* A					GARAGE	SF	3,812	0				
510-90	* B					HOSPITAL BUILDING/OTHER	SF	1,080	1,080				
442-30	* C					HAZARDOUS/FLAM STORAGE/RI	SF	1,146	246				

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
U.S.N. HOSPITAL, CAMP LEJEUNE, N.C.	3435-185	5ND	05	BUMED	32	☐ REVISION ☐ CHANGE ____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
	H 1	2-001	P	R	4,247,461	MULTIPLE USE BUILDING	SF	366,049	25,344	29	RETAIN		
510-10	* A					HOSPITAL	SF	310,175					
610-10	* B					ADMINISTRATION OFFICE	SF	30,530					
530-10	* C					CLINIC OUT-PATIENT	SF	18,480	18,480				
899-90	* D					MULTIPLE USE BUILDING	SF	6,864	6,864				
690-10	H 80	2-103	P	U	1,200	FLAGPOLE	EA	1	1	29	RETAIN		
722-10	H 30	2-020	T	N	43,900	EM BARRACKS	MN	37	37	25	REMOVE		
722-10	H 31	2-021	T	N	43,650	EM BARRACKS	MN	47	47	25	REMOVE		
722-10	H 32	2-022	P	R	152,764	EM BARRACKS	MN	117	117	29	RETAIN		
								REHAB BUILDING #32 FOR GUESTHOUSE (740-20)					
722-20	H 16	2-006	P	R	52,156	EW BARRACKS W/O MESS	MN	42	17	29	RETAIN		
724-15	H 14	2-004	P	R	293,669	NAVAL NURSES HOME	MN	58	58	29	RETAIN		
								THIS CAT CODE SHOULD CHANGE TO (724-10)					

CLASSIFICATION STAMP

EXCESS FACILITIES
LINE ITEM SUMMARY
OPNAV 11000-5 (NEW 6-61)

Reference: current edition of OPNAVINST 11010.1

CLASSIFICATION STAMP

ACTIVITY LOCATION AND NAME	CODE	NAVAL DISTRICT OR AREA	CODE	SPONSOR	CODE	REPORT STATUS	SUBMISSION DATE
U.S.N. HOSPITAL, CAMP LEJEUNE, N.C.	3435-185	5ND	05	BUMED	32	☐ REVISION ☐ CHANGE _____	20 JANUARY 1969

CATEGORY CODE	BUILDING NUMBER	PROPERTY RECORD CARD	TYPE CONST	EST. REM LIFE	ACQ COST TO GOVERNMENT ($ ONLY)	CURRENT USE DESCRIPTION	UNIT OF MEA.	TOTAL QUANTITY	EXCESS QUANTITY	RECOMMENDED DISPOSITION CODE	RECOMMENDED DISPOSITION BRIEF DESCRIPTION	SPONSOR ACTION	DPWO NO.
1	2	3	4	5	6	7	8	9	10	11	12	13	14
730-40	H 21	2-011	P	R	137,353	LAUNDRY	SF	12,104	12,104	29	RETAIN		
730-75	H 123	2-150	T	T	100	TOILETS	SF	16	16	25	REMOVE		
730-75	H 122	2-149	T	T	100	TOILETS	SF	16	16	25	REMOVE		
750-10	SH 75	2-090	S	U	2,549	PLAYING COURTS	EA	2	2	29	RETAIN		
750-10	SH 74	2-089	S	U	2,549	PLAYING COURTS	EA	2	2	29	RETAIN		
750-10	SH 73	2-073	S	U	2,549	PLAYING COURTS	EA	2	2	29	RETAIN		
750-10	SH 81	2-106	P	U	500	PLAYING COURTS	EA	1	1	29	RETAIN		
750-90	H 82	2-107	T	T	1,117	PICNIC COOK-OUT FACILITY	EA	1	1	29	RETAIN		
750-90	H 111	2-138	P	U	115	BARBECUE	EA	1	1	29	RETAIN		
750-90	H 117	2-144	T	U	3,000	PICNIC SHELTER	EA	1	1	29	RETAIN		

CLASSIFICATION STAMP