

## Hall GS11 Nicole L

---

m: Bruce Reed [Bruce.Reed@ncmail.net]  
t: Thursday, January 13, 2005 11:20 AM  
ro: Hall GS11 Nicole L  
Subject: 1323-3

I have just read the 8/23/04 sampling report. Looks like this incident still needs a LUR.

Please call me about the LURs.

Thanks,

Bruce

State of North Carolina  
Department of Environment  
and Natural Resources  
Wilmington Regional Office  
Division of Waste Management  
UST Section

Michael F. Easley, Governor  
William G. Ross Jr., Secretary  
Dexter R. Matthews, Director



December 18, 2002

Ms. Nikki Hall  
Attn: Director, I&E/EMD/EQB  
Marine Corps Base  
PSC Box 20004  
Camp Lejeune, NC 28542-0004

RE: Notice of Regulatory Requirements  
15A NCAC 2L .0115(c)  
RISK-BASED ASSESSMENT AND  
CORRECTIVE ACTION FOR PETROLEUM  
UNDERGROUND STORAGE TANKS  
USMC-Camp Lejeune-Bldg. 1323-3  
Camp Lejeune, Onslow County, N.C.  
Risk: Unconfirmed  
Incident No. 24232

Dear Ms. Hall:

Information received by this office on December 2, 2002, confirms a release or discharge from a petroleum underground storage tank (UST) system at the above referenced location. Records indicate that the USMC is the owner and/or operator of this UST tank system. This letter is a standard notice explaining the actions that the USMC must take as a result of the release or discharge in accordance with North Carolina statutes and rules. The UST Section of the Division of Waste Management administers the state's rules for USTs and the required response for petroleum releases. Those rules are located in Title 15A, Subchapter 2L and Title 15A, Subchapter 2N of the North Carolina Administrative Code (NCAC).

As a responsible party, the USMC is required to comply with the release response and corrective action requirements of 15A NCAC 2L .0115(c), which include the requirements established in 15A NCAC 2N. Listed is a general description of actions that the USMC must take to comply with State rules. For a detailed description of your requirements please refer to the enclosed rules and the July 2001 UST Section Guidelines for Assessment and Corrective Action. The Guidelines are available on the Internet at <http://ust.enr.state.nc.us> or may be purchased from the UST Section for a fee of \$8.50. To purchase a copy of the Guidelines, please send a check made payable to DENR to:

DENR/DWM/UST Section  
1637 Mail Service Center  
Raleigh, NC 27699-1637

Required Actions:

- 1) If the USMC has not already done so, the USMC must take immediate action to prevent any further release of the regulated substance into the environment and to identify and mitigate any fire, explosion and vapor hazards; remove any free product; and comply with the requirements of Rules .0601 through .0604 and .0701 through .0703 and .0705 of Subchapter 2N;
- 2) Incorporate the requirements of 15A NCAC 2N .0704 into the report to be submitted in accordance with 15A NCAC 2L .0115 (c)(3) or (c)(4), whichever is applicable (see Item #3 below). This shall constitute compliance with the reporting requirements of 15A NCAC 2N .0704(b);
- 3) If the USMC can demonstrate that no soil remains in the unsaturated zone in the sidewalls and at the base of the UST system excavation with contaminant levels exceeding either the "soil-to-groundwater" or the residential maximum soil contaminant concentrations (See Guidelines), whichever are lower, then submit a Soil Contamination Report in accordance with 15A NCAC 2L.0115(c)(3). The Soil Contamination Report, if applicable, is due in this office within **90 days** of the date of receipt of this notice. Upon approval of this report, the Department will issue a notice indicating that no further action related to this incident is required; or,
- 4) If the requirements of 15A NCAC .0115(c)(3) cannot be met as described in Item #3 above, submit a Limited Site Assessment (LSA) Report in accordance with 15A NCAC 2L .0115(c)(4), containing information needed by the Department to classify the level of risk to human health and the environment posed by the discharge or release. The LSA Report is due in this office within **120 days** of the date of receipt of this notice. Based on a review of the information submitted in the LSA, the Department will classify the risk of the discharge or release as high, intermediate or low. At that time, the Department will also classify the land use of the site as either residential or industrial/commercial. The USMC will be notified of the risk and land use classifications once review of your LSA Report is completed.

If the USMC believes that any of the information requested above has already been submitted, please notify me of the date, title, and content of the documents that contain the information.

Ms. Nikki Hall  
December 18, 2002  
Page 3

The USMC's prompt attention to the items described herein is required. Failure to comply with the state's rules in the manner and time specified, may result in the assessment of civil penalties and /or the use of other enforcement mechanisms available to the State. Each day that a violation continues may be considered a separate violation. If the USMC believes that it is not the responsible party notify the UST Section within **15 days** of receipt of this letter.

Please note that performing assessment and cleanup work that is not required under 15A NCAC 2L.0115 is not reimbursable from the Commercial or Noncommercial Leaking Petroleum Underground Storage Tank Cleanup Funds.

If the USMC has any questions regarding the actions that must be taken or the rules mentioned in this letter, please contact me at the letterhead address and/or at (910) 395-3900. If the USMC has any questions regarding trust fund eligibility or reimbursement, please contact the UST Section in Raleigh at (919) 733-8486.

Sincerely,



Bruce Reed  
Hydrogeologist II

BR

cc: George O'Daniel (Onslow County Health Dept.)  
WiRO-UST

s:\bruce\hal13233.dec