


**UNDERGROUND STORAGE TANK
CLOSURE REPORT
TT-3127**

**TARAWA TERRACE
MARINE CORPS BASE
CAMP LEJEUNE, NORTH CAROLINA**

APRIL 8, 2009

CATLIN PROJECT NO. 209-022



PREPARED FOR:

**OSAGE OF VIRGINIA, INC.
2618A COLLEY AVENUE
NORFOLK, VIRGINIA 23517-1132
(757) 440-0400**

PREPARED BY:

**CATLIN ENGINEERS AND SCIENTISTS
P. O. BOX 10279
WILMINGTON, NORTH CAROLINA 28404-0279
(910) 452-5861**

TABLE OF CONTENTS

	<u>PAGE</u>
A. GENERAL INFORMATION	1
B. CLOSURE PROCEDURES	3
C. SITE INVESTIGATION	5
D. CONCLUSIONS AND RECOMMENDATION	8
E. SIGNATURE AND SEAL	9
F. LIMITATIONS	9
G. REFERENCES	10

TABLES

TABLE 1	SUMMARY OF SOIL LABORATORY RESULTS FROM FEBRUARY 17, 2009
TABLE 2	SUMMARY OF SOIL LABORATORY RESULTS FROM MARCH 9, 2009
TABLE 3	SUMMARY OF GROUNDWATER LABORATORY RESULTS FROM MARCH 25, 2009

FIGURES

FIGURE 1	USGS TOPOGRAPHIC SITE LOCATION MAP
FIGURE 2	SITE MAP WITH SOIL LABORATORY RESULTS
FIGURE 3	SITE MAP WITH GROUNDWATER LABORATORY RESULTS

APPENDICES

APPENDIX A	SITE INVESTIGATION REPORT FOR PERMANENT CLOSURE OR CHANGE-IN-SERVICE OF UST (UST-2)
APPENDIX B	24 HOUR RELEASE AND UST LEAK REPORTING FORM (UST-61)
APPENDIX C	CERTIFICATE OF UST DISPOSAL
APPENDIX D	DISPOSAL MANIFESTS
APPENDIX E	LABORATORY REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION
APPENDIX F	PHOTOGRAPHS
APPENDIX G	WELL CONSTRUCTION/ABANDONMENT RECORD

**UST-12
UNDERGROUND STORAGE TANK CLOSURE REPORT
SITE TT-3127
TARAWA TERRACE
MCB CAMP LEJEUNE, NORTH CAROLINA**

A. GENERAL INFORMATION

1. Facility Information

a. Facility Name:

Site TT-3127
Tarawa Terrace

b. Facility ID Number:

N/A

c. Facility address, telephone number, and county:

Commanding Officer
Director, Installations and Environment Department, Environmental
Management Division (EMD)
PSC Box 20004
Marine Corps Base (MCB) Camp Lejeune, North Carolina, 28542-0004
(910) 451-5068
Onslow County

2. Contacts

a. Name, address, telephone number, and job title of primary contact person:

Mr. Bruce Markwick
Installations & Environment Department, EMD
MCB Camp Lejeune, North Carolina 28542
(910) 451-5068

b. Name, address, and telephone number of closure contractor:

Osage of Virginia, Inc. (Osage)
2618A Colley Avenue
Norfolk, Virginia 23517-1132
(757) 440-0400

c. Name, address, and telephone number of primary consultant:

CATLIN Engineers and Scientists (CATLIN)
220 Old Dairy Road
Wilmington, NC 28405
(910) 452-5861

d. Name, address, telephone number, and State certification number of laboratory:

SGS Environmental Services (SGS)
5500 Business Drive
Wilmington, North Carolina 28405
(910) 350-1903
NC Laboratory Certification # 481

3. UST Information

Tank Number	Installation Date	Capacity (Gallons)	Tank Dimensions	Last Contents of Tank
TT-3127	Unknown	550	4 ft x 6 ft	#2 Heating Oil

4. Site Characteristics

a. Describe any past releases at the site:

No previous releases have been reported in conjunction with this tank.

b. Indicate if the facility is active or inactive. If inactive, note the last date that the USTs were in operation:

The UST was an inactive home heating oil tank previously used to store #2 Heating Oil for on-site use.

c. Describe the use of surrounding properties:

The site is located within the Tarawa Terrace Housing Area aboard the MCB Camp Lejeune. The site area, where existing housing sites have been demolished, will be used to re-build military housing units. As a result, land use should be categorized as Residential.

d. Describe site geology and hydrogeology:

The site lies within the Tidewater Region of the Coastal Plain Physiographic Province of North Carolina, where large streams and many of their tributaries are affected by ocean tides. The predominant soil type at the site is silty sand to sand of Quarternary surficial deposits. The depth to the underlain Tertiary Castle Hayne limestone/sand is unknown, but is estimated to be more than 30 feet. The depth to water is estimated to be approximately 12 feet below land surface (BLS).

e. If a release has occurred, describe the results of the receptor survey performed within 1,500 feet of the facility:

As illustrated on Figure 1, the nearest surface water body is an unnamed tributary of the New River, which is approximately 550 feet south of the site. Groundwater flow direction in the surficial aquifer is estimated to flow toward the south. There are no water supply wells within a 1,500 ft radius of the site,

and all buildings in the area are supplied by the MCB water supply system, specifically water from the Holcomb Boulevard Water Treatment Plant.

The nearest place of public assembly is unknown at this time as the entire area is being redeveloped with new residential housing units. Community playgrounds may be planned in the area where the new housing units are to be constructed.

B. CLOSURE PROCEDURES

1. Describe preparations for closure including steps taken to notify authorities, permits obtained, and steps taken to clean and purge the tanks:

According to Osage, the UST was pre-located and surveyed prior to removal to prevent damage or UST releases by subcontractors of Actus Lend Lease (Actus). On February 3, 2009 an access hole was cut into the top of the tank in order to remove liquid contents from tank. A vacuum truck, provided by the EMD, Resource Conservation and Recovery Section (RCRS), was used to remove approximately 250 gallons of contaminated water from the tank.

As documented by Osage, on February 17, 2009 the tank was removed and transported to RCRS Building 977 for cleaning and disposal preparation. Osage personnel noted there were signs of deterioration and corrosion on the bottom of the UST. Photographs of the tank are included in Appendix F. The tank was transported to J&E Salvage for disposal on February 18, 2009. The Tank Disposal Manifest is included in Appendix C. Appendix A and B contain North Carolina Department of Environment and Natural Resources (NCDENR) Forms UST-2 and UST-61, respectively.

2. Note the amount of residual material pumped from the tank:

Osage reported that approximately 250 gallons of contaminated water was pumped from the tank.

3. Describe the storage, sampling and disposal of the residual material:

According to Osage, the 250 gallons of contaminated water pumped from the tank was containerized and properly disposed of by EMD, RCRS at Building 977.

4. Excavation

a. Describe excavation procedures noting the condition of the soil encountered and the dimensions of the excavation in relation to the tank, piping, and/or pumps:

Osage mobilized to the site to conduct a site survey and remove the UST on February 17, 2009. Once the UST was removed, a mild petroleum odor and light staining were noted beneath the tank. Excavation activities began and a Photo Ionization Detector (PID) was used to identify contamination limits prior to obtaining soil samples. PID readings during the excavation ranged from 0 to 56 parts per million (ppm).

The excavation limits were approximately 12 feet (length) x 15 feet (width) x six feet (depth). Four soil samples were collected at approximately three feet BLS along the sidewalls surrounding the tank (TT3127-S001 through TT3127-S004). One soil sample (TT3127-S005) was collected at 5.5 feet BLS, directly below the tank bottom. The soil samples were collected from the backhoe bucket. Approximately 26 tons of contaminated soil was transported to Camp Lejeune's soil drying bed, PT 37, awaiting proper disposal. The excavation area was fenced off to ensure security.

Osage attempted to restart site work on February 19, 2009; however, heavy and continuous rain days prohibited further work to be completed at the site. Rain water filled the excavation; therefore, on March 5, 2009 P&F Environmental, Inc. (P&F) utilized a vacuum truck to remove the standing rain water. Approximately 200-300 gallons of water was removed from the excavation and properly disposed of at Building 977.

On March 9 and 10, 2009 Osage personnel returned to the site to conduct over excavation of the western sidewall and the bottom of the tank basin since laboratory analysis indicated noncompliant Total Petroleum Hydrocarbons (TPH) concentrations at these locations. The resultant excavation increased the final dimensions to 16 feet (length) x 15 feet (width) x 13 feet (depth). An additional 64.19 tons of soil was excavated and transported to the P&F Land Farming Facility, Permit# SR0500106, Whitakers NC for disposal. Confirmation soil samples were collected on March 9, 2009 and submitted for analysis via EPA Methods 8260, 8270, and MADEP VPH/EPH. Soil sample TT3127-S006 was collected from the western sidewall at three feet BLS. Soil samples TT3127-S007 through TT3127-S010 were collected at each of the sidewalls from a depth of 12 feet BLS. Again, the area was fenced off to ensure security pending results of the confirmation soil samples.

b. Note the depth from the land surface to the top of the tank:
Approximately 2 feet.

c. Note the volume of soil excavated:
A total of approximately 90.19 tons of soil was excavated from the tank basin – 26 tons of contaminated soil was excavated on February 17, 2009 and 64.19 tons between March 9 and 10, 2009.

d. Describe the soil type(s) encountered:
Based on field observation of the tank excavation:

- 0.0 – 2.5' BLS – Dry light brown silty sand with dark silty sand
- 2.5 – 7.0' BLS – Slightly moist light brown silty clay with sand
- 7.0 – 9.5' BLS – Moist light brown to tan clayey sand

9.5 – 12.0' BLS – Moist tan to white fine sand

e. Describe the type and source of backfill used:

The excavation was backfilled on March 12, 2009. The excavation was filled with common fill sand from Morton Trucking in Jacksonville, NC.

f. Note if water, free product, or bedrock was encountered during the excavation process:

Groundwater was encountered at approximately 12.5 to 13 feet BLS. Therefore, EMD concluded a temporary monitoring well would need to be installed in the former tank basin. No free product or bedrock was encountered during the excavation process.

5. Contaminated soil

During UST removal activities and over excavation, a total of approximately 90.19 tons of contaminated soil were excavated. The approximately 26 tons of contaminated soil from the initial excavation was transported to Camp Lejeune's soil drying bed, PT 37, awaiting proper disposal via contract N40085-08-D-1401. The 64.19 tons of soil removed during the over excavation was transported to the P&F Land Facility, Permit# SR0500106, in Whitakers, NC for disposal. Soil Disposal Manifests are included in Appendix D.

C. SITE INVESTIGATION

1. Provide information of field screening and physical observations, including methods used to calibrate field screening instruments:

Soil discoloration and petroleum odor were observed within the UST excavation. PID field screening indicated moderate organic vapor readings in the sidewalls, as well as at the bottom. Readings ranged from 0 to 56 ppm. The PID instrument was calibrated using the standard procedure as recommended by the manufacturer.

2. Document soil sampling information including the sample locations, sample type, procedure, and analyses used:

Soil sample locations are illustrated on Figure 2.

Confirmation soil samples (Sample IDs TT3127-S001 through S005) were collected from the tank basin on February 17, 2009 immediately following excavation of the basin. Soil samples TT3127-S001 through S004 were collected from the sidewalls at a depth of 3.0 feet. Soil sample TT3127-S005 was obtained from the bottom of the tank basin at approximately 5.5 feet BLS. The samples were placed into laboratory provided glassware, properly labeled, and transported directly to SGS under proper chain of custody. Samples were analyzed for TPH Gasoline and Diesel Range Organics (GRO/DRO) via EPA Method 8015.

On March 9 and 10, 2009, Osage personnel returned to the site to over excavate the western sidewall and the bottom of the tank basin since laboratory analysis indicated the presence of TPH GRO and/or TPH DRO at concentrations above the

10 mg/kg NCDENR Action Level. Additional contaminated soil was excavated from the tank basin. After over excavation, five confirmation soil samples were collected (Soil Samples TT33127-S0006 through TT33127-S0010). Soil sample TT3127-S006 was collected from the western sidewall at three feet BLS. Soil samples TT3127-S007 through TT3127-S010 were collected at each of the sidewalls from a depth of 12 feet BLS. Samples were again placed into laboratory provided glassware, properly labeled, and transported directly to SGS under proper chain of custody. Samples were analyzed using EPA Methods 8260, 8270, and MADEP VPH/EPH.

3. Document groundwater sampling information:

CATLIN installed temporary monitoring well TT3127-TW01 in the center of the former tank basin. The monitoring well was advanced to a depth of 15.5 feet BLS. The well was installed to monitor for the presence of free-phase product and to allow for the collection of a groundwater sample. As free-phase product was not encountered, a representative groundwater sample was collected on March 25, 2009 after proper purging of the well. The groundwater sample was analyzed per EPA Methods 602 and 625 and MADEP VPH/EPH. Groundwater analytical results are presented in Table 3 and illustrated on Figure 3. The temporary monitoring well was permanently abandoned on March 25, 2009. A well construction and abandonment record is included in Appendix G.

4. Document quality-control measures:

Laboratory provided glassware and containers and disposable gloves were used during sampling. Upon collection, soil samples were immediately packed into clean containers and refrigerated for shipment to the analytical laboratory. There was a laboratory trip blank included with each cooler of samples.

5. Describe investigation results:

Soil Investigation

Some soil discoloration and petroleum odor were observed during tank removal. Elevated PID readings indicated the presence of organic vapors in the sidewalls, as well as the excavation bottom.

Laboratory results of the soil samples collected during this tank removal action are summarized in Tables 1 and 2, illustrated on Figure 2 and the laboratory analytical reports are included in Appendix E.

Confirmation soil samples (Sample IDs TT3127-S001 through S005) were collected from the tank basin on February 17, 2009. Soil samples TT3127-S004 and TT3127-S005 exhibited noncompliant TPH DRO concentrations of 16.3 mg/kg and 532 mg/kg, respectively. The TT3127-S005 soil sample also contained a noncompliant TPH GRO concentration of 17.3 mg/kg.

On March 9 and 10, 2009, Osage personnel returned to the site to conduct additional soil excavation. After over excavation, five confirmation soil samples

were collected (Soil Samples TT33127-S0006 through TT33127-S0010). These soil samples were sent to SGS for analysis via EPA Methods 8260, 8270, and MADEP VPH/EPH. Laboratory results are discussed as follows:

EPA Method 8260

Soil sample TT3127-S008 contained Naphthalene at a concentration of 0.0941 mg/kg which is below the lowest Maximum Soil Contaminant Concentration (MSCC) for this compound. Naphthalene and 1,2,4-Trimethylbenzene were detected in sample TT3127-S010 at concentrations of 0.0134 mg/kg and 0.00598 mg/kg, respectively. These concentrations were also below the lowest MSCC for these two compounds.

All other EPA Method 8260 compounds were reported as Below Method Detection Limits (BMDL).

EPA Method 8270

Soil sample TT3127-S008 contained Fluorene, 2-Methylnaphthalene, Naphthalene and Phenanthrene at concentrations of 0.496 mg/kg, 5.020 mg/kg, 0.840 mg/kg and 0.955 mg/kg, respectively. The detected concentrations of 2-Methylnaphthalene and Naphthalene were above their respective Soil-to-Groundwater (STGW) MSCCs of 1.7 mg/kg and 0.58 mg/kg, but below Residential MSCCs.

All other EPA Method 8270 compounds were reported as BMDL.

MADEP VPH/EPH

Soil sample TT3127-S008 contained the C₉-C₁₈ Aliphatics, C₁₉-C₃₆ Aliphatics and C₉-C₂₂ Aromatics hydrocarbon fractions at concentrations of <250 mg/kg, 64.6 mg/kg and <167 mg/kg, respectively. The TT3127-S010 soil sample revealed the C₉-C₁₈ Aliphatics hydrocarbon fraction at a concentration of <23.1 mg/kg. The above-stated concentrations proceeded by a "<" indicates the result is the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction. All of the above-stated concentrations were below the lowest MSCCs except the concentration of <167 mg/kg of the C₉-C₂₂ Aromatics hydrocarbon fraction which was above the STGW MSCC of 34 mg/kg for this compound, but below the Residential MSCC.

All other MADEP VPH/EPH compounds were reported as BMDL.

Groundwater Investigation

Laboratory results of the groundwater samples collected during this tank removal action are summarized in Table 3, illustrated on Figure 3 and the laboratory analytical reports are included in Appendix E.

A representative groundwater sample was collected on March 25, 2009 after proper purging of temporary monitoring well TT3127-TW01. The groundwater sample was analyzed per EPA Methods 602 and 625 and MADEP VPH/EPH. Laboratory results are discussed as follows:

EPA Method 602

Groundwater sample TT3127-TW01 contained Ethylbenzene and Total Xylenes at concentrations of 2.27 ug/L and 13.829 ug/L, respectively. Each of these detected concentrations were well below the 2L Groundwater Quality Standards (GWQSs) and Gross Contamination Levels (GCLs).

All other EPA Method 602 compounds were reported as BMDL.

EPA Method 625

Naphthalene was detected at a concentration of 77.3 ug/L in the TT3127-TW01 groundwater sample which was above the 2L GWQS of 21 ug/L for this compound but still well below the GCL. Groundwater sample TT3127-TW01 also contained Acenaphthene, Fluorene and Phenanthrene at estimated concentrations of 19.0 ug/L, 25.2 ug/L and 41.1 ug/L, respectively. Each of these detected concentrations were well below their respective 2L GWQS and GCL.

All other EPA Method 625 compounds were reported as BMDL.

MADEP VPH/EPH

Groundwater sample TT3127-TW01 contained the C₉-C₁₈ Aliphatics and C₉-C₂₂ Aromatics hydrocarbon fractions at concentrations of <217 ug/L and <222 ug/L, respectively. The above-stated concentrations proceeded by a "<" indicates the result is the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction. The detected concentration of <222 ug/L of the C₉-C₂₂ Aromatics hydrocarbon fraction was above the 2L GWQS of 210 ug/L for this compound. GCLs have not been established for the MADEP VPH/EPH compounds.

All other MADEP VPH/EPH compounds were reported as BMDL.

D. CONCLUSIONS AND RECOMMENDATION

A total of approximately 90.19 tons of contaminated soil was removed from the TT-3127 site. Confirmation soil sample results indicate that site soils have been remediated to less than the Residential MSCCs. Detections of soil contaminants at the site were below the lowest MSCC, with the exception of results for 2-Methylnaphthalene, Naphthalene, and the C₉-C₂₂ Aromatics hydrocarbon fraction. Detected concentrations for these compounds were above the STGW MSCCs, but below the Residential MSCCs.

The groundwater sample collected from temporary monitoring well TT3127-TW01 revealed Naphthalene and the C₉-C₂₂ Aromatics hydrocarbon fraction at concentrations above the 2L GWQSSs, but below the established GCLs. All other groundwater compounds were below MDLs or below the 2L GWQSSs in the TT3127-TW01 groundwater sample.

As previously stated the site's Land Use Classification is Residential. Since site soils have been remediated to less than the Residential MSCCs and there are no raw water supply wells within 1,500 feet of the site (as shown on Figure 1), the residual soil contamination should require No Further Action (NFA). However, because groundwater contamination exceeds the 2L GWQSSs the issuance of NFA by NCDENR will be contingent upon a Land Use Restriction (LUR) for site groundwater. Also, Public Notice will be required, pursuant to 15A NCAC 2L .0409.

E. SIGNATURE AND SEAL

Signature and seal of certifying Professional Engineer or Licensed Geologist:

Michael E. Mason



F. LIMITATIONS

The soil and groundwater samples analyzed as part of this investigation only provide isolated data points and may not represent conditions at every location in the project area. Analyses and conclusions of this report, being based on interpolation between data points at the project area, may not be completely representative of all site conditions. Conclusions and recommendations of this investigation and report are based on the best available data in an effort to comply with current regulatory requirements.

G. REFERENCES

CATLIN Engineers and Scientists. *Workplan/Health and Safety Plan, Sites TT-2018, TT-2084, TT-3103, TT-3114, TT-3127 and TT-3145 – Groundwater Assessment*. Marine Corps Base, Camp Lejeune, NC. March 23, 2009.

North Carolina Department of Environment and Natural Resources, Division of Waste Management, Underground Storage Tank Section, *Underground Storage Tank Section Guidelines for Site Checks, Tank Closure, and Initial Response and Abatement*, Effective March 1, 2007.

TABLES

**TABLE 1
SUMMARY OF SOIL LABORATORY RESULTS FROM FEBRUARY 17, 2009**

Incident Name and No.: TT-3127 - Pending

Sample ID	Contaminant of Concern →		Gasoline Range Organics	Diesel Range Organics
	Date Collected	Sample Depth (ft. BLS)		
NCDENR Action Level (mg/kg)			10	10
TT3127-S001	2/17/2009	3	<5.32	<7.57
TT3127-S002	2/17/2009	3	<5.19	<7.56
TT3127-S003	2/17/2009	3	<6.09	<7.27
TT3127-S004	2/17/2009	3	<6.50	16.3
TT3127-S005	2/17/2009	5.5	17.3	532

All results in milligrams per kilogram (mg/kg).

ft. BLS = Feet Below Land Surface

NCDENR = North Carolina Department of Environment and Natural Resources

< = Less than method detection limit

Bold results indicate concentration above the NCDENR Action Level.

**TABLE 2
SUMMARY OF SOIL LABORATORY RESULTS FROM MARCH 9, 2009**

Incident Name and No.: TT-3127 - Pending

Sample ID	Contaminant of Concern →		EPA METHOD 8260B/5035			EPA METHOD 8270					MADEP VPH/EPH			
	Date Collected	Sample Depth (ft. BLS)	Naphthalene	1,2,4-Trimethylbenzene	All Other EPA Method 8260B/5035 Compounds	Fluorene	2-Methylnaphthalene	Naphthalene	Phenanthrene	All Other EPA Method 8270 Compounds	C5-C8 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C22 Aromatics
Residential MSCC (mg/kg)			313	782	Varies	620	63	313	469	Varies	939	9,386	93,860	469
Industrial/Commercial MSCC (mg/kg)			8,176	20,440	Varies	16,400	1,635	8,176	12,264	Varies	24,528	245,280	#	12,264
STGW MSCC (mg/kg)			0.58	7.5	Varies	44	1.7	0.58	60	Varies	72	3,300	##	34
TT3127-S006	3/9/2009	3	<0.00464	<0.00464	BMDL	<0.365	<0.365	<0.365	<0.365	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S007	3/9/2009	12	<0.00517	<0.00517	BMDL	<0.388	<0.388	<0.388	<0.388	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S008	3/9/2009	12	0.0941	<0.0538	BMDL	0.496	5.020	0.840	0.955	BMDL	<10.0	<250*	64.6	<167*
TT3127-S009	3/9/2009	12	<0.00520	<0.00520	BMDL	<0.404	<0.404	<0.404	<0.404	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S010	3/9/2009	12	0.0134	0.00598	BMDL	<0.386	<0.386	<0.386	<0.386	BMDL	<10.0	<23.1*	<10.0	<20.0

All results in milligrams per kilogram (mg/kg).

BMDL = Below Method Detection Limit

ft. BLS = Feet Below Land Surface

< = Less than method detection limit

STGW = Soil-to-Groundwater

MSCC = Maximum Soil Contaminant Concentration

= Health-Based Level (>100%)

= Considered Immobile

Bold results indicate concentration above the lowest MSCC.

* = The value represents the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction.

**TABLE 3
SUMMARY OF GROUNDWATER LABORATORY RESULTS FROM MARCH 25, 2009**

Incident Name and No.: TT-3127 - Pending

Well ID	Contaminant of Concern →		EPA METHOD 602			EPA METHOD 625				MADEP VPH/EPH				
	Sample ID	Date Collected	Ethylbenzene	Total Xylenes	All Other EPA 602 Compounds	Acenaphthene	Fluorene	Naphthalene	Phenanthrene	All Other EPA Method 625 Compounds	C5-C8 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C22 Aromatics
GCL (µg/L)			84,500	87,500	Varies	2,120	950	15,500	410	Varies	NE	NE	NE	NE
2L GWQS (µg/L)			550	530	Varies	80	280	21	210	Varies	420	4,200	42,000	210
TT3127-TW01	TT3127-TW01	3/25/2009	2.27	13.829	BMDL	19.0 J	25.2 J	77.3	41.1 J	BMDL	<100	<217*	<100	<222*

All results in micrograms per liter (µg/L).

BMDL = Below Method Detection Limit

< = Less than method detection limit

J = Estimated concentration, below calibration range and above MDL

GCL = Gross Contaminant Level

2L GWQS = NCAC T15A:02L Groundwater Quality Standards

NE = None Established

Bold results indicate concentration above the GCL or 2L GWQS.

* = The value represents the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction.

FIGURES



Data Sources: Data Layers provided by MCB Camp Lejeune GIS Office.

	PROJECT TANK CLOSURE REPORT SITE TT-3127 MARINE CORPS BASE CAMP LEJEUNE, NC		TITLE USGS TOPOGRAPHIC SITE LOCATION MAP		FIGURE 1
	JOB NO. 209-022	DATE APR 2009	SCALE AS SHOWN	DRAWN BY SAC	

TABLE 1
SUMMARY OF SOIL LABORATORY RESULTS FROM FEBRUARY 17, 2009

Incident Name and No.: TT-3127 - Pending

Sample ID	Contaminant of Concern		Gasoline Range Organics	Diesel Range Organics
	Date Collected	Sample Depth (ft. BLS)		
NCDENR Action Level (mg/kg)			10	10
TT3127-S001	2/17/2009	3	<5.32	<7.57
TT3127-S002	2/17/2009	3	<5.19	<7.56
TT3127-S003	2/17/2009	3	<6.09	<7.27
TT3127-S004	2/17/2009	3	<6.50	16.3
TT3127-S005	2/17/2009	5.5	17.3	532



All results in milligrams per kilogram (mg/kg).
ft. BLS = Feet Below Land Surface
NCDENR = North Carolina Department of Environment and Natural Resources
< = Less than method detection limit
Bold results indicate concentration above the NCDENR Action Level.

TABLE 2
SUMMARY OF SOIL LABORATORY RESULTS FROM MARCH 9, 2009

Incident Name and No.: TT-3127 - Pending

Sample ID	Contaminant of Concern		EPA METHOD 8260B/5035			EPA METHOD 8270				MADEP VPH/EPH				
	Date Collected	Sample Depth (ft. BLS)	Naphthalene	1,2,4-Trimethylbenzene	All Other EPA Method 8260B/5035 Compounds	Fluorene	2-Methylnaphthalene	Naphthalene	Phenanthrene	All Other EPA Method 8270 Compounds	C5-C8 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C22 Aromatics
Residential MSCC (mg/kg)			313	782	Varies	620	63	313	469	Varies	939	9,386	93,860	469
Industrial/Commercial MSCC (mg/kg)			8,176	20,440	Varies	16,400	1,635	8,176	12,264	Varies	24,528	245,280	#	12,264
STGW MSCC (mg/kg)			0.58	7.5	Varies	44	1.7	0.58	60	Varies	72	3,300	#	34
TT3127-S006	3/9/2009	3	<0.00464	<0.00464	BMDL	<0.365	<0.365	<0.365	<0.365	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S007	3/9/2009	12	<0.00517	<0.00517	BMDL	<0.388	<0.388	<0.388	<0.388	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S008	3/9/2009	12	0.0941	<0.0538	BMDL	0.496	5.020	0.840	0.955	BMDL	<10.0	<250*	64.6	<167*
TT3127-S009	3/9/2009	12	<0.00520	<0.00520	BMDL	<0.404	<0.404	<0.404	<0.404	BMDL	<10.0	<20.0	<10.0	<20.0
TT3127-S010	3/9/2009	12	0.0134	0.00598	BMDL	<0.386	<0.386	<0.386	<0.386	BMDL	<10.0	<23.1*	<10.0	<20.0

All results in milligrams per kilogram (mg/kg).
BMDL = Below Method Detection Limit
ft. BLS = Feet Below Land Surface
< = Less than method detection limit
STGW = Soil-to-Groundwater
MSCC = Maximum Soil Contaminant Concentration
= Health-Based Level (>100%)
= Considered Immobile
Bold results indicate concentration above the lowest MSCC.
* = The value represents the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction.



TANK REMOVAL SITE TT-3127 MARINE CORPS BASE CAMP LEJEUNE, NC



LEGEND

- Tank Excavation Area
- Soil Sample Location
- Demolished Buildings and Structures
- Slabs
- Driveways
- Parking Lots
- Woods

NOTES

- Data layers provided by MCB Camp Lejeune GIS office.
- Soil sample location TT3127-S005 provided by Lanier Surveying.
- Initial excavation limits were approximately 12' by 15' by 6' deep. Over-excavation limits increased excavation dimensions to 16' by 15' by 13' deep.



SITE MAP WITH SOIL LABORATORY RESULTS

FIGURE
2

Job No.: 209-022 Date: APR 2009 Scale: AS SHOWN Drawn By: SAC Checked By: MEM

TABLE 3
SUMMARY OF GROUNDWATER LABORATORY RESULTS FROM MARCH 25, 2009

Incident Name and No.: TT-3127 - Pending

Well ID	Contaminant of Concern →		EPA METHOD 602			EPA METHOD 625				MADEP VPHEPH					
	Sample ID	Date Collected	Ethylbenzene	Total Xylenes	All Other EPA 602 Compounds	Acenaphthene	Fluorene	Naphthalene	Phenanthrene	All Other EPA Method 625 Compounds	C5-C8 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C22 Aromatics	
			GCL (µg/L)	84,500	87,500	Varies	2,120	950	15,500	410	NE	NE	NE	NE	
			2L GWQS (µg/L)	550	530	Varies	80	280	21	210	420	4,200	42,000	210	
TT3127-TW01	TT3127-TW01	3/25/2009		2.27	13.829	BMDL	19.0 J	25.2 J	77.3	41.1 J	BMDL	<100	<217*	<100	<222*

All results in micrograms per liter (µg/L).
 BMDL = Below Method Detection Limit
 < = Less than method detection limit
 J = Estimated concentration, below calibration range and above MDL
 GCL = Gross Contaminant Level
 2L GWQS = NCAC T15A.02L Groundwater Quality Standards
 NE = None Established
Bold results indicate concentration above the GCL or 2L GWQS.
 * = The value represents the sum of the reported practical quantitation limit of one fraction and the detected concentration of the other fraction.



TANK REMOVAL
SITE TT-3127
MARINE CORPS BASE
CAMP LEJEUNE, NC




LEGEND

- Tank Excavation Area
- Groundwater Sample Location
- Demolished Buildings and Structures
- Slabs
- Driveways
- Parking Lots
- Woods

NOTES


1. Data layers provided by MCB Camp Lejeune GIS office.
2. Groundwater sample collected from Temporary Monitoring Well TT3127-TW01.



SITE MAP WITH GROUNDWATER
LABORATORY RESULTS

FIGURE

3



Job No.: 209-022	Date: APR 2009	Scale: AS SHOWN	Drawn By: SAC	Checked By: MEM
---------------------	-------------------	--------------------	------------------	--------------------

APPENDICES

APPENDIX A

SITE INVESTIGATION REPORT FOR PERMANENT CLOSURE OR CHANGE-IN-SERVICE OF UST (UST-2)

UST-2 Site Investigation Report for Permanent Closure or Change-in-Service of UST

Return completed form to:

The DWM Regional Office located in the area where the facility is located. Send a copy to the Central Office in Raleigh so that the status of the tank may be changed to "PERMANENTLY CLOSED" and your tank fee account can be closed out. SEE MAP ON THE BACK OF THIS FORM FOR THE CENTRAL AND REGIONAL OFFICE ADDRESSES.

STATE USE ONLY:
I.D. # _____
Date Received _____

INSTRUCTIONS (READ THIS FIRST)

For more than five UST systems you may attach additional forms as needed.

Permanent closure - For permanent closure, complete all sections of this form.

Change-in-service - For change-in-service where UST systems will be converted from containing a regulated substance to storing a non-regulated substance, complete sections I, II, III, IV, and VIII

Effective February 1, 1995, all UST closure/change-in-service reports must be submitted in the format provided in the UST-12 form. UST closure and change-in-services must be completed in accordance with the latest version of the *Guidelines for Tank Closure*. A copy of the UST-12 form and the *Guidelines for Tank Closure* can be obtained at www.wastenotnc.org.

You must make sure that USTs removed from your property are disposed of properly. When choosing a closure contractor, ask where the tank(s) will be taken for disposal. Usually, USTs are cleaned and cut up for scrap metal. This is dangerous work and must be performed by a qualified company. Tanks disposed of illegally in fields or other dump sites can leak petroleum products and sludge into the environment. If your tanks are disposed of improperly, you could be held responsible for the cleanup of any environmental damage that occurs.

NOTE: If a release from the tank(s) has occurred, the site assessment portion of the tank closure must be conducted under the supervision of a P.E. or L.G., with all closure site assessment reports bearing the signature and seal of the P.E. or L.G.

I. OWNERSHIP OF TANKS

II. LOCATION OF TANKS

Owner Name (Corporation, Individual, Public Agency, or Other Entity) Commanding Officer, Marine Corps Base		Facility Name or Company Tarawa Terrace Housing			
Street Address Bldg 1 Holcomb Blvd		Facility ID # (if known) N/A			
City Camp Lejeune	County Onslow	Street Address TT3127 Bouganville Drive			
State NC	Zip Code 28542-0004	City Camp Lejeune	County Onslow	Zip Code 28542	
Phone Number (910) 451-9660		Phone Number			

III. CONTACT PERSONNEL

Contact for Facility: Bruce Markwick		Job Title: Environmental Protection Specialist	Phone No: (910) 451-9660
Closure Contractor Name: OSAGE of Virginia	Closure Contractor Company:	Address: 2818A Colley Avenue	Phone No: 757 440-0400
Primary Consultant Name: OSAGE of Virginia	Primary Consultant Company:	Address: Norfolk, Virginia 23517-1132	Phone No:

IV. UST INFORMATION FOR REGISTERED UST SYSTEMS

V. EXCAVATION CONDITION

Tank ID No.	Size in Gallons	Tank Dimensions	Last Contents	Last Use Date	Permanent Close Date	Change-in-Service Date	Water in excavation		Free product		Notable odor or visible soil contamination	
							Yes	No	Yes	No	Yes	No
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

VI. UST INFORMATION FOR UNREGISTERED UST SYSTEMS

VII. EXCAVATION CONDITION

Tank ID No.	Size in Gallons	Tank Dimensions	Last Contents	Last Use Date	Permanent Close Date	Tank Owner Name *	Water in excavation		Free product		Notable odor or visible soil contamination	
							Yes	No	Yes	No	Yes	No
TT3127	500	4' X 6'	Heating Oil	Unknown		See Above	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


* If the tank owner address is different from the one listed in Section I., then enter the street address, city, state, zip code and telephone no. below:

VIII. CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true accurate and complete.

Print name and official title of owner or owner's authorized representative
Bruce Markwick

Signature



Date Signed
4/8/2009



**North Carolina Department of Environment
and Natural Resources**
Division of Waste Management
UST Section Central Office
1637 Mail Service Center
Raleigh, NC 27699-1637
(919) 733-8486 FAX (919) 733-9413
www.wastenotnc.org


Asheville Regional Office
2090 U.S. Highway 70
Swannanoa, NC 28778
Phone: (828) 296-4500
Fax: (828) 299-7043

Winston-Salem Regional Office
585 Woughtown Street
Winston-Salem, NC 27107
Phone: (336) 771-5000
Fax: (336) 771-4632

Gulfport Regional Office
Gulfport Regional Office
1203 Maple Street
Greensboro, NC 27405
Phone: (336) 641-3771
Fax: (336) 641-4812

Raleigh Regional Office
3800 Barrett Drive
Raleigh, NC 27609
Phone: (919) 791-4200
Fax: (919) 571-4718

Washington Regional Office
943 Washington Square Mall
Washington, NC 27889
Phone: (252) 946-6481
Fax: (252) 975-3716



Mooresville Regional Office
610 East Center Avenue, Suite 301
Mooresville, NC 28115
Phone: (704) 663-1699
Fax: (704) 663-6040

Fayetteville Regional Office
Systel Building, Suite 714
225 Green Street
Fayetteville, NC 28301
Phone: (910) 433-3300
Fax: (910) 486-0707

Wilmington Regional Office
127 Cardinal Drive Extension
Wilmington, NC 28405
Phone: (910) 796-7215
Fax: (910) 350-2004

APPENDIX B

24 HOUR RELEASE AND UST LEAK REPORTING FORM (UST-61)

UST-61

24-Hour Release and UST Leak Reporting Form.

For Releases in NC

This form should be completed and submitted to the UST Section's regional office following a known or suspected release from an underground storage tank (UST) system. This form is required to be submitted within 24 hours of discovery of a known or suspected release

(DWM USE ONLY)
Incident # _____ Risk (H,I,L,U) _____
Received On _____ Received By _____
Reported by (circle one): Phone, Fax or Report
Region _____

Suspected Contamination? (Y/N) Y
Confirmed GW Contamination? (Y/N) N
Confirmed Soil Contamination?(Y/N) Y
Samples Taken?(Y/N) Y
Free Product? (Y/N) N If Yes, State Greatest Thickness _____

Facility ID Number N/A
Date Leak Discovered 02/17/09
Comm Non-Commercial
Reg Non-regulated

INCIDENT DESCRIPTION

Incident Name: TT3127 Heating Oil Tank

Address: TT3127 Bougainville Drive

County: Onslow

City/Town: Camp Lejeune

Zip Code: 28542

Regional Office (circle one): Asheville, Mooresville, Fayetteville, Raleigh, Washington, Wilmington, Winston-Salem

Latitude (decimal degrees): 34 44 22.324

Longitude (decimal degrees): 77 22 51.324 W

Obtained by:

Briefly describe suspected or confirmed release: (including but not limited to: nature of release, date of release, amount of release, amount of free product present and recovery efforts, initial responses conducted, impacts to receptors)

- GPS
- Topographic map
- GIS Address matching
- Other
- Unknown

In December 2008 at Tarawa Terrace housing area of Camp Lejeune, OSAGE of Virginia using magnetometer equipment discovered an abandoned heating oil tank. In January 2009 Environmental personnel removed all liquids from the tank (approximately 400 gallons of fuel and water mixture). OSAGE of Virginia removed the tank on 02/17/09 and there was evidence (visual) of a release from the tank. OSAGE took samples per the state requirements. All contaminated soil was removed and stored at the MCB Camp Lejeune soil storage pad at bldg TP464 awaiting removal on a separate contract. A UST-12 report will follow.

Describe location:

HOW RELEASE WAS DISCOVERED (Release Code)

(Check one)

- Release Detection Equipment or Methods
- During UST Closure/Removal
- Property Transfer
- Visual/Odor
- Water in Tank
- Water Supply Well Contamination
- Groundwater Contamination
- Surface Water Contamination
- Other (specify) _____

SOURCE OF CONTAMINATION

Source of Release (Check one to indicate primary source)	Cause of Release (Check one to indicate primary cause)	Type of Release (Check one)	Product Type Released (Check one to indicate primary product type released)
<input checked="" type="checkbox"/> Tank <input type="checkbox"/> Piping <input type="checkbox"/> Dispenser <input type="checkbox"/> Submersible Turbine Pump <input type="checkbox"/> Delivery Problem <input type="checkbox"/> Other <input type="checkbox"/> Unknown	<input type="checkbox"/> Spill <input type="checkbox"/> Overfill <input type="checkbox"/> Corrosion <input type="checkbox"/> Physical or Mechanical Damage <input type="checkbox"/> Install Problem <input type="checkbox"/> Other <input type="checkbox"/> Unknown	<input checked="" type="checkbox"/> Petroleum <input type="checkbox"/> Non-Petroleum <input type="checkbox"/> Both Location (Check one) <input type="checkbox"/> Facility <input checked="" type="checkbox"/> Residence <input type="checkbox"/> Other	<input type="checkbox"/> Gasoline/ Diesel/ Kerosene <input checked="" type="checkbox"/> Heating Oil <input type="checkbox"/> Other Petroleum Products <input type="checkbox"/> Metals <input type="checkbox"/> Other Inorganics <input type="checkbox"/> Other Organics <input type="checkbox"/> Diesel/Veg. Oil Blend <input type="checkbox"/> Vegetable Oil 100% <input type="checkbox"/> E10 - E20 <input type="checkbox"/> E21 - E84 <input type="checkbox"/> E85 - E99 <input type="checkbox"/> Ethanol 100% <input type="checkbox"/> E01 - E09

Definitions presented on reverse

Definitions presented on reverse

Ownership
1. Municipal 2. Military 3. Unknown 4. Private 5. Federal 6. County 7. State

Operation Type
1. Public Service 2. Agricultural 3. Residential 4. Education/Relig. 5. Industrial 6. Commercial 7. Mining

IMPACT ON DRINKING WATER SUPPLIES

Water Supply Wells Affected? 1. Yes 2. No 3. Unknown

Number of Water Supply Wells Affected _____

Water Supply Wells Contaminated: *(Include Users Names, Addresses and Phone Numbers. Attach additional sheet if necessary)*

- 1.
- 2.
- 3.

UST SYSTEM OWNER

UST Owner/Company
Commanding Officer, Marine Corps Base,

Point of Contact Bruce Markwick		Address	
City Camp Lejeune	State NC	Zip Code 28542	Telephone Number 910 451-9660

UST SYSTEM OPERATOR

UST Operator/Company Same as above		Address	
City	State	Zip Code	Telephone Number

LANDOWNER AT LOCATION OF UST INCIDENT

Landowner Same as above		Address	
City	State	Zip Code	Telephone Number

Draw Sketch of Area (showing two major road intersections) or Attach Map

Person Reporting Incident Bruce Markwick	Company Military/USMC	Telephone Number 910 451-9660
Title Environmental Protection Specialist	Address Bldg 12 Post Lane, Camp Lejeune, NC 28542	Date 02/17/09

Definitions of Sources

- Tank: means the tank that stores the product and is part of the underground storage tank system
- Piping: means the piping and connectors running from the tank or submersible turbine pump to the dispenser or other end-use equipment (Vent, vapor recovery, or fill lines are excluded.)
- Dispenser: includes the dispenser and the equipment used to connect the dispenser to the piping (e.g., a release from a suction pump or from components located above the shear valve)
- Submersible Turbine Pump (STP) Area includes the submersible turbine pump head (typically located in the tank sump), the line leak detector, and the piping that connects the submersible turbine pump to the tank
- Delivery Problem: identifies releases that occurred during product delivery to the tank. (Typical causes associated with this source are spills and overfills.)
- Other: serves as the option to use when the release source is known but does not fit into one of the preceding categories (e.g., for releases from vent lines, vapor recovery lines, and fill lines)
- Unknown: identifies releases for which the source has not been determined

Definitions of Causes

- Spill: use this cause when a spill occurs (e.g., when the delivery hose is disconnected from the tank fill pipe or when the nozzle is removed from the dispenser)
- Overfill: use when an overfill occurs (e.g., overfills may occur from the fill pipe at the tank or when the nozzle fails to shut off at the dispenser)
- Physical or Mechanical Damage: use for all types of physical or mechanical damage, except corrosion (e.g., puncture of tank or piping, loose fittings, broken components, and components that have changed dimension)
- Corrosion: use when a metal tank, piping, or other component has a release due to corrosion (e.g., for steel, corrosion takes the form of rust)
- Installation Problem: use when the problem is determined to have occurred specifically because the UST system was not installed properly
- Other: use this option when the cause is known but does not fit into one of the preceding categories (e.g., putting regulated substances into monitoring wells)
- Unknown: use when the cause has not been determined

APPENDIX C
CERTIFICATE OF UST DISPOSAL

Tank Disposal Manifest

Tank Owner: Commanding Officer, Marine Corps Base,
Camp Lejeune NC 28542

Tank/Owner Authorized Representative


Contact: Bruce Markwick

Phone: (910) 451-9660

Description of Tank:

Tank ID	Capacity	Previous Contents	Comments/Dimensions
TT-3127	550 gal	Heating Oil	4 Ft X 6 Ft Dim

Transporter: Osage of Virginia
2618 Colley Ave Ste A
Norfolk, VA 23517
Phone: (757) 440-0400

Print Name	Signature	Month/Day/Year
Theresa Ellerman		2/18/09

The undersigned certifies that the above named storage tank(s) has been cut into scrap and accepted by the disposal facility.

Name of Receiving Facility: J&E Salvage
2012 Blue Creek Rd
Jacksonville NC 28540
Phone: (910) 347-5865

Print Name	Signature	Month/Day/Year
Crystal Darlington		2/18/09

Tank Disposal Manifest

Tank Owner: Commanding Officer, Marine Corps Base,
Camp Lejeune NC 28542


Tank/Owner Authorized Representative

Contact: Bruce Markwick
Phone: (910) 451-9660

Description of Tank:


Tank ID	Capacity	Previous Contents	Comments/Dimensions
TT-3127	550 gal	Heating Oil	4 Ft X 6 Ft Dim

Transporter: Osage of Virginia
2618 Colley Ave Ste A
Norfolk, VA 23517
Phone: (757) 440-0400

Print Name	Signature	Month/Day/Year
Theresa Ellerman		2/18/09

The undersigned certifies that the above named storage tank(s) has been cut into scrap and accepted by the disposal facility.

Name of Receiving Facility: J&E Salvage
2012 Blue Creek Rd
Jacksonville NC 28540
Phone: (910) 347-5865

Print Name	Signature	Month/Day/Year
Crystal Darlington		2/18/09

APPENDIX D
DISPOSAL MANIFESTS

P & F Environmental

4352 N. Old Carriage Road • Rocky Mount, NC 27804
Phone: (252) 443-4083 • Fax: (252) 443-4104

NON-HAZARDOUS WASTE MANIFEST

APPROVAL# _____

LOAD# 07270

GENERATOR

CG, AC/S, F+E (EMD) MUB
PO Box 20004
CINC 28542-0004

DESTINATION

Land Application Facility Permit No. SR0500106
Speights Chapel Road
Whitakers, NC 27891

PHONE: 910 94511482

PHONE: (252) 443-4083

WASTE DESCRIPTION:

Non-Hazardous Petroleum Contaminated Soil

WASTE ORIGINATION:

TT ^{Site} 3/27 Tarawa Blvd @ TT

OSAGE OF VA 757 274 4949

Transporter: P & F Environmental

Gross Weight (lbs.): 56340

Truck #: 105

Tare Weight (lbs.): 21600

Truck Tag #/State: ZB ~~1234~~ 35517

Net Weight (lbs.): 34740

Driver Name (Print): FRANK W RHODES
CDL # NC 2806555

Net Weight (tons): 17.37 T

I hereby certify that the material stated herein was received at the waste origination site listed.

I hereby certify that the material stated herein was delivered without incident to the destination listed.

Frank W Rhodes 3-10-09
Driver Signature Date

Frank W Rhodes 3-10-09
Driver Signature Date

Inspected and Accepted By: E. [Signature] 3/10/09 James [Signature]

NOTICE TO TRANSPORTER

TRUCKS WILL NOT BE PERMITTED TO ENTER
THE FACILITY WITHOUT THIS ENTRANCE TICKET

P & F Environmental

4352 N. Old Carriage Road • Rocky Mount, NC 27804
Phone: (252) 443-4083 • Fax: (252) 443-4104

NON-HAZARDOUS WASTE MANIFEST

APPROVAL # _____

LOAD # 07268

GENERATOR

CG, AC/S, I+E (EMD) MCB
PO Box 20004
CLNO 28542-2004

DESTINATION

Land Application Facility Permit No. SR0500106
Speights Chapel Road
Whitakers, NC 27891

PHONE: (910) 451-1482

PHONE: (252) 443-4083

WASTE DESCRIPTION:

Non-Hazardous Petroleum Contaminated Soil

WASTE ORIGATION:

3127 TT ~~2004~~ ~~FIELD~~ TT Blvd/Boulevard Dr
OSAGE OF VA (757) 274-4049 (TT AREA)

Transporter: P&F Environmental

Gross Weight (lbs.): 56000

Truck #: P-101

Tare Weight (lbs.): 23500

Truck Tag #/State: NC ZB12254

Net Weight (lbs.): 32440

Driver Name (Print): Tim Thorne
CDL # NC 2167392

Net Weight (tons): 16.22

I hereby certify that the material stated herein was received at the waste origination site listed.

I hereby certify that the material stated herein was delivered without incident to the destination listed.

Tim Thorne 3/9/09
Driver Signature Date

Tim Thorne 3-9-09
Driver Signature Date

Inspected and Accepted By: [Signature] 3/9/09 [Signature]

NOTICE TO TRANSPORTER

TRUCKS WILL NOT BE PERMITTED TO ENTER THE FACILITY WITHOUT THIS ENTRANCE TICKET

P & F Environmental

4352 N. Old Carriage Road • Rocky Mount, NC 27804
Phone: (252) 443-4083 • Fax: (252) 443-4104

NON-HAZARDOUS WASTE MANIFEST

APPROVAL# _____

LOAD # 07267

GENERATOR

CG, ACS, IVE (CMD) MCB
PO Box 20004
CLNC 28542-0004

DESTINATION

Land Application Facility Permit No. SR0500106
Speights Chapel Road
Whitakers, NC 27891

PHONE: (910) 451-1482

PHONE: (252) 443-4083

WASTE DESCRIPTION:

Non-Hazardous Petroleum Contaminated Soil

WASTE ORIGINATION:

TT 3127 TT Blvd / Bougainville Dr (TT #006)

ORANGE of VA (757) 274-4944

Transporter: P & F Environmental

Gross Weight (lbs.): 53900

Truck #: P-105

Tare Weight (lbs.): 21600

Truck Tag #/State: NC 2B35517

Net Weight (lbs.): 32300

Driver Name (Print): Franklin Rhoades
CDL # NC 2806555

Net Weight (tons): 16.15

I hereby certify that the material stated herein was received at the waste origination site listed.

I hereby certify that the material stated herein was delivered without incident to the destination listed.

Franklin Rhoades 3/9/09
Driver Signature Date

Franklin Rhoades 3/9/09
Driver Signature Date

Inspected and Accepted By: [Signature] 3/9/09 [Signature]

NOTICE TO TRANSPORTER

TRUCKS WILL NOT BE PERMITTED TO ENTER
THE FACILITY WITHOUT THIS ENTRANCE TICKET

P & F Environmental

4352 N. Old Carriage Road • Rocky Mount, NC 27804
Phone: (252) 443-4083 • Fax: (252) 443-4104

NON-HAZARDOUS WASTE MANIFEST

APPROVAL # _____

LOAD # 07266

GENERATOR

CG, AC/S, I+E (EMD) MCB
PO Box 20004
CLNC 28542-0004

DESTINATION

Land Application Facility Permit No. SR0500106
Speights Chapel Road
Whitakers, NC 27891

PHONE: (910) 451-1482

PHONE: (252) 443-4083

WASTE DESCRIPTION:

Non-Hazardous Petroleum Contaminated Soil

WASTE ORIGATION:

IT 3127 ITBIVD/BOUGAINVILLE Dr (TT AREA)

OSAGE of Va (757) 274-4949

Transporter: P & F Environmental

Gross Weight (lbs.): 50500

Truck #: P-105

Tare Weight (lbs.): 21600

Truck Tag #/State: NC 2B35517

Net Weight (lbs.): 28900

Driver Name (Print): Franklin Probst

Net Weight (tons): 14.45

I hereby certify that the material stated herein was received at the waste origination site listed.

I hereby certify that the material stated herein was delivered without incident to the destination listed.

Franklin Probst 3/9/09
Driver Signature Date

Franklin Probst 3/9/09
Driver Signature Date

Inspected and Accepted By: [Signature] 3/9/09 [Signature]

NOTICE TO TRANSPORTER

TRUCKS WILL NOT BE PERMITTED TO ENTER
THE FACILITY WITHOUT THIS ENTRANCE TICKET

APPENDIX E

**LABORATORY REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION**



Shaun Whitworth
Osage of Virginia
2618 A Colley Ave
Norfolk, VA 23517

Report Number: G649-113

Client Project: CTO 005

Dear Shaun Whitworth,

Enclosed are the results of the analytical services performed under the referenced project. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call SGS Environmental Services at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS Environmental Services for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,
SGS Environmental Services, Inc.


Project Manager _____ Date _____
Ashley Nifong

List of Reporting Abbreviations
And Data Qualifiers

B = Compound also detected in batch blank

BQL = Below Quantification Limit (RL or MDL)

DF = Dilution Factor

Dup = Duplicate

D = Detected, but RPD is > 40% between results in dual column method.

E = Estimated concentration, exceeds calibration range.

J = Estimated concentration, below calibration range and above MDL

LCS(D) = Laboratory Control Spike (Duplicate)

MDL = Method Detection Limit

MS(D) = Matrix Spike (Duplicate)

PQL = Practical Quantitation Limit

RL/CL = Reporting Limit / Control Limit

RPD = Relative Percent Difference

mg/kg = milligram per kilogram, ppm, parts per million

ug/kg = micrograms per kilogram, ppb, parts per billion

mg/L = milligram per liter, ppm, parts per million

ug/L = micrograms per liter, ppb, parts per billion

% Rec = Percent Recovery

% solids = Percent Solids

Special Notes:

- 1) Metals and mercury samples are digested with a hot block, see the standard operating procedure document for details.
- 2) Uncertainty for all reported data is less than or equal to 30 percent.

Results for Total Petroleum Hydrocarbons
by GC/FID-8015

Client Sample ID: TT3127-S001
Client Project ID: CTO 005
Lab Sample ID: G649-113-1D
Lab Project ID: G649-113

Date Collected: 2/17/2009 11:04
Date Received: 2/18/2009
Matrix: Soil
Solids 84.38
Report Basis: Dry Weight

Parameter	Result	RL	Units	Dilution Factor	Date Analyzed
Diesel Range Organics	BQL	7.57	mg/Kg	1	02/19/09 10:57
Surrogate Spike Results		Spike Added	Control Limits	Spike Result	Percent Recovery
OTP		40	40-140	28.6	71.6

Comments:

Batch Information

Analytical Batch: EP021909
Analytical Method: 8015
Instrument: GC6
Analyst: EAW

Prep batch: 13687
Prep Method: 3541
Prep Date: 02/18/09
Initial Prep Wt/Vol: 31.33 G
Prep Final Vol: 10 mL

Analyst: *aw*

NC Certification #481

N.C. Certification #481

Reviewed By: *[Signature]*
DRO.XLS
Page 3 of 14

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S002
Client Project ID: CTO 005
Lab Sample ID: G649-113-2D
Lab Project ID: G649-113

Date Collected: 2/17/2009 11:20
Date Received: 2/18/2009
Matrix: Soil
Solids 82.54
Report Basis: Dry Weight

Parameter	Result	RL	Units	Dilution Factor	Date Analyzed
Diesel Range Organics	BQL	7.56	mg/Kg	1	02/19/09 11:26
Surrogate Spike Results		Spike Added	Control Limits	Spike Result	Percent Recovery
OTP		40	40-140	29.3	73.3

Comments:

Batch Information

Analytical Batch: EP021909
Analytical Method: 8015
Instrument: GC6
Analyst: EAW

Prep batch: 13687
Prep Method: 3541
Prep Date: 02/18/09
Initial Prep Wt/Vol: 32.05 G
Prep Final Vol: 10 mL

Analyst: *EAW*

NC Certification #481

N.C. Certification #481

Reviewed By: *[Signature]*

Page 4 of 14
DRO.XLS

SGS Environmental Services, Inc.

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S003
Client Project ID: CTO 005
Lab Sample ID: G649-113-3D
Lab Project ID: G649-113

Date Collected: 2/17/2009 10:48
Date Received: 2/18/2009
Matrix: Soil
Solids 87.81
Report Basis: Dry Weight

Parameter	Result	RL	Units	Dilution Factor	Date Analyzed
Diesel Range Organics	BQL	7.27	mg/Kg	1	02/19/09 11:55
Surrogate Spike Results		Spike Added	Control Limits	Spike Result	Percent Recovery
OTP		40	40-140	29.3	73.2

Comments:

Batch Information


Analytical Batch: EP021909
Analytical Method: 8015
Instrument: GC6
Analyst: EAW

Prep batch: 13687
Prep Method: 3541
Prep Date: 02/18/09
Initial Prep Wt/Vol: 31.33 G
Prep Final Vol: 10 mL

Analyst: 

NC Certification #481

N.C. Certification #481

Reviewed By: 
DRO.XLS
Page 5 of 14

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S004
Client Project ID: CTO 005
Lab Sample ID: G649-113-4D
Lab Project ID: G649-113

Date Collected: 2/17/2009 10:55
Date Received: 2/18/2009
Matrix: Soil
Solids 77.81
Report Basis: Dry Weight


Parameter	Result	RL	Units	Dilution Factor	Date Analyzed
Diesel Range Organics	16.3	8.02	mg/Kg	1	02/19/09 12:23
Surrogate Spike Results		Spike Added	Control Limits	Spike Result	Percent Recovery
OTP		40	40-140	25.7	64.2

Comments:

Batch Information


Analytical Batch: EP021909
Analytical Method: 8015
Instrument: GC6
Analyst: EAW

Prep batch: 13687
Prep Method: 3541
Prep Date: 02/18/09
Initial Prep Wt/Vol: 32.06 G
Prep Final Vol: 10 mL

Analyst: 

NC Certification #481

N.C. Certification #481

Reviewed By: 
Page 6 of 14 DRO.XLS

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S005
Client Project ID: CTO 005
Lab Sample ID: G649-113-5D
Lab Project ID: G649-113

Date Collected: 2/17/2009 10:45
Date Received: 2/18/2009
Matrix: Soil
Solids 76.91
Report Basis: Dry Weight

Parameter	Result	RL	Units	Dilution Factor	Date Analyzed
Diesel Range Organics	532	15.9	mg/Kg	2	02/19/09 13:19
Surrogate Spike Results		Spike Added	Control Limits	Spike Result	Percent Recovery
OTP		40	40-140	34.2	85.6

Comments:

Batch Information

Analytical Batch: EP021909
Analytical Method: 8015
Instrument: GC6
Analyst: EAW

Prep batch: 13687
Prep Method: 3541
Prep Date: 02/18/09
Initial Prep Wt/Vol: 32.63 G
Prep Final Vol: 10 mL

Analyst: 

NC Certification #481
N.C. Certification #481

Reviewed By: 
Page 7 of 14 PRO.XLS

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S001
Client Project ID: CTO 005
Lab Sample ID: G649-113-1A
Lab Project ID: G649-113
Report Basis: Dry Weight

Analyzed By: DVG
Date Collected: 2/17/2009 11:04
Date Received: 2/18/2009
Matrix: Soil
Solids 84.38

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	BQL	5.32	mg/Kg	1	02/18/09 16:18

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	109	109		70-130

Comments:

Batch Information

Analytical Batch: VP021809
Analytical Method: 8015
Instrument ID: GC4
Analyst: DVG

Prep Method: 5035
Initial Wt/Vol: 6.68 g
Final Volume: 5 mL

Analyst: DVG

SGS Environmental Services, Inc.

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S002
Client Project ID: CTO 005
Lab Sample ID: G649-113-2A
Lab Project ID: G649-113
Report Basis: Dry Weight

Analyzed By: DVG
Date Collected: 2/17/2009 11:20
Date Received: 2/18/2009
Matrix: Soil
Solids 82.54

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	BQL	5.19	mg/Kg	1	02/18/09 16:45

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	104	104		70-130

Comments:

Batch Information

Analytical Batch: VP021809
Analytical Method: 8015
Instrument ID: GC4
Analyst: DVG

Prep Method: 5035
Initial Wt/Vol: 7 g
Final Volume: 5 mL

Analyst: DVG

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S003
Client Project ID: CTO 005
Lab Sample ID: G649-113-3A
Lab Project ID: G649-113
Report Basis: Dry Weight

Analyzed By: DVG
Date Collected: 2/17/2009 10:48
Date Received: 2/18/2009
Matrix: Soil
Solids 87.81

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	BQL	6.09	mg/Kg	1	02/18/09 17:11

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	100	99.6		70-130

Comments:

Batch Information

Analytical Batch: VP021809
Analytical Method: 8015
Instrument ID: GC4
Analyst: DVG

Prep Method: 5035
Initial Wt/Vol: 5.61 g
Final Volume: 5 mL

Analyst: DVG

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S004
Client Project ID: CTO 005
Lab Sample ID: G649-113-4A
Lab Project ID: G649-113
Report Basis: Dry Weight

Analyzed By: DVG
Date Collected: 2/17/2009 10:55
Date Received: 2/18/2009
Matrix: Soil
Solids 77.81

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	BQL	6.50	mg/Kg	1	02/18/09 17:38

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	101	101		70-130

Comments:

Batch Information

Analytical Batch: VP021809
Analytical Method: 8015
Instrument ID: GC4
Analyst: DVG

Prep Method: 5035
Initial Wt/Vol: 5.93 g
Final Volume: 5 mL

Analyst: DVG

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: TT3127-S005
Client Project ID: CTO 005
Lab Sample ID: G649-113-5A
Lab Project ID: G649-113
Report Basis: Dry Weight

Analyzed By: DVG
Date Collected: 2/17/2009 10:45
Date Received: 2/18/2009
Matrix: Soil
Solids 76.91

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	17.3	6.00	mg/Kg	1	02/18/09 18:05

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	107	107		70-130

Comments:

Batch Information

Analytical Batch: VP021809
Analytical Method: 8015
Instrument ID: GC4
Analyst: DVG

Prep Method: 5035
Initial Wt/Vol: 6.5 g
Final Volume: 5 mL

Analyst: DVG

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: Trip Blank
 Client Project ID: CTO 005
 Lab Sample ID: G649-113-6A
 Lab Project ID: G649-113
 Report Basis: Dry Weight

Analyzed By: DVG
 Date Collected: 2/17/2009 0:00
 Date Received: 2/18/2009
 Matrix: Soil
 Solids 100.00

Analyte	Result	RL	Units	Dilution Factor	Date Analyzed
Gasoline Range Organics	BQL	6.00	mg/Kg	1	02/18/09 15:51

Surrogate Spike Results

	Added	Result	Recovery	Flag	Limits
BFB	100	102	102		70-130

Comments:

Batch Information

Analytical Batch: VP021809
 Analytical Method: 8015
 Instrument ID: GC4
 Analyst: DVG

Prep Method: 5035
 Initial Wt/Vol: 5 g
 Final Volume: 5 mL

Analyst: DVG



CHAIN OF CUSTODY RECORD

SGS Environmental Services Inc.

- Locations Nationwide
- Alaska
 - Ohio
 - New Jersey
 - West Virginia
 - Hawaii
 - Maryland
 - North Carolina

www.us.sgs.com

090978

1 CLIENT: <u>OSAGO of VIRGINIA</u> CONTACT: <u>Theresa Etkeman</u> PHONE NO.: <u>(757) 274-4049</u>					SGS Reference: <u>6649-113</u>					PAGE <u>1</u> OF <u>1</u>								
PROJECT: <u>CTO 005</u>			SITE/PWSID#: <u>TT 3127</u>		No CONTAINERS	SAMPLE TYPE C= COMP G= GRAB	Preservatives Used: <u>None</u>		METHANOL									
REPORTS TO: <u>Shaun Whitworth</u>			E-MAIL: <u>swhitworth@osageva.com</u>				Analysis Required: <u>3</u>		<u>TPH DEP</u>		<u>TPH GRAB</u>							
INVOICE TO: <u>Mike Cree</u>			QUOTE #				P.O. NUMBER <u>CTO 005</u>											
2 LAB NO.			SAMPLE IDENTIFICATION				DATE		TIME		MATRIX		REMARKS					
			<u>TT 3127-5001</u>		<u>2/17/09</u>		<u>1104</u>		<u>S</u>		<u>3</u>		<u>G</u>					
			<u>TT 3127-5002</u>		<u>2/17/09</u>		<u>1120</u>		<u>S</u>		<u>3</u>		<u>G</u>					
			<u>TT 3127-5003</u>		<u>2/17/09</u>		<u>1048</u>		<u>S</u>		<u>3</u>		<u>G</u>					
			<u>TT 3127-5004</u>		<u>2/17/09</u>		<u>1055</u>		<u>S</u>		<u>3</u>		<u>G</u>					
			<u>TT 3127-5005</u>		<u>2/17/09</u>		<u>1045</u>		<u>S</u>		<u>3</u>		<u>G</u>					
			<u>Trip Blank</u>		<u>2/17/09</u>		<u>1530</u>		<u>-</u>		<u>1</u>		<u>-</u>					
5 Collected/Relinquished By: (1) <u>[Signature]</u>					Date <u>2/17/09</u>		Time <u>1700</u>		Received By: <u>[Signature]</u>		Date <u>2/18/09</u>		Time <u>12:50</u>		4 Shipping Carrier: <u>FEDEX</u>			
Relinquished By: (2)															Samples Received Cold? (Circle) YES NO Temperature (C): <u>3.8</u>			
Relinquished By: (3)															Special Deliverable Requirements: <u>EDD</u>			
Relinquished By: (4)															Chain of Custody Seal: (Circle) <input checked="" type="radio"/> INTACT <input type="radio"/> BROKEN <input type="radio"/> ABSENT			
													Special Instructions: <u>Email results to: swhitworth@osageva.com</u> <u>telherman@osageva.com</u>					
													Requested Turnaround Time: <input checked="" type="checkbox"/> RUSH <u>ASAP</u> <input type="checkbox"/> STD Date Needed					

N.C. Certification #481

Page 14 of 14



Mr. Shaun Whitworth
Osage of Virginia
2618 A Colley Ave
Norfolk VA 23517

Report Number: G649-126

Client Project: CTO 005


Dear Mr. Whitworth:

Enclosed are the results of the analytical services performed under the referenced project. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call SGS at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS Environmental Services for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,
SGS Environmental Services, Inc.

A handwritten signature in black ink, appearing to read 'Lori Lockamy'. The signature is written in a cursive style and extends across the page.
Project Manager
Lori Lockamy

3/16/07
Date

List of Reporting Abbreviations
And Data Qualifiers

B = Compound also detected in batch blank

BQL = Below Quantification Limit (RL or MDL)

DF = Dilution Factor

Dup = Duplicate

D = Detected, but RPD is > 40% between results in dual column method.

E = Estimated concentration, exceeds calibration range.

J = Estimated concentration, below calibration range and above MDL

LCS(D) = Laboratory Control Spike (Duplicate)

MDL = Method Detection Limit

MS(D) = Matrix Spike (Duplicate)

PQL = Practical Quantitation Limit

RL/CL = Reporting Limit / Control Limit

RPD = Relative Percent Difference

mg/kg = milligram per kilogram, ppm, parts per million

ug/kg = micrograms per kilogram, ppb, parts per billion

mg/L = milligram per liter, ppm, parts per million

ug/L = micrograms per liter, ppb, parts per billion

% Rec = Percent Recovery

% solids = Percent Solids

Special Notes:

- 1) Metals and mercury samples are digested with a hot block, see the standard operating procedure document for details.**
- 2) Uncertainty for all reported data is less than or equal to 30 percent.**

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S006
Sample Matrix	Soil
Collection Option (for Soil)*	2
Date Collected	03/09/09 11:37
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/11/09 22:21 - 03/11/09 22:21
Dry Weight	83.3
Dilution Factor	1 - 1

Analytical Results			
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags
C ₅ -C ₈ Aliphatics**	BQL	10.0	
C ₉ -C ₁₂ Aliphatics**	BQL	10.0	
C ₉ -C ₁₀ Aromatics**	BQL	10.0	
	Percent Recovery	Flags	Limits Lower Upper
Surrogate % Recovery - PID	95.4		70 130
Surrogate % Recovery - FID	94.1		70 130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-1d	Lab Info: g649-126-1d
FID Info: VP031109/028F0101.D	PID Info: VP031109/028R0101.D

Reviewed By: 

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S007
Sample Matrix	Soil
Collection Option (for Soil)*	2
Date Collected	03/09/09 15:10
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/11/09 22:48 - 03/11/09 22:48
Dry Weight	79.4
Dilution Factor	1 - 1

Analytical Results			
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags
C ₅ -C ₈ Aliphatics**	BQL	10.0	
C ₉ -C ₁₂ Aliphatics**	BQL	10.0	
C ₉ -C ₁₀ Aromatics**	BQL	10.0	
	Percent Recovery	Flags	Limits Lower Upper
Surrogate % Recovery - PID	100		70 130
Surrogate % Recovery - FID	98.7		70 130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-2d	Lab Info: g649-126-2d
FID Info: VP031109/029F0101.D	PID Info: VP031109/029R0101.D

Reviewed By: [Signature]

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S008
Sample Matrix	Soil
Collection Option (for Soil)*	2
Date Collected	03/09/09 15:12
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/11/09 23:15 - 03/11/09 23:15
Dry Weight	82.3
Dilution Factor	1 - 1

Analytical Results				
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags	
C ₅ -C ₈ Aliphatics**	BQL	10.0		
C ₉ -C ₁₂ Aliphatics**	BQL	10.0		
C ₉ -C ₁₀ Aromatics**	BQL	10.0		
	Percent Recovery	Flags	Limits Lower Upper	
Surrogate % Recovery - PID	98.4		70	130
Surrogate % Recovery - FID	97.6		70	130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-3d	Lab Info: g649-126-3d
FID Info: VP031109/030F0101.D	PID Info: VP031109/030R0101.D

Reviewed By: EHA

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S009
Sample Matrix	Soil
Collection Option (for Soil)*	2
Date Collected	03/09/09 15:05
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/11/09 23:42 - 03/11/09 23:42
Dry Weight	79.1
Dilution Factor	1 - 1

Analytical Results				
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags	
C ₅ -C ₈ Aliphatics**	BQL	10.0		
C ₉ -C ₁₂ Aliphatics**	BQL	10.0		
C ₉ -C ₁₀ Aromatics**	BQL	10.0		
	Percent Recovery	Flags	Limits Lower Upper	
Surrogate % Recovery - PID	96.3		70	130
Surrogate % Recovery - FID	96.3		70	130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-4d	Lab Info: g649-126-4d
FID Info: VP031109/031F0101.D	PID Info: VP031109/031R0101.D

Reviewed By: [Signature]

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S010
Sample Matrix	Soil
Collection Option (for Soil)*	2
Date Collected	03/09/09 15:08
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/12/09 00:10 - 03/12/09 00:10
Dry Weight	80.5
Dilution Factor	1 - 1

Analytical Results				
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags	
C ₅ -C ₈ Aliphatics**	BQL	10.0		
C ₉ -C ₁₂ Aliphatics**	BQL	10.0		
C ₉ -C ₁₀ Aromatics**	BQL	10.0		
	Percent Recovery	Flags	Limits Lower Upper	
Surrogate % Recovery - PID	94.9		70	130
Surrogate % Recovery - FID	93.8		70	130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-5d	Lab Info: g649-126-5d
FID Info: VP031109/032F0101.D	PID Info: VP031109/032R0101.D

Reviewed By: [Signature]

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005


Sample Information	
Sample Identification	Trip Blanks
Sample Matrix	Soil
Collection Option (for Soil)*	NA
Date Collected	03/09/09 00:00
Date Received	03/10/09
Date Extracted	03/11/09
Date Analyzed	03/11/09 21:54 - 03/11/09 21:54
Dry Weight	100
Dilution Factor	1 - 1

Analytical Results				
Analyte	Result mg/Kg	Report Limit mg/Kg	Flags	
C ₅ -C ₈ Aliphatics**	BQL	10.0		
C ₉ -C ₁₂ Aliphatics**	BQL	10.0		
C ₉ -C ₁₀ Aromatics**	BQL	10.0		
	Percent Recovery	Flags	Limits Lower Upper	
Surrogate % Recovery - PID	99.6		70	130
Surrogate % Recovery - FID	100		70	130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g649-126-6b	Lab Info: g649-126-6b
FID Info: VP031109/027F0101.D	PID Info: VP031109/027R0101.D

Reviewed By: 

Attachment 2

VPH Laboratory Reporting Form

Calibration and QA/QC Information

FID Initial Calibration Date: 03/09/09 PID Initial Calibration Date: 03/09/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C ₅ -C ₈ Aliphatics	2.02	0.175	6.42	0.557	100	10
C ₉ -C ₁₂ Aliphatics	1.51	0.118	4.80	0.375	100	10
C ₉ -C ₁₀ Aromatics	0.902	0.132	2.87	0.420	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR ✓	Method of Quantitation
C ₅ -C ₈ Aliphatics	10	0.8	6.98	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₂ Aliphatics	10	0.8	1.00	Linear Regression
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₀ Aromatics	10	0.8	6.63	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		

Calibration Check Date: 03/11/09 Filename: VP031109/025F0101.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C ₅ -C ₈ Aliphatics	200	16	-9.5	±25%
C ₉ -C ₁₂ Aliphatics	200	16	-7.7	±25%
C ₉ -C ₁₀ Aromatics	200	16	-0.6	±25%

MDL = Method Detection Limit
ML = Minimum Limit
RL = Reportable Limit

RPD = Relative Percent Difference
%RSD = Percent Relative Standard Deviation
CCC = Correlation Coefficient of Curve

Attachment 2

VPH Laboratory Reporting Form

Calibration and QA/QC Information

FID Initial Calibration Date: 03/09/09 PID Initial Calibration Date: 03/09/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C ₅ -C ₈ Aliphatics	2.02	0.175	6.42	0.557	100	10
C ₉ -C ₁₂ Aliphatics	1.51	0.118	4.80	0.375	100	10
C ₉ -C ₁₀ Aromatics	0.902	0.132	2.87	0.420	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR ✓	Method of Quantitation
C ₅ -C ₈ Aliphatics	10	0.8	6.98	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₂ Aliphatics	10	0.8	1.00	Linear Regression
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₀ Aromatics	10	0.8	6.63	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		

Calibration Check Date: 03/11/09 Filename: VP031109/038F0101.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C ₅ -C ₈ Aliphatics	200	16	-20.7	±25%
C ₉ -C ₁₂ Aliphatics	200	16	-21.1	±25%
C ₉ -C ₁₀ Aromatics	200	16	-10.8	±25%

MDL = Method Detection Limit

ML = Minimum Limit

RL = Reportable Limit

RPD = Relative Percent Difference

%RSD = Percent Relative Standard Deviation

CCC = Correlation Coefficient of Curve

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S006
Sample Matrix	Soil
Date Collected	03/09/09 11:37
Date Received	03/10/09
Date Extracted	03/10/09
Date Analyzed	03/11/09 11:11 - 03/11/09 11:39
Dry Weight	83.3
Dilution Factor	1 - 1
Initial weight (g)	12.13
Final Volume (mL)	10.0

Analytical Results			
Analytes**	Result mg/Kg	Report Limit mg/Kg	Flags
C9-C18 Aliphatics	BQL	10.0	
C19-C36 Aliphatics	BQL	10.0	
C11-C22 Aromatics	BQL	10.0	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	103		40	140
Aromatic (ortho-terphenyl)	102		40	140
Fractionation 1 (2-bromonaphthalene)	95.8		40	140
Fractionation 2 (2-fluorobiphenyl)	98.2		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G649-126-1H	Lab Info: G649-126-1H
Aliphatic: EP031109/005F0301.D	Aromatic: EP031109/006F0401.D

Reviewed By: *[Signature]*

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S007
Sample Matrix	Soil
Date Collected	03/09/09 15:10
Date Received	03/10/09
Date Extracted	03/10/09
Date Analyzed	03/11/09 12:07 - 03/11/09 12:36
Dry Weight	79.4
Dilution Factor	1 - 1
Initial weight (g)	12.41
Final Volume (mL)	10.0

Analytical Results			
Analytes**	Result mg/Kg	Report Limit mg/Kg	Flags
C9-C18 Aliphatics	BQL	10.0	
C19-C36 Aliphatics	BQL	10.0	
C11-C22 Aromatics	BQL	10.0	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	93.1		40	140
Aromatic (ortho-terphenyl)	91.9		40	140
Fractionation 1 (2-bromonaphthalene)	97.1		40	140
Fractionation 2 (2-fluorobiphenyl)	99.2		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G649-126-2H	Lab Info: G649-126-2H
Aliphatic: EP031109/007F0501.D	Aromatic: EP031109/008F0601.D

Reviewed By: 

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S008
Sample Matrix	Soil
Date Collected	03/09/09 15:12
Date Received	03/10/09
Date Extracted	03/10/09
Date Analyzed	03/11/09 13:04 - 03/11/09 13:32
Dry Weight	82.3
Dilution Factor	1 - 1
Initial weight (g)	12.57
Final Volume (mL)	10.0

Analytical Results			
Analytes**	Result mg/Kg	Report Limit mg/Kg	Flags
C9-C18 Aliphatics	240	10.0	
C19-C36 Aliphatics	64.6	10.0	
C11-C22 Aromatics	157	10.0	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	67.2		40	140
Aromatic (ortho-terphenyl)	91.4		40	140
Fractionation 1 (2-bromonaphthalene)	93.9		40	140
Fractionation 2 (2-fluorobiphenyl)	95.9		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G649-126-3H	Lab Info: G649-126-3H
Aliphatic: EP031109/009F0701.D	Aromatic: EP031109/010F0801.D

Reviewed By: 

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia

Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S009
Sample Matrix	Soil
Date Collected	03/09/09 15:05
Date Received	03/10/09
Date Extracted	03/10/09
Date Analyzed	03/11/09 14:00 - 03/11/09 14:28
Dry Weight	79.1
Dilution Factor	1 - 1
Initial weight (g)	12.14
Final Volume (mL)	10.0

Analytical Results			
Analytes**	Result	Report	Flags
	mg/Kg	Limit mg/Kg	
C9-C18 Aliphatics	BQL	10.0	
C19-C36 Aliphatics	BQL	10.0	
C11-C22 Aromatics	BQL	10.0	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	79.6		40	140
Aromatic (ortho-terphenyl)	92.9		40	140
Fractionation 1 (2-bromonaphthalene)	96.9		40	140
Fractionation 2 (2-fluorobiphenyl)	99.3		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G649-126-4J	Lab Info: G649-126-4J
Aliphatic: EP031109/011F0901.D	Aromatic: EP031109/012F1001.D

Reviewed By: 

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Osage of Virginia
 Project Name: CTO 005

Sample Information	
Sample Identification	TT3127-S010
Sample Matrix	Soil
Date Collected	03/09/09 15:08
Date Received	03/10/09
Date Extracted	03/10/09
Date Analyzed	03/11/09 14:56 - 03/11/09 15:24
Dry Weight	80.5
Dilution Factor	1 - 1
Initial weight (g)	12.23
Final Volume (mL)	10.0

Analytical Results			
Analytes**	Result mg/Kg	Report Limit mg/Kg	Flags
C9-C18 Aliphatics	13.1	10.0	
C19-C36 Aliphatics	BQL	10.0	
C11-C22 Aromatics	BQL	10.0	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	94.9		40	140
Aromatic (ortho-terphenyl)	85.4		40	140
Fractionation 1 (2-bromonaphthalene)	88.4		40	140
Fractionation 2 (2-fluorobiphenyl)	91.6		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G649-126-5H	Lab Info: G649-126-5H
Aliphatic: EP031109/013F1101.D	Aromatic: EP031109/014F1201.D

Reviewed By: 

Attachment 3

EPH Laboratory Reporting Form

Calibration and QA/QC Information

Initial Calibration Date: 02/24/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(02/15/08) (µg/L)	(02/11/08) (mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C9-C18 Aliphatics	1.66	0.274	5.28	0.871	100	10
C19-C38 Aliphatics	2.79	0.201	8.87	0.639	100	10
C11-C22 Aromatics	2.64	0.110	8.40	0.350	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR	Method of Quantitation
C ₉ -C ₁₈ Aliphatics	200	33.3	6.70	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₉ -C ₃₈ Aliphatics	200	33.3	4.67	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₁ -C ₂₂ Aromatics	200	33.3	2.55	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		

Calibration Check Date: 03/11/09

Filenames: ep031109/001f0101.d

03/11/09

ep031109/002f0201.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR	Limits
C9-C18 Aliphatics	100	16.7	18.0	±25%
C19-C38 Aliphatics	100	16.7	19.9	±25%
C11-C22 Aromatics	100	16.7	13.2	±25%

MDL = Method Detection Limit

ML = Minimum Limit

RL = Reportable Limit

RPD = Relative Percent Difference

%RSD = Percent Relative Standard Deviation

CCC = Correlation Coefficient of Curve

Attachment 3

EPH Laboratory Reporting Form

Calibration and QA/QC Information

Initial Calibration Date: 02/24/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(02/15/08) (µg/L)	(02/11/08) (mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C9-C18 Aliphatics	1.66	0.274	5.28	0.871	100	10
C19-C36 Aliphatics	2.79	0.201	8.87	0.639	100	10
C11-C22 Aromatics	2.64	0.110	8.40	0.350	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR ✓	Method of Quantitation
C ₉ -C ₁₈ Aliphatics	200	33.3	6.70	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₉ -C ₃₆ Aliphatics	200	33.3	4.67	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₁ -C ₂₂ Aromatics	200	33.3	2.55	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		

Calibration Check Date: 03/11/09
03/11/09

Filenames: ep031109/023f2101.d
ep031109/024f2201.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C9-C18 Aliphatics	100	16.7	18.0	±25%
C19-C36 Aliphatics	100	16.7	20.8	±25%
C11-C22 Aromatics	100	16.7	11.3	±25%

MDL = Method Detection Limit
ML = Minimum Limit
RL = Reportable Limit

RPD = Relative Percent Difference
%RSD = Percent Relative Standard Deviation
CCC = Correlation Coefficient of Curve

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: TT3127-S006
 Client Project ID: CTO 005
 Lab Sample ID G649-126-1B
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: CLP
 Date Collected: 03-09-2009 11:37
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 6.46 g
 %Solids: 83.3

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	46.4	1	3/14/2009
Benzene	BQL	4.64	1	3/14/2009
Bromobenzene	BQL	4.64	1	3/14/2009
Bromochloromethane	BQL	4.64	1	3/14/2009
Bromodichloromethane	BQL	4.64	1	3/14/2009
Bromoform	BQL	4.64	1	3/14/2009
Bromomethane	BQL	4.64	1	3/14/2009
2-Butanone	BQL	23.2	1	3/14/2009
n-Butylbenzene	BQL	4.64	1	3/14/2009
sec-Butylbenzene	BQL	4.64	1	3/14/2009
tert-Butylbenzene	BQL	4.64	1	3/14/2009
Carbon disulfide	BQL	4.64	1	3/14/2009
Carbon tetrachloride	BQL	4.64	1	3/14/2009
Chlorobenzene	BQL	4.64	1	3/14/2009
Chloroethane	BQL	4.64	1	3/14/2009
Chloroform	BQL	4.64	1	3/14/2009
Chloromethane	BQL	4.64	1	3/14/2009
2-Chlorotoluene	BQL	4.64	1	3/14/2009
4-Chlorotoluene	BQL	4.64	1	3/14/2009
Dibromochloromethane	BQL	4.64	1	3/14/2009
1,2-Dibromo-3-chloropropane	BQL	23.2	1	3/14/2009
Dibromomethane	BQL	4.64	1	3/14/2009
1,2-Dibromoethane (EDB)	BQL	4.64	1	3/14/2009
1,2-Dichlorobenzene	BQL	4.64	1	3/14/2009
1,3-Dichlorobenzene	BQL	4.64	1	3/14/2009
1,4-Dichlorobenzene	BQL	4.64	1	3/14/2009
trans-1,4-Dichloro-2-butene	BQL	23.2	1	3/14/2009
1,1-Dichloroethane	BQL	4.64	1	3/14/2009
1,1-Dichloroethene	BQL	4.64	1	3/14/2009
1,2-Dichloroethane	BQL	4.64	1	3/14/2009
cis-1,2-Dichloroethene	BQL	4.64	1	3/14/2009
trans-1,2-dichloroethene	BQL	4.64	1	3/14/2009
1,2-Dichloropropane	BQL	4.64	1	3/14/2009
1,3-Dichloropropane	BQL	4.64	1	3/14/2009
2,2-Dichloropropane	BQL	4.64	1	3/14/2009
1,1-Dichloropropene	BQL	4.64	1	3/14/2009
cis-1,3-Dichloropropene	BQL	4.64	1	3/14/2009
trans-1,3-Dichloropropene	BQL	4.64	1	3/14/2009
Dichlorodifluoromethane	BQL	4.64	1	3/14/2009
Diisopropyl ether (DIPE)	BQL	4.64	1	3/14/2009
Ethylbenzene	BQL	4.64	1	3/14/2009
Hexachlorobutadiene	BQL	4.64	1	3/14/2009
2-Hexanone	BQL	11.6	1	3/14/2009
Iodomethane	BQL	4.64	1	3/14/2009

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: TT3127-S006
 Client Project ID: CTO 005
 Lab Sample ID G649-126-1B
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: CLP
 Date Collected: 03-09-2009 11:37
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 6.46 g
 %Solids: 83.3

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Isopropylbenzene	BQL	4.64	1	3/14/2009
4-Isopropyltoluene	BQL	4.64	1	3/14/2009
Methylene chloride	BQL	18.5	1	3/14/2009
4-Methyl-2-pentanone	BQL	11.6	1	3/14/2009
Methyl-tert-butyl ether (MTBE)	BQL	4.64	1	3/14/2009
Naphthalene	BQL	4.64	1	3/14/2009
n-Propyl benzene	BQL	4.64	1	3/14/2009
Styrene	BQL	4.64	1	3/14/2009
1,1,1,2-Tetrachloroethane	BQL	4.64	1	3/14/2009
1,1,2,2-Tetrachloroethane	BQL	4.64	1	3/14/2009
Tetrachloroethene	BQL	4.64	1	3/14/2009
Toluene	BQL	4.64	1	3/14/2009
1,2,3-Trichlorobenzene	BQL	4.64	1	3/14/2009
1,2,4-Trichlorobenzene	BQL	4.64	1	3/14/2009
Trichloroethene	BQL	4.64	1	3/14/2009
1,1,1-Trichloroethane	BQL	4.64	1	3/14/2009
1,1,2-Trichloroethane	BQL	4.64	1	3/14/2009
Trichlorofluoromethane	BQL	4.64	1	3/14/2009
1,2,3-Trichloropropane	BQL	4.64	1	3/14/2009
1,2,4-Trimethylbenzene	BQL	4.64	1	3/14/2009
1,3,5-Trimethylbenzene	BQL	4.64	1	3/14/2009
Vinyl chloride	BQL	4.64	1	3/14/2009
m-,p-Xylene	BQL	9.27	1	3/14/2009
o-Xylene	BQL	4.64	1	3/14/2009


	Spike Added	Spike Result	Percent Recovered
1,2-Dichloroethane-d4	50	64.6	129
Toluene-d8	50	50.4	101
4-Bromofluorobenzene	50	47.4	95

Comments:

Flags:

BQL = Below Quantitation Limits.

Analyst: 

Reviewed By: 

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: TT3127-S007
 Client Project ID: CTO 005
 Lab Sample ID G649-126-2A
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: MJC
 Date Collected: 03-09-2009 15:10
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 6.09 g
 %Solids: 79.4

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	51.7	1	3/12/2009
Benzene	BQL	5.17	1	3/12/2009
Bromobenzene	BQL	5.17	1	3/12/2009
Bromochloromethane	BQL	5.17	1	3/12/2009
Bromodichloromethane	BQL	5.17	1	3/12/2009
Bromoform	BQL	5.17	1	3/12/2009
Bromomethane	BQL	5.17	1	3/12/2009
2-Butanone	BQL	25.9	1	3/12/2009
n-Butylbenzene	BQL	5.17	1	3/12/2009
sec-Butylbenzene	BQL	5.17	1	3/12/2009
tert-Butylbenzene	BQL	5.17	1	3/12/2009
Carbon disulfide	BQL	5.17	1	3/12/2009
Carbon tetrachloride	BQL	5.17	1	3/12/2009
Chlorobenzene	BQL	5.17	1	3/12/2009
Chloroethane	BQL	5.17	1	3/12/2009
Chloroform	BQL	5.17	1	3/12/2009
Chloromethane	BQL	5.17	1	3/12/2009
2-Chlorotoluene	BQL	5.17	1	3/12/2009
4-Chlorotoluene	BQL	5.17	1	3/12/2009
Dibromochloromethane	BQL	5.17	1	3/12/2009
1,2-Dibromo-3-chloropropane	BQL	25.9	1	3/12/2009
Dibromomethane	BQL	5.17	1	3/12/2009
1,2-Dibromoethane (EDB)	BQL	5.17	1	3/12/2009
1,2-Dichlorobenzene	BQL	5.17	1	3/12/2009
1,3-Dichlorobenzene	BQL	5.17	1	3/12/2009
1,4-Dichlorobenzene	BQL	5.17	1	3/12/2009
trans-1,4-Dichloro-2-butene	BQL	25.9	1	3/12/2009
1,1-Dichloroethane	BQL	5.17	1	3/12/2009
1,1-Dichloroethene	BQL	5.17	1	3/12/2009
1,2-Dichloroethane	BQL	5.17	1	3/12/2009
cis-1,2-Dichloroethene	BQL	5.17	1	3/12/2009
trans-1,2-dichloroethene	BQL	5.17	1	3/12/2009
1,2-Dichloropropane	BQL	5.17	1	3/12/2009
1,3-Dichloropropane	BQL	5.17	1	3/12/2009
2,2-Dichloropropane	BQL	5.17	1	3/12/2009
1,1-Dichloropropene	BQL	5.17	1	3/12/2009
cis-1,3-Dichloropropene	BQL	5.17	1	3/12/2009
trans-1,3-Dichloropropene	BQL	5.17	1	3/12/2009
Dichlorodifluoromethane	BQL	5.17	1	3/12/2009
Diisopropyl ether (DIPE)	BQL	5.17	1	3/12/2009
Ethylbenzene	BQL	5.17	1	3/12/2009
Hexachlorobutadiene	BQL	5.17	1	3/12/2009
2-Hexanone	BQL	12.9	1	3/12/2009
Iodomethane	BQL	5.17	1	3/12/2009

SGS Environmental Services, Inc.

Results for Volatiles
by GCMS 8260-5035

Client Sample ID: TT3127-S007
Client Project ID: CTO 005
Lab Sample ID G649-126-2A
Lab Project ID: G649-126
Report Basis: Dry Weight

Analyzed By: MJC
Date Collected: 03-09-2009 15:10
Date Received: 3/10/2009
Matrix: Soil
Sample Amount: 6.09 g
%Solids: 79.4


Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Isopropylbenzene	BQL	5.17	1	3/12/2009
4-Isopropyltoluene	BQL	5.17	1	3/12/2009
Methylene chloride	BQL	20.7	1	3/12/2009
4-Methyl-2-pentanone	BQL	12.9	1	3/12/2009
Methyl-tert-butyl ether (MTBE)	BQL	5.17	1	3/12/2009
Naphthalene	BQL	5.17	1	3/12/2009
n-Propyl benzene	BQL	5.17	1	3/12/2009
Styrene	BQL	5.17	1	3/12/2009
1,1,1,2-Tetrachloroethane	BQL	5.17	1	3/12/2009
1,1,2,2-Tetrachloroethane	BQL	5.17	1	3/12/2009
Tetrachloroethene	BQL	5.17	1	3/12/2009
Toluene	BQL	5.17	1	3/12/2009
1,2,3-Trichlorobenzene	BQL	5.17	1	3/12/2009
1,2,4-Trichlorobenzene	BQL	5.17	1	3/12/2009
Trichloroethene	BQL	5.17	1	3/12/2009
1,1,1-Trichloroethane	BQL	5.17	1	3/12/2009
1,1,2-Trichloroethane	BQL	5.17	1	3/12/2009
Trichlorofluoromethane	BQL	5.17	1	3/12/2009
1,2,3-Trichloropropane	BQL	5.17	1	3/12/2009
1,2,4-Trimethylbenzene	BQL	5.17	1	3/12/2009
1,3,5-Trimethylbenzene	BQL	5.17	1	3/12/2009
Vinyl chloride	BQL	5.17	1	3/12/2009
m-,p-Xylene	BQL	10.3	1	3/12/2009
o-Xylene	BQL	5.17	1	3/12/2009

	Spike Added	Spike Result	Percent Recovered
1,2-Dichloroethane-d4	50	61	122
Toluene-d8	50	50.5	101
4-Bromofluorobenzene	50	46.8	94

Comments:

Flags:

BQL = Below Quantitation Limits.

Analyst: 

Reviewed By: 

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260B/5035**

Client Sample ID: TT3127-S008
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-3D
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: CLP
 Date Collected: 3/9/2009 15:12
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 5.65 g
 %Solids: 82.3

Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	1340	50	3/13/2009
Benzene	BQL	53.8	50	3/13/2009
Bromobenzene	BQL	53.8	50	3/13/2009
Bromochloromethane	BQL	53.8	50	3/13/2009
Bromodichloromethane	BQL	53.8	50	3/13/2009
Bromoform	BQL	53.8	50	3/13/2009
Bromomethane	BQL	53.8	50	3/13/2009
2-Butanone	BQL	1340	50	3/13/2009
n-Butylbenzene	BQL	53.8	50	3/13/2009
sec-Butylbenzene	BQL	53.8	50	3/13/2009
tert-Butylbenzene	BQL	53.8	50	3/13/2009
Carbon disulfide	BQL	53.8	50	3/13/2009
Carbon tetrachloride	BQL	53.8	50	3/13/2009
Chlorobenzene	BQL	53.8	50	3/13/2009
Chloroethane	BQL	53.8	50	3/13/2009
Chloroform	BQL	53.8	50	3/13/2009
Chloromethane	BQL	53.8	50	3/13/2009
2-Chlorotoluene	BQL	53.8	50	3/13/2009
4-Chlorotoluene	BQL	53.8	50	3/13/2009
Dibromochloromethane	BQL	53.8	50	3/13/2009
1,2-Dibromo-3-chloropropane	BQL	269	50	3/13/2009
Dibromomethane	BQL	53.8	50	3/13/2009
1,2-Dibromoethane (EDB)	BQL	53.8	50	3/13/2009
1,2-Dichlorobenzene	BQL	53.8	50	3/13/2009
1,3-Dichlorobenzene	BQL	53.8	50	3/13/2009
1,4-Dichlorobenzene	BQL	53.8	50	3/13/2009
trans-1,4-Dichloro-2-butene	BQL	269	50	3/13/2009
1,1-Dichloroethane	BQL	53.8	50	3/13/2009
1,1-Dichloroethene	BQL	53.8	50	3/13/2009
1,2-Dichloroethane	BQL	53.8	50	3/13/2009
cis-1,2-Dichloroethene	BQL	53.8	50	3/13/2009
trans-1,2-dichloroethene	BQL	53.8	50	3/13/2009
1,2-Dichloropropane	BQL	53.8	50	3/13/2009
1,3-Dichloropropane	BQL	53.8	50	3/13/2009
2,2-Dichloropropane	BQL	53.8	50	3/13/2009
1,1-Dichloropropene	BQL	53.8	50	3/13/2009
cis-1,3-Dichloropropene	BQL	53.8	50	3/13/2009
trans-1,3-Dichloropropene	BQL	53.8	50	3/13/2009
Dichlorodifluoromethane	BQL	269	50	3/13/2009
Diisopropyl ether (DIPE)	BQL	53.8	50	3/13/2009
Ethylbenzene	BQL	53.8	50	3/13/2009
Hexachlorobutadiene	BQL	53.8	50	3/13/2009
2-Hexanone	BQL	269	50	3/13/2009
Iodomethane	BQL	53.8	50	3/13/2009
Isopropylbenzene	BQL	53.8	50	3/13/2009

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260B/5035**

Client Sample ID: TT3127-S008
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-3D
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: CLP
 Date Collected: 3/9/2009 15:12
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 5.65 g
 %Solids: 82.3


Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
4-Isopropyltoluene	BQL	53.8	50	3/13/2009
Methylene chloride	BQL	269	50	3/13/2009
4-Methyl-2-pentanone	BQL	269	50	3/13/2009
Methyl-tert-butyl ether (MTBE)	BQL	53.8	50	3/13/2009
Naphthalene	94.1	53.8	50	3/13/2009
n-Propyl benzene	BQL	53.8	50	3/13/2009
Styrene	BQL	53.8	50	3/13/2009
1,1,1,2-Tetrachloroethane	BQL	53.8	50	3/13/2009
1,1,2,2-Tetrachloroethane	BQL	53.8	50	3/13/2009
Tetrachloroethene	BQL	53.8	50	3/13/2009
Toluene	BQL	53.8	50	3/13/2009
1,2,3-Trichlorobenzene	BQL	53.8	50	3/13/2009
1,2,4-Trichlorobenzene	BQL	53.8	50	3/13/2009
Trichloroethene	BQL	53.8	50	3/13/2009
1,1,1-Trichloroethane	BQL	53.8	50	3/13/2009
1,1,2-Trichloroethane	BQL	53.8	50	3/13/2009
Trichlorofluoromethane	BQL	53.8	50	3/13/2009
1,2,3-Trichloropropane	BQL	53.8	50	3/13/2009
1,2,4-Trimethylbenzene	BQL	53.8	50	3/13/2009
1,3,5-Trimethylbenzene	BQL	53.8	50	3/13/2009
Vinyl chloride	BQL	53.8	50	3/13/2009
m-,p-Xylene	BQL	108	50	3/13/2009
o-Xylene	BQL	53.8	50	3/13/2009


	Spike Added	Spike Result	Percent Recovered
1,2-Dichloroethane-d4	10	9.72	97
Toluene-d8	10	9.94	99
4-Bromofluorobenzene	10	9.77	98

Comments:

Flags:

BQL = Below Quantitation Limits.

Analyst: 

Reviewed By: 

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: TT3127-S009
 Client Project ID: CTO 005
 Lab Sample ID G649-126-4A
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: MJC
 Date Collected: 03-09-2009 15:05
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 6.07 g
 %Solids: 79.1

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	52.0	1	3/12/2009
Benzene	BQL	5.20	1	3/12/2009
Bromobenzene	BQL	5.20	1	3/12/2009
Bromochloromethane	BQL	5.20	1	3/12/2009
Bromodichloromethane	BQL	5.20	1	3/12/2009
Bromoform	BQL	5.20	1	3/12/2009
Bromomethane	BQL	5.20	1	3/12/2009
2-Butanone	BQL	26.0	1	3/12/2009
n-Butylbenzene	BQL	5.20	1	3/12/2009
sec-Butylbenzene	BQL	5.20	1	3/12/2009
tert-Butylbenzene	BQL	5.20	1	3/12/2009
Carbon disulfide	BQL	5.20	1	3/12/2009
Carbon tetrachloride	BQL	5.20	1	3/12/2009
Chlorobenzene	BQL	5.20	1	3/12/2009
Chloroethane	BQL	5.20	1	3/12/2009
Chloroform	BQL	5.20	1	3/12/2009
Chloromethane	BQL	5.20	1	3/12/2009
2-Chlorotoluene	BQL	5.20	1	3/12/2009
4-Chlorotoluene	BQL	5.20	1	3/12/2009
Dibromochloromethane	BQL	5.20	1	3/12/2009
1,2-Dibromo-3-chloropropane	BQL	26.0	1	3/12/2009
Dibromomethane	BQL	5.20	1	3/12/2009
1,2-Dibromoethane (EDB)	BQL	5.20	1	3/12/2009
1,2-Dichlorobenzene	BQL	5.20	1	3/12/2009
1,3-Dichlorobenzene	BQL	5.20	1	3/12/2009
1,4-Dichlorobenzene	BQL	5.20	1	3/12/2009
trans-1,4-Dichloro-2-butene	BQL	26.0	1	3/12/2009
1,1-Dichloroethane	BQL	5.20	1	3/12/2009
1,1-Dichloroethene	BQL	5.20	1	3/12/2009
1,2-Dichloroethane	BQL	5.20	1	3/12/2009
cis-1,2-Dichloroethene	BQL	5.20	1	3/12/2009
trans-1,2-dichloroethene	BQL	5.20	1	3/12/2009
1,2-Dichloropropane	BQL	5.20	1	3/12/2009
1,3-Dichloropropane	BQL	5.20	1	3/12/2009
2,2-Dichloropropane	BQL	5.20	1	3/12/2009
1,1-Dichloropropene	BQL	5.20	1	3/12/2009
cis-1,3-Dichloropropene	BQL	5.20	1	3/12/2009
trans-1,3-Dichloropropene	BQL	5.20	1	3/12/2009
Dichlorodifluoromethane	BQL	5.20	1	3/12/2009
Diisopropyl ether (DIPE)	BQL	5.20	1	3/12/2009
Ethylbenzene	BQL	5.20	1	3/12/2009
Hexachlorobutadiene	BQL	5.20	1	3/12/2009
2-Hexanone	BQL	13.0	1	3/12/2009
Iodomethane	BQL	5.20	1	3/12/2009

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: TT3127-S010
 Client Project ID: CTO 005
 Lab Sample ID G649-126-5A
 Lab Project ID: G649-126
 Report Basis: Dry Weight

Analyzed By: MJC
 Date Collected: 03-09-2009 15:08
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 6.55 g
 %Solids: 80.5

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	47.4	1	3/12/2009
Benzene	BQL	4.74	1	3/12/2009
Bromobenzene	BQL	4.74	1	3/12/2009
Bromochloromethane	BQL	4.74	1	3/12/2009
Bromodichloromethane	BQL	4.74	1	3/12/2009
Bromoform	BQL	4.74	1	3/12/2009
Bromomethane	BQL	4.74	1	3/12/2009
2-Butanone	BQL	23.7	1	3/12/2009
n-Butylbenzene	BQL	4.74	1	3/12/2009
sec-Butylbenzene	BQL	4.74	1	3/12/2009
tert-Butylbenzene	BQL	4.74	1	3/12/2009
Carbon disulfide	BQL	4.74	1	3/12/2009
Carbon tetrachloride	BQL	4.74	1	3/12/2009
Chlorobenzene	BQL	4.74	1	3/12/2009
Chloroethane	BQL	4.74	1	3/12/2009
Chloroform	BQL	4.74	1	3/12/2009
Chloromethane	BQL	4.74	1	3/12/2009
2-Chlorotoluene	BQL	4.74	1	3/12/2009
4-Chlorotoluene	BQL	4.74	1	3/12/2009
Dibromochloromethane	BQL	4.74	1	3/12/2009
1,2-Dibromo-3-chloropropane	BQL	23.7	1	3/12/2009
Dibromomethane	BQL	4.74	1	3/12/2009
1,2-Dibromoethane (EDB)	BQL	4.74	1	3/12/2009
1,2-Dichlorobenzene	BQL	4.74	1	3/12/2009
1,3-Dichlorobenzene	BQL	4.74	1	3/12/2009
1,4-Dichlorobenzene	BQL	4.74	1	3/12/2009
trans-1,4-Dichloro-2-butene	BQL	23.7	1	3/12/2009
1,1-Dichloroethane	BQL	4.74	1	3/12/2009
1,1-Dichloroethene	BQL	4.74	1	3/12/2009
1,2-Dichloroethane	BQL	4.74	1	3/12/2009
cis-1,2-Dichloroethene	BQL	4.74	1	3/12/2009
trans-1,2-dichloroethene	BQL	4.74	1	3/12/2009
1,2-Dichloropropane	BQL	4.74	1	3/12/2009
1,3-Dichloropropane	BQL	4.74	1	3/12/2009
2,2-Dichloropropane	BQL	4.74	1	3/12/2009
1,1-Dichloropropene	BQL	4.74	1	3/12/2009
cis-1,3-Dichloropropene	BQL	4.74	1	3/12/2009
trans-1,3-Dichloropropene	BQL	4.74	1	3/12/2009
Dichlorodifluoromethane	BQL	4.74	1	3/12/2009
Diisopropyl ether (DIPE)	BQL	4.74	1	3/12/2009
Ethylbenzene	BQL	4.74	1	3/12/2009
Hexachlorobutadiene	BQL	4.74	1	3/12/2009
2-Hexanone	BQL	11.9	1	3/12/2009
Iodomethane	BQL	4.74	1	3/12/2009

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: Trip Blanks
Client Project ID: CTO 005
Lab Sample ID G649-126-6A
Lab Project ID: G649-126
Report Basis: 0.0

Analyzed By: MJC
Date Collected: 03-09-2009 00:00
Date Received: 3/10/2009
Matrix: Soil
Sample Amount: 5 g
%Solids: 100.0

Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Acetone	BQL	50.0	1	3/12/2009
Benzene	BQL	5.00	1	3/12/2009
Bromobenzene	BQL	5.00	1	3/12/2009
Bromochloromethane	BQL	5.00	1	3/12/2009
Bromodichloromethane	BQL	5.00	1	3/12/2009
Bromoform	BQL	5.00	1	3/12/2009
Bromomethane	BQL	5.00	1	3/12/2009
2-Butanone	BQL	25.0	1	3/12/2009
n-Butylbenzene	BQL	5.00	1	3/12/2009
sec-Butylbenzene	BQL	5.00	1	3/12/2009
tert-Butylbenzene	BQL	5.00	1	3/12/2009
Carbon disulfide	BQL	5.00	1	3/12/2009
Carbon tetrachloride	BQL	5.00	1	3/12/2009
Chlorobenzene	BQL	5.00	1	3/12/2009
Chloroethane	BQL	5.00	1	3/12/2009
Chloroform	BQL	5.00	1	3/12/2009
Chloromethane	BQL	5.00	1	3/12/2009
2-Chlorotoluene	BQL	5.00	1	3/12/2009
4-Chlorotoluene	BQL	5.00	1	3/12/2009
Dibromochloromethane	BQL	5.00	1	3/12/2009
1,2-Dibromo-3-chloropropane	BQL	25.0	1	3/12/2009
Dibromomethane	BQL	5.00	1	3/12/2009
1,2-Dibromoethane (EDB)	BQL	5.00	1	3/12/2009
1,2-Dichlorobenzene	BQL	5.00	1	3/12/2009
1,3-Dichlorobenzene	BQL	5.00	1	3/12/2009
1,4-Dichlorobenzene	BQL	5.00	1	3/12/2009
trans-1,4-Dichloro-2-butene	BQL	25.0	1	3/12/2009
1,1-Dichloroethane	BQL	5.00	1	3/12/2009
1,1-Dichloroethene	BQL	5.00	1	3/12/2009
1,2-Dichloroethane	BQL	5.00	1	3/12/2009
cis-1,2-Dichloroethene	BQL	5.00	1	3/12/2009
trans-1,2-dichloroethene	BQL	5.00	1	3/12/2009
1,2-Dichloropropane	BQL	5.00	1	3/12/2009
1,3-Dichloropropane	BQL	5.00	1	3/12/2009
2,2-Dichloropropane	BQL	5.00	1	3/12/2009
1,1-Dichloropropene	BQL	5.00	1	3/12/2009
cis-1,3-Dichloropropene	BQL	5.00	1	3/12/2009
trans-1,3-Dichloropropene	BQL	5.00	1	3/12/2009
Dichlorodifluoromethane	BQL	5.00	1	3/12/2009
Diisopropyl ether (DIPE)	BQL	5.00	1	3/12/2009
Ethylbenzene	BQL	5.00	1	3/12/2009
Hexachlorobutadiene	BQL	5.00	1	3/12/2009
2-Hexanone	BQL	12.5	1	3/12/2009
Iodomethane	BQL	5.00	1	3/12/2009

SGS Environmental Services, Inc.

**Results for Volatiles
by GCMS 8260-5035**

Client Sample ID: Trip Blanks
 Client Project ID: CTO 005
 Lab Sample ID G649-126-6A
 Lab Project ID: G649-126
 Report Basis: 0.0

Analyzed By: MJC
 Date Collected: 03-09-2009 00:00
 Date Received: 3/10/2009
 Matrix: Soil
 Sample Amount: 5 g
 %Solids: 100.0


Report Name Compound	Result UG/KG	Quantitation Limit UG/KG	Dilution Factor	Date Analyzed
Isopropylbenzene	BQL	5.00	1	3/12/2009
4-Isopropyltoluene	BQL	5.00	1	3/12/2009
Methylene chloride	BQL	20.0	1	3/12/2009
4-Methyl-2-pentanone	BQL	12.5	1	3/12/2009
Methyl-tert-butyl ether (MTBE)	BQL	5.00	1	3/12/2009
Naphthalene	BQL	5.00	1	3/12/2009
n-Propyl benzene	BQL	5.00	1	3/12/2009
Styrene	BQL	5.00	1	3/12/2009
1,1,1,2-Tetrachloroethane	BQL	5.00	1	3/12/2009
1,1,2,2-Tetrachloroethane	BQL	5.00	1	3/12/2009
Tetrachloroethene	BQL	5.00	1	3/12/2009
Toluene	BQL	5.00	1	3/12/2009
1,2,3-Trichlorobenzene	BQL	5.00	1	3/12/2009
1,2,4-Trichlorobenzene	BQL	5.00	1	3/12/2009
Trichloroethene	BQL	5.00	1	3/12/2009
1,1,1-Trichloroethane	BQL	5.00	1	3/12/2009
1,1,2-Trichloroethane	BQL	5.00	1	3/12/2009
Trichlorofluoromethane	BQL	5.00	1	3/12/2009
1,2,3-Trichloropropane	BQL	5.00	1	3/12/2009
1,2,4-Trimethylbenzene	BQL	5.00	1	3/12/2009
1,3,5-Trimethylbenzene	BQL	5.00	1	3/12/2009
Vinyl chloride	BQL	5.00	1	3/12/2009
m-,p-Xylene	BQL	10.0	1	3/12/2009
o-Xylene	BQL	5.00	1	3/12/2009


	Spike Added	Spike Result	Percent Recovered
1,2-Dichloroethane-d4	50	63.7	127
Toluene-d8	50	51	102
4-Bromofluorobenzene	50	46.5	93

Comments:

Flags:

BQL = Below Quantitation Limits.

Analyst: 

Reviewed By: 

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S006
Client Project ID: CTO 005
Lab Sample ID: G649-126-1G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 32.87 g

Analyzed By: DCS
Date Collected: 3/9/2009 11:37
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 83.33

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
Acenaphthene	BQL	365	1	3/11/2009
Acenaphthylene	BQL	365	1	3/11/2009
Anthracene	BQL	365	1	3/11/2009
Benzo[a]anthracene	BQL	365	1	3/11/2009
Benzo[a]pyrene	BQL	365	1	3/11/2009
Benzo[b]fluoranthene	BQL	365	1	3/11/2009
Benzo[g,h,i]perylene	BQL	365	1	3/11/2009
Benzo[k]fluoranthene	BQL	365	1	3/11/2009
Benzoic Acid	BQL	730	1	3/11/2009
Bis(2-chloroethoxy)methane	BQL	365	1	3/11/2009
Bis(2-chloroethyl)ether	BQL	365	1	3/11/2009
Bis(2-chloroisopropyl)ether	BQL	365	1	3/11/2009
Bis(2-ethylhexyl)phthalate	BQL	365	1	3/11/2009
4-bromophenyl phenyl ether	BQL	365	1	3/11/2009
Butylbenzylphthalate	BQL	365	1	3/11/2009
2-Chloronaphthalene	BQL	365	1	3/11/2009
2-Chlorophenol	BQL	365	1	3/11/2009
4-Chloro-3-methylphenol	BQL	365	1	3/11/2009
4-Chloroaniline	BQL	1830	1	3/11/2009
4-Chlorophenyl phenyl ether	BQL	365	1	3/11/2009
Chrysene	BQL	365	1	3/11/2009
Dibenzo[a,h]anthracene	BQL	365	1	3/11/2009
Dibenzofuran	BQL	365	1	3/11/2009
Di-n-Butylphthalate	BQL	365	1	3/11/2009
1,2-Dichlorobenzene	BQL	365	1	3/11/2009
1,3-Dichlorobenzene	BQL	365	1	3/11/2009
1,4-Dichlorobenzene	BQL	365	1	3/11/2009
3,3'-Dichlorobenzidine	BQL	730	1	3/11/2009
2,4-Dichlorophenol	BQL	365	1	3/11/2009
Diethylphthalate	BQL	365	1	3/11/2009
Dimethylphthalate	BQL	365	1	3/11/2009
2,4-Dimethylphenol	BQL	365	1	3/11/2009
Di-n-octylphthalate	BQL	365	1	3/11/2009
4,6-Dinitro-2-methylphenol	BQL	1830	1	3/11/2009
2,4-Dinitrophenol	BQL	1830	1	3/11/2009
2,4-Dinitrotoluene	BQL	365	1	3/11/2009
2,6-Dinitrotoluene	BQL	365	1	3/11/2009
Fluoranthene	BQL	365	1	3/11/2009
Fluorene	BQL	365	1	3/11/2009
Hexachlorobenzene	BQL	365	1	3/11/2009
Hexachlorobutadiene	BQL	365	1	3/11/2009
Hexachlorocyclopentadiene	BQL	730	1	3/11/2009
Hexachloroethane	BQL	365	1	3/11/2009
Indeno(1,2,3-c,d)pyrene	BQL	365	1	3/11/2009
Isophorone	BQL	365	1	3/11/2009
2-Methylnaphthalene	BQL	365	1	3/11/2009
2-Methylphenol	BQL	365	1	3/11/2009

SGS Environmental Services, Inc.

**Results for Semivolatiles
by GCMS 8270**

Client Sample ID: TT3127-S006
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-1G
 Lab Project ID: G649-126
 Report Basis: Dry weight
 Initial Weight: 32.87 g

Analyzed By: DCS
 Date Collected: 3/9/2009 11:37
 Date Received: 3/10/2009
 Date Extracted: 3/10/2009
 Matrix: Soil
 % Solids: 83.33

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
3- & 4-Methylphenol	BQL	365	1	3/11/2009
Naphthalene	BQL	365	1	3/11/2009
2-Nitroaniline	BQL	365	1	3/11/2009
3-Nitroaniline	BQL	1830	1	3/11/2009
4-Nitroaniline	BQL	1830	1	3/11/2009
Nitrobenzene	BQL	365	1	3/11/2009
2-Nitrophenol	BQL	365	1	3/11/2009
4-Nitrophenol	BQL	1830	1	3/11/2009
Diphenylamine *	BQL	365	1	3/11/2009
Pentachlorophenol	BQL	1830	1	3/11/2009
Phenanthrene	BQL	365	1	3/11/2009
Phenol	BQL	365	1	3/11/2009
Pyrene	BQL	365	1	3/11/2009
1,2,4-Trichlorobenzene	BQL	365	1	3/11/2009
2,4,5-Trichlorophenol	BQL	365	1	3/11/2009
2,4,6-Trichlorophenol	BQL	365	1	3/11/2009


	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	9.2	92
2-Fluorophenol	10	9.1	91
Nitrobenzene-d5	10	9.3	93
Phenol-d6	10	8.9	88
2,4,6-Tribromophenol	10	8	80
4-Terphenyl-d14	10	8.6	86

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.
 J = Detected below the quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

**Results for Semivolatiles
by GCMS 8270**

Client Sample ID: TT3127-S007
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-2G
 Lab Project ID: G649-126
 Report Basis: Dry weight
 Initial Weight: 32.49 g

Analyzed By: DCS
 Date Collected: 3/9/2009 15:10
 Date Received: 3/10/2009
 Date Extracted: 3/10/2009
 Matrix: Soil
 % Solids: 79.35

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
Acenaphthene	BQL	388	1	3/11/2009
Acenaphthylene	BQL	388	1	3/11/2009
Anthracene	BQL	388	1	3/11/2009
Benzo[a]anthracene	BQL	388	1	3/11/2009
Benzo[a]pyrene	BQL	388	1	3/11/2009
Benzo[b]fluoranthene	BQL	388	1	3/11/2009
Benzo[g,h,i]perylene	BQL	388	1	3/11/2009
Benzo[k]fluoranthene	BQL	388	1	3/11/2009
Benzoic Acid	BQL	776	1	3/11/2009
Bis(2-chloroethoxy)methane	BQL	388	1	3/11/2009
Bis(2-chloroethyl)ether	BQL	388	1	3/11/2009
Bis(2-chloroisopropyl)ether	BQL	388	1	3/11/2009
Bis(2-ethylhexyl)phthalate	BQL	388	1	3/11/2009
4-bromophenyl phenyl ether	BQL	388	1	3/11/2009
Butylbenzylphthalate	BQL	388	1	3/11/2009
2-Chloronaphthalene	BQL	388	1	3/11/2009
2-Chlorophenol	BQL	388	1	3/11/2009
4-Chloro-3-methylphenol	BQL	388	1	3/11/2009
4-Chloroaniline	BQL	1940	1	3/11/2009
4-Chlorophenyl phenyl ether	BQL	388	1	3/11/2009
Chrysene	BQL	388	1	3/11/2009
Dibenzo[a,h]anthracene	BQL	388	1	3/11/2009
Dibenzofuran	BQL	388	1	3/11/2009
Di-n-Butylphthalate	BQL	388	1	3/11/2009
1,2-Dichlorobenzene	BQL	388	1	3/11/2009
1,3-Dichlorobenzene	BQL	388	1	3/11/2009
1,4-Dichlorobenzene	BQL	388	1	3/11/2009
3,3'-Dichlorobenzidine	BQL	776	1	3/11/2009
2,4-Dichlorophenol	BQL	388	1	3/11/2009
Diethylphthalate	BQL	388	1	3/11/2009
Dimethylphthalate	BQL	388	1	3/11/2009
2,4-Dimethylphenol	BQL	388	1	3/11/2009
Di-n-octylphthalate	BQL	388	1	3/11/2009
4,6-Dinitro-2-methylphenol	BQL	1940	1	3/11/2009
2,4-Dinitrophenol	BQL	1940	1	3/11/2009
2,4-Dinitrotoluene	BQL	388	1	3/11/2009
2,6-Dinitrotoluene	BQL	388	1	3/11/2009
Fluoranthene	BQL	388	1	3/11/2009
Fluorene	BQL	388	1	3/11/2009
Hexachlorobenzene	BQL	388	1	3/11/2009
Hexachlorobutadiene	BQL	388	1	3/11/2009
Hexachlorocyclopentadiene	BQL	776	1	3/11/2009
Hexachloroethane	BQL	388	1	3/11/2009
Indeno(1,2,3-c,d)pyrene	BQL	388	1	3/11/2009
Isophorone	BQL	388	1	3/11/2009
2-Methylnaphthalene	BQL	388	1	3/11/2009
2-Methylphenol	BQL	388	1	3/11/2009

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S007
Client Project ID: CTO 005
Lab Sample ID: G649-126-2G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 32.49 g

Analyzed By: DCS
Date Collected: 3/9/2009 15:10
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 79.35

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
3- & 4-Methylphenol	BQL	388	1	3/11/2009
Naphthalene	BQL	388	1	3/11/2009
2-Nitroaniline	BQL	388	1	3/11/2009
3-Nitroaniline	BQL	1940	1	3/11/2009
4-Nitroaniline	BQL	1940	1	3/11/2009
Nitrobenzene	BQL	388	1	3/11/2009
2-Nitrophenol	BQL	388	1	3/11/2009
4-Nitrophenol	BQL	1940	1	3/11/2009
Diphenylamine *	BQL	388	1	3/11/2009
Pentachlorophenol	BQL	1940	1	3/11/2009
Phenanthrene	BQL	388	1	3/11/2009
Phenol	BQL	388	1	3/11/2009
Pyrene	BQL	388	1	3/11/2009
1,2,4-Trichlorobenzene	BQL	388	1	3/11/2009
2,4,5-Trichlorophenol	BQL	388	1	3/11/2009
2,4,6-Trichlorophenol	BQL	388	1	3/11/2009

	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.4	84
2-Fluorophenol	10	8.4	84
Nitrobenzene-d5	10	9.5	94
Phenol-d6	10	9	90
2,4,6-Tribromophenol	10	7.5	75
4-Terphenyl-d14	10	7.7	78

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.
J = Detected below the quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S008
Client Project ID: CTO 005
Lab Sample ID: G649-126-3G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 32.58 g

Analyzed By: DCS
Date Collected: 3/9/2009 15:12
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 82.26

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
Acenaphthene	BQL	373	1	3/11/2009
Acenaphthylene	BQL	373	1	3/11/2009
Anthracene	BQL	373	1	3/11/2009
Benzo[a]anthracene	BQL	373	1	3/11/2009
Benzo[a]pyrene	BQL	373	1	3/11/2009
Benzo[b]fluoranthene	BQL	373	1	3/11/2009
Benzo[g,h,i]perylene	BQL	373	1	3/11/2009
Benzo[k]fluoranthene	BQL	373	1	3/11/2009
Benzoic Acid	BQL	746	1	3/11/2009
Bis(2-chloroethoxy)methane	BQL	373	1	3/11/2009
Bis(2-chloroethyl)ether	BQL	373	1	3/11/2009
Bis(2-chloroisopropyl)ether	BQL	373	1	3/11/2009
Bis(2-ethylhexyl)phthalate	BQL	373	1	3/11/2009
4-bromophenyl phenyl ether	BQL	373	1	3/11/2009
Butylbenzylphthalate	BQL	373	1	3/11/2009
2-Chloronaphthalene	BQL	373	1	3/11/2009
2-Chlorophenol	BQL	373	1	3/11/2009
4-Chloro-3-methylphenol	BQL	373	1	3/11/2009
4-Chloroaniline	BQL	1870	1	3/11/2009
4-Chlorophenyl phenyl ether	BQL	373	1	3/11/2009
Chrysene	BQL	373	1	3/11/2009
Dibenzo[a,h]anthracene	BQL	373	1	3/11/2009
Dibenzofuran	BQL	373	1	3/11/2009
Di-n-Butylphthalate	BQL	373	1	3/11/2009
1,2-Dichlorobenzene	BQL	373	1	3/11/2009
1,3-Dichlorobenzene	BQL	373	1	3/11/2009
1,4-Dichlorobenzene	BQL	373	1	3/11/2009
3,3'-Dichlorobenzidine	BQL	746	1	3/11/2009
2,4-Dichlorophenol	BQL	373	1	3/11/2009
Diethylphthalate	BQL	373	1	3/11/2009
Dimethylphthalate	BQL	373	1	3/11/2009
2,4-Dimethylphenol	BQL	373	1	3/11/2009
Di-n-octylphthalate	BQL	373	1	3/11/2009
4,6-Dinitro-2-methylphenol	BQL	1870	1	3/11/2009
2,4-Dinitrophenol	BQL	1870	1	3/11/2009
2,4-Dinitrotoluene	BQL	373	1	3/11/2009
2,6-Dinitrotoluene	BQL	373	1	3/11/2009
Fluoranthene	BQL	373	1	3/11/2009
Fluorene	496	373	1	3/11/2009
Hexachlorobenzene	BQL	373	1	3/11/2009
Hexachlorobutadiene	BQL	373	1	3/11/2009
Hexachlorocyclopentadiene	BQL	746	1	3/11/2009
Hexachloroethane	BQL	373	1	3/11/2009
Indeno(1,2,3-c,d)pyrene	BQL	373	1	3/11/2009
Isophorone	BQL	373	1	3/11/2009
2-Methylnaphthalene	5020	373	1	3/11/2009
2-Methylphenol	BQL	373	1	3/11/2009

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S008
Client Project ID: CTO 005
Lab Sample ID: G649-126-3G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 32.58 g

Analyzed By: DCS
Date Collected: 3/9/2009 15:12
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 82.26

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
3- & 4-Methylphenol	BQL	373	1	3/11/2009
Naphthalene	840	373	1	3/11/2009
2-Nitroaniline	BQL	373	1	3/11/2009
3-Nitroaniline	BQL	1870	1	3/11/2009
4-Nitroaniline	BQL	1870	1	3/11/2009
Nitrobenzene	BQL	373	1	3/11/2009
2-Nitrophenol	BQL	373	1	3/11/2009
4-Nitrophenol	BQL	1870	1	3/11/2009
Diphenylamine *	BQL	373	1	3/11/2009
Pentachlorophenol	BQL	1870	1	3/11/2009
Phenanthrene	955	373	1	3/11/2009
Phenol	BQL	373	1	3/11/2009
Pyrene	BQL	373	1	3/11/2009
1,2,4-Trichlorobenzene	BQL	373	1	3/11/2009
2,4,5-Trichlorophenol	BQL	373	1	3/11/2009
2,4,6-Trichlorophenol	BQL	373	1	3/11/2009

	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.8	88
2-Fluorophenol	10	8.7	87
Nitrobenzene-d5	10	11.5	115
Phenol-d6	10	8.9	89
2,4,6-Tribromophenol	10	7.9	79
4-Terphenyl-d14	10	7.8	78

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.
J = Detected below the quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S009
Client Project ID: CTO 005
Lab Sample ID: G649-126-4G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 31.26 g

Analyzed By: DCS
Date Collected: 3/9/2009 15:05
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 79.1

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
Acenaphthene	BQL	404	1	3/11/2009
Acenaphthylene	BQL	404	1	3/11/2009
Anthracene	BQL	404	1	3/11/2009
Benzo[a]anthracene	BQL	404	1	3/11/2009
Benzo[a]pyrene	BQL	404	1	3/11/2009
Benzo[b]fluoranthene	BQL	404	1	3/11/2009
Benzo[g,h,i]perylene	BQL	404	1	3/11/2009
Benzo[k]fluoranthene	BQL	404	1	3/11/2009
Benzoic Acid	BQL	809	1	3/11/2009
Bis(2-chloroethoxy)methane	BQL	404	1	3/11/2009
Bis(2-chloroethyl)ether	BQL	404	1	3/11/2009
Bis(2-chloroisopropyl)ether	BQL	404	1	3/11/2009
Bis(2-ethylhexyl)phthalate	BQL	404	1	3/11/2009
4-bromophenyl phenyl ether	BQL	404	1	3/11/2009
Butylbenzylphthalate	BQL	404	1	3/11/2009
2-Chloronaphthalene	BQL	404	1	3/11/2009
2-Chlorophenol	BQL	404	1	3/11/2009
4-Chloro-3-methylphenol	BQL	404	1	3/11/2009
4-Chloroaniline	BQL	2020	1	3/11/2009
4-Chlorophenyl phenyl ether	BQL	404	1	3/11/2009
Chrysene	BQL	404	1	3/11/2009
Dibenzo[a,h]anthracene	BQL	404	1	3/11/2009
Dibenzofuran	BQL	404	1	3/11/2009
Di-n-Butylphthalate	BQL	404	1	3/11/2009
1,2-Dichlorobenzene	BQL	404	1	3/11/2009
1,3-Dichlorobenzene	BQL	404	1	3/11/2009
1,4-Dichlorobenzene	BQL	404	1	3/11/2009
3,3'-Dichlorobenzidine	BQL	809	1	3/11/2009
2,4-Dichlorophenol	BQL	404	1	3/11/2009
Diethylphthalate	BQL	404	1	3/11/2009
Dimethylphthalate	BQL	404	1	3/11/2009
2,4-Dimethylphenol	BQL	404	1	3/11/2009
Di-n-octylphthalate	BQL	404	1	3/11/2009
4,6-Dinitro-2-methylphenol	BQL	2020	1	3/11/2009
2,4-Dinitrophenol	BQL	2020	1	3/11/2009
2,4-Dinitrotoluene	BQL	404	1	3/11/2009
2,6-Dinitrotoluene	BQL	404	1	3/11/2009
Fluoranthene	BQL	404	1	3/11/2009
Fluorene	BQL	404	1	3/11/2009
Hexachlorobenzene	BQL	404	1	3/11/2009
Hexachlorobutadiene	BQL	404	1	3/11/2009
Hexachlorocyclopentadiene	BQL	809	1	3/11/2009
Hexachloroethane	BQL	404	1	3/11/2009
Indeno(1,2,3-c,d)pyrene	BQL	404	1	3/11/2009
Isophorone	BQL	404	1	3/11/2009
2-Methylnaphthalene	BQL	404	1	3/11/2009
2-Methylphenol	BQL	404	1	3/11/2009

SGS Environmental Services, Inc.

**Results for Semivolatiles
by GCMS 8270**

Client Sample ID: TT3127-S009
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-4G
 Lab Project ID: G649-126
 Report Basis: Dry weight
 Initial Weight: 31.26 g

Analyzed By: DCS
 Date Collected: 3/9/2009 15:05
 Date Received: 3/10/2009
 Date Extracted: 3/10/2009
 Matrix: Soil
 % Solids: 79.1

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
3- & 4-Methylphenol	BQL	404	1	3/11/2009
Naphthalene	BQL	404	1	3/11/2009
2-Nitroaniline	BQL	404	1	3/11/2009
3-Nitroaniline	BQL	2020	1	3/11/2009
4-Nitroaniline	BQL	2020	1	3/11/2009
Nitrobenzene	BQL	404	1	3/11/2009
2-Nitrophenol	BQL	404	1	3/11/2009
4-Nitrophenol	BQL	2020	1	3/11/2009
Diphenylamine *	BQL	404	1	3/11/2009
Pentachlorophenol	BQL	2020	1	3/11/2009
Phenanthrene	BQL	404	1	3/11/2009
Phenol	BQL	404	1	3/11/2009
Pyrene	BQL	404	1	3/11/2009
1,2,4-Trichlorobenzene	BQL	404	1	3/11/2009
2,4,5-Trichlorophenol	BQL	404	1	3/11/2009
2,4,6-Trichlorophenol	BQL	404	1	3/11/2009

	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.6	86
2-Fluorophenol	10	9	90
Nitrobenzene-d5	10	9.3	93
Phenol-d6	10	9.2	92
2,4,6-Tribromophenol	10	7.9	79
4-Terphenyl-d14	10	8.3	83

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.
 J = Detected below the quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 8270

Client Sample ID: TT3127-S010
Client Project ID: CTO 005
Lab Sample ID: G649-126-5G
Lab Project ID: G649-126
Report Basis: Dry weight
Initial Weight: 32.16 g

Analyzed By: DCS
Date Collected: 3/9/2009 15:08
Date Received: 3/10/2009
Date Extracted: 3/10/2009
Matrix: Soil
% Solids: 80.47

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
Acenaphthene	BQL	386	1	3/11/2009
Acenaphthylene	BQL	386	1	3/11/2009
Anthracene	BQL	386	1	3/11/2009
Benzo[a]anthracene	BQL	386	1	3/11/2009
Benzo[a]pyrene	BQL	386	1	3/11/2009
Benzo[b]fluoranthene	BQL	386	1	3/11/2009
Benzo[g,h,i]perylene	BQL	386	1	3/11/2009
Benzo[k]fluoranthene	BQL	386	1	3/11/2009
Benzoic Acid	BQL	773	1	3/11/2009
Bis(2-chloroethoxy)methane	BQL	386	1	3/11/2009
Bis(2-chloroethyl)ether	BQL	386	1	3/11/2009
Bis(2-chloroisopropyl)ether	BQL	386	1	3/11/2009
Bis(2-ethylhexyl)phthalate	BQL	386	1	3/11/2009
4-bromophenyl phenyl ether	BQL	386	1	3/11/2009
Butylbenzylphthalate	BQL	386	1	3/11/2009
2-Chloronaphthalene	BQL	386	1	3/11/2009
2-Chlorophenol	BQL	386	1	3/11/2009
4-Chloro-3-methylphenol	BQL	386	1	3/11/2009
4-Chloroaniline	BQL	1930	1	3/11/2009
4-Chlorophenyl phenyl ether	BQL	386	1	3/11/2009
Chrysene	BQL	386	1	3/11/2009
Dibenzo[a,h]anthracene	BQL	386	1	3/11/2009
Dibenzofuran	BQL	386	1	3/11/2009
Di-n-Butylphthalate	BQL	386	1	3/11/2009
1,2-Dichlorobenzene	BQL	386	1	3/11/2009
1,3-Dichlorobenzene	BQL	386	1	3/11/2009
1,4-Dichlorobenzene	BQL	386	1	3/11/2009
3,3'-Dichlorobenzidine	BQL	773	1	3/11/2009
2,4-Dichlorophenol	BQL	386	1	3/11/2009
Diethylphthalate	BQL	386	1	3/11/2009
Dimethylphthalate	BQL	386	1	3/11/2009
2,4-Dimethylphenol	BQL	386	1	3/11/2009
Di-n-octylphthalate	BQL	386	1	3/11/2009
4,6-Dinitro-2-methylphenol	BQL	1930	1	3/11/2009
2,4-Dinitrophenol	BQL	1930	1	3/11/2009
2,4-Dinitrotoluene	BQL	386	1	3/11/2009
2,6-Dinitrotoluene	BQL	386	1	3/11/2009
Fluoranthene	BQL	386	1	3/11/2009
Fluorene	BQL	386	1	3/11/2009
Hexachlorobenzene	BQL	386	1	3/11/2009
Hexachlorobutadiene	BQL	386	1	3/11/2009
Hexachlorocyclopentadiene	BQL	773	1	3/11/2009
Hexachloroethane	BQL	386	1	3/11/2009
Indeno(1,2,3-c,d)pyrene	BQL	386	1	3/11/2009
Isophorone	BQL	386	1	3/11/2009
2-Methylnaphthalene	BQL	386	1	3/11/2009
2-Methylphenol	BQL	386	1	3/11/2009

**Results for Semivolatiles
by GCMS 8270**

Client Sample ID: TT3127-S010
 Client Project ID: CTO 005
 Lab Sample ID: G649-126-5G
 Lab Project ID: G649-126
 Report Basis: Dry weight
 Initial Weight: 32.16 g

Analyzed By: DCS
 Date Collected: 3/9/2009 15:08
 Date Received: 3/10/2009
 Date Extracted: 3/10/2009
 Matrix: Soil
 % Solids: 80.47

Compound	Result ug/Kg	RL ug/Kg	Dilution Factor	Date Analyzed
3- & 4-Methylphenol	BQL	386	1	3/11/2009
Naphthalene	BQL	386	1	3/11/2009
2-Nitroaniline	BQL	386	1	3/11/2009
3-Nitroaniline	BQL	1930	1	3/11/2009
4-Nitroaniline	BQL	1930	1	3/11/2009
Nitrobenzene	BQL	386	1	3/11/2009
2-Nitrophenol	BQL	386	1	3/11/2009
4-Nitrophenol	BQL	1930	1	3/11/2009
Diphenylamine *	BQL	386	1	3/11/2009
Pentachlorophenol	BQL	1930	1	3/11/2009
Phenanthrene	BQL	386	1	3/11/2009
Phenol	BQL	386	1	3/11/2009
Pyrene	BQL	386	1	3/11/2009
1,2,4-Trichlorobenzene	BQL	386	1	3/11/2009
2,4,5-Trichlorophenol	BQL	386	1	3/11/2009
2,4,6-Trichlorophenol	BQL	386	1	3/11/2009


	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.1	81
2-Fluorophenol	10	8.5	85
Nitrobenzene-d5	10	9.1	91
Phenol-d6	10	8.7	87
2,4,6-Tribromophenol	10	7.4	74
4-Terphenyl-d14	10	7.6	76

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.
 J = Detected below the quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

Shane Chasteen
Richard Catlin & Associates
P.O. Box 10279
Wilmington, NC 28404-0279

Report Number: G128-2343

Client Project: TT3127

Dear Shane Chasteen,

Enclosed are the results of the analytical services performed under the referenced project. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call SGS Environmental Services at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS Environmental Services for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,
SGS Environmental Services, Inc.

 3/28/09
Project Manager Date
Ashley Nifong

SGS Environmental Services, Inc.

Case Narrative

Catlin

SGS Project: G128-2343

Project Name: TT3127


SGS Environmental Services Inc.

March 27, 2009

- One water sample was accepted into the laboratory on March 25, 2009 at 1600 for analyses as indicated on the chain of custody. The sample was received in good condition, within temperature and holding time limits.
- All extractions and analyses were completed within holding time limits, with the following quality control exceptions.

625 Analysis

- 2-Chloronaphthalene, Hexachloroethane and 1,2,4-Trichlorobenzene recovered below acceptance criteria in the associated LCS/LCSD for batch 13933. Although these compounds were not detected in the samples, this factor introduces a possible low bias for these compounds only.

 _____ Date 27MAR09
Data Review

SGS Environmental Services, Inc.

List of Reporting Abbreviations
And Data Qualifiers

B = Compound also detected in batch blank

BQL = Below Quantification Limit (RL or MDL)

DF = Dilution Factor

Dup = Duplicate

D = Detected, but RPD is > 40% between results in dual column method.

E = Estimated concentration, exceeds calibration range.

J = Estimated concentration, below calibration range and above MDL

LCS(D) = Laboratory Control Spike (Duplicate)

MDL = Method Detection Limit

MS(D) = Matrix Spike (Duplicate)

PQL = Practical Quantitation Limit

RL/CL = Reporting Limit / Control Limit

RPD = Relative Percent Difference

mg/kg = milligram per kilogram, ppm, parts per million

ug/kg = micrograms per kilogram, ppb, parts per billion

mg/L = milligram per liter, ppm, parts per million

ug/L = micrograms per liter, ppb, parts per billion

% Rec = Percent Recovery

% solids = Percent Solids

Special Notes:

- 1) Metals and mercury samples are digested with a hot block, see the standard operating procedure document for details.
- 2) Uncertainty for all reported data is less than or equal to 30 percent.

SGS Environmental Services, Inc.

Results for Volatiles
by GC 602

Client Sample ID: TT3127-TW01
 Client Project ID: TT3127
 Lab Sample ID: G128-2343-1A
 Lab Project ID: G128-2343

Analyzed By: RSB
 Date Collected: 3/25/2009 14:30
 Date Received: 3/25/2009
 Matrix: Water

Analyte	Result ug/L	RL ug/L	MDL ug/L	Dilution Factor	Date Analyzed	Flags
Benzene	BQL	1.00	0.177	1	3/26/2009	
Diisopropyl ether (DIPE)	BQL	1.00	0.253	1	3/26/2009	
Ethylbenzene	2.27	1.00	0.19	1	3/26/2009	
Methyl-tert butyl ether (MTBE)	BQL	2.00	0.306	1	3/26/2009	
Toluene	BQL	1.00	0.313	1	3/26/2009	
m/p-Xylene	13.0	2.00	0.481	1	3/26/2009	
o-Xylene	0.829	2.00	0.405	1	3/26/2009	J

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovery
Trifluorotoluene	40	40.8	102

Comments:
 All values corrected for dilution.
 BQL = Below quantitation limit.

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 625

Client Sample ID: TT3127-TW01
Client Project ID: TT3127
Lab Sample ID: G128-2343-1J
Lab Project ID: G128-2343

Analyzed By: DCS
Date Collected: 3/25/2009 14:30
Date Received: 3/25/2009
Date Extracted: 3/25/2009
Matrix: Water

Initial/Final Amt: 815 mL / 5.0 mL

Compound	Result ug/L	RL ug/L	MDL ug/L	Dilution Factor	Date Analyzed	Flag
Acenaphthene	19.0	61.3	9.14	10	3/26/2009	J
Acenaphthylene	BQL	61.3	9.14	10	3/26/2009	
Anthracene	BQL	61.3	10.7	10	3/26/2009	
Benzo[a]anthracene	BQL	61.3	8.34	10	3/26/2009	
Benzo[a]pyrene	BQL	61.3	7.79	10	3/26/2009	
Benzo[b]fluoranthene	BQL	61.3	8.77	10	3/26/2009	
Benzo[g,h,i]perylene	BQL	61.3	7.55	10	3/26/2009	
Benzo[k]fluoranthene	BQL	61.3	6.75	10	3/26/2009	
Bis(2-chloroethoxy)methane	BQL	61.3	12.6	10	3/26/2009	
Bis(2-chloroethyl)ether	BQL	61.3	12.8	10	3/26/2009	
Bis(2-chloroisopropyl)ether	BQL	61.3	12.0	10	3/26/2009	
Bis(2-ethylhexyl)phthalate	BQL	61.3	5.03	10	3/26/2009	
4-bromophenyl phenyl ether	BQL	61.3	9.57	10	3/26/2009	
Butylbenzylphthalate	BQL	61.3	5.46	10	3/26/2009	
2-Chloronaphthalene	BQL	61.3	10.6	10	3/26/2009	
2-Chlorophenol	BQL	61.3	14.4	10	3/26/2009	
4-Chloro-3-methylphenol	BQL	61.3	9.75	10	3/26/2009	
4-Chlorophenyl phenyl ether	BQL	61.3	39.9	10	3/26/2009	
Chrysene	BQL	61.3	6.81	10	3/26/2009	
Dibenzo[a,h]anthracene	BQL	61.3	5.40	10	3/26/2009	
Di-n-Butylphthalate	BQL	61.3	10.1	10	3/26/2009	
3,3'-Dichlorobenzidine	BQL	123	15.0	10	3/26/2009	
2,4-Dichlorophenol	BQL	61.3	13.7	10	3/26/2009	
Diethylphthalate	BQL	61.3	9.08	10	3/26/2009	
Dimethylphthalate	BQL	61.3	6.81	10	3/26/2009	
2,4-Dimethylphenol	BQL	61.3	19.9	10	3/26/2009	
Di-n-octylphthalate	BQL	61.3	7.12	10	3/26/2009	
4,6-Dinitro-2-methylphenol	BQL	307	6.75	10	3/26/2009	
2,4-Dinitrophenol	BQL	307	7.85	10	3/26/2009	
2,4-Dinitrotoluene	BQL	61.3	6.56	10	3/26/2009	
2,6-Dinitrotoluene	BQL	61.3	7.98	10	3/26/2009	
Diphenylamine *	BQL	61.3	6.99	10	3/26/2009	
Fluoranthene	BQL	61.3	8.65	10	3/26/2009	
Fluorene	25.2	61.3	8.90	10	3/26/2009	J
Hexachlorobenzene	BQL	61.3	6.20	10	3/26/2009	
Hexachlorobutadiene	BQL	61.3	9.33	10	3/26/2009	
Hexachlorocyclopentadiene	BQL	123	123	10	3/26/2009	
Hexachloroethane	BQL	61.3	9.14	10	3/26/2009	
Indeno(1,2,3-c,d)pyrene	BQL	61.3	28.0	10	3/26/2009	
Isophorone	BQL	61.3	10.9	10	3/26/2009	
Naphthalene	77.3	61.3	11.2	10	3/26/2009	
Nitrobenzene	BQL	61.3	12.9	10	3/26/2009	
2-Nitrophenol	BQL	61.3	15.1	10	3/26/2009	
4-Nitrophenol	BQL	307	13.3	10	3/26/2009	
N-Nitrosodi-n-propylamine	BQL	61.3	18.4	10	3/26/2009	
Pentachlorophenol	BQL	307	17.4	10	3/26/2009	
Phenanthrene	41.1	61.3	5.46	10	3/26/2009	J

SGS Environmental Services, Inc.

Results for Semivolatiles
by GCMS 625

Client Sample ID: TT3127-TW01
Client Project ID: TT3127
Lab Sample ID: G128-2343-1J
Lab Project ID: G128-2343

Analyzed By: DCS
Date Collected: 3/25/2009 14:30
Date Received: 3/25/2009
Date Extracted: 3/25/2009
Matrix: Water

Initial/Final Amt: 815 mL / 5.0 mL

Compound	Result ug/L	RL ug/L	MDL ug/L	Dilution Factor	Date Analyzed	Flag
Phenol	BQL	61.3	13.0	10	3/26/2009	
Pyrene	BQL	61.3	25.3	10	3/26/2009	
1,2,4-Trichlorobenzene	BQL	61.3	8.83	10	3/26/2009	
2,4,6-Trichlorophenol	BQL	61.3	11.3	10	3/26/2009	
		Spike Added	Spike Result	Percent Recovered		
2-Fluorobiphenyl		1	NA	NA		
2-Fluorophenol		1	NA	NA		
Nitrobenzene-d5		1	NA	NA		
Phenol-d6		1	NA	NA		
2,4,6-Tribromophenol		1	NA	NA		
4-Terphenyl-d14		1	NA	NA		

Comments:

* N-Nitrosodiphenylamine is reported as the breakdown product Diphenylamine.

Flags:

BQL = Below Quantitation Limits.

J = Detected below the quantitation limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: TT3127-TW01
 Client Project ID: TT3127
 Lab Sample ID: G128-2343-1J
 Lab Project ID: G128-2343
 Sample Wt/Vol: 815 ML
 Dilution: 10


Analyzed By: DES
 Date Collected: 3/25/2009 14:30
 Date Received: 3/25/2009
 Date Extracted: 3/25/2009
 Date Analyzed: 3/26/2009
 Matrix: Water

No.	Compound	Retention Time	CAS#	Match Probability	Result ug/L
1	Tetradecane	8.86	629-59-4	92	420
2	Hexadecane	7.43	544-76-3	94	375
3	Pentadecane	9.30	629-62-9	94	300
4	Alkane, Unknown	8.44			216
5	Tridecane	5.74	629-50-5	94	264
6	Alkane, Unknown	6.68			199

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak area of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak area is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

EPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Richard Catlin & Associates

Project Name: TT3127

Sample Information	
Sample Identification	TT3127-TW01
Sample Matrix	Water
Date Collected	03/25/09 14:30
Date Received	03/25/09
Date Extracted	03/26/09
Date Analyzed	03/27/09 14:43 - 03/27/09 15:11
Dry Weight	NA
Dilution Factor	1 - 1
Initial Volume (mL)	850
Final Volume (mL)	5.0

Analytical Results			
Analytes**	Result µg/L	Report Limit µg/L	Flags
C9-C18 Aliphatics	BQL	100	
C19-C36 Aliphatics	BQL	100	
C11-C22 Aromatics	BQL	100	

Surrogates	Percent Recovery	Flags	Limits	
			Lower	Upper
Aliphatic (tricosane)	111		40	140
Aromatic (ortho-terphenyl)	104		40	140
Fractionation 1 (2-bromonaphthalene)	117		40	140
Fractionation 2 (2-fluorobiphenyl)	119		40	140

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: G128-2343-1M	Lab Info: G128-2343-1M
Aliphatic: EP032709/013F1101.D	Aromatic: EP032709/014F1201.D

Reviewed By: 

Attachment 3

EPH Laboratory Reporting Form

Calibration and QA/QC Information

Initial Calibration Date: 02/24/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(02/15/08) (µg/L)	(02/11/08) (mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C9-C18 Aliphatics	1.66	0.274	5.28	0.871	100	10
C19-C36 Aliphatics	2.79	0.201	8.87	0.639	100	10
C11-C22 Aromatics	2.64	0.110	8.40	0.350	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR	Method of Quantitation
C ₉ -C ₁₈ Aliphatics	200	33.3	6.70	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₉ -C ₃₆ Aliphatics	200	33.3	4.67	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₁ -C ₂₂ Aromatics	200	33.3	2.55	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		

Calibration Check Date: 03/27/09 Filenames: ep032709/001f0101.d
03/27/09 ep032709/002f0201.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C9-C18 Aliphatics	100	16.7	-5.3	±25%
C19-C36 Aliphatics	100	16.7	-6.1	±25%
C11-C22 Aromatics	100	16.7	2.6	±25%

MDL = Method Detection Limit RPD = Relative Percent Difference
 ML = Minimum Limit %RSD = Percent Relative Standard Deviation
 RL = Reportable Limit CCC = Correlation Coefficient of Curve

Attachment 3

EPH Laboratory Reporting Form

Calibration and QA/QC Information

Initial Calibration Date: 02/24/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(02/15/08) (µg/L)	(02/11/08) (mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C9-C18 Aliphatics	1.66	0.274	5.28	0.871	100	10
C19-C36 Aliphatics	2.79	0.201	8.87	0.639	100	10
C11-C22 Aromatics	2.64	0.110	8.40	0.350	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR	Method of Quantitation
C ₉ -C ₁₈ Aliphatics	200	33.3	6.70	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₉ -C ₃₆ Aliphatics	200	33.3	4.67	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		
C ₁₁ -C ₂₂ Aromatics	200	33.3	2.55	Calibration Factor
	100	16.7		
	50	8.33		
	25	4.17		
	5	0.833		

Calibration Check Date: 03/27/09
03/27/09

Filenames: ep032709/001f1501.d
ep032709/002f1601.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C9-C18 Aliphatics	100	16.7	1.3	≤±25%
C19-C36 Aliphatics	100	16.7	2.8	≤±25%
C11-C22 Aromatics	100	16.7	2.3	≤±25%

MDL = Method Detection Limit
ML = Minimum Limit
RL = Reportable Limit

RPD = Relative Percent Difference
%RSD = Percent Relative Standard Deviation
CCC = Correlation Coefficient of Curve

VPH (Aliphatics/Aromatics) Laboratory Reporting Form

Client Name: Richard Catlin & Associates

Project Name: TT3127


Sample Information	
Sample Identification	TT3127-TW01
Sample Matrix	Water
Collection Option (for Soil)*	NA
Date Collected	03/25/09 14:30
Date Received	03/25/09
Date Extracted	03/25/09 21:37 - 03/25/09 21:37
Date Analyzed	03/25/09 21:37 - 03/25/09 21:37
Dry Weight	NA
Dilution Factor	1 - 1

Analytical Results			
Analyte	Result µg/L	Report Limit µg/L	Flags
C ₅ -C ₈ Aliphatics**	BQL	100	
C ₉ -C ₁₂ Aliphatics**	117	100	
C ₉ -C ₁₀ Aromatics**	122	100	
	Percent Recovery	Flags	Limits Lower Upper
Surrogate % Recovery - PID	93.0		70 130
Surrogate % Recovery - FID	101		70 130

* = Option 1 = Established fill line on vial, Option 2 = Sampling Device/Brand, or Option 3 = Field weight of soil.

** = Excludes any surrogates or internal standards and are unadjusted for individual analytes.

Lab Info: g128-2343-1a	Lab Info: g128-2343-1a
FID Info: VP032509/030F0101.D	PID Info: VP032509/030R0101.D

Reviewed By: 

Attachment 2

VPH Laboratory Reporting Form

Calibration and QA/QC Information

FID Initial Calibration Date: 03/15/09 PID Initial Calibration Date: 03/15/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C ₅ -C ₈ Aliphatics	2.02	0.175	6.42	0.557	100	10
C ₉ -C ₁₂ Aliphatics	1.51	0.118	4.80	0.375	100	10
C ₉ -C ₁₀ Aromatics	0.902	0.132	2.87	0.420	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR	Method of Quantitation
C ₅ -C ₈ Aliphatics	10	0.8	8.21	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₂ Aliphatics	10	0.8	24.28	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₀ Aromatics	10	0.8	7.07	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		

Calibration Check Date: 03/25/09 Filename: VP032509/002F0101.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C ₅ -C ₈ Aliphatics	200	16	-10.8	±25%
C ₉ -C ₁₂ Aliphatics	200	16	6.6	±25%
C ₉ -C ₁₀ Aromatics	200	16	-5.9	±25%

MDL = Method Detection Limit
ML = Minimum Limit
RL = Reportable Limit

RPD = Relative Percent Difference
%RSD = Percent Relative Standard Deviation
CCC = Correlation Coefficient of Curve

Attachment 2

VPH Laboratory Reporting Form

Calibration and QA/QC Information

FID Initial Calibration Date: 03/15/09 PID Initial Calibration Date: 03/15/09

Calibration Ranges and Limits

Range	MDL		ML		RL	
	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)	(µg/L)	(mg/Kg)
C ₅ -C ₈ Aliphatics	2.02	0.175	6.42	0.557	100	10
C ₉ -C ₁₂ Aliphatics	1.51	0.118	4.80	0.375	100	10
C ₉ -C ₁₀ Aromatics	0.902	0.132	2.87	0.420	100	10

Calibration Concentration Levels

Range	Levels (µg/L)	Levels (mg/Kg)	%RSD if CF r if LR	Method of Quantitation
C ₅ -C ₈ Aliphatics	10	0.8	8.21	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₂ Aliphatics	10	0.8	24.28	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		
C ₉ -C ₁₀ Aromatics	10	0.8	7.07	Calibration Factor
	50	4		
	100	8		
	200	16		
	500	40		

Calibration Check Date: 03/25/09 Filename: VP032509/036F0101.d

Calibration Check

Range	Levels (µg/L)	Levels (mg/Kg)	%Difference if CF %Drift if LR ✓	Limits
C ₅ -C ₈ Aliphatics	200	16	-19.3	±25%
C ₉ -C ₁₂ Aliphatics	200	16	-2.2	±25%
C ₉ -C ₁₀ Aromatics	200	16	-16.2	±25%

MDL = Method Detection Limit
ML = Minimum Limit
RL = Reportable Limit

RPD = Relative Percent Difference
%RSD = Percent Relative Standard Deviation
CCC = Correlation Coefficient of Curve



SGS Environmental Services Inc.
CHAIN OF CUSTODY RECORD

Locations Nationwide

- Alaska
- New Jersey
- North Carolina
- West Virginia
- Maryland
- New York
- Ohio

www.us.sgs.com

1 CLIENT: <u>CATUM ENG. & Sci.</u>					SGS Reference #: <u>6128-2343</u>					page <u>1</u> of <u>1</u>					
CONTACT: <u>SHANE CHASTERT</u> PHONE NO:					# CONTAINERS					Preservatives Used Analysis Required 3 <u>EPA 602</u> <u>EPA 625+TIGS</u> <u>MADEP 6PH</u> <u>MADEP VPH</u>					
PROJECT: <u>TT3127</u> SITE/PWSID#:															
REPORTS TO: <u>CATUM: ATTN: SHANE</u> EMAIL:															
INVOICE TO: <u>CATUM</u> QUOTE #: <u>DOD 101</u> P.O. #:															
LAB NO.	SAMPLE IDENTIFICATION	DATE	TIME	MATRIX/ MATRIX CODE	#	TYPE	PRESERVATIVES USED	ANALYSIS REQUIRED	C=	COMP	G=	GRAB	MI=	Multi Incremental Samples	REMARKS/ LOC ID
<u>16PIT 2-6</u>	<u>TT3127-TW01</u>	<u>3-25-09</u>	<u>1430</u>	<u>GW</u>	<u>9</u>	<u>3</u>	<u>✓</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>• EDD FORM</u> <u>• PL - REPORT</u> <u>LOW RUNS</u>
5 Collected/Relinquished By: (1) <u>[Signature]</u> Date: <u>3-25-09</u> Time: <u>1600</u>					4 DOD Project? YES NO Special Deliverable Requirements:										
Relinquished By: (2) Date: Time: Received By:					Cooler ID: Requested Turnaround Time and-or Special Instructions: <u>24 HOUR TURNAROUND</u>										
Relinquished By: (3) Date: Time: Received By:					Samples Received Cold? <u>(YES)</u> NO Chain of Custody Seal: (Circle) INTACT BROKEN <u>ABSENT</u>										
Relinquished By: (4) Date: Time: Received For Laboratory By:					Temperature: <u>11.6°C on ice coming from pop</u>										

N.C. Certification #481

Page 14 of 14

SGS ENVIRONMENTAL SERVICES, INC.

APPENDIX F
PHOTOGRAPHS



UST TT-3127 prior to removal with access hole



UST TT-3127 during removal activities



TT-3127 tank basin immediately after removal of UST



UST TT-3127 after cleaning at RCRS, Building 977

APPENDIX G
WELL CONSTRUCTION/ABANDONMENT RECORD

WELL LOG



209-022
Wilmington, NC

SHEET 1 OF 1

PROJECT NO.: 209-022	STATE: NC	COUNTY: Onslow	LOCATION: Jacksonville
PROJECT NAME: Six TT Sites Well Installation		LOGGED BY: Steve Tyler	WELL ID: TT3127-TW01
NORTHING: 3846748.1		EASTING: 282030.7	CREW: N/A
SYSTEM: UTM NAD83 (m)		BORING LOCATION: See map.	
DRILL MACHINE: Power Probe		METHOD: Direct Push	0 HOUR DTW: NM
START DATE: 3/24/09		FINISH DATE: 3/24/09	24 HOUR DTW: 11.7
			TOTAL DEPTH: 16.0
			WELL DEPTH: 15.5

DEPTH	BLOW COUNT				OVA (ppm)	LAB.	USCS	LOG	DEPTH	SOIL AND ROCK DESCRIPTION	WELL DETAIL
	6in	6in	6in	6in							
									0.0	LAND SURFACE	1.0
											0.0
							SM			Tan to olive, SILTY f. SAND. Loose. Wet at approximately 9.5' BLS.	2.0
											5.3
							SC		12.8	White, CLAYEY SAND. Loose.	
									13.5		
							OH			White, f. SANDY CLAY. Few sand. High plasticity.	
									16.0		
										Boring Terminated at Depth 16.0 ft in Set TEMPORARY 1" monitoring well to 15.5' BLS. Abandoned well subsequent to sampling.	15.3 15.5

Bentonite Pellets #2 Medium Sand

CATLIN BORING LOG 209-022 SIX TT SITES G.P.L. CATLIN GDT 4/6/09



WELL ABANDONMENT RECORD

North Carolina Department of Environment and Natural Resources - Division of Water Quality

WELL CONTRACTOR CERTIFICATION #: 2927

CATLIN PROJECT NO.: 209-022

1. WELL CONTRACTOR:

William J. Miller

Well Contractor (Individual) Name

CATLIN Engineers and Scientists

Well Contractor Company Name

STREET ADDRESS 220 Old Dairy Road

Wilmington North Carolina 28405

City or Town State Zip Code

(910) - 452-5861

Area code - Phone number

2. WELL INFORMATION

SITE WELL ID # (if applicable): TT3127-TW01

STATE WELL PERMIT # (if applicable): N.A.

COUNTY WELL PERMIT # (if applicable): N.A.

DWQ or OTHER PERMIT # (if applicable):

WELL USE (Check Applicable Box): Monitoring Residential

Municipal/Public Industrial/Commercial Agricultural

Recovery Injection Irrigation

Other (list use):

3. WELL LOCATION:

COUNTY: Onslow QUADRANGLE:

NEAREST TOWN: Jacksonville

(Street/Road Name, Number, Community, Subdivision, Lot No., Parcel, Zip Code)

TOPOGRAPHIC / LAND SETTING

Slope Valley Flat Ridge Other: _____

NORTHING: 3,846,748.1

EASTING: 282,030.7

UTM NAD83 (m)

May be in degrees, minutes, seconds, or in a decimal

Latitude/longitude source: GPS Topo. map

(Location of well must be shown on a USGS topo map and attached to this form if not using a GPS.)

4a. FACILITY - The name of the business where the well is located. Complete 4a and 4b. (If a residential well, skip 4a; complete 4b, well owner information only)

FACILITY ID #(if applicable)

NAME OF FACILITY:

STREET ADDRESS:

Jacksonville North Carolina

City or Town State Zip Code

4b. CONTACT PERSON/WELL OWNER:

NAME: Dr. Johanna Arnold

STREET ADDRESS: Attn: I&E/ EMD/ EQB/ PSC Box 20004

Camp Lejeune NC 28542-0004

City or Town State Zip Code

(910) 451-9017

Area code - Phone number

5. WELL DETAILS:

a. Total Depth: 15.5 ft. Diameter: 1 in.

b. Water Level (Below Measuring Point): 11.68 ft.

Measuring point is 1.0 ft. above land surface

6. CASING:

Length

Diameter

a. Casing Depth (if known): 5.3 ft. 1 in.

b. Casing Removed: 5.3 ft. 1 in.

7. DISINFECTION: N/A

(Amount of 70% calcium hypochlorite used)

8. SEALING MATERIAL:

Neat Cement

Cement _____ lb.

Water _____ gal.

Sand Cement

Cement _____ lb.

Water _____ gal.

Bentonite

Bentonite 5 lb.

Type: Slurry Pellets

Water 5 gal.

Other

Type material _____

Amount _____

9. EXPLAIN METHOD OF EMPLACEMENT OF MATERIAL:

Well and casing removed. Hole backfilled with Benseal.

10. WELL DIAGRAM: Draw a detailed sketch of the well on the back of this form showing total depth, depth and diameter of screens (if any) remaining in the well, gravel interval, intervals of casing perforations, and depths and types of fill materials used.

11. DATE WELL ABANDONED 3/25/2009

I DO HEREBY CERTIFY THAT THIS WELL WAS ABANDONED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS RECORD HAS BEEN PROVIDED TO THE WELL OWNER.

SIGNATURE OF CERTIFIED WELL CONTRACTOR

DATE 4-3-09

SIGNATURE OF PRIVATE WELL OWNER ABANDONING THE WELL DATE
(The private well owner must be an individual who personally abandons his/her residential well in accordance with 15A NCAC 2C 0113)

William J. Miller

PRINTED NAME OF PERSON ABANDONING THE WELL

Submit a copy to the owner and the original to the Division of Water Quality within 30 days. Attn: Information Management, 1617 Mail Service Center - Raleigh, NC 27699167, Phone No. (919) 733-7015 ext 568.

Modified from Form GW-30 Rev. 5/06