

04.01-08/04/92-00796

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

AUG 4 1992

4WD-RCRA/FF

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Byron Brant
Department of the Navy - Atlantic Division
Naval Facilities Engineering Command
Code 1822
Norfolk, Virginia 23511-6287


RE: Marine Corps Base Camp Lejeune NPL Site
Jacksonville, North Carolina

Dear Mr. Brant:

EPA is in receipt of the Navy's opinion and calculations dated July 17, 1992 with respect to the question of treatment of the TCE contaminated groundwater at the Hadnot Point Wastewater Treatment Plant. EPA concurs that, based on the information provided EPA by the Navy, the one part per million solvent exclusion provided under RCRA will apply.

If you have any questions or comments, please call me at (404) 347-3016.

Sincerely,



Michelle M. Glenn
Senior Project Manager

cc: Jack Butler, NCDEHNR
George Radford, MCB Camp Lejeune

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION IV
345 COURTLAND STREET
ATLANTA GEORGIA 30365

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

CODE 0112

92 AUG 10 AM 10:42

87



24 08/04/92 #6

Mr. Byron Blank GLNN0001
~~LAURIE A. DOUCHER, P.O.P.~~
COMMANDER, ATLANTIC DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
CODE 1822
NORFOLK VA 23511-6287

OPENED AND INSPECTED
FOR CLASSIFIED MATERIAL
BY CODE 0112
DATE 8-09-92
Sandra Bucklow

